



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

January 29, 2014

Ms. Penny Wirsing
Environmental Section Supervisor
ExxonMobil Oil Corporation
3700 West 190th Street
Torrance, CA 90509

SUBJECT: Revised Final Title V Facility Permit
ExxonMobil Oil Corporation
3700 West 190th Street
Torrance, CA 90509

REFERENCE: SCAQMD Facility ID: 800089
SCAQMD Application no. 550316

Dear Ms. Wirsing:

Attached is a Minor Permit Revision to your Title V Facility Permit. The revision includes the following sections:

- Title Page – Revision # 113, January 29, 2014
- Table of Contents – Revision # 113, January 29, 2014
- Section I – Revision # 16, January 29, 2014

Section I: Plans and Schedules – Minor Revision

The enclosed Section I reflects the inclusion of the following approved Rule 1118 compliance plan:

A/N	Equipment	Device ID	Permit Action	Process	System
550316	Rule 1118 Flare Monitoring and Recording Plan	n/a	Approve plan	n/a	n/a

The proposed permit revision for A/N 550316 was submitted to EPA for an expedited review on January 21, 2014. The EPA concluded its review on January 22, 2014 with no objection or comments.

This Title V permit revision is covered under A/N 559737. Please review the attached Section I of the Facility Permit carefully. This revision of your Facility Permit replaces the earlier version. If you have any questions, please contact Mr. Thomas Lee at (909) 396-3138 (tleel@aqmd.gov).

Sincerely,



Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering and Compliance Office

Enclosures

cc: Gerardo C. Rios, USEPA (via email to R9AirPermits_SC@epa.gov)
Compliance, SCAQMD
Application File 550316
Central Permit File