

# SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

## Title V Permit Summary

AQMD Facility ID:	108620	Company Name:	KRYSTAL KOACH INC
Equipment Location:	2701 East Imperial Highway, Brea, Ca 92821		SIC Code: 3711
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s):	471405	Application Submittal Date(s):	7/12/2007
AQMD Contact Person:	Brian Yeh	Phone #:	E-Mail Address:
		(909) 396-2584	byeh@aqmd.gov
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in limousine manufacturing. The facility operates eighteen spray booths, eleven open spray systems, and other supporting equipment.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2005-2006		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u>	
		Ammonia	Emissions (lbs/yr): 169.9
		BENZENE	0.075
		FORMALDEHYDE	0.16
		NAPHTHALENE	0.002
		PAH'S	0.001
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____			
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2005-2006		<input checked="" type="checkbox"/> NOx 0.613 <input checked="" type="checkbox"/> PM 3.87 <input checked="" type="checkbox"/> CO 0.165 <input checked="" type="checkbox"/> SOx 0.002 <input checked="" type="checkbox"/> VOC 9.52 <input type="checkbox"/> Other: _____	
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 3) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 0)			
Comments:			