

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID: 800278	Company Name: SFPP, LP		
Equipment Location: 20410 S. WILMINGTON AVE., CARSON, CA 90810	SIC Code: 4226		
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected: all	
Application #(s): 553899	Application Submittal Date(s): 07/02/2013		
AQMD Contact Person: LINDA DEJBAKSH	Phone #: (909) 396-2614	E-Mail Address: LDejbakhsh@aqmd.gov	
Project Description: This is an existing facility applying for a renewal to their Title V Permit. This facility is a petroleum product distribution terminal that receives petroleum product via pipeline and transfers product from storage tanks via pipeline. This facility operates storage tanks, an air pollution control system, and other support equipment.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2012	<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u>		<u>Emissions (lbs/yr):</u> BENZENE 512.521 NAPHTHALENE 28.47 AMMONIA 1.166 FORMALDEHYDE 0.018 1,3-BUTADIENE 0.002
Health Risk From Toxic Air Contaminants:	<input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input type="checkbox"/> Health Risk Reduction Plan Approved (AQMD Rule 1402) (Year): _____ <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submittal Pending <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input checked="" type="checkbox"/> Final Facility Health Risk Approved (date) <u>1999</u> Cancer Risk = <u>2.43 in one million</u> Acute Hazard Index = <u>0.00</u> Chronic Hazard Index = <u>0.10</u>		
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year:2012	<input checked="" type="checkbox"/> NOx <u>2.376</u> <input checked="" type="checkbox"/> CO <u>0.06</u> <input checked="" type="checkbox"/> ROG <u>31.287</u>	<input checked="" type="checkbox"/> TSP <u>0.045</u> <input checked="" type="checkbox"/> SOx <u>0.013</u> <input type="checkbox"/> Other: _____	
Compliance History:	<input type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (1)		
Comments: The Notice of Violation was corrected in 2012.			