

From: Uyeda, Valerie: [Valerie.J.Uyeda@conocophillips.com]
Sent: Friday, November 14, 2003 9:54 AM
To: Julian Elliot
Subject: RE: Title V Permit Correction for PC 20620 - 40 CFR 63 UUU

Hi Julian:

Thanks for meeting with us yesterday. We'd like to request to change the compliance date from April 11, 2004 to October 1, 2004 to give us time to do the applicability determination for the affected sources. We appreciate your willingness to accommodate our request.

- Val -

> -----Original Message-----

> From: Julian Elliot [SMTP:JElliot@baaqmd.gov]
> Sent: Wednesday, November 05, 2003 1:57 PM
> To: Uyeda, Valerie:
> Subject: RE: Title V Permit Correction for PC 20620

>

> I spoke to Brenda Cabral about this. She says that in part 1 were are asking for the submittal early. If you think you can't do it in time, please provide justification and make a comment when the 1st revision of the permit is open for comment.

>

> The typo in Part 2 will be corrected.

>

> Julian

>

> -----Original Message-----

> From: Uyeda, Valerie: [mailto:Valerie.J.Uyeda@conocophillips.com]
> Sent: Tuesday, November 04, 2003 9:26 AM
> To: Julian Elliot
> Cc: Ahlskog, Jennifer.; Johnson, Julia; Stern, Philip
> Subject: Title V Permit Correction for PC 20620

>

>

> Hi Julian:

>

> Permit condition 20620, part 1 states that a complete application for a significant revision to the Major Facility Review incorporate 40 CFR 63, UUU is due on April 11, 2004. The compliance date for existing sources is April 11, 2005 (see 40 CFR 63.1563(b)). Please change the compliance date to reflect the regulatory requirement.

>

> Permit condition 20620, part 2 states that Startup, Shutdown, and Malfunction Plans be submitted for District review in accordance with 40 CFR 63.1574(f). This subpart refers to an "operation, maintenance, and monitoring plan" to be submitted. We do not believe the District intends to receive each SSMP and believe this was a typographical error. Please modify the permit condition to read: "By April 11, 2005, the owner/operator shall submit an Operation, Maintenance, and Monitoring Plan" for District review in accordance with 40 CFR 63.1574(f). The plan shall be submitted to the Director of Enforcement".

>

> Please call if you have questions. Thanks!

>

> - Val -

>
> Valerie Uyeda
> ConocoPhillips San Francisco Refinery
> Environmental Department
> *Phone: 510-245-5249
> * Fax: 510-245-4476
> * e-mail: valerie.j.uyeda@conocophillips.com
>
> rc: 05-A-1-C Title V permit corrections
> keywords: SSMP, MACT UUU
>
>