

FACILITY PERMIT TO OPERATE

**MCP FOODS INC
424-25 S ATCHISON ST
ANAHEIM, CA 92805**

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.
EXECUTIVE OFFICER

By _____
Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering & Compliance

FACILITY PERMIT TO OPERATE MCP FOODS INC

TABLE OF CONTENTS

Section	Description	Revision #	Date Issued
A	Facility Information	DRAFT	11/13/2009
B	RECLAIM Annual Emission Allocation	DRAFT	11/13/2009
C	Facility Plot Plan	TO BE DEVELOPED	
D	Facility Description and Equipment Specific Conditions	DRAFT	11/13/2009
E	Administrative Conditions	DRAFT	11/13/2009
F	RECLAIM Monitoring and Source Testing Requirements	DRAFT	11/13/2009
G	Recordkeeping and Reporting Requirements for RECLAIM Sources	DRAFT	11/13/2009
H	Permit To Construct and Temporary Permit to Operate	DRAFT	11/13/2009
I	Compliance Plans & Schedules	DRAFT	11/13/2009
J	Air Toxics	DRAFT	11/13/2009
K	Title V Administration	DRAFT	11/13/2009
Appendix			
A	NO _x and SO _x Emitting Equipment Exempt From Written Permit Pursuant to Rule 219	DRAFT	11/13/2009
B	Rule Emission Limits	DRAFT	11/13/2009

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION A: FACILITY INFORMATION

LEGAL OWNER &/OR OPERATOR: MCP FOODS INC

LEGAL OPERATOR (if different than owner):

EQUIPMENT LOCATION: 424-25 S ATCHISON ST
ANAHEIM, CA 92805

MAILING ADDRESS: PO BOX 3633
ANAHEIM, CA 92805

RESPONSIBLE OFFICIAL: LARRY MEESTER

TITLE: V.P., GENERAL MANAGER

TELEPHONE NUMBER: (714) 535-2871

CONTACT PERSON: TODD LARATO

TITLE: HEALTH, SAFETY & ENVIRONMENTAL MANAGER

TELEPHONE NUMBER: (714) 535-2871

TITLE V PERMIT ISSUED: July 30, 2004

TITLE V PERMIT EXPIRATION DATE: July 29, 2009

TITLE V	RECLAIM
YES	NOx: YES SOx: NO CYCLE: 1 ZONE: COASTAL

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NO_x RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NO_x emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year		Zone	NO _x RTC Initially Allocated	NO _x RTC ¹ Holding as of 11/13/09 (pounds)	Non-Tradable ² Non-Usable RTCs (pounds)
Begin (month/year)	End				
1/2007	12/2007	Coastal	3534	400	0
1/2008	12/2008	Coastal	3534	950	155
1/2009	12/2009	Coastal	3534	4753	310
1/2010	12/2010	Coastal	3534	4599	464
1/2011	12/2011	Coastal	3534	4444	619
1/2012	12/2012	Coastal	3534	4444	619
1/2013	12/2013	Coastal	3534	4444	619
1/2014	12/2014	Coastal	3534	4444	619
1/2015	12/2015	Coastal	3534	4444	619
1/2016	12/2016	Coastal	3534	4444	619
1/2017	12/2017	Coastal	3534	4444	619
1/2018	12/2018	Coastal	3534	4444	619
1/2019	12/2019	Coastal	3534	4444	619
1/2020	12/2020	Coastal	3534	4444	619
1/2021	12/2021	Coastal	3534	4444	619
1/2022	12/2022	Coastal	3534	4444	619
1/2023	12/2023	Coastal	3534	4444	619

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NOx RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NOx emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year		Zone	NOx RTC Initially Allocated	NOx RTC ¹ Holding as of 11/13/09 (pounds)	Non-Tradable ² Non-Usable RTCs (pounds)
Begin (month/year)	End				
1/2024	12/2024	Coastal	3534	4444	619

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. If the facility submits a permit application to increase an annual allocation to a level greater than the facility's Starting Allocation plus Non-Tradable Credits as listed below, the application will be evaluated for compliance with Rule 2005(c)(4). Rule 2005(e)-Trading Zone Restrictions applies if an annual allocation is increased to a level greater than the facility's Starting Allocation plus Non-Tradable Credits:

Year		Zone	NO _x RTC Starting Allocation (pounds)	Non-Tradable Credits(NTCs) (pounds)
Begin	End			
1/1994	12/1994	Coastal	12740	0

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION C: FACILITY PLOT PLAN

(TO BE DEVELOPED)

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2 : STORAGE TANKS					
STORAGE TANK, UNDERGROUND, NO. T-20, ISOPROPYL ALCOHOL, WITH TWO PRODUCT RECOVERY TOTES, WITH NITROGEN BLANKET, 10000 GALS; DIAMETER: 9 FT 6 IN; HEIGHT: 19 FT 11 IN A/N: 444628	D5				B27.1, C1.6, E193.2
Process 3 : AIR POLLUTION CONTROL					
System 1 : AIR POLLUTION CONTROL SYSTEM					
AFTERBURNER, CATALYTIC PRODUCTS INTERNATIONAL, NATURAL GAS, MODEL VECTOR-30, WITH CATALYTIC AFTERBURNER, LOW NOX BURNER, 5 MMBTU/HR A/N: 446622	C29	C30	NOX: PROCESS UNIT**	CO: 2000 PPMV NATURAL GAS (5A) [RULE 407,4-2-1982] ; NOX: 130 LBS/MMSCF NATURAL GAS (1) [RULE 2012,5-6-2005] ; NOX: 30 PPMV NATURAL GAS (4) [RULE 2005,5-6-2005] PM: 0.1 GRAINS/SCF NATURAL GAS (5A) [RULE 409,8-7-1981]	A72.1, B27.1, C8.4, D12.4, D182.1, D328.2, D328.3
FILTER, DUST COLLECTOR, REVERSE PULSE JET CLEANING, WHEELABRATOR, MODEL SERIES 8, UNIT 88, SIXTY-FOUR CARTRIDGE FILTERS, 150 HP EXHAUST BLOWER, 12160 SQ.FT. A/N: 446620	C30	C29 D47 D54 D55 D59 D60 D64 D65 D69 D70 D101 D102 D103 C109 C110 C111 C112 C113 C114		PM: (9) [RULE 404,2-7-1986]	D322.2, D323.2, E102.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5)(5A)(5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3 : AIR POLLUTION CONTROL					
		C115 C116 C117 C118 C119 C120 C121 C122 C123 C124 C125 C126 C127 C128 C129 C130 C131 C132 C133 C134 D150 C152 C153 D156 D157 D158 D159 D163 C168 C170 C172 C174 C176 C178 C180 C182 C184 C186 C188 C190 D197 D198			
FILTER, DUST COLLECTOR, CARTRIDGE, DONALDSON TORIT, MODEL DFO-4-16, 30-HP EXHAUST BLOWER, 3040 SQ.FT. A/N:	C196	D146 D147 D194 D195		PM: (9) [RULE 404,2-7-1986]	D322.2, D323.2, E102.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5)(5A)(5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See Section J for NESHAP/MACT requirements
 ** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3 : AIR POLLUTION CONTROL					
System 2 : DUST CONTROL SYSTEM					
FILTER, DUST COLLECTOR, TWO CARTRIDGE FILTERS, FLEXICON, MODEL NO. BV-FB1W, 1.5 HP EXHAUST BLOWER, 100 SQ.FT. A/N:	C31	D43		PM: (9) [RULE 404,2-7-1986]	D322.1, D323.2, E102.1
FILTER, DUST COLLECTOR, TWO CARTRIDGE FILTERS, FLEXICON, MODEL NO. BV-FB1W, 1.5 HP EXHAUST BLOWER, 100 SQ.FT. A/N:	C32	D44		PM: (9) [RULE 404,2-7-1986]	D322.1, D323.2, E102.1
FILTER, DUST COLLECTOR, TWO CARTRIDGE FILTERS, FLEXICON, MODEL NO. BV-FB1W, 1.5 HP EXHAUST BLOWER, 100 SQ.FT. A/N:	C33	D45		PM: (9) [RULE 404,2-7-1986]	D322.1, D323.2, E102.1
FILTER, DUST COLLECTOR, TORIT DOWNFLOW, SIX CARTRIDGE FILTERS, DONALDSON, MODEL SDF-6, 7.5 HP EXHAUST BLOWER, 300 SQ.FT. A/N: 446620	C34	D50 D51 D52 D53		PM: (9) [RULE 404,2-7-1986]	D322.1, D323.2, E102.1
Process 4 : FOOD					
System 2 : DEHYDRATION SYSTEM 2					
MIXER, FLAVORINGS, WITH A 5 HP AGITATOR, 2000 GALS; DIAMETER: 7 FT; HEIGHT: 7 FT A/N: 451405	D146	C196		PM: (9) [RULE 405,2-7-1986]	

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
MIXER, FLAVORINGS, WITH A 5 HP AGITATOR, 2000 GALS; DIAMETER: 7 FT; HEIGHT: 7 FT A/N: 451405	D147	C196		PM: (9) [RULE 405,2-7-1986]	
DRYER, SPRAY, NATURAL GAS, 7 MMBTU/HR WITH A/N: 451405 BURNER, NATURAL GAS, MAXON, MODEL CROSSFIRE, WITH LOW NOX BURNER, 7 MMBTU/HR	D23	D24	NOX: PROCESS UNIT**	CO: 2000 PPMV (5) [RULE 407,4-2-1982] ; NOX: 42 PPMV (3) [RULE 2012,5-6-2005] ; PM: (9) [RULE 405,2-7-1986] PM: 0.1 GRAINS/SCF (5) [RULE 409,8-7-1981]	B27.1, C1.1, C1.5, D323.2
CYCLONE, PRIMARY HOT, 1/2 H.P. DISCHARGE VALVE MOTOR, HEIGHT: 27 FT; DIAMETER: 6 FT A/N: 451405	D24	D23 D25			
CYCLONE, SECONDARY HOT, 1/2 H.P. DISCHARGE VALVE MOTOR, HEIGHT: 27 FT; DIAMETER: 6 FT A/N: 451405	D25	D24 C26			
SCRUBBER, VENTURI, HEIGHT: 16 FT; DIAMETER: 11 FT A/N: 451404	C26	D25		PM: (9) [RULE 404,2-7-1986]	C8.1, C8.2, D323.2, E149.1, E193.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5)(5A)(5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
System 3 : FLAVOR EXTRACTION SYSTEM NO. 1 (SILVER LINE)					S1.5
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 386708	D54	C30			B27.1
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 386708	D55	C30			B27.1
TANK, RECIRCULATION, ISOPROPYL ALCOHOL, 230 GALS; DIAMETER: 3 FT 6 IN; HEIGHT: 4 FT 10 IN A/N: 386708	D56				B27.1
FUGITIVE EMISSIONS, MISCELLANEOUS, HYDROCYCLONE, KREBS, ISOPROPYL ALCOHOL, MODEL P4-SS-752, LENGTH: 2 FT 1 IN; DIAMETER: 5 IN A/N: 386708	D57				
CENTRIFUGE, 30 HP MOTOR, TEMA SYSTEMS, ISOPROPYL ALCOHOL, LENGTH: 1 FT 7 IN; DIAMETER: 1 FT 6 IN A/N: 386708	D58				B27.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
System 4 : FLAVOR EXTRACTION SYSTEM NO. 2 (YELLOW LINE)					S1.6
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 386709	D59	C30			B27.1
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 386709	D60	C30			B27.1
TANK, RECIRCULATION, ISOPROPYL ALCOHOL, 230 GALS; DIAMETER: 3 FT 6 IN; HEIGHT: 4 FT 10 IN A/N: 386709	D61				B27.1
FUGITIVE EMISSIONS, MISCELLANEOUS, HYDROCYCLONE, KREBS, ISOPROPYL ALCOHOL, MODEL P4-SS-752, LENGTH: 2 FT 1 IN; DIAMETER: 5 IN A/N: 386709	D62				
CENTRIFUGE, 30 HP MOTOR, TEMA SYSTEMS, ISOPROPYL ALCOHOL, LENGTH: 1 FT 4 IN; DIAMETER: 2 FT 1 IN A/N: 386709	D63				B27.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
System 5 : FLAVOR EXTRACTION SYSTEM NO. 3 (ORANGE LINE)					S1.7
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 386710	D64	C30			B27.1
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 386710	D65	C30			B27.1
TANK, RECIRCULATION, ISOPROPYL ALCOHOL, 230 GALS; DIAMETER: 3 FT 6 IN; HEIGHT: 4 FT 10 IN A/N: 386710	D66				B27.1
FUGITIVE EMISSIONS, MISCELLANEOUS, HYDROCYCLONE, KREBS, ISOPROPYL ALCOHOL, MODEL P4-SS-752, LENGTH: 2 FT 1 IN; DIAMETER: 5 IN A/N: 386710	D67				
CENTRIFUGE, 30 HP MOTOR, TEMA SYSTEMS, ISOPROPYL ALCOHOL, LENGTH: 1 FT 4 IN; DIAMETER: 2 FT 1 IN A/N: 386710	D68				B27.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
System 6 : FLAVOR EXTRACTION SYSTEM NO. 4 (TAN LINE)					S1.8
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 386711	D69	C30			B27.1
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 386711	D70	C30			B27.1
TANK, RECIRCULATION, ISOPROPYL ALCOHOL, 230 GALS; DIAMETER: 3 FT 6 IN; HEIGHT: 4 FT 10 IN A/N: 386711	D71				B27.1
FUGITIVE EMISSIONS, MISCELLANEOUS, HYDROCYCLONE, KREBS, ISOPROPYL ALCOHOL, MODEL P4-SS-752, LENGTH: 2 FT 1 IN; DIAMETER: 5 IN A/N: 386711	D72				
CENTRIFUGE, 30 HP MOTOR, TEMA SYSTEMS, ISOPROPYL ALCOHOL, LENGTH: 1 FT 7 IN; DIAMETER: 1 FT 5 IN A/N: 386711	D73				B27.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
System 7 : FLAVOR EXTRACTION DRYING SYSTEM					
DRYER, ROTARY, NO. 1, STEAM HEATED, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 386712	D74	C109			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386798	C109	C30 D74			
DRYER, ROTARY, NO. 2, STEAM HEATED, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 386713	D75	C110			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386799	C110	C30 D75			
DRYER, ROTARY, NO. 3, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386714	D76	C111			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386800	C111	C30 D76			
DRYER, ROTARY, NO. 4, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386715	D77	C112			B27.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386805	C112	C30 D77			
DRYER, ROTARY, NO. 5, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386716	D78	C113			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386806	C113	C30 D78			
DRYER, ROTARY, NO. 6, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386717	D79	C114			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386807	C114	C30 D79			
DRYER, ROTARY, NO. 7, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386718	D80	C115			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386808	C115	C30 D80			
DRYER, ROTARY, NO. 8, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386725	D81	C116			B27.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386809	C116	C30 D81			
DRYER, ROTARY, NO. 9, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386729	D82	C117			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386810	C117	C30 D82			
DRYER, ROTARY, NO. 10, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386733	D83	C118			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386811	C118	C30 D83			
DRYER, ROTARY, NO. 11, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386734	D84	C119			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386812	C119	C30 D84			
DRYER, ROTARY, NO. 12, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386737	D85	C120			B27.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386813	C120	C30 D85			
DRYER, ROTARY, NO. 13, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386738	D86	C121			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386815	C121	C30 D86			
DRYER, ROTARY, NO. 14, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386740	D87	C122			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386816	C122	C30 D87			
DRYER, ROTARY, NO. 15, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386741	D88	C123			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386817	C123	C30 D88			
DRYER, ROTARY, NO. 16, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386742	D89	C124			B27.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386818	C124	C30 D89			
DRYER, ROTARY, NO. 17, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386744	D90	C125			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386819	C125	C30 D90			
DRYER, ROTARY, NO. 18, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386745	D91	C126			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386820	C126	C30 D91			
DRYER, ROTARY, NO. 19, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386746	D92	C127			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386821	C127	C30 D92			
DRYER, ROTARY, NO. 20, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386748	D93	C128			B27.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386822	C128	C30 D93			
DRYER, ROTARY, NO. 21, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386750	D94	C129			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386823	C129	C30 D94			
DRYER, ROTARY, NO. 22, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386751	D95	C130			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386824	C130	C30 D95			
DRYER, ROTARY, NO. 23, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386752	D96	C131			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386825	C131	C30 D96			
DRYER, ROTARY, NO. 24, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386753	D97	C132			B27.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386826	C132	C30 D97			
DRYER, ROTARY, NO. 25, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386755	D98	C133			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386827	C133	C30 D98			
DRYER, ROTARY, NO. 26, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386756	D99	C134			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT; DIAMETER: 1 FT A/N: 386814	C134	C30 D99			
DRYER, ROTARY, STEAM HEATED, PILOT NO. 1 (SMALL) A/N: 386759	D100				B27.1
DRYER, ROTARY, STEAM HEATED, PILOT NO. 2 (SMALL) A/N: 386763	D101	C30			B27.1
DRYER, ROTARY, STEAM HEATED, PILOT NO. 3 (SMALL) A/N: 386766	D102	C30			B27.1
DRYER, ROTARY, STEAM HEATED, PILOT NO. 4 (SMALL) A/N: 386768	D103	C30			B27.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
DRYER, ROTARY, RED LINE NO. 1, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N:	D167	C168			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT; DIAMETER: 1 FT A/N:	C168	C30 D167			
DRYER, ROTARY, RED LINE NO. 2, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N:	D169	C170			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT; DIAMETER: 1 FT A/N:	C170	C30 D169			
DRYER, ROTARY, RED LINE NO. 3, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N:	D171	C172			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT; DIAMETER: 1 FT A/N:	C172	C30 D171			

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
DRYER, ROTARY, RED LINE NO. 4, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N:	D173	C174			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT; DIAMETER: 1 FT A/N:	C174	C30 D173			
DRYER, ROTARY, RED LINE NO. 5, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N:	D175	C176			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT; DIAMETER: 1 FT A/N:	C176	C30 D175			
DRYER, ROTARY, RED LINE NO. 6, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N:	D177	C178			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT; DIAMETER: 1 FT A/N:	C178	C30 D177			

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
DRYER, ROTARY, RED LINE NO. 7, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N:	D179	C180			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT; DIAMETER: 1 FT A/N:	C180	C30 D179			
DRYER, ROTARY, RED LINE NO. 8, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N:	D181	C182			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT; DIAMETER: 1 FT A/N:	C182	C30 D181			
DRYER, ROTARY, RED LINE NO. 9, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N:	D183	C184			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT; DIAMETER: 1 FT A/N:	C184	C30 D183			

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
DRYER, ROTARY, RED LINE NO. 10, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N:	D185	C186			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT; DIAMETER: 1 FT A/N:	C186	C30 D185			
DRYER, ROTARY, RED LINE NO. 11, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N:	D187	C188			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT; DIAMETER: 1 FT A/N:	C188	C30 D187			
DRYER, ROTARY, RED LINE NO. 12, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N:	D189	C190			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT; DIAMETER: 1 FT A/N:	C190	C30 D189			

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
System 8 : FLAVOR EXTRACTION SCREENING SYSTEM					
SCREEN, CLASSIFYING, VIBRATING, FOOD FLAVOR CRYSTALS A/N: 386774	D104			PM: (9) [RULE 405,2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, FOOD FLAVOR CRYSTALS A/N: 386777	D105			PM: (9) [RULE 405,2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, FOOD FLAVOR CRYSTALS A/N: 386794	D106			PM: (9) [RULE 405,2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, FOOD FLAVOR CRYSTALS A/N: 386796	D107			PM: (9) [RULE 405,2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, FOOD FLAVOR CRYSTALS A/N: 386797	D108			PM: (9) [RULE 405,2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, J LINE, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N:	D191			PM: (9) [RULE 405,2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, RED LINE #1, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N:	D192			PM: (9) [RULE 405,2-7-1986]	D323.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
SCREEN, CLASSIFYING, VIBRATING, RED LINE #2, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N:	D193			PM: (9) [RULE 405,2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, #6, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N:	D199			PM: (9) [RULE 405,2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, #31, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N:	D200			PM: (9) [RULE 405,2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, #48, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N:	D201			PM: (9) [RULE 405,2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, CDL2, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N:	D202			PM: (9) [RULE 405,2-7-1986]	D323.1
System 9 : CONTINUOUS LINE					S1.3, S1.4
BULK MATERIAL UNLOADING STATION, NO. 1 A/N:	D43	C31		PM: (9) [RULE 405,2-7-1986]	D323.2

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
BULK MATERIAL UNLOADING STATION, NO. 2 A/N:	D44	C32		PM: (9) [RULE 405,2-7-1986]	D323.2
BULK MATERIAL UNLOADING STATION, NO. 3 A/N:	D45	C33		PM: (9) [RULE 405,2-7-1986]	D323.2
TANK, ISOPROPYL ALCOHOL, 230 GALS; DIAMETER: 3 FT; HEIGHT: 4 FT 4 IN A/N:	D46				B27.1
CONVEYOR, HAPMAN, MODEL NO. 4000 A/N:	D50	C34		PM: (9) [RULE 405,2-7-1986]	D323.2
FEEDER, SCREW, FLEXWALL, MODEL NO. FW33 A/N:	D51	C34		PM: (9) [RULE 405,2-7-1986]	D323.2
SCREEN, CLASSIFYING, VIBRATORY, SOUTHWESTERN VIBRECON, WITH A 1/3 HP MOTOR A/N:	D52	C34		PM: (9) [RULE 405,2-7-1986]	D323.1
HOPPER A/N:	D53	C34		PM: (9) [RULE 405,2-7-1986]	D323.2
TANK, QUENCH, CUSTOM, ISOPROPYL ALCOHOL WITH ONE 10 HP DISINTEGRATOR MOTOR, 50 GALS A/N:	D156	C30			B27.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
TANK, QUENCH, CUSTOM, ISOPROPYL ALCOHOL WITH ONE 10 HP DISINTEGRATOR MOTOR, 50 GALS A/N:	D47	C30			B27.1
CENTRIFUGE, TEMA SYSTEMS, MODEL NO. TS-360-FK, DECANter A/N:	D48				B27.1
DRYER, STEAM HEATED, TWO 10 HP REC FANS, ONE 20 HP EX FAN AND ONE 5 HP DRIVE MOTOR A/N:	D49			PM: (9) [RULE 405,2-7-1986]	B27.1, D323.2
CYCLONE, WIDTH: 3 FT; HEIGHT: 15 FT; LENGTH: 3 FT A/N:	D157	C30		PM: (9) [RULE 405,2-7-1986]	
System 10 : FLAVORED SUGAR DRYING					
DRYER, FLUIDIZED BED, STEAM HEATED, A/N: 458070	D137	D138 D139		PM: (9) [RULE 405,2-7-1986]	C1.4, D323.1, K67.2
CYCLONE, VENTILEX, MODEL MEC-900, HEIGHT: 9 FT 5 IN; DIAMETER: 2 FT 11 IN A/N: 458070	D138	D137 C140		PM: (9) [RULE 405,2-7-1986]	D323.1
CYCLONE, VENTILEX, MODEL MEC-900, HEIGHT: 9 FT 5 IN; DIAMETER: 2 FT 11 IN A/N: 458070	D139	D137 C140		PM: (9) [RULE 405,2-7-1986]	D323.1

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
BAGHOUSE, CARTRIDGE FILTER, DONALDSON TORIT, MODEL DFO3-24, 4560 SQ.FT.; 24 CARTRIDGE A/N: 458071	C140	D138 D139		PM: (9) [RULE 404,2-7-1986]	C10.1, D12.5, D322.1, D381.1, E102.1
System 11 : FLAVOR EXTRACTION SYSTEM NO. 5 (RED LINE)					S1.1
TANK, QUENCH, ISOPROPYL ALCOHOL, WITH A 7 1/2 HP AGITATOR, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N:	D158	C30			B27.1
TANK, QUENCH, ISOPROPYL ALCOHOL, WITH A 7 1/2 HP AGITATOR, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N:	D159	C30			B27.1
TANK, RECIRCULATION, ISOPROPYL ALCOHOL, 230 GALS; DIAMETER: 3 FT 6 IN; HEIGHT: 4 FT 10 IN A/N:	D160				B27.1
FUGITIVE EMISSIONS, MISCELLANEOUS, HYDROCYCLONE, KREBS, ISOPROPYL ALCOHOL, MODEL P4-SS-752, LENGTH: 2 FT 1 IN; DIAMETER: 5 IN A/N:	D161				

* (1)(1A)(1B) Denotes RECLAIM emission factor (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
CENTRIFUGE, 30 HP MOTOR, TEMA SYSTEMS, ISOPROPYL ALCOHOL, D-LIMONENE, LENGTH: 1 FT 7 IN; DIAMETER: 1 FT 6 IN A/N:	D162				B27.1
TANK, WASH, D-LIMONENE, WITH A 2 HP AGITATOR, 955 GALS; DIAMETER: 5 FT; HEIGHT: 6 FT A/N:	D197	C30			B27.1, C1.11
TANK, HOLDING, D-LIMONENE, 700 GALS; DIAMETER: 5 FT 2 IN; HEIGHT: 4 FT 5 IN A/N:	D198	C30			B27.1, C1.11
System 12 : FLAVOR EXTRACTION SYSTEM NO. 6 (J LINE)					S1.2
TANK, QUENCH, ISOPROPYL ALCOHOL, WITH A 7 1/2 HP AGITATOR, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N:	D163	C30			B27.1
TANK, RECIRCULATION, ISOPROPYL ALCOHOL, 230 GALS; DIAMETER: 3 FT 6 IN; HEIGHT: 4 FT 10 IN A/N:	D164				B27.1
FUGITIVE EMISSIONS, MISCELLANEOUS, HYDROCYCLONE, KREBS, ISOPROPYL ALCOHOL, MODEL P4-SS-752, LENGTH: 2 FT 1 IN; DIAMETER: 5 IN A/N:	D165				

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
CENTRIFUGE, 30 HP MOTOR, TEMA SYSTEMS, ISOPROPYL ALCOHOL, LENGTH: 1 FT 7 IN; DIAMETER: 1 FT 6 IN A/N:	D166				B27.1
System 13 : BLENDING					
BLENDER, NO. 1, HOMOGENIZING, CUSTOM BUILT, 7,000 POUND CAPACITY A/N:	D194	C196		PM: (9) [RULE 405,2-7-1986]	C1.10, D323.1
BLENDER, NO. 2, HOMOGENIZING, CUSTOM BUILT, 7,000 POUND CAPACITY A/N:	D195	C196		PM: (9) [RULE 405,2-7-1986]	C1.10, D323.1
Process 5 : RULE 219 EXEMPT EQUIPMENT					
RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS	E17			VOC: (9) [RULE 1113,11-8-1996;RULE 1113,7-13-2007;RULE 1171,11-7-2003;RULE 1171,2-1-2008]	K67.1
RULE 219 EXEMPT EQUIPMENT, AIR CONDITIONING UNITS	E18				H23.1
RULE 219 EXEMPT EQUIPMENT, FLAVOR OIL BLENDING	E203				

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: DEVICE ID INDEX

**The following sub-section provides an index
to the devices that make up the facility
description sorted by device ID.**

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D4	1	2	0
D5	2	2	0
E17	27	5	0
E18	27	5	0
D23	5	4	2
D24	5	4	2
D25	5	4	2
C26	5	4	2
D27	1	1	1
C29	2	3	1
C30	2	3	1
C31	4	3	2
C32	4	3	2
C33	4	3	2
C34	4	3	2
D43	22	4	9
D44	23	4	9
D45	23	4	9
D46	23	4	9
D47	24	4	9
D48	24	4	9
D49	24	4	9
D50	23	4	9
D51	23	4	9
D52	23	4	9
D53	23	4	9
D54	6	4	3
D55	6	4	3
D56	6	4	3
D57	6	4	3
D58	6	4	3
D59	7	4	4
D60	7	4	4
D61	7	4	4
D62	7	4	4
D63	7	4	4

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D64	8	4	5
D65	8	4	5
D66	8	4	5
D67	8	4	5
D68	8	4	5
D69	9	4	6
D70	9	4	6
D71	9	4	6
D72	9	4	6
D73	9	4	6
D74	10	4	7
D75	10	4	7
D76	10	4	7
D77	10	4	7
D78	11	4	7
D79	11	4	7
D80	11	4	7
D81	11	4	7
D82	12	4	7
D83	12	4	7
D84	12	4	7
D85	12	4	7
D86	13	4	7
D87	13	4	7
D88	13	4	7
D89	13	4	7
D90	14	4	7
D91	14	4	7
D92	14	4	7
D93	14	4	7
D94	15	4	7
D95	15	4	7
D96	15	4	7
D97	15	4	7
D98	16	4	7
D99	16	4	7

**FACILITY PERMIT TO OPERATE
 MCP FOODS INC**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D100	16	4	7
D101	16	4	7
D102	16	4	7
D103	16	4	7
D104	21	4	8
D105	21	4	8
D106	21	4	8
D107	21	4	8
D108	21	4	8
C109	10	4	7
C110	10	4	7
C111	10	4	7
C112	11	4	7
C113	11	4	7
C114	11	4	7
C115	11	4	7
C116	12	4	7
C117	12	4	7
C118	12	4	7
C119	12	4	7
C120	13	4	7
C121	13	4	7
C122	13	4	7
C123	13	4	7
C124	14	4	7
C125	14	4	7
C126	14	4	7
C127	14	4	7
C128	15	4	7
C129	15	4	7
C130	15	4	7
C131	15	4	7
C132	16	4	7
C133	16	4	7
C134	16	4	7
D137	24	4	10

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D138	24	4	10
D139	24	4	10
C140	25	4	10
D146	4	4	2
D147	5	4	2
D156	23	4	9
D157	24	4	9
D158	25	4	11
D159	25	4	11
D160	25	4	11
D161	25	4	11
D162	26	4	11
D163	26	4	12
D164	26	4	12
D165	26	4	12
D166	27	4	12
D167	17	4	7
C168	17	4	7
D169	17	4	7
C170	17	4	7
D171	17	4	7
C172	17	4	7
D173	18	4	7
C174	18	4	7
D175	18	4	7
C176	18	4	7
D177	18	4	7
C178	18	4	7
D179	19	4	7
C180	19	4	7
D181	19	4	7
C182	19	4	7
D183	19	4	7
C184	19	4	7
D185	20	4	7
C186	20	4	7

**FACILITY PERMIT TO OPERATE
 MCP FOODS INC**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D187	20	4	7
C188	20	4	7
D189	20	4	7
C190	20	4	7
D191	21	4	8
D192	21	4	8
D193	22	4	8
D194	27	4	13
D195	27	4	13
C196	3	3	1
D197	26	4	11
D198	26	4	11
D199	22	4	8
D200	22	4	8
D201	22	4	8
D202	22	4	8
E203	27	5	0

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

FACILITY CONDITIONS

F14.1 The operator shall not purchase diesel fuel containing sulfur compounds in excess of 15 ppm by weight as supplied by the supplier.

[**RULE 431.2, 5-4-1990**; RULE 431.2, 9-15-2000]

F14.2 The operator shall not burn diesel fuel containing sulfur compounds in excess of 500 ppm by weight.

[**RULE 431.2, 5-4-1990**; RULE 431.2, 9-15-2000]

SYSTEM CONDITIONS

S1.1 The operator shall limit the throughput to no more than 554400 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Red Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 11]

S1.2 The operator shall limit the throughput to no more than 4000 lb(s) in any one day.

For the purpose of this condition, throughput shall be defined as finished product from the J Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 12]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- S1.3 The operator shall limit the throughput to no more than 46,304.5 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as isopropyl alcohol usage.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 9]

- S1.4 The operator shall limit the throughput to no more than 250000 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished product from the Continuous Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 9]

- S1.5 The operator shall limit the throughput to no more than 443520 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Silver Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 3]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

S1.6 The operator shall limit the throughput to no more than 403920 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Yellow Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 4]

S1.7 The operator shall limit the throughput to no more than 261360 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Orange Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 5]

S1.8 The operator shall limit the throughput to no more than 251460 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Tan Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 6]

DEVICE CONDITIONS

A. Emission Limits

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

A63.1 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
CO	Less than 1689 LBS IN ANY ONE MONTH

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D27]

A72.1 The operator shall maintain this equipment to achieve a minimum overall control efficiency of 96.9 percent for VOC during the normal operation of the equipment it vents.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : C29]

B. Material/Fuel Type Limits

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- B27.1 The operator shall not use materials containing any toxic air contaminants (TACs) identified in the SCAQMD Rule 1401 (except for those compounds listed below), as amended 03/04/2005.

COMPOUND	CAS NO.
Acetaldehyde	75-07-0
Isopropyl Alcohol	67-63-0

[RULE 1401, 3-4-2005]

[Devices subject to this condition : D4, D5, D23, C29, D46, D47, D48, D49, D54, D55, D56, D58, D59, D60, D61, D63, D64, D65, D66, D68, D69, D70, D71, D73, D74, D75, D76, D77, D78, D79, D80, D81, D82, D83, D84, D85, D86, D87, D88, D89, D90, D91, D92, D93, D94, D95, D96, D97, D98, D99, D100, D101, D102, D103, D156, D158, D159, D160, D162, D163, D164, D166, D167, D169, D171, D173, D175, D177, D179, D181, D183, D185, D187, D189, D197, D198]

C. Throughput or Operating Parameter Limits

- C1.1 The operator shall limit the production rate to no more than 2200 lb(s)/hr.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D23]

- C1.4 The operator shall limit the material processed to no more than 480240 lb(s) in any one month.

To comply with this condition, the operator shall maintain adequate records. Such records shall be kept on the premises for at least five years and be made available to the Executive Officer or his representative upon request..

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D137]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

C1.5 The operator shall limit the production rate to no more than 528000 lb(s) in any one calendar month.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D23]

C1.6 The operator shall limit the throughput to no more than 50,000 gallon(s) in any one calendar month.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D5]

C1.9 The operator shall limit the throughput to no more than 290400 gallon(s) in any one calendar month.

For the purpose of this condition, material processed shall be defined as finished product in the Red Line.

This limit shall be based on the total combined limit for equipment D167, D169, D171, D173, D175, D177, D179, D181, D183, D185, D187 and D189.

The operator shall maintain records in a manner approved by the District, to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D167, D169, D171, D173, D175, D177, D179, D181, D183, D185, D187, D189]

C1.10 The operator shall limit the throughput to no more than 1,386 ton(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished product blended.

This limit shall be based on the total combined limit for equipment D194 and D195.

The operator shall maintain records in a manner approved by the District, to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D194, D195]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

C1.11 The operator shall limit the throughput to no more than 48 batch(es) in any one calendar month.

The purpose(s) of this condition is to limit the batches of Duralife.

The operator shall maintain records in a manner approved by the District, to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]**

[Devices subject to this condition : D197, D198]

C8.1 The operator shall use this equipment in such a manner that the flow rate being monitored, as indicated below, is not less than 40 gpm.

To comply with this condition, the operator shall install and maintain a(n) flow meter to accurately indicate the flow rate being supplied to the recirculation line.

The operator shall determine and record the flow rate once every day.

[**RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : C26]

C8.2 The operator shall use this equipment in such a manner that the pressure being monitored, as indicated below, is not less than 30 Psig.

To comply with this condition, the operator shall install and maintain a(n) pressure gauge to accurately indicate the pressure of the recirculation line.

The operator shall determine and record the parameter being monitored once every day.

[**RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]**

[Devices subject to this condition : C26]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- C8.4 The operator shall use this equipment in such a manner that the temperature being monitored, as indicated below, is not less than 600 Deg F.

To comply with this condition, the operator shall install and maintain a(n) temperature reading device to accurately indicate the temperature in the catalyst bed.

The operator shall also install and maintain a device to continuously record the temperature being measured.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C29]

- C10.1 The operator shall use this equipment in such a manner that the differential pressure being monitored, as indicated below, is maintained between 0.5 and 6 inches water column.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C140]

D. Monitoring/Testing Requirements

- D12.4 The operator shall install and maintain a(n) pressure sensing device to accurately indicate the pressure in the main exhaust duct and in each branch of the VOC emissions collection system.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C29]

- D12.5 The operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the filter.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C140]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D182.1 The operator shall test this equipment in accordance with the following specifications:

the activity of the catalyst shall be tested once per year.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C29]

D322.1 The operator shall perform annual inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C31, C32, C33, C34, C140]

D322.2 The operator shall perform a quarterly inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C30, C196]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D323.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on an annual basis, at least, unless the equipment did not operate during the entire annual period. The routine annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D52, D104, D105, D106, D107, D108, D137, D138, D139, D191, D192, D193, D194, D195, D199, D200, D201, D202]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D323.2 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a semi-annual basis, at least, unless the equipment did not operate during the entire semi-annual period. The routine semi-annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD. In addition, the operator shall have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within 72 hours of conversion to fuel oil firing and on a weekly basis thereafter, until the equipment stops firing fuel oil.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D23, C26, C30, C31, C32, C33, C34, D43, D44, D45, D49, D50, D51, D53, C196]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D328.1 The operator shall determine compliance with the CO emission limit(s) either: (a) conducting a source test at least once every five years using AQMD Method 100.1 or 10.1; or (b) conducting a test at least annually using a portable analyzer and AQMD-approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with 1146. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D27]

D328.2 The operator shall determine compliance with the CO emission limit(s) either: (a) conducting a source test at least once every five years using AQMD Method 100.1 or 10.1; or (b) conducting a test at least annually using a portable analyzer and AQMD-approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with Rule 407. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C29]

D328.3 The operator shall determine compliance with the NOX emission limit(s) either: (a) conducting a source test at least once every five years using AQMD Method 100.1 or 7.1; or (b) conducting a test at least annually using a portable analyzer and AQMD-approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with Rule 2012. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C29]

D328.4 The operator shall determine compliance with the NOX emission limit(s) either: (a) conducting a source test at least once every five years using AQMD Method 100.1 or 7.1; or (b) conducting a test at least annually using a portable analyzer and AQMD-approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with BACT. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D27]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D381.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a quarterly basis, at least, unless the equipment did not operate during the entire quarterly period. The routine quarterly inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C140]

E. Equipment Operation/Construction Requirements

E102.1 The operator shall discharge dust collected in this equipment only into closed containers.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C30, C31, C32, C33, C34, C140, C196]

E144.1 The operator shall vent this equipment, during filling, only to the vessel from which it is being filled.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D4]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

E149.1 The operator shall replace the scrubbing water with fresh water at least once every day.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C26]

E193.1 The operator shall operate and maintain this equipment as follows:

The operator shall bleed periodically scrubbing water and replenish with fresh water to maintain operability of the scrubber.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C26]

E193.2 The operator shall operate and maintain this equipment as follows:

The operator shall use a nitrogen blanket to maintain the pressure greater than 1.5 inches water column.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D5]

H. Applicable Rules

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

H23.1 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Refrigerants	District Rule	1415

[RULE 1415, 10-14-1994]

[Devices subject to this condition : E18]

K. Record Keeping/Reporting

K67.1 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

For architectural applications where no thinners, reducers, or other VOC containing materials are added, maintain semi-annual records for all coating consisting of (a) coating type, (b) VOC content as supplied in grams per liter (g/l) of materials for low-solids coatings, (c) VOC content as supplied in g/l of coating, less water and exempt solvent, for other coatings.

For architectural applications where thinners, reducers, or other VOC containing materials are added, maintain daily records for each coating consisting of (a) coating type, (b) VOC content as applied in grams per liter (g/l) of materials used for low-solids coatings, (c) VOC content as applied in g/l of coating, less water and exempt solvent, for other coatings.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : E17]

K67.2 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

material processed by Dryer D137

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D137]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION E: ADMINISTRATIVE CONDITIONS

The operating conditions in this section shall apply to all permitted equipment at this facility unless superseded by condition(s) listed elsewhere in this permit.

1. The permit shall remain effective unless this permit is suspended, revoked, modified, reissued, denied, or it is expired for nonpayment of permit processing or annual operating fees. [201, 203, 209, 301]
 - a. The permit must be renewed annually by paying annual operating fees, and the permit shall expire if annual operating fees are not paid pursuant to requirements of Rule 301(d). [301(d)]
 - b. The Permit to Construct listed in Section H shall expire one year from the Permit to Construct issuance date, unless a Permit to Construct extension has been granted by the Executive Officer or unless the equipment has been constructed and the operator has notified the Executive Officer prior to the operation of the equipment, in which case the Permit to Construct serves as a temporary Permit to Operate. [202, 205]
 - c. The Title V permit shall expire as specified under Section K of the Title V permit. The permit expiration date of the Title V facility permit does not supercede the requirements of Rule 205. [205, 3004]
2. The operator shall maintain all equipment in such a manner that ensures proper operation of the equipment. [204]
3. This permit does not authorize the emissions of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules and Regulations of the AQMD. This permit cannot be considered as permission to violate existing laws, ordinances, regulations, or statutes of other governmental agencies. [204]
4. The operator shall not use equipment identified in this facility permit as being connected to air pollution control equipment unless they are so vented to the identified air pollution control equipment which is in full use and which has been included in this permit. [204]
5. The operator shall not use any equipment having air pollution control device(s) incorporated within the equipment unless the air pollution control device is in full operation. [204]
6. The operator shall maintain records to demonstrate compliance with rules or permit conditions that limit equipment operating parameters, or the type or quantity of material processed. These records shall be made available to AQMD personnel upon request and be maintained for at least: [204]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION E: ADMINISTRATIVE CONDITIONS

- a. Three years for a facility not subject to Title V; or
 - b. Five years for a facility subject to Title V.
7. The operator shall maintain and operate all equipment to ensure compliance with all emission limits as specified in this facility permit. Compliance with emission limits shall be determined according to the following specifications, unless otherwise specified by AQMD rules or permit conditions: [204]
- a. For internal combustion engines and gas turbines, measured concentrations shall be corrected to 15 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1110.2, 1134, 204]
 - b. For other combustion devices, measured concentrations shall be corrected to 3 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1146, 1146.1, 204]
 - c. For a large NO_x source, compliance with a RECLAIM concentration limit shall be measured over a continuous 60 minutes for that source; [2012]
 - d. For non-combustion sources, compliance with emission limits shall be determined and averaged over a period of 60 minutes; [204]
 - e. For the purpose of determining compliance with Rule 407, carbon monoxide (CO) shall be measured on a dry basis and be averaged over 15 consecutive minutes, and sulfur compounds which would exist as liquid or gas at standard conditions shall be calculated as sulfur dioxide (SO₂) and be averaged over 15 consecutive minutes; [407]
 - f. For the purpose of determining compliance with Rule 409, combustion contaminant emission measurements shall be corrected to 12 percent of carbon dioxide (CO₂) at standard conditions and averaged over 15 consecutive minutes. [409]
 - g. For the purpose of determining compliance with Rule 475, combustion contaminant emission measurements shall be corrected to 3 percent of oxygen (O₂) at standard conditions and averaged over 15 consecutive minutes or any other averaging time specified by the Executive Officer. [475]
8. All equipment operating under the RECLAIM program shall comply concurrently with all provisions of AQMD Rules and Regulations, except those listed in Table 1 of Rule 2001 for NO_x RECLAIM sources and Table 2 of Rule 2001 for SO_x RECLAIM sources. Those provisions listed in Tables 1 or 2 shall not apply to NO_x or SO_x emissions after the date the facility has demonstrated compliance with all monitoring and reporting requirements of Rules 2011 or 2012, as applicable. Provisions of the listed AQMD rules in Tables 1 or 2 which have initial implementation dates in 1994 shall not apply to a RECLAIM NO_x or SO_x source, respectively. [2001]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION E: ADMINISTRATIVE CONDITIONS

9. The operator shall, when a source test is required by AQMD, provide a source test protocol to AQMD no later than 60 days before the proposed test date. The test shall not commence until the protocol is approved by AQMD. The test protocol shall contain the following information: [204, 304]
 - a. Brief description of the equipment tested.
 - b. Brief process description, including maximum and normal operating temperatures, pressures, through-put, etc.
 - c. Operating conditions under which the test will be performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts/stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
 - e. Brief description of sampling and analytical methods used to measure each pollutant, temperature, flow rates, and moisture.
 - f. Description of calibration and quality assurance procedures.
 - g. Determination that the testing laboratory qualifies as an "independent testing laboratory" under Rule 304 (no conflict of interest).
10. The operator shall submit a report no later than 60 days after conducting a source test, unless otherwise required by AQMD Rules or equipment-specific conditions. The report shall contain the following information: [204]
 - a. The results of the source test.
 - b. Brief description of the equipment tested.
 - c. Operating conditions under which test will be performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts/stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
 - e. Field and laboratory data forms, strip charts and analyses.
 - f. Calculations for volumetric flow rates, emission rates, control efficiency, and overall control efficiency.
11. The operator shall, when a source test is required, provide and maintain facilities for sampling and testing. These facilities shall comply with the requirements of AQMD Source Test Method 1.1 and 1.2. [217]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION E: ADMINISTRATIVE CONDITIONS

12. Whenever required to submit a written report, notification or other submittal to the Executive Officer, AQMD, or the District, the operator shall mail or deliver the material to: Deputy Executive Officer, Engineering and Compliance, AQMD, 21865 E. Copley Drive, Diamond Bar, CA 91765-4182.
[204]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

The Facility shall comply with all applicable monitoring and source testing requirements in Regulation XX. These requirements may include but are not limited to the following:

I. NOx Monitoring Conditions

A. The Operator of a NOx Major Source, as defined in Rule 2012, shall, as applicable:

Not Applicable

B. The Operator of a NOx Large Source, as defined in Rule 2012, shall, as applicable:

1. Install, maintain, and operate a totalizing fuel meter and any device specified by the Executive Officer as necessary to determine monthly fuel usage or other applicable variables specified in Rule 2012, Appendix A, Table 3-A. The sharing of totalizing fuel meter may be allowed by the Executive Officer if the fuel meter serves large sources which have the same emission factor, concentration limit, or emission rate. The sharing of totalizing fuel meters shall not be allowed for large sources which are required to comply with an annual heat input limit. [2012]
2. Comply at all times with the specified NOx concentration limit in PPM measured over any continuous 60 minutes for that source or establish an equipment-specific emission rate that is reliable, accurate, representative of that sources emissions, and in accordance with the requirements specified in Rule 2012, Appendix A, Chapter 5. [2012]

C. The Operator of a NOx Process Unit, as defined in Rule 2012, shall, as applicable:

1. Install, maintain, and operate a totalizing fuel meter or any device approved by the Executive Officer to measure quarterly fuel usage or other applicable variables specified in Rule 2012, Table 2012-1, and Rule 2012, Appendix A, Table 4-A. The sharing of totalizing fuel meters may be allowed by the Executive Officer if the fuel meter serves process units which have the same emission factor or emission rate. The sharing of totalizing meter shall not be allowed for process units which are required to comply with an annual heat input limit. [2012]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

II. NOx Source Testing and Tune-up Conditions

1. The operator shall conduct all required NOx source testing in compliance with an AQMD-approved source test protocol. [2012]
2. The operator shall, as applicable, conduct source tests for every large NOx source no later than December 31, 1996 and every 3 years thereafter. The source test shall include the determination of NOx concentration and a relative accuracy audit of the exhaust stack flow determination (e.g. in-stack flow monitor or fuel flow monitor based F-factor calculation). Such source test results shall be submitted per the schedule described by APEP. In lieu of submitting the first source test report, the facility permit holder may submit the results of a source test not more than 3 years old which meets the requirements when conducted. [2012]
3. All NOx large sources and NOx process units shall be tuned-up in accordance with the schedule specified in Rule 2012, Appendix A, Chapter 5, Table 5-B. [2012]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR RECLAIM SOURCES

The Facility shall comply with all applicable reporting and recordkeeping requirements in Regulation XX. These requirements may include but are not limited to the following:

I. Recordkeeping Requirements for all RECLAIM Sources

1. The operator shall maintain all monitoring data required to be measured or reported pursuant to Rule 2011 and Rule 2012, whichever is applicable. All records shall be made available to AQMD staff upon request and be maintained for at least:
 - a. Three years after each APEP report is submitted to AQMD for a facility not subject to Title V, unless a different time period is required in Rule 2011 or Rule 2012 [2011 & 2012]; or
 - b. Five years after each APEP report is submitted to AQMD for a facility subject to Title V. [3004(a)(4)(E)]
 - c. Notwithstanding the above, all data gathered or computed for intervals of less than 15 minutes shall only be maintained a minimum of 48 hours. [2011 & 2012]
2. The operator shall store on site and make available to the Executive Officer upon request: records used to determine emissions, maintenance records, sources test reports, relative accuracy test audit reports, relative accuracy audit reports and fuel meter calibration records. [2011 & 2012]

II. Reporting Requirements for all RECLAIM Sources

1. The operator shall submit a quarterly certification of emissions including the facility's total NO_x or SO_x emissions, whichever is applicable, for the quarter within 30 days after the end of the first three quarters and 60 days after the end of the fourth quarter of a compliance year. [2011 & 2012]

NO_x Reporting Requirements

- A. The Operator of a NO_x Major Source, as defined in Rule 2012, shall, as applicable:

Not Applicable

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

**SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR
RECLAIM SOURCES**

B. The Operator of a NO_x Large Source, as defined in Rule 2012, shall:

1. Install, maintain and operate a modem or any reporting device approved by the Executive Officer to report, to the AQMD, the total monthly NO_x mass emissions from each large NO_x source. The Operator shall comply with this requirement within 12 months of the date of entry to the RECLAIM Program. Such data shall be reported within 15 days after the end of each calendar month. [2012]

C. The Operator of a NO_x Process Unit, as defined in Rule 2012, shall:

1. Electronically report the calculated quarterly NO_x emissions for each NO_x process unit. The Operator shall comply with this requirement within 12 months of the date of entry to the RECLAIM Program. [2012]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3 : AIR POLLUTION CONTROL					
System 2 : DUST CONTROL SYSTEM					
FILTER, DUST COLLECTOR, TORIT DOWNFLOW, SIX CARTRIDGE FILTERS, DONALDSON, MODEL SDF-6, 7.5 HP EXHAUST BLOWER, 300 SQ.FT. A/N:	C34			PM: (9) [RULE 404,2-7-1986]	D322.1, D323.2, E102.1
FILTER, DUST COLLECTOR, DONALDSON TORIT, MODEL DFO 3-3, 570 SQ. FT. FILTER AREA, 5-HP EXHAUST BLOWER A/N: 470895 Permit to Construct Issued: 01/03/08	C148	D155		PM: (9) [RULE 404,2-7-1986]	D322.1, D323.2, E102.1
Process 4 : FOOD					
System 11 : FLAVOR EXTRACTION SYSTEM NO. 5 (RED LINE)					
LOADING ARM, DRUM DUMPER A/N:	D149				
HOPPER, FEED, 30 GALLON CAPACITY A/N:	D150	C30			
DRYER, NIRO, MODEL NO. D7700, FLUIDIZED BED TYPE, 500-KG CAPACITY, STEAM HEATED A/N:	D151	C152			B27.1, C1.7, C1.8, E71.1
FILTER, NIRO, MODEL NO. DC7700, WITH 16 FILTERS, 139 SQ. FT. TOTAL FILTER AREA. A/N:	C152	C30 D151 C153		PM: (9) [RULE 404,2-7-1986]	

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5)(5A)(5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 : FOOD					
CONDENSER, NIRO, MODEL NO. E7701 A/N:	C153	C30 C152 D154			B27.1, D182.2
HEAT EXCHANGER, NIRO, MODEL NO. E7702 A/N:	D154	C153			
UNLOADING STATION, WITH FOUR UNLOADING POINTS A/N:	D155	C148		PM: (9) [RULE 405,2-7-1986]	D323.2

* (1)(1A)(1B) Denotes RECLAIM emission factor
 (2)(2A)(2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5)(5A)(5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION H: DEVICE ID INDEX

**The following sub-section provides an index
to the devices that make up the facility
description sorted by device ID.**

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION H: DEVICE ID INDEX

Device Index For Section H			
Device ID	Section H Page No.	Process	System
C34	1	3	2
C148	1	3	2
D149	1	4	11
D150	1	4	11
D151	1	4	11
C152	1	4	11
C153	2	4	11
D154	2	4	11
D155	2	4	11

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

FACILITY CONDITIONS

F14.1 The operator shall not purchase diesel fuel containing sulfur compounds in excess of 15 ppm by weight as supplied by the supplier.

[**RULE 431.2, 5-4-1990**; RULE 431.2, 9-15-2000]

F14.2 The operator shall not burn diesel fuel containing sulfur compounds in excess of 500 ppm by weight.

[**RULE 431.2, 5-4-1990**; RULE 431.2, 9-15-2000]

SYSTEM CONDITIONS

S1.1 The operator shall limit the throughput to no more than 554400 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Red Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 11]

S1.2 The operator shall limit the throughput to no more than 4000 lb(s) in any one day.

For the purpose of this condition, throughput shall be defined as finished product from the J Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 12]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

- S1.3 The operator shall limit the throughput to no more than 46,304.5 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as isopropyl alcohol usage.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 9]

- S1.4 The operator shall limit the throughput to no more than 250000 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished product from the Continuous Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 9]

- S1.5 The operator shall limit the throughput to no more than 443520 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Silver Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 3]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

S1.6 The operator shall limit the throughput to no more than 403920 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Yellow Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 4]

S1.7 The operator shall limit the throughput to no more than 261360 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Orange Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 5]

S1.8 The operator shall limit the throughput to no more than 251460 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Tan Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 6]

DEVICE CONDITIONS

B. Material/Fuel Type Limits

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

- B27.1 The operator shall not use materials containing any toxic air contaminants (TACs) identified in the SCAQMD Rule 1401 (except for those compounds listed below), as amended 03/04/2005.

COMPOUND	CAS NO.
Acetaldehyde	75-07-0
Isopropyl Alcohol	67-63-0

[RULE 1401, 3-4-2005]

[Devices subject to this condition : D151, C153]

C. Throughput or Operating Parameter Limits

- C1.7 The operator shall limit the material processed to no more than 11,000 lb(s) in any one day.

To comply with this condition, the operator shall maintain adequate records. Such records shall be kept on the premises for at least five years and be made available to the Executive Officer or his representative upon request..

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D151]

- C1.8 The operator shall limit the solvent usage to no more than 1,320 lb(s) in any one day.

For the purpose of this condition, solvent used shall be defined as Isopropyl alcohol.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D151]

D. Monitoring/Testing Requirements

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

D182.2 The operator shall test this equipment in accordance with the following specifications:

The test shall measure the total Isopropyl Alcohol collected (condensed) from the condenser per batch.

The test shall determine the weight concentration of the of Isopropyl Alcohol in the collected (condensed) solution from the condenser.

The test shall be conducted on a batch with the highest content of Isopropyl Alcohol (12 weight percent).

The test shall be conducted on a maximum batch weight (1,100 lbs/batch).

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : C153]

D322.1 The operator shall perform annual inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C34, C148]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

D323.2 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a semi-annual basis, at least, unless the equipment did not operate during the entire semi-annual period. The routine semi-annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD. In addition, the operator shall have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within 72 hours of conversion to fuel oil firing and on a weekly basis thereafter, until the equipment stops firing fuel oil.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C34, C148, D155]

E. Equipment Operation/Construction Requirements

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

The operator shall comply with the terms and conditions set forth below:

E71.1 The operator shall not process materials containing any Toxic Air Contaminant (TACs), identified in the SCAQMD Rule 1401, as amended 03/04/05, in this equipment except for Acetaldehyde and Isopropyl Alcohol.

[RULE 1401, 3-4-2005]

[Devices subject to this condition : D151]

E102.1 The operator shall discharge dust collected in this equipment only into closed containers.

[**RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997**]

[Devices subject to this condition : C34, C148]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION I: PLANS AND SCHEDULES

This section lists all plans approved by AQMD for the purposes of meeting the requirements of applicable AQMD rules.

NONE

NOTE: This section does not list compliance schedules pursuant to the requirements of Regulation XXX - Title V Permits; Rule 3004(a)(10)(C). For equipment subject to a variance, order for abatement, or alternative operating condition granted pursuant to Rule 518.2, equipment specific conditions are added to the equipment in Section D or H of the permit.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION J: AIR TOXICS

NOT APPLICABLE

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION K: TITLE V Administration

GENERAL PROVISIONS

1. This permit may be revised, revoked, reopened and reissued, or terminated for cause, or for failure to comply with regulatory requirements, permit terms, or conditions. [3004(a)(7)(C)]
2. This permit does not convey any property rights of any sort or any exclusive privilege. [3004(a)(7)(E)]

Permit Renewal and Expiration

3. (A) Except for solid waste incineration facilities subject to standards under Section 129(e) of the Clean Air Act, this permit shall expire five years from the date that this Title V permit is issued. The operator's right to operate under this permit terminates at midnight on this date, unless the facility is protected by an application shield in accordance with Rule 3002(b), due to the filing of a timely and complete application for a Title V permit renewal, consistent with Rule 3003. [3004(a)(2), 3004(f)]

(B) A Title V permit for a solid waste incineration facility combusting municipal waste subject to standards under Section 129(e) of the Clean Air Act shall expire 12 years from the date of issuance unless such permit has been renewed pursuant to this regulation. These permits shall be reviewed by the Executive Officer at least every five years from the date of issuance. [3004(f)(2)]
4. To renew this permit, the operator shall submit to the Executive Officer an application for renewal at least 180 days, but not more than 545 days, prior to the expiration date of this permit. [3003(a)(6)]

Duty to Provide Information

5. The applicant for, or holder of, a Title V permit shall furnish, pursuant to Rule 3002(d) and (e), timely information and records to the Executive Officer or designee within a reasonable time as specified in writing by the Executive Officer or designee. [3004(a)(7)(F)]

Payment of Fees

6. The operator shall pay all required fees specified in Regulation III - Fees. [3004(a)(7)(G)]

Reopening for Cause

7. The Executive Officer will reopen and revise this permit if any of the following circumstances occur:

(A) Additional regulatory requirements become applicable with a remaining permit term of three or more years. Reopening is not required if the effective date of the requirement is later than the expiration date of this permit, unless the permit or any of its terms and conditions has been extended pursuant to paragraph (f)(4) of Rule 3004.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION K: TITLE V Administration

- (B) The Executive Officer or EPA Administrator determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit.
- (C) The Executive Officer or EPA Administrator determines that the permit must be revised or revoked to assure compliance with the applicable requirements. [3005(g)(1)]

COMPLIANCE PROVISIONS

- 8. The operator shall comply with all regulatory requirements, and all permit terms and conditions, except:
 - (A) As provided for by the emergency provisions of condition no. 17 or condition no. 18, or
 - (B) As provided by an alternative operating condition granted pursuant to a federally approved (SIP-approved) Rule 518.2.

Any non-compliance with any federally enforceable permit condition constitutes a violation of the Federal Clean Air Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or revision; or denial of a permit renewal application. Non-compliance may also be grounds for civil or criminal penalties under the California State Health and Safety Code. [3004(a)(7)(A)]

- 9. The operator shall allow the Executive Officer or authorized representative, upon presentation of appropriate credentials to:
 - (A) Enter the operator's premises where emission-related activities are conducted, or records are kept under the conditions of this permit;
 - (B) Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
 - (C) Inspect at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
 - (D) Sample or monitor at reasonable times, substances or parameters for the purpose of assuring compliance with the facility permit or regulatory requirements. [3004(a)(10)(B)]
- 10. All terms and conditions in this permit, including any provisions designed to limit a facility's potential to emit, are enforceable by the EPA Administrator and citizens under the federal Clean Air Act, unless the term or condition is designated as not federally enforceable. Each day during any portion of which a violation occurs is a separate offense. [3004(g)]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION K: TITLE V Administration

11. A challenge to any permit condition or requirement raised by EPA, the operator, or any other person, shall not invalidate or otherwise affect the remaining portions of this permit. [3007(b)]
12. The filing of any application for a permit revision, revocation, or termination, or a notification of planned changes or anticipated non-compliance does not stay any permit condition. [3004(a)(7)(D)]
13. It shall not be a defense for a person in an enforcement action, including those listed in Rule 3002(c)(2), that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit, except as provided for in "Emergency Provisions" of this section. [3004(a)(7)(H)]
14. The operator shall not build, erect, install, or use any equipment, the use of which, without resulting in a reduction in the total release of air contaminants to atmosphere, reduces or conceals an emission which would otherwise constitute a violation of Chapter 3 (commencing with Section 41700) of Part 4, of Division 26 of the California Health and Safety Code or of AQMD rules. This rule shall not apply to cases in which the only violation involved is of Section 41700 of the California Health and Safety Code, or Rule 402 of AQMD Rules. [408]
15. Nothing in this permit or in any permit shield can alter or affect:
 - (A) Under Section 303 of the federal Clean Air Act, the provisions for emergency orders;
 - (B) The liability of the operator for any violation of applicable requirements prior to or at the time of permit issuance;
 - (C) The applicable requirements of the Acid Rain Program, Regulation XXXI;
 - (D) The ability of EPA to obtain information from the operator pursuant to Section 114 of the federal Clean Air Act;
 - (E) The applicability of state or local requirements that are not "applicable requirements", as defined in Rule 3000, at the time of permit issuance but which do apply to the facility, such as toxics requirements unique to the State; and
 - (F) The applicability of regulatory requirements with compliance dates after the permit issuance date. [3004(c)(3)]
16. For any portable equipment that requires an AQMD or state permit or registration, excluding a) portable engines, b) military tactical support equipment and c) AQMD-permitted portable equipment that are not a major source, are not located at the facility for more than 12 consecutive months after

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION K: TITLE V Administration

commencing operation, and whose operation does not conflict with the terms or conditions of this Title V permit: 1) the facility operator shall keep a copy of the AQMD or state permit or registration; 2) the equipment operator shall comply with the conditions on the permit or registration and all other regulatory requirements; and 3) the facility operator shall treat the permit or registration as a part of its Title V permit, subject to recordkeeping, reporting and certification requirements. [3004(a)(1)]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION K: TITLE V Administration

EMERGENCY PROVISIONS

17. An emergency¹ constitutes an affirmative defense to an action brought for non-compliance with a technology-based emission limit only if:
- (A) Properly signed, contemporaneous operating records or other credible evidence demonstrate that:
 - (1) An emergency occurred and the operator can identify the cause(s) of the emergency;
 - (2) The facility was operated properly (i.e. operated and maintained in accordance with the manufacturer's specifications, and in compliance with all regulatory requirements or a compliance plan), before the emergency occurred;
 - (3) The operator took all reasonable steps to minimize levels of emissions that exceeded emissions standard, or other requirements in the permit; and,
 - (4) The operator submitted a written notice of the emergency to the AQMD within two working days of the time when the emissions limitations were exceeded due to the emergency. The notice shall contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
 - (B) The operator complies with the breakdown provisions of Rule 430 - Breakdown Provisions, or subdivision (i) of Rule 2004 - Requirements, whichever is applicable. [3002(g), 430, 2004(i)]
18. The operator is excused from complying with any regulatory requirement that is suspended by the Executive Officer during a state of emergency or state of war emergency, in accordance with Rule 118 - Emergencies. [118]

¹ "Emergency" means any situation arising from sudden and reasonably unforeseeable events beyond the control of the operator, including acts of God, which: (A) requires immediate corrective action to restore normal operation; and (B) causes the facility to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency; and (C) is not caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION K: TITLE V Administration

RECORDKEEPING PROVISIONS

19. In addition to any other recordkeeping requirements specified elsewhere in this permit, the operator shall keep records of required monitoring information, where applicable, that include:
- (A) The date, place as defined in the Title V permit, and time of sampling or measurements;
 - (B) The date(s) analyses were performed;
 - (C) The company or entity that performed the analyses;
 - (D) The analytical techniques or methods used;
 - (E) The results of such analyses; and
 - (F) The operating conditions as existing at the time of sampling or measurement. [3004(a)(4)(B)]
20. The operator shall maintain records pursuant to Rule 109 and any applicable material safety data sheet (MSDS) for any equipment claimed to be exempt from a written permit by Rule 219 based on the information in those records. [219(t)]
21. The operator shall keep all records of monitoring data required by this permit or by regulatory requirements for a period of at least five years from the date of the monitoring sample, measurement, report, or application. [3004(a)(4)(E)]

REPORTING PROVISIONS

22. The operator shall comply with the following requirements for prompt reporting of deviations:
- (A) Breakdowns shall be reported as required by Rule 430 - Breakdown Provisions or subdivision (i) of Rule 2004 - Requirements, whichever is applicable.
 - (B) Other deviations from permit or applicable rule emission limitations, equipment operating conditions, or work practice standards, determined by observation or by any monitoring or testing required by the permit or applicable rules that result in emissions greater than those allowed by the permit or applicable rules shall be reported within 72 hours (unless a shorter reporting period is specified in an applicable State or Federal Regulation) of discovery of the deviation by contacting AQMD enforcement personnel assigned to this facility or otherwise calling (800) CUT-SMOG.

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION K: TITLE V Administration

- (C) A written report of such deviations reported pursuant to (B), and any corrective actions or preventative measures taken, shall be submitted to AQMD, in an AQMD approved format, within 14 days of discovery of the deviation.
- (D) All other deviations shall be reported with the monitoring report required by condition no. 23. [3004(a)(5)]
23. Unless more frequent reporting of monitoring results are specified in other permit conditions or in regulatory requirements, the operator shall submit reports of any required monitoring to the AQMD at least twice per year. The report shall include a) a statement whether all monitoring required by the permit was conducted; and b) identification of all instances of deviations from permit or regulatory requirements. A report for the first six calendar months of the year is due by August 31 and a report for the last six calendar months of the year is due by February 28. [3004(a)(4)(F)]
24. The operator shall submit to the Executive Officer and to the Environmental Protection Agency (EPA), an annual compliance certification. For RECLAIM facilities, the certification is due when the Annual Permit Emissions Program (APEP) report is due and shall cover the same reporting period. For other facilities, the certification is due on March 1 for the previous calendar year. The certification need not include the period preceding the date the initial Title V permit was issued. Each compliance certification shall include:
- (A) Identification of each permit term or condition that is the basis of the certification;
- (B) The compliance status during the reporting period;
- (C) Whether compliance was continuous or intermittent;
- (D) The method(s) used to determine compliance over the reporting period and currently, and
- (E) Any other facts specifically required by the Executive Officer to determine compliance.
- The EPA copy of the certification shall be sent to: Director of the Air Division Attn: Air-3 USEPA, Region IX 75 Hawthorne St. San Francisco, CA 94105 [3004(a)(10)(E)]
25. All records, reports, and documents required to be submitted by a Title V operator to AQMD or EPA shall contain a certification of accuracy consistent with Rule 3003(c)(7) by a responsible official (as defined in Rule 3000). [3004(a)(12)]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION K: TITLE V Administration

PERIODIC MONITORING

26. All periodic monitoring required by this permit pursuant to Rule 3004(a)(4)(c) is based on the requirements and justifications in the AQMD document "Periodic Monitoring Guidelines for Title V Facilities" or in case-by-case determinations documented in the Title V application file. [3004(a)(4)]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION K: TITLE V Administration

FACILITY RULES

This facility is subject to the following rules and regulations:

With the exception of Rule 402, 473, 477, 1118 and Rules 1401 through 1420, the following rules that are designated as non-federally enforceable are pending EPA approval as part of the state implementation plan. Upon the effective date of that approval, the approved rule(s) will become federally enforceable, and any earlier versions of those rules will no longer be federally enforceable.

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 1113	11-8-1996	Federally enforceable
RULE 1113	7-13-2007	Non federally enforceable
RULE 1171	11-7-2003	Federally enforceable
RULE 1171	2-1-2008	Non federally enforceable
RULE 118	12-7-1995	Non federally enforceable
RULE 1303(a)(1)-BACT	12-6-2002	Non federally enforceable
RULE 1303(a)(1)-BACT	5-10-1996	Federally enforceable
RULE 1303(b)(2)-Offset	12-6-2002	Non federally enforceable
RULE 1303(b)(2)-Offset	5-10-1996	Federally enforceable
RULE 1401	3-4-2005	Non federally enforceable
RULE 1415	10-14-1994	Non federally enforceable
RULE 2005	5-6-2005	Federally enforceable
RULE 2012	5-6-2005	Federally enforceable
RULE 204	10-8-1993	Federally enforceable
RULE 217	1-5-1990	Federally enforceable
RULE 219	9-4-1981	Federally enforceable
RULE 3002	11-14-1997	Federally enforceable
RULE 3003	11-14-1997	Federally enforceable
RULE 3004(a)(4)-Periodic Monitoring	12-12-1997	Federally enforceable
RULE 3005	11-14-1997	Federally enforceable
RULE 3007	10-8-1993	Federally enforceable
RULE 304	1-14-1982	Non federally enforceable
RULE 402	5-7-1976	Non federally enforceable
RULE 404	2-7-1986	Federally enforceable
RULE 405	2-7-1986	Federally enforceable
RULE 407	4-2-1982	Federally enforceable
RULE 408	5-7-1976	Federally enforceable
RULE 409	8-7-1981	Federally enforceable
RULE 430	7-12-1996	Non federally enforceable

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION K: TITLE V Administration

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 431.2	5-4-1990	Federally enforceable
RULE 431.2	9-15-2000	Non federally enforceable
RULE 701	6-13-1997	Federally enforceable

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

**APPENDIX A: NOX AND SOX EMITTING EQUIPMENT EXEMPT FROM WRITTEN
PERMIT PURSUANT TO RULE 219**

1. **BLG #2 SPACE HEATERS = 5 UNITS @ 60,000 BTU/HR**

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 11-8-1996]

- (1) Except as provided in paragraphs (c)(2), (c)(3), and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, or solicit the application of, any architectural coating which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, or manufacture, blend, or repackage such a coating for use within the District.
- (2) Except as provided in paragraphs (c)(3) and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, solicit the application of, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified.

TABLE OF STANDARDS

VOC LIMITS

**Grams of VOC Per Liter of Coating,
 Less Water And Less Exempt Compounds**

COATING	Limit*	Effective Date of Adoption	Effective 1/1/1998	Effective 1/1/1999	Effective 7/1/2001	Effective 1/1/2005	Effective 7/1/2008
Bond Breakers	350						
Clear Wood Finishes							
Varnish	350						
Sanding Sealers	350						
Lacquer	680		550			275	
Concrete-Curing Compounds	350						
Dry-Fog Coatings	400						
Fire-proofing Exterior Coatings	350	450		350			
Fire-Retardant Coatings							
Clear	650						
Pigmented	350						
Flats	250					100	
Graphic Arts (Sign) Coatings	500						50
Industrial Maintenance							

FACILITY PERMIT TO OPERATE

MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 11-8-1996]

Primers and Topcoats						
Alkyds	420					
Catalyzed Epoxy	420					
Bituminous Coatings	420					
Materials						
Inorganic Polymers	420					
Vinyl Chloride Polymers	420					
Chlorinated Rubber	420					
Acrylic Polymers	420					
Urethane Polymers	420					
Silicones	420					
Unique Vehicles	420					
Japans/Faux Finishing	350	700		350		
Coatings						
Magnesite Cement Coatings	600			450		
Mastic Coatings	300					
Metallic Pigmented Coatings	500					
Multi-Color Coatings	420		250			
Pigmented Lacquer	680		550		275	
Pre-Treatment Wash Primers	780					
Primers, Sealers, and Undercoaters	350					
Quick-Dry Enamels	400					
Roof Coatings	300					
Shellac						
Clear	730					
Pigmented	550					
Stains	350					
Swimming Pool Coatings						
Repair	650					
Other	340					
Traffic Coatings	250		150			
Waterproofing Sealers	400					
Wood Preservatives						
Below-Ground	350					
Other	350					

* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 11-8-1996]

TABLE OF STANDARDS (cont.)

VOC LIMITS

Grams of VOC Per Liter of Material

COATING	Limit
Low-Solids Coating	120

FACILITY PERMIT TO OPERATE

MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 7-13-2007]

- (1) Except as provided in paragraphs (c)(2), (c)(3), (c)(4), and specified coatings averaged under (c)(6), no person shall supply, sell, offer for sale, manufacture, blend, or repackage any architectural coating for use in the District which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, and no person shall apply or solicit the application of any architectural coating within the District that exceeds 250 grams of VOC per liter of coating as calculated in this paragraph.
- (2) Except as provided in paragraphs (c)(3), (c)(4), and designated coatings averaged under (c)(6), no person shall supply, sell, offer for sale, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified, and no person shall apply or solicit the application of any architectural coating within the District that exceeds the VOC limit as specified in this paragraph. No person shall apply or solicit the application within the District of any industrial maintenance coatings, except anti-graffiti coatings, for residential use or for use in areas such as office space and meeting rooms of industrial, commercial or institutional facilities not exposed to such extreme environmental conditions described in the definition of industrial maintenance coatings; or of any rust-preventative coating for industrial use, unless such a rust preventative coating complies with the Industrial Maintenance Coating VOC limit specified in the Table of Standards.

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 7-13-2007]

TABLE OF STANDARDS
VOC LIMITS

**Grams of VOC Per Liter of Coating,
 Less Water and Less Exempt Compounds**

COATING CATEGORY	Ceiling Limit*	Current Limit	Effective Date					
			1/1/03	1/1/04	1/1/05	7/1/06	7/1/07	7/1/08
Bond Breakers	350							
Clear Wood Finishes	350					275		
Varnish	350					275		
Sanding Sealers	350					275		
Lacquer	680	550			275			
Clear Brushing Lacquer	680				275			
Concrete-Curing Compounds	350						100	
Concrete-Curing Compounds For Roadways and Bridges**	350							
Dry-Fog Coatings	400						150	
Fire-Proofing Exterior Coatings	450	350						
Fire-Retardant Coatings***								
Clear	650							
Pigmented	350							
Flats	250	100						50
Floor Coatings	420		100			50		
Graphic Arts (Sign) Coatings	500							
Industrial Maintenance (IM) Coatings	420			250		100		
High Temperature IM Coatings			420					
Zinc-Rich IM Primers	420		340			100		
Japans/Faux Finishing Coatings	700	350						
Magnesite Cement Coatings	600	450						
Mastic Coatings	300							
Metallic Pigmented Coatings	500							
Multi-Color Coatings	420	250						
Nonflat Coatings	250		150			50		
Nonflat High Gloss	250		150				50	

FACILITY PERMIT TO OPERATE

MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 7-13-2007]

COATING CATEGORY	Ceiling Limit*	Current Limit	Effective Date					
			1/1/03	1/1/04	1/1/05	7/1/06	7/1/07	7/1/08
Pigmented Lacquer	680	550			275			
Pre-Treatment Wash Primers	780		420					
Primers, Sealers, and Undercoaters	350		200			100		
Quick-Dry Enamels	400		250			150	50	
Quick-Dry Primers, Sealers, and Undercoaters	350		200			100		
Recycled Coatings			250					
Roof Coatings	300		250		50			
Roof Coatings, Aluminum	500				100			
Roof Primers, Bituminous	350		350					
Rust Preventative Coatings	420		400			100		
Shellac								
Clear	730							
Pigmented	550							
Specialty Primers	350					250	100	
Stains	350		250				100	
Stains, Interior	250							
Swimming Pool Coatings								
Repair	650		340					
Other	340							
Traffic Coatings	250	150					100	
Waterproofing Sealers	400		250			100		
Waterproofing	400					100		
Concrete/Masonry Sealers								
Wood Preservatives								
Below-Ground	350							
Other	350							

* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards.

** Does not include compounds used for curbs and gutters, sidewalks, islands, driveways and other miscellaneous concrete areas.

*** The Fire-Retardant Coating category will be eliminated on January 1, 2007 and subsumed by the coating category for which they are formulated.

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 7-13-2007]

TABLE OF STANDARDS (cont.)
VOC LIMITS

Grams of VOC Per Liter of Material

COATING	Limit
Low-Solids Coating	120

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 11-7-2003]

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	500 (4.2)
(iii) Medical Devices & Pharmaceuticals	800 (6.7)
(B) Repair and Maintenance Cleaning	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	900 (7.5)
(iii) Medical Devices & Pharmaceuticals	
(A) Tools, Equipment, & Machinery	800 (6.7)
(B) General Work Surfaces	600 (5.0)

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 11-7-2003]

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(C) Cleaning of Coatings or Adhesives Application Equipment	550 (4.6)
(D) Cleaning of Ink Application Equipment	
(i) General	25 (0.21)
(ii) Flexographic Printing	25 (0.21)
(iii) Gravure Printing	
(A) Publication	750 (6.3)
(B) Packaging	25 (0.21)
(iv) Lithographic or Letter Press Printing	
(A) Roller Wash – Step 1	600 (5.0)
(B) Roller Wash-Step 2, Blanket Wash, & On-Press Components	800 (6.7)
(C) Removable Press Components	25 (0.21)
(v) Screen Printing	750 (6.3)
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	800 (6.7)

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 11-7-2003]

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(vii) Specialty Flexographic Printing	600 (5.0)
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 2-1-2008]

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

	CURRENT LIMITS*	EFFECTIVE 1/1/2008*	EFFECTIVE 1/1/2009
SOLVENT CLEANING ACTIVITY	VOC g/l (lb/gal)	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application			
(i) General	25 (0.21)		
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)		
(iii) Medical Devices & Pharmaceuticals	800 (6.7)		
(B) Repair and Maintenance Cleaning			
(i) General	25 (0.21)		
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)		

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 2-1-2008]

	CURRENT LIMITS*	EFFECTIVE 1/1/2008*	EFFECTIVE 1/1/2009
SOLVENT CLEANING ACTIVITY (cont.)	VOC g/l (lb/gal)	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(iii) Medical Devices & Pharmaceuticals			
(A) Tools, Equipment, & Machinery	800 (6.7)		
(B) General Work Surfaces	600 (5.0)		
(C) Cleaning of Coatings or Adhesives Application Equipment	25 (0.21)		
(D) Cleaning of Ink Application Equipment			
(i) General	25 (0.21)		
(ii) Flexographic Printing	25 (0.21)		
(iii) Gravure Printing			
(A) Publication	100 (0.83)		
(B) Packaging	25 (0.21)		
(iv) Lithographic (Offset) or Letter Press Printing			
(A) Roller Wash, Blanket Wash, & On-Press Components			
(I) Newsprint	100 (0.83)		

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 2-1-2008]

	CURRENT LIMITS*	EFFECTIVE 1/1/2008*	EFFECTIVE 1/1/2009
SOLVENT CLEANING ACTIVITY (cont.)	VOC g/l (lb/gal)	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(II) Other Substrates	500 (4.2)	100 (0.83)	
(B) Removable Press Components	25 (0.21)		
(v) Screen Printing	500 (4.2)	100 (0.83)	
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	650 (5.4)	650 (5.4)	100 (0.83)
(vii) Specialty Flexographic Printing	100 (0.83)		
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)		

* The specified limits remain in effect unless revised limits are listed in subsequent columns.

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 404 2-7-1986]

The operator shall not discharge into the atmosphere from this equipment, particulate matter in excess of the concentration at standard conditions, shown in Table 404(a).

Where the volume discharged is between figures listed in the Table, the exact concentration permitted to be discharged shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 404(a)

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
25 or less	883 or less	450	0.196	900	31780	118	0.0515
30	1059	420	.183	1000	35310	113	.0493
35	1236	397	.173	1100	38850	109	.0476
40	1413	377	.165	1200	42380	106	.0463
45	1589	361	.158	1300	45910	102	.0445
50	1766	347	.152	1400	49440	100	.0437
60	2119	324	.141	1500	52970	97	.0424
70	2472	306	.134	1750	61800	92	.0402

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 404 2-7-1986]

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
80	2825	291	.127	2000	70630	87	.0380
90	3178	279	.122	2250	79460	83	.0362
100	3531	267	.117	2500	88290	80	.0349
125	4414	246	.107	3000	105900	75	.0327
150	5297	230	.100	4000	141300	67	.0293
175	6180	217	.0947	5000	176600	62	.0271
200	7063	206	.0900	6000	211900	58	.0253
250	8829	190	.0830	8000	282500	52	.0227
300	10590	177	.0773	10000	353100	48	.0210
350	12360	167	.0730	15000	529700	41	.0179
400	14130	159	.0694	20000	706300	37	.0162
450	15890	152	.0664	25000	882900	34	.0148
500	17660	146	.0637	30000	1059000	32	.0140
600	21190	137	.0598	40000	1413000	28	.0122
700	24720	129	.0563	50000	1766000	26	.0114
800	28250	123	.0537	70000 or more	2472000 or more	23	.0100

FACILITY PERMIT TO OPERATE

MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS [RULE 405 2-7-1986]

The operator shall not discharge into the atmosphere from this equipment, solid particulate matter including lead and lead compounds in excess of the rate shown in Table 405(a).

Where the process weight per hour is between figures listed in the table, the exact weight of permitted discharge shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 405(a)

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process	
		Kilograms Per Hour	Pounds Per Hour			Kilograms Per Hour	Pounds Per Hour
100 or less	220 or less	0.450	0.99	9000	19840	5.308	11.7
150	331	0.585	1.29	10000	22050	5.440	12.0
200	441	0.703	1.55	12500	27560	5.732	12.6
250	551	0.804	1.77	15000	33070	5.982	13.2
300	661	0.897	1.98	17500	38580	6.202	13.7
350	772	0.983	2.17	20000	44090	6.399	14.1
400	882	1.063	2.34	25000	55120	6.743	14.9
450	992	1.138	2.51	30000	66140	7.037	15.5
500	1102	1.209	2.67	35000	77160	7.296	16.1
600	1323	1.340	2.95	40000	88180	7.527	16.6
700	1543	1.461	3.22	45000	99210	7.738	17.1
800	1764	1.573	3.47	50000	110200	7.931	17.5
900	1984	1.678	3.70	60000	132300	8.277	18.2
1000	2205	1.777	3.92	70000	154300	8.582	18.9

FACILITY PERMIT TO OPERATE
MCP FOODS INC

APPENDIX B: RULE EMISSION LIMITS
[RULE 405 2-7-1986]

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process)		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process)	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
1250	2756	2.003	4.42	80000	176400	8.854	19.5
1500	3307	2.206	4.86	90000	198400	9.102	20.1
1750	3858	2.392	5.27	100000	220500	9.329	20.6
2000	4409	2.563	5.65	125000	275600	9.830	21.7
2250	4960	2.723	6.00	150000	330700	10.26	22.6
2500	5512	2.874	6.34	175000	385800	10.64	23.5
2750	6063	3.016	6.65	200000	440900	10.97	24.2
3000	6614	3.151	6.95	225000	496000	11.28	24.9
3250	7165	3.280	7.23	250000	551200	11.56	25.5
3600	7716	3.404	7.50	275000	606300	11.82	26.1
4000	8818	3.637	8.02	300000	661400	12.07	26.6
4500	9921	3.855	8.50	325000	716500	12.30	27.1
5000	11020	4.059	8.95	350000	771600	12.51	27.6
6000	13230	4.434	9.78	400000	881800	12.91	28.5
7000	15430	4.775	10.5	450000	992100	13.27	29.3
8000	17640	5.089	11.2	500000 or more	1102000 or more	13.60	30.0