



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

May 3, 2012

Mr. Gerardo Rios
Chief – Permits Office
U. S. EPA, Region IX
75 Hawthorne Street, Air 3
San Francisco, CA 94105

Dear Mr. Rios:

Northrop Grumman Corp. (ID 18294) has proposed to revise their Title V permit by installing a new boiler (Device No. D234) to replace an existing boiler (D74). This is an aerospace manufacturer (SIC 3721) located at 500-800 N. Douglas St, El Segundo, CA 90245. This proposed permit revision is considered as a “de minimis significant permit revision” to their Title V permit. Attached for your review are the permit evaluation and draft permit for the proposed permit revision. With your receipt of the proposed Title V permit revision today, we will note that the EPA 45-day review period will begin on May 3rd.

If you have any questions or need additional information regarding the proposed permit revision, please call Stacey Ebiner at (909) 396-2504.

Very truly yours,

A handwritten signature in black ink, appearing to read "Brian L. Yeh", is positioned below the closing text.

Brian L. Yeh
Senior Manager
Coating, Printing, Plating, Military &
Entertainment Operations

BLY:smke:coverletter

Attachments