South Coast
Air Quality Management District
21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 · www.aqmd.gov

November 6, 2007

Mr. Chris Gemgnani
Environmental Engineer
R. R. Donnelley & Sons Company
19681 Pacific Gateway Drive
Torrance, CA 90502

SUBJECT: RECLAIM/Title V Facility Permit Revision (Facility ID: 003585)

Dear Mr. Gemgnani:

Please find attached the revised Title Page, Table of Contents, Section H, Section K, and Appendix B of your RECLAIM/Title V Facility Permit. The revised sections reflect the approval of the permit revision requested in your application No. 472424. The proposed permit revision was submitted to EPA for 45-day review on September 21, 2007. This permit revision includes the modification of the following equipment:

Equipment	Application No.	Device No.	Process No	Type
Lithographic Printing System	472423	D3-D4	1	PC

Please review the attached sections carefully. Insert the enclosed sections into your Facility Permit and discard the earlier versions. Questions concerning changes to your permit should be directed to Mr. Jason Aspell at (909) 396-2491.

Sincerely,

Fred Lettice
Senior Manager
Coating, Printing & Aerospace Operations

FEL:BLY:coverletter
Attachment

cc: Gerardo Rios, EPA Region IX