



NOV 04 2014

Mr. Ryan Hansen
ASV Wines, Inc.
1998 Road 152
Delano, CA 93215-9427

Re: Notice of Minor Title V Permit Modification
District Facility # S-7048
Project # S-1142109

Dear Mr. Hansen:


Enclosed is the District's analysis of your application for minor Title V permit modification for the facility identified above. You proposed a Title V minor permit modification to incorporate recently issued S-7048-108-3, 109-3, 112-3, 113-3 into the Title V operating permit. These ATCs were issued for application of insulation on wine storage tanks.

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued S-7048-108-3, 109-3, 112-3, 113-3, emission increases, application, and previous Title V permit. This project will be subject to a 45-day EPA commenting period prior to the District taking final action.

If you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Thank you for your cooperation in this matter.

Sincerely,



Arnaud Marjollet
Director of Permit Services

Enclosures

cc: Gerardo C. Rios, EPA (w/enclosure) via email

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

TITLE V APPLICATION REVIEW

Minor Modification
Project #: S-1142109

Engineer: Kamaljit Sran
Date: October 23, 2014

Facility Number: S-7048
Facility Name: ASV Wines Inc.
Mailing Address: 1998 Road 152
Delano, CA 93212

Contact Name: Ryan Hansen
Phone: (661) 792-1293

Responsible Official: William Nakta
Title: Vice President - General Manger

I. PROPOSAL

ASV Wines, Inc (ASV) is proposing a Title V minor permit modification to incorporate the recently issued 12 ATCs S-7048-1-3, 2-3, 17-3, 88-3, 90-3, 108-3, 109-3, 112-3, 113-3, 114-3, 115-3, 153-3 into the Title V operating permit. ASV has completed insulation on only four storage tanks S-7048-108-3, 109-3, 112-3, & 113-3, therefore at this time only four of these ATCs are being incorporated into Title V operating permit. These ATCs were issued for application of insulation on wine storage tanks.

The purpose of this evaluation is to identify all applicable requirements, determine if the facility will comply with the applicable requirements and to provide the legal and factual basis for the proposed revisions.

II. FACILITY LOCATION

The facility is located at 31502 Peterson Road in McFarland CA.

III. EQUIPMENT DESCRIPTION

S-7048-108-4: 351,708 GALLON STEEL WINE STORAGE AND WHITE WINE FERMENTATION TANK (TANK #507) WITH PRESSURE/VACUUM VALVE

S-7048-109-4: 351,708 GALLON STEEL WINE STORAGE TANK (TANK #508)
WITH PRESSURE/VACUUM VALVE

S-7048-112-4: 351,708 GALLON STEEL WINE STORAGE TANK (TANK #511)
WITH PRESSURE/VACUUM VALVE

S-7048-113-4: 351,708 GALLON STEEL WINE STORAGE TANK (TANK #512)
WITH PRESSURE/VACUUM VALVE

IV. SCOPE OF EPA AND PUBLIC REVIEW

This change to a Title V permit is considered to be a minor modification and, as such, requires no public review.

V. APPLICABLE REQUIREMENTS

District Rule 2520, Federally Mandated Operating Permits (Adopted June 21, 2001)

VI. DESCRIPTION OF PROPOSED MODIFICATIONS

The primary business of ASV Wines (ASV) is the production of table wines and related beverages. ASV proposes to install insulation on the tanks. Some of the tanks included in this project are classified as combined wine fermentation and storage tanks. Insulation is not installed on tanks designated for fermentation only since it serves no useful purpose. Insulation is typically installed on wine storage tanks for purposes of 1) energy conservation (due to the use of refrigerated storage) and 2) for emission control purposes since insulation reduces ethanol emissions from the storage operation (the use of insulation is considered a part of achieved-in-practice BACT for wine storage operations per District BACT Guideline 5.4.13). Therefore this project will consider the application of insulation on the tanks to be a modification of the wine storage emission unit only and the fermentation emission units are not considered to be modified by this project since the insulation has no bearing on the fermentation operation.

VII. COMPLIANCE

In accordance with Rule 2520, 3.20, these modifications:

1. Do not violate requirements of any applicable federally enforceable local or federal requirement;

2. Do not relax monitoring, reporting, or recordkeeping requirements in the permit and are not significant changes in existing monitoring permit terms or conditions;
3. Do not require or change a case-by-case determination of an emission limitation or other standard, or a source-specific determination for temporary sources of ambient impacts, or a visibility or increment analysis;
4. Do not seek to establish or change a permit term or condition for which there is no corresponding underlying applicable requirement and that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject. Such terms and conditions include:
 - a. A federally enforceable emission cap assumed to avoid classification as a modification under any provisions of Title I of the Federal Clean Air Act; and
 - b. An alternative emissions limit approved pursuant to regulations promulgated under section 112(i)(5) of the Federal Clean Air Act; and
5. Are not Title I modifications as defined in District Rule 2520 or modifications as defined in section 111 or 112 of the Federal Clean Air Act; and
6. Do not seek to consolidate overlapping applicable requirements.

In accordance with Rule 2520, the application meets the procedural requirements of section 11.4 by including;

1. A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
2. The source's suggested draft permit; and
3. Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used.

VIII. ATTACHMENTS

- A. Proposed Modified Title V Operating Permit No. S-7048-108-4, -109-4, -112-4, -113-4
- B. Authorities to Construct No. S-7048-108-3, -109-3, -112-3, -113-3
- C. Emissions Increases
- D. Application
- E. Current Title V Operating Permit No.'s S-7048-108-1, -109-1, -112-1, and -113-1

ATTACHMENT A

Proposed Modified Title V Operating Permit No.
(S-7048-108-4, -109-4, -112-4, -113-4)

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-7048-108-4

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

351,708 GALLON STEEL WINE STORAGE AND WHITE WINE FERMENTATION TANK (TANK #507) WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
4. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Daily wine storage throughput shall not exceed two (2) tank volumes per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Combined annual wine storage throughput for permit units S-7048-1, '-2, '-17, '-88, '-90, '-108, '-109, '-112, '-113, '-114, '-115 and '-153 shall not exceed 70,000,000 gallons per year, calculated on a twelve (12) month rolling basis. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Records of the 12-month rolling wine storage throughput, shall be maintained and updated monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
8. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 4694] Federally Enforceable Through Title V Permit
9. For each batch of must fermented in this tank, the operator shall record the fermentation completion date, the total gallons of must fermented, the average fermentation temperature and the uncontrolled fermentation emissions and fermentation emission reductions (calculated per the emission factors given in District Rule 4694). The information shall be recorded by the tank Permit to Operate number and by wine type, stated as either red wine or white wine. [District Rule 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-7048-109-4

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

351,708 GALLON STEEL WINE STORAGE TANK (TANK #508) WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
4. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Daily wine storage throughput shall not exceed two (2) tank volumes per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Combined annual wine storage throughput for permit units S-7048-1, '-2, '-17, '-88, '-90, '-108, '-109, '-112, '-113, '-114, '-115 and '-153 shall not exceed 70,000,000 gallons per year, calculated on a twelve (12) month rolling basis. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Records of the 12-month rolling wine storage throughput, shall be maintained and updated monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
8. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-7048-112-4

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

351,708 GALLON STEEL WINE STORAGE TANK (TANK #511) WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
4. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Daily wine storage throughput shall not exceed two (2) tank volumes per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Combined annual wine storage throughput for permit units S-7048-1, '-2, '-17, '-88, '-90, '-108, '-109, '-112, '-113, '-114, '-115 and '-153 shall not exceed 70,000,000 gallons per year, calculated on a twelve (12) month rolling basis. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Records of the 12-month rolling wine storage throughput, shall be maintained and updated monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
8. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-7048-113-4

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

351,708 GALLON STEEL WINE STORAGE TANK (TANK #512) WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
4. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Daily wine storage throughput shall not exceed two (2) tank volumes per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Combined annual wine storage throughput for permit units S-7048-1, '-2, '-17, '-88, '-90, '-108, '-109, '-112, '-113, '-114, '-115 and '-153 shall not exceed 70,000,000 gallons per year, calculated on a twelve (12) month rolling basis. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Records of the 12-month rolling wine storage throughput, shall be maintained and updated monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
8. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

ATTACHMENT B

Authorities to Construct No.
(S-7048-108-3, -109-3, -112-3, -113-3)



AUTHORITY TO CONSTRUCT

PERMIT NO S 7048 108 3

ISSUANCE DATE 02/11/2014

LEGAL OWNER OR OPERATOR ASV WINES INC
MAILING ADDRESS 1998 ROAD 152
DELANO CA 93215 9437

LOCATION 31502 PETERSON RD
MCFARLAND CA 93250

EQUIPMENT DESCRIPTION
MODIFICATION OF 351 708 GALLON STEEL WINE STORAGE AND WHITE WINE FERMENTATION TANK (TANK #507)
WITH PRESSURE/VACUUM VALVE INSULATE TANK

CONDITIONS

- 1 The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520 [District Rule 2520] Federally Enforceable Through Title V Permit
- 2 This tank shall be equipped with and operated with a pressure vacuum relief valve which shall operate within 10% of the maximum allowable working pressure of the tank operate in accordance with the manufacturer s instructions and be permanently labeled with the operating pressure settings [District Rule 4694] Federally Enforceable Through Title V Permit
- 3 The pressure vacuum relief valve and storage tank shall remain in a gas tight condition except when the operating pressure of the tank exceeds the valve set pressure A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21 [District Rule 4694] Federally Enforceable Through Title V Permit
- 4 The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit For each batch of wine the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved [District Rule 4694] Federally Enforceable Through Title V Permit
- 5 The operator shall record on a weekly basis the total gallons of wine contained in the tank and the maximum temperature of the stored wine [District Rule 4694] Federally Enforceable Through Title V Permit
- 6 Daily wine storage throughput shall not exceed two (2) tank volumes per day [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392 5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT This is NOT a PERMIT TO OPERATE Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans specifications and conditions of this Authority to Construct and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District Unless construction has commenced pursuant to Rule 2050 this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance The applicant is responsible for complying with all laws ordinances and regulations of all other governmental agencies which may pertain to the above equipment

Seyed Sadredin Executive Director / APCO

David Warner

DAVID WARNER Director of Permit Services

S 70 6 08 3 F 2014 8 04M ROBERTSD J 11 p cc NOT R d

- 7 Combined annual wine storage throughput for permit units S-7048 1 2 17 88 '90 '108 '109 '112 113 114 115 and 153 shall not exceed 70 000 000 gallons per year calculated on a twelve (12) month rolling basis [District Rule 2201] Federally Enforceable Through Title V Permit
- 8 Records of the 12 month rolling wine storage throughput shall be maintained and updated monthly [District Rule 2201] Federally Enforceable Through Title V Permit
- 9 All records shall be retained on site for a period of at least five years and made available for District inspection upon request [District Rule 4694] Federally Enforceable Through Title V Permit
- 10 For each batch of must fermented in this tank the operator shall record the fermentation completion date the total gallons of must fermented the average fermentation temperature and the uncontrolled fermentation emissions and fermentation emission reductions (calculated per the emission factors given in District Rule 4694) The information shall be recorded by the tank Permit to Operate number and by wine type stated as either red wine or white wine [District Rule 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO S 7048 109 3

ISSUANCE DATE 02/11/2014

LEGAL OWNER OR OPERATOR ASV WINES INC
MAILING ADDRESS 1998 ROAD 152
DELANO CA 93215 9437

LOCATION 31502 PETERSON RD
MCFARLAND CA 93250

EQUIPMENT DESCRIPTION
MODIFICATION OF 351 708 GALLON STEEL WINE STORAGE TANK (TANK #508) WITH PRESSURE/VACUUM VALVE INSULATE TANK


CONDITIONS

- 1 The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520 [District Rule 2520] Federally Enforceable Through Title V Permit
- 2 This tank shall be equipped with and operated with a pressure vacuum relief valve which shall operate within 10% of the maximum allowable working pressure of the tank operate in accordance with the manufacturer's instructions and be permanently labeled with the operating pressure settings [District Rule 4694] Federally Enforceable Through Title V Permit
- 3 The pressure-vacuum relief valve and storage tank shall remain in a gas tight condition except when the operating pressure of the tank exceeds the valve set pressure A gas tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21 [District Rule 4694] Federally Enforceable Through Title V Permit
- 4 The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit For each batch of wine the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved [District Rule 4694] Federally Enforceable Through Title V Permit
- 5 The operator shall record on a weekly basis the total gallons of wine contained in the tank and the maximum temperature of the stored wine [District Rule 4694] Federally Enforceable Through Title V Permit
- 6 Daily wine storage throughput shall not exceed two (2) tank volumes per day [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392 5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT This is NOT a PERMIT TO OPERATE Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans specifications and conditions of this Authority to Construct and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District Unless construction has commenced pursuant to Rule 2050 this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance The applicant is responsible for complying with all laws ordinances and regulations of all other governmental agencies which may pertain to the above equipment

Seyed Sadredin Executive Director / APCO



DAVID WARNER Director of Permit Services

S 7048 109 3 F b 11 2014 8 40AM ROBERTSD J 1 p NOT R q d

- 7 Combined annual wine storage throughput for permit units S 7048 1 '2 17 88 -90 ' 108 109 112 113 ' 114 115 and ' 153 shall not exceed 70 000 000 gallons per year calculated on a twelve (12) month rolling basis [District Rule 2201] Federally Enforceable Through Title V Permit
- 8 Records of the 12 month rolling wine storage throughput shall be maintained and updated monthly [District Rule 2201] Federally Enforceable Through Title V Permit
- 9 All records shall be retained on site for a period of at least five years and made available for District inspection upon request [District Rule 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO S 7048 112 3

ISSUANCE DATE 02/11/2014

LEGAL OWNER OR OPERATOR ASV WINES INC
MAILING ADDRESS 1998 ROAD 152
DELANO CA 93215 9437

LOCATION 31502 PETERSON RD
MCFARLAND CA 93250

EQUIPMENT DESCRIPTION

MODIFICATION OF 351 708 GALLON STEEL WINE STORAGE TANK (TANK #511) WITH PRESSURE/VACUUM VALVE INSULATE TANK

CONDITIONS

- 1 The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520 [District Rule 2520] Federally Enforceable Through Title V Permit
- 2 This tank shall be equipped with and operated with a pressure vacuum relief valve which shall operate within 10% of the maximum allowable working pressure of the tank operate in accordance with the manufacturer s instructions and be permanently labeled with the operating pressure settings [District Rule 4694] Federally Enforceable Through Title V Permit
- 3 The pressure vacuum relief valve and storage tank shall remain in a gas tight condition except when the operating pressure of the tank exceeds the valve set pressure A gas tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21 [District Rule 4694] Federally Enforceable Through Title V Permit
- 4 The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit For each batch of wine the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved [District Rule 4694] Federally Enforceable Through Title V Permit
- 5 The operator shall record on a weekly basis the total gallons of wine contained in the tank and the maximum temperature of the stored wine [District Rule 4694] Federally Enforceable Through Title V Permit
- 6 Daily wine storage throughput shall not exceed two (2) tank volumes per day [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392 5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT This is NOT a PERMIT TO OPERATE Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans specifications and conditions of this Authority to Construct and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District Unless construction has commenced pursuant to Rule 2050 this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance The applicant is responsible for complying with all laws ordinances and regulations of all other governmental agencies which may pertain to the above equipment

Seyed Sadredin Executive Director / APCO

Martin East for

DAVID WARNER Director of Permit Services

S 7048 112 3 F b 11 20 4 B 40AM ROBERTSO J I P I NOT R d d

- 7 Combined annual wine storage throughput for permit units S 7048 1 2 17 88 90 108 109 112 113 114 115 and 153 shall not exceed 70 000 000 gallons per year calculated on a twelve (12) month rolling basis [District Rule 2201] Federally Enforceable Through Title V Permit
- 8 Records of the 12 month rolling wine storage throughput shall be maintained and updated monthly [District Rule 2201] Federally Enforceable Through Title V Permit
- 9 All records shall be retained on site for a period of at least five years and made available for District inspection upon request [District Rule 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO S 7048 113 3

ISSUANCE DATE 02/11/2014

LEGAL OWNER OR OPERATOR ASV WINES INC
MAILING ADDRESS 1998 ROAD 152
DELANO CA 93215 9437

LOCATION 31502 PETERSON RD
MCFARLAND CA 93250

EQUIPMENT DESCRIPTION
MODIFICATION OF 351 708 GALLON STEEL WINE STORAGE TANK (TANK #512) WITH PRESSURE/VACUUM VALVE INSULATE TANK

CONDITIONS

- 1 The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520 [District Rule 2520] Federally Enforceable Through Title V Permit
- 2 This tank shall be equipped with and operated with a pressure vacuum relief valve which shall operate within 10% of the maximum allowable working pressure of the tank operate in accordance with the manufacturer's instructions and be permanently labeled with the operating pressure settings [District Rule 4694] Federally Enforceable Through Title V Permit
- 3 The pressure vacuum relief valve and storage tank shall remain in a gas tight condition except when the operating pressure of the tank exceeds the valve set pressure A gas tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21 [District Rule 4694] Federally Enforceable Through Title V Permit
- 4 The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit For each batch of wine the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved [District Rule 4694] Federally Enforceable Through Title V Permit
- 5 The operator shall record on a weekly basis the total gallons of wine contained in the tank and the maximum temperature of the stored wine [District Rule 4694] Federally Enforceable Through Title V Permit
- 6 Daily wine storage throughput shall not exceed two (2) tank volumes per day [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392 5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT This is NOT a PERMIT TO OPERATE Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans specifications and conditions of this Authority to Construct and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District Unless construction has commenced pursuant to Rule 2050 this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance The applicant is responsible for complying with all laws ordinances and regulations of all other governmental agencies which may pertain to the above equipment

Seyed Sadredin Executive Director / APCO

Wati - least for

DAVID WARNER Director of Permit Services
S 10 8 33 Feb 120 84 AM ROBERTSD J p a NOT R q d

- 7 Combined annual wine storage throughput for permit units S 7048 1 ' 2 17 88 '90 '-108 109 112 113 ' 114 115 and 153 shall not exceed 70 000 000 gallons per year calculated on a twelve (12) month rolling basis [District Rule 2201] Federally Enforceable Through Title V Permit
- 8 Records of the 12 month rolling wine storage throughput shall be maintained and updated monthly [District Rule 2201] Federally Enforceable Through Title V Permit
- 9 All records shall be retained on site for a period of at least five years and made available for District inspection upon request [District Rule 4694] Federally Enforceable Through Title V Permit

ATTACHMENT C

Emissions Increases

There are no emissions increases associated with installing insulation on the wine storage tanks.

ATTACHMENT D

Application



San Joaquin Valley Air Pollution Control District

www.valleyair.org

RECEIVED AIR LIVING

MAY 07 2014

Permit Application For:

Permits Services


[] ADMINISTRATIVE AMENDMENT [X] MINOR MODIFICATION [] SIGNIFICANT MODIFICATION

SJVAPCD

1. PERMIT TO BE ISSUED TO: ASV WINES INC.	
2. MAILING ADDRESS: STREET/P.O. BOX: 1998 ROAD 152 CITY: DELANO STATE: CALIFORNIA 9-DIGIT ZIP CODE: 93215-9427	
3. LOCATION WHERE THE EQUIPMENT WILL BE OPERATED: STREET: 31502 PETERSON ROAD CITY: DELANO 1/4 SECTION TOWNSHIP RANGE	INSTALLATION DATE:
4. GENERAL NATURE OF BUSINESS: WINERY	
5. DESCRIPTION OF EQUIPMENT OR MODIFICATION FOR WHICH APPLICATION IS MADE (include Permit #'s if known, and use additional sheets if necessary) Insulation of 12 existing winery tanks. Permit No: S-7048-1-3; S-7048-2-3; S-7048-17-3; S-7048-88-3; S-7048-90-3; S-7048-108-3; S-7048-109-3; S-7048-112-3; S-7048-113-3; S-7048-114-3; S-7048-115-3; & S-7048-153-3.	
6. TYPE OR PRINT NAME OF APPLICANT: William J. Nakata	TITLE OF APPLICANT: Vice President – General Manager
7. SIGNATURE OF APPLICANT: 	DATE: April 30, 2014 PHONE: (661) 792-3159, ext. 1287 FAX: (661) 792-2875 EMAIL: billnakata@asvwines.com

For APCD Use Only:

DATE STAMP RECEIVED MAY 08 2014 FINANCE SJVUAPCD	FILING FEE RECEIVED: \$ 228.00 DATE PAID: 5/5/14 PROJECT NO: S-1142109	CHECK#: 055371 FACILITY ID: S-7048
---	--	---------------------------------------



San Joaquin Valley Unified Air Pollution Control District



TITLE V MODIFICATION - COMPLIANCE CERTIFICATION FORM

I. TYPE OF PERMIT ACTION (Check appropriate box)

- SIGNIFICANT PERMIT MODIFICATION ADMINISTRATIVE
 MINOR PERMIT MODIFICATION AMENDMENT

COMPANY NAME: ASV WINES INC.	FACILITY ID: S - 7048
1. Type of Organization: <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Sole Ownership <input type="checkbox"/> Government <input type="checkbox"/> Partnership <input type="checkbox"/> Utility	
2. Owner's Name:	
3. Agent to the Owner:	

II. COMPLIANCE CERTIFICATION (Read each statement carefully and initial all circles for confirmation):

- Based on information and belief formed after reasonable inquiry, the equipment identified in this application will continue to comply with the applicable federal requirement(s).
- Based on information and belief formed after reasonable inquiry, the equipment identified in this application will comply with applicable federal requirement(s) that will become effective during the permit term, on a timely basis.
- Corrected information will be provided to the District when I become aware that incorrect or incomplete information has been submitted.
- Based on information and belief formed after reasonable inquiry, information and statements in the submitted application package, including all accompanying reports, and required certifications are true accurate and complete.

I declare, under penalty of perjury under the laws of the state of California, that the forgoing is correct and true:

William J. Nakata

April 30, 2014

Signature of Responsible Official

Date

William J. Nakata

Name of Responsible Official (please print)

Vice President – General Manager

Title of Responsible Official (please print)

ATTACHMENT E

Current Title V Operating Permit No.'s S-7048-108-1, -109-1, -112-1, and -113-1

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-7048-108-1

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

351,708 GALLON STEEL WINE STORAGE AND WHITE WINE FERMENTATION TANK (TANK #507) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
4. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 4694] Federally Enforceable Through Title V Permit
6. For each batch of must fermented in this tank, the operator shall record the fermentation completion date, the total gallons of must fermented, the average fermentation temperature and the uncontrolled fermentation emissions and fermentation emission reductions (calculated per the emission factors given in District Rule 4694). The information shall be recorded by the tank Permit to Operate number and by wine type, stated as either red wine or white wine. [District Rule 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-7048-109-1

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

351,708 GALLON STEEL WINE STORAGE TANK (TANK #508) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
4. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-7048-112-1

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

351,708 GALLON STEEL WINE STORAGE TANK (TANK #511) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
4. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-7048-113-1

EXPIRATION DATE: 03/31/2017

EQUIPMENT DESCRIPTION:

351,708 GALLON STEEL WINE STORAGE TANK (TANK #512) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
4. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.