



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

February 5, 2010

Mr. Donald Sokol
Manager
Anthony, Inc.
12812 Arroyo Street
San Fernando, CA 91342

SUBJECT: Title V Facility Permit Revision (Facility ID: 118314)

Dear Mr. Kato:

Please find attached the revised Title Page, Table of Contents and Section H of your Title V Facility Permit. The revised sections reflect the approval of the permit revision requested in your Application No. 499493. The proposed permit revision was submitted to EPA for 45-day review on December 22, 2009. This permit revision includes the addition and modification of the following equipment:

Equipment	Appl. No.	Permit No.	Device No.	Process /System	Permit Type
Regenerative Thermal Oxidizer	499420	N/A	C38	12	P/C
Oven	499492	N/A	D39	12	P/C
Spray Enclosure	499492	N/A	D40	12	P/C

Please review the attached sections carefully. Insert the enclosed sections into your Title V Facility Permit and discard the earlier version. Questions concerning changes to your permit should be directed to Mr. Shailesh Patel at (909) 396-2681.

Sincerely,

Fred Lettice
Senior Manager
Coating, Printing, Aerospace &
Metal Finishing Operations

FEL:EMM:approval
Attachment

cc: Gerardo Rios, EPA Region IX