



MAY 13 2013

Se Dang Le
California Dairies, Inc.
755 F Street
Fresno, CA 93706

**Re: Notice of Minor Title V Permit Modification
District Facility # C-402
Project # C-1131364**

Dear Mr. Le:

Enclosed is the District's analysis of your application for minor Title V permit modification for the facility identified above. You proposed a Title V minor permit modification to incorporate recently issued C-402-15-3, C-402-16-3, C-402-17-3, C-402-18-3, and C-402-19-3 into the Title V operating permit. The facility is proposing to establish a combined throughput limit for storage silos #1, #2, #3, #4, and #5

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued C-402-15-3, C-402-16-3, C-402-17-3, C-402-18-3, and C-402-19-3, emission increases, application, and previous Title V permit. This project will be subject to a 45-day EPA commenting period prior to the District taking final action.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney at (559) 230-5900.

Sincerely,


David Warner
Director of Permit Services

Enclosures

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



MAY 13 2013

Gerardo C. Rios, Chief
Permits Office
Air Division
U.S. EPA - Region IX
75 Hawthorne St
San Francisco, CA 94105

Re: **Notice of Minor Title V Permit Modification**
District Facility # C-402
Project # C-1131364


Dear Mr. Rios:

Enclosed for you to review is an application for minor Title V permit modification for the facility identified above. California Dairies, Inc. is proposing a Title V minor permit modification to incorporate the recently issued C-402-15-3, C-402-16-3, C-402-17-3, C-402-18-3, and C-402-19-3 into the Title V operating permit. The facility is proposing to establish a combined throughput limit for storage silos #1, #2, #3, #4, and #5

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued C-402-15-3, C-402-16-3, C-402-17-3, C-402-18-3, and C-402-19-3, emission increases, application, and previous Title V permit. Please submit your written comments on this project within the 45-day comment period that begins on the date you receive this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney at (559) 230-5900.

Sincerely,


for David Warner
Director of Permit Services

Enclosures

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

TITLE V APPLICATION REVIEW

Minor Modification
Project #: C-1131364

Engineer: Juscelino Siongco
Date: May 2, 2013

Facility Number: C-402
Facility Name: California Dairies, Inc.
Mailing Address: 755 F Street
Fresno, CA 93706

Contact Name: Sy Dang Le
Phone: (559) 233-5154 x119

Responsible Official: Sy Dang Le
Title: Director of Environmental

I. PROPOSAL

California Dairies, Inc. is proposing a Title V minor permit modification to incorporate the recently issued C-402-15-3, -16-3, -17-3, -18-3, and -19-3 into the Title V operating permit. The facility is proposing to establish a combined throughput limit for storage silos #1, #2, #3, #4, and #5.

The purpose of this evaluation is to identify all applicable requirements, determine if the facility will comply with the applicable requirements and to provide the legal and factual basis for the proposed revisions.

II. FACILITY LOCATION

California Dairies, Inc. is located at 755 F St, Fresno, CA 93706

III. EQUIPMENT DESCRIPTION

C-402-15-4: 12,000-GALLON POWDER MILK STORAGE SILO #1 SERVED BY A SOCK FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15, '-16, '-17, '-18, & '-19)

C-402-16-4: 12,000-GALLON POWDER MILK STORAGE SILO #2 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

C-402-17-4: 30,000-GALLON POWDER MILK STORAGE SILO #3 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

C-402-18-4: 30,000 GALLON POWDER MILK STORAGE SILO #4 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

C-402-19-4: 30,000 GALLON POWDER MILK STORAGE SILO #5 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

IV. SCOPE OF EPA AND PUBLIC REVIEW

This change to a Title V permit is considered to be a minor modification and, as such, requires no public review.

V. APPLICABLE REQUIREMENTS

District Rule 2520, Federally Mandated Operating Permits (Adopted June 21, 2001)

VI. DESCRIPTION OF PROPOSED MODIFICATIONS

California Dairies, Inc. proposes to amend Permits to Operate (PTO) C-402-15-3, -16-3, -17-3, -18-3, and -19-3 by combining the existing potential to emit limits into a Specific Limiting Condition (SLC) for silos #1 (permit unit C-402-15), silos #2 (permit unit C-402-16), silos #3 (permit unit C-402-17), silos #4 (permit unit C-402-18) and silos #5 (permit unit C-402-19). The proposed SLCs are: the total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day and the amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day.

C-402-15-4:

Permit conditions 1, 2, and 3 on the current Permit to Operate were included as conditions 1, 2, and 3 on the proposed Permit to Operate.

Permit conditions 4 and 5 on the current Permit to Operate were replaced by the proposed SLC and included as conditions 4 and 5 on the proposed Permit to Operate.

Permit conditions 6, 7, and 8 on the current Permit to Operate were included as conditions 6, 7, and 8 on the proposed Permit to Operate.

C-402-16-4:

Permit conditions 1, 2, and 3 on the current Permit to Operate were included as conditions 1, 2, and 3 on the proposed Permit to Operate.

Permit conditions 4 and 5 on the current Permit to Operate were replaced by the proposed SLC and included as conditions 4 and 5 on the proposed Permit to Operate.

Permit conditions 6, 7, and 8 on the current Permit to Operate were included as conditions 6, 7, and 8 on the proposed Permit to Operate.

C-402-17-4:

Permit conditions 1, 2, and 3 on the current Permit to Operate were included as conditions 1, 2, and 3 on the proposed Permit to Operate.

Permit conditions 4 and 5 on the current Permit to Operate were replaced by the proposed SLC and included as conditions 4 and 5 on the proposed Permit to Operate.

Permit conditions 6, 7, 8, 9, and 10 on the current Permit to Operate were included as conditions 6, 7, 8, 9, and 10 on the proposed Permit to Operate.

C-402-18-4:

Permit conditions 1, 2, and 3 on the current Permit to Operate were included as conditions 1, 2, and 3 on the proposed Permit to Operate.

Permit conditions 4 and 5 on the current Permit to Operate were replaced by the proposed SLC and included as conditions 4 and 5 on the proposed Permit to Operate.

Permit conditions 6, 7, 8, 9, and 10 on the current Permit to Operate were included as conditions 6, 7, 8, 9, and 10 on the proposed Permit to Operate.

C-402-19-4:

Permit conditions 1, 2, and 3 on the current Permit to Operate were included as conditions 1, 2, and 3 on the proposed Permit to Operate.

Permit conditions 4 and 5 on the current Permit to Operate were replaced by the proposed SLC and included as conditions 4 and 5 on the proposed Permit to Operate.

Permit conditions 6, 7, 8, 9, and 10 on the current Permit to Operate were included as conditions 6, 7, 8, 9, and 10 on the proposed Permit to Operate.

VII. COMPLIANCE

In accordance with Rule 2520, 3.20, these modifications:

1. Do not violate requirements of any applicable federally enforceable local or federal requirement;
2. Do not relax monitoring, reporting, or recordkeeping requirements in the permit and are not significant changes in existing monitoring permit terms or conditions;
3. Do not require or change a case-by-case determination of an emission limitation or other standard, or a source-specific determination for temporary sources of ambient impacts, or a visibility or increment analysis;
4. Do not seek to establish or change a permit term or condition for which there is no corresponding underlying applicable requirement and that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject. Such terms and conditions include:
 - a. A federally enforceable emission cap assumed to avoid classification as a modification under any provisions of Title I of the Federal Clean Air Act; and
 - b. An alternative emissions limit approved pursuant to regulations promulgated under section 112(i)(5) of the Federal Clean Air Act; and
5. Are not Title I modifications as defined in District Rule 2520 or modifications as defined in section 111 or 112 of the Federal Clean Air Act; and
6. Do not seek to consolidate overlapping applicable requirements.

In accordance with Rule 2520, the application meets the procedural requirements of section 11.4 by including;

1. A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
2. The source's suggested draft permit; and

3. Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used.

VIII. ATTACHMENTS

- A. Proposed Modified Title V Operating Permit No. C-402-15-4, C-402-16-4, C-402-17-4, C-402-18-4, and C-402-19-4
- B. Authorities to Construct No. C-402-15-3, C-402-16-3, C-402-17-3, C-402-18-3, and C-402-19-3
- C. Emissions Increases
- D. Application
- E. Previous Title V Operating Permit No. C-402-15-2, C-402-16-2, C-402-17-2, C-402-18-2, and C-402-19-2

ATTACHMENT A

Proposed Modified Title V Operating Permit No.
C-402-15-4, C-402-16-4, C-402-17-4, C-402-18-4,
and C-402-19-4

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-15-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

12,000-GALLON POWDER MILK STORAGE SILO #1 SERVED BY A SOCK FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the sock filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from sock filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
7. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
8. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-16-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

12,000-GALLON POWDER MILK STORAGE SILO #2 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from bin vent filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
7. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
8. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-17-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

30,000-GALLON POWDER MILK STORAGE SILO #3 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from bin vent filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
7. Visible emissions from the bin vent filter shall be evaluated using EPA method 22 for a period of at least 6 minutes at least once during each day that silo #3 is loaded. If visible emissions are observed, corrective action shall be taken prior to further operation of the equipment. Corrective action means that visible emissions are eliminated before operation of the equipment is resumed. [40 CFR 64.3] Federally Enforceable Through Title V Permit
8. The permittee shall comply with the compliance assurance monitoring operation and maintenance requirements of 40 CFR part 64.7. [40 CFR 64.7] Federally Enforceable Through Title V Permit
9. The permittee shall comply with the recordkeeping and reporting requirements of 40 CFR part 64.9. [40 CFR 64.9] Federally Enforceable Through Title V Permit
10. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7 (d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-18-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

30,000 GALLON POWDER MILK STORAGE SILO #4 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from sock filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
7. Visible emissions from the bin vent filter shall be evaluated using EPA method 22 for a period of at least 6 minutes at least once during each day that silo #4 is loaded. If visible emissions are observed, corrective action shall be taken prior to further operation of the equipment. Corrective action means that visible emissions are eliminated before operation of the equipment is resumed. [40 CFR 64.3] Federally Enforceable Through Title V Permit
8. The permittee shall comply with the compliance assurance monitoring operation and maintenance requirements of 40 CFR part 64.7. [40 CFR 64.7] Federally Enforceable Through Title V Permit
9. The permittee shall comply with the recordkeeping and reporting requirements of 40 CFR part 64.9. [40 CFR 64.9] Federally Enforceable Through Title V Permit
10. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7 (d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-19-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

30,000 GALLON POWDER MILK STORAGE SILO #5 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from sock filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
7. Visible emissions from the bin vent filter shall be evaluated using EPA method 22 for a period of at least 6 minutes at least once during each day that silo #5 is loaded. If visible emissions are observed, corrective action shall be taken prior to further operation of the equipment. Corrective action means that visible emissions are eliminated before operation of the equipment is resumed. [40 CFR 64.3] Federally Enforceable Through Title V Permit
8. The permittee shall comply with the compliance assurance monitoring operation and maintenance requirements of 40 CFR part 64.7. [40 CFR 64.7] Federally Enforceable Through Title V Permit
9. The permittee shall comply with the recordkeeping and reporting requirements of 40 CFR part 64.9. [40 CFR 64.9] Federally Enforceable Through Title V Permit
10. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7 (d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

ATTACHMENT B

Authorities to Construct No.
C-402-15-3, C-402-16-3, C-402-17-3, C-402-18-3,
and C-402-19-3



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT



AUTHORITY TO CONSTRUCT

PERMIT NO: C-402-15-3

ISSUANCE DATE: 03/08/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC.
MAILING ADDRESS: PO BOX 11865
FRESNO, CA 93775-1865

LOCATION: 755 F ST
FRESNO, CA 93706-3415

EQUIPMENT DESCRIPTION:


MODIFICATION OF 12,000-GALLON POWDER MILK STORAGE SILO #1 SERVED BY A SOCK FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNIT '-16); ESTABLISH A COMBINED THROUGHPUT LIMIT (SLC) FOR STORAGE SILOS '1, '2, '3, '4 AND '5

CONDITIONS

1. Visible emissions from the sock filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201]
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
3. PM10 emissions from sock filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201]
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201]
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule]
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

d Sadredin, Executive Director / APCO



DAVID WARNER, Director of Permit Services
C-402-15-3 - Mar 8 2012 8 42AM - RINALDIR : Joint Inspection NOT Required



AUTHORITY TO CONSTRUCT

PERMIT NO: C-402-16-3

ISSUANCE DATE: 03/08/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC.

MAILING ADDRESS: PO BOX 11865
FRESNO, CA 93775-1865

LOCATION: 755 F ST
FRESNO, CA 93706-3415

EQUIPMENT DESCRIPTION:


MODIFICATION OF 12,000-GALLON POWDER MILK STORAGE SILO #2 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNIT '-15); ESTABLISH A COMBINED THROUGHPUT LIMIT (SLC) FOR STORAGE SILOS '1, '2, '3, '4 AND '5

CONDITIONS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201]
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
3. PM10 emissions from bin vent filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201]
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201]
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule]
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

d Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

C-402-16-3: Mar 8 2012 9:42AM - RINALDIR : Joint Inspection NOT Required



AUTHORITY TO CONSTRUCT

PERMIT NO: C-402-17-3

ISSUANCE DATE: 03/08/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC.

MAILING ADDRESS: PO BOX 11865
FRESNO, CA 93775-1865

LOCATION: 755 F ST
FRESNO, CA 93706-3415

EQUIPMENT DESCRIPTION:


MODIFICATION OF 30,000-GALLON POWDER MILK STORAGE SILO #3 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-18 AND '-19): ESTABLISH A COMBINED THROUGHPUT LIMIT (SLC) FOR STORAGE SILOS '1, '2, '3, '4 AND '5

CONDITIONS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201]
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
3. PM10 emissions from bin vent filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201]
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201]
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule]
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

d Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

C-402-17-3 - Mar 8 2012 9:43AM - RINALDIR - Joint Inspection NOT Required



AUTHORITY TO CONSTRUCT

PERMIT NO: C-402-18-3

ISSUANCE DATE: 03/08/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC.

MAILING ADDRESS: PO BOX 11865
FRESNO, CA 93775-1865

LOCATION: 755 F ST
FRESNO, CA 93706-3415

EQUIPMENT DESCRIPTION:


MODIFICATION OF 30,000 GALLON POWDER MILK STORAGE SILO #4 SERVED BY BIN VENT FILTER 30,000-GALLON POWDER MILK STORAGE SILO #4 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-17 AND '-19): ESTABLISH A COMBINED THROUGHPUT LIMIT (SLC) FOR STORAGE SILOS '1, '2, '3, '4 AND '5

CONDITIONS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201]
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
3. PM10 emissions from sock filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201]
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201]
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule]
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

d Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

C-402-18-3; Mar 8 2012 9:43AM - RINALDIR : Joint Inspection NOT Required



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT



AUTHORITY TO CONSTRUCT

PERMIT NO: C-402-19-3

ISSUANCE DATE: 03/08/2012

LEGAL OWNER OR OPERATOR: CALIFORNIA DAIRIES, INC.

MAILING ADDRESS: PO BOX 11865
FRESNO, CA 93775-1865

LOCATION: 755 F ST
FRESNO, CA 93706-3415

EQUIPMENT DESCRIPTION:


MODIFICATION OF 30,000 GALLON POWDER MILK STORAGE SILO #5 SERVED BY BIN VENT FILTER 30,000-GALLON POWDER MILK STORAGE SILO #5 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-17 AND '-18): ESTABLISH A COMBINED THROUGHPUT LIMIT (SLC) FOR STORAGE SILOS '1, '2, '3, '4 AND '5

CONDITIONS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201]
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
3. PM10 emissions from sock filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201]
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201]
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule]
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

d Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

C-402-19-3 : Mar 8 2012 9:43AM - RINALDIR : Joint Inspection NOT Required

ATTACHMENT C

Emissions Increases

| Stationary Source Increase in Permitted Emissions [SSIPE] | | | |
|---|--------------------|--------------------|--------------------|
| Pollutant | SSPE2 (lb/year) | SSPE1 (lb/year) | SSIPE (lb/year) |
| NO _x | 43,565 | 43,565 | 0 |
| SO _x | 3,831 | 3,831 | 0 |
| PM ₁₀ | 61,134 | 61,134 | 0 |
| CO | 84,100 | 84,100 | 0 |
| VOC | 39,240 | 39,240 | 0 |

ATTACHMENT D

Application

RECEIVED

San Joaquin Valley Air Pollution Control District APR 26 2013

www.valleyair.org

SJVAPCD
Southern Region

Permit Application For:

ADMINISTRATIVE AMENDMENT MINOR MODIFICATION SIGNIFICANT MODIFICATION

| | |
|---|---|
| 1. PERMIT TO BE ISSUED TO: <u>California Dairies, Inc. (Fresno)</u> | |
| 2. MAILING ADDRESS: STREET/P.O. BOX: <u>755 F Street</u> | |
| CITY: <u>Fresno</u> | STATE: <u>CA</u> 9-DIGIT ZIP CODE: <u>93706</u> |
| 3. LOCATION WHERE THE EQUIPMENT WILL BE OPERATED: STREET: <u>755 F Street</u> CITY: <u>Fresno</u> <u>1/4</u> SECTION <u>9</u> TOWNSHIP <u>14S</u> RANGE <u>20E</u> | INSTALLATION DATE: |
| 4. GENERAL NATURE OF BUSINESS: <u>Milk Processing Facility</u> | |
| 5. DESCRIPTION OF EQUIPMENT OR MODIFICATION FOR WHICH APPLICATION IS MADE (include Permit #'s if known, and use additional sheets if necessary) Permits C-402-15-3, C-402-16-3, C-402-17-3, C-402-18-3, and C-402-19-3 for 5 silos should be modified to incorporate the following changes. Condition 4: The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. Condition 5: The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. | |
| 6. TYPE OR PRINT NAME OF APPLICANT: <u>Sy Dang Le</u> | TITLE OF APPLICANT: <u>Director of Environmental</u> |
| 7. SIGNATURE OF APPLICANT:  | DATE: <u>4/25/2013</u> PHONE: (559) 233-5154 Ext.119 FAX: (559) 268-5101 EMAIL: <u>Sle@californiadairies.com</u> |

For APCD Use Only:

NO \$

| | |
|------------|--|
| DATE STAMP | FILING FEE RECEIVED: \$ _____ CHECK#: _____ |
| | DATE PAID: _____ |
| | PROJECT NO: <u>1131364</u> FACILITY ID: <u>C-402</u> |
| | |

**San Joaquin Valley
Unified Air Pollution Control District**

TITLE V MODIFICATION - COMPLIANCE CERTIFICATION FORM

I. TYPE OF PERMIT ACTION (Check appropriate box)

- SIGNIFICANT PERMIT MODIFICATION ADMINISTRATIVE
 MINOR PERMIT MODIFICATION AMENDMENT

| | |
|--|----------------------|
| COMPANY NAME: California Dairies Inc. | FACILITY ID: C - 402 |
| 1. Type of Organization: <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Sole Ownership <input type="checkbox"/> Government <input type="checkbox"/> Partnership <input type="checkbox"/> Utility | |
| 2. Owner's Name: | |
| 3. Agent to the Owner: | |

II. COMPLIANCE CERTIFICATION (Read each statement carefully and initial all circles for confirmation):

- Based on information and belief formed after reasonable inquiry, the equipment identified in this application will continue to comply with the applicable federal requirement(s).
- Based on information and belief formed after reasonable inquiry, the equipment identified in this application will comply with applicable federal requirement(s) that will become effective during the permit term, on a timely basis.
- Corrected information will be provided to the District when I become aware that incorrect or incomplete information has been submitted.
- Based on information and belief formed after reasonable inquiry, information and statements in the submitted application package, including all accompanying reports, and required certifications are true accurate and complete.

I declare, under penalty of perjury under the laws of the state of California, that the forgoing is correct and true:



Signature of Responsible Official

4/25/2013

Date

Sy Dang Le

Name of Responsible Official (please print)

Director of Environmental

Title of Responsible Official (please print)

ATTACHMENT E

Previous Title V Operating Permit No.
C-402-15-2, C-402-16-2, C-402-17-2, C-402-18-2,
and C-402-19-2

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-15-2

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

12,000-GALLON POWDER MILK STORAGE SILO #1 SERVED BY A SOCK FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNIT '-16)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the sock filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from sock filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from permit units C-402-15 and C-402-16 combined shall not exceed 1.2 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silo #1 and silo #2 shall not exceed 100 tons combined in any one day. [District Rule] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070, 2201, and Fresno County Rule 107] Federally Enforceable Through Title V Permit
7. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
8. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-16-2

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

12,000-GALLON POWDER MILK STORAGE SILO #2 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNIT '-15)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from bin vent filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from permit units C-402-15 and C-402-16 combined shall not exceed 1.2 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silo #1 and silo #2 shall not exceed 100 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070, 2201, and Fresno County Rule 107] Federally Enforceable Through Title V Permit
7. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
8. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-17-2

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

30,000-GALLON POWDER MILK STORAGE SILO #3 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-18 AND '-19)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from bin vent filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from permit units C-402-17, C-402-18 and C-402-19 combined shall not exceed 4.5 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silo #3, silo #4 and silo #5 shall not exceed 375 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
7. Visible emissions from the bin vent filter shall be evaluated using EPA method 22 for a period of at least 6 minutes at least once during each day that silo #3 is loaded. If visible emissions are observed, corrective action shall be taken prior to further operation of the equipment. Corrective action means that visible emissions are eliminated before operation of the equipment is resumed. [40 CFR 64.3] Federally Enforceable Through Title V Permit
8. The permittee shall comply with the compliance assurance monitoring operation and maintenance requirements of 40 CFR part 64.7. [40 CFR 64.7] Federally Enforceable Through Title V Permit
9. The permittee shall comply with the recordkeeping and reporting requirements of 40 CFR part 64.9. [40 CFR 64.9] Federally Enforceable Through Title V Permit
10. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7 (d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-18-2

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

30,000 GALLON POWDER MILK STORAGE SILO #4 SERVED BY BIN VENT FILTER
30,000-GALLON POWDER MILK STORAGE SILO #4 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '17 AND '19)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from sock filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from permit units C-402-17, C-402-18 and C-402-19 combined shall not exceed 4.5 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silo #3, silo #4 and silo #5 shall not exceed 375 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
7. Visible emissions from the bin vent filter shall be evaluated using EPA method 22 for a period of at least 6 minutes at least once during each day that silo #4 is loaded. If visible emissions are observed, corrective action shall be taken prior to further operation of the equipment. Corrective action means that visible emissions are eliminated before operation of the equipment is resumed. [40 CFR 64.3] Federally Enforceable Through Title V Permit
8. The permittee shall comply with the compliance assurance monitoring operation and maintenance requirements of 40 CFR part 64.7. [40 CFR 64.7] Federally Enforceable Through Title V Permit
9. The permittee shall comply with the recordkeeping and reporting requirements of 40 CFR part 64.9. [40 CFR 64.9] Federally Enforceable Through Title V Permit
10. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7 (d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-19-2

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

30,000 GALLON POWDER MILK STORAGE SILO #5 SERVED BY BIN VENT FILTER
30,000-GALLON POWDER MILK STORAGE SILO #5 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '17 AND '18)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from sock filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from permit units C-402-17, C-402-18 and C-402-19 combined shall not exceed 4.5 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silo #3, silo #4 and silo #5 shall not exceed 375 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070, 2201, and Fresno County Rule 107] Federally Enforceable Through Title V Permit
7. Visible emissions from the bin vent filter shall be evaluated using EPA method 22 for a period of at least 6 minutes at least once during each day that silo #5 is loaded. If visible emissions are observed, corrective action shall be taken prior to further operation of the equipment. Corrective action means that visible emissions are eliminated before operation of the equipment is resumed. [40 CFR 64.3] Federally Enforceable Through Title V Permit
8. The permittee shall comply with the compliance assurance monitoring operation and maintenance requirements of 40 CFR part 64.7. [40 CFR 64.7] Federally Enforceable Through Title V Permit
9. The permittee shall comply with the recordkeeping and reporting requirements of 40 CFR part 64.9. [40 CFR 64.9] Federally Enforceable Through Title V Permit
10. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7 (d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.