SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
Title V Permit Summary

AQMD Facility ID: 800263	Company Name: U.S. Government, Department Of Navy, NALF San Clemente Island		
Equipment Location: San Clemente Island, CA 92135			SIC Code: 9711
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s): 526178	Application Submittal Date(s): 08/05/11		
AQMD Contact Person: Hamed Mandilawi	Phone #: (909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov	

Project Description: This is an existing Title V facility applying for a Title V permit renewal that operates a Naval Base. The facility operates emergency and non-emergency diesel-fueled internal combustion engines, diesel-fueled boilers, open abrasive blasting equipment, fuel bulk loading, fuel storage and dispensing facility, a sewage treatment plant, and other supporting equipment.

Permit Type:
- ☐ Initial Title V Permit
- ☐ Significant Revision
- ☒ Permit Renewal

Permit Features:
- ☐ Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements
- ☐ Permit Shield Applies
- ☐ Permit Contains Conditions Allowing Emission Trading
- ☐ Alternative Operating Scenario
- ☐ Permit Streamlines Overlapping or Outdated Requirements
- ☐ Other: _____
- ☐ Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance

Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2010

- ☐ No TACs Reported
- ☒ The Following TACs Were Reported:

	Emissions (lbs/yr):
Benzene	143
1,3 Butadiene	146
Formaldehyde	1164
Nickel	2.65
PAHs	24.7
Ammonia	1687
Arsenic	1.09
Beryllium	9.462
Cadmium	1.02
Chromium (vi)	0.068
Methylene chloride	37.35
Trichloroethylene	12.52

Health Risk From Toxic Air Contaminants:
- ☐ Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____
- ☐ Health Risk Assessment Required for this Permit Action (AQMD Rule 1401)
- ☒ Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588)
  - ☒ Facility Determined to be Exempt from AB2588 Requirements
  - ☐ AQMD is Tracking Status of Facility under AB2588
  - ☐ Health Risk Assessment Submitted to AQMD and Is Being Reviewed
  - ☐ Final Facility Health Risk Approved (date) _____
    - Cancer Risk = _____ in one million
    - Acute Hazard Index = _____
    - Chronic Hazard Index = _____

Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2010

☒ NOx	129.738	☒ PM	11.285
☒ CO	34.478	☒ SOx	2.504
☒ VOC	14.492	☐ Other:	

Compliance History:
- ☒ Citizen Complaints Filed in Last Two Calendar Years (0)
- ☒ Notices to Comply Issued in Last Two Calendar Years (0)
- ☒ Notices of Violation Issued in Last Two Calendar Years (1)

Comments: