

Attachment A

Detailed Facility Report

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

O'NEILL BEVERAGES CO LLC 8418 S LAC JAC AVE PARLIER, CA 93648	FAC # STATUS: TELEPHONE:	C 629 A (569) 638-3644	TYPE: TOXIC ID:	TitleV 40407	EXPIRE ON: AREA: INSP. DATE:	07/31/2012 71 10/10
---	--------------------------------	------------------------------	--------------------	-----------------	------------------------------------	---------------------------

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-2-6	47,800 kBtu/hr	3020-02 H	1	1,030.00	1,030.00	A	47.8 MMBTU/HR BABCOCK AND WILCOX NATURAL GAS-FIRED BOILER (SERIAL #NB21232) WITH AN AMERICAN COMBUSTION TECH MODEL ACI-04G LOW NOX BURNER WITH INDUCED FLUE GAS RECIRCULATION
C-629-4-0	165 bhp IC engine	3020-10 B	1	117.00	117.00	A	165 BHP CATERPILLAR MODEL 3208 DIESEL-FIRED EMERGENCY IC ENGINE POWERING FIRE PROTECTION EQUIPMENT
C-629-5-0	185 bhp IC engine	3020-10 B	1	117.00	117.00	A	185 BHP CUMMINS MODEL #V504 DIESEL-FIRED EMERGENCY IC ENGINE POWERING FIRE PROTECTION EQUIPMENT
C-629-6-0	185 bhp IC engine	3020-10 B	1	117.00	117.00	A	185 BHP CUMMINS MODEL #V504 DIESEL-FIRED EMERGENCY IC ENGINE POWERING FIRE PROTECTION EQUIPMENT
C-629-11-0	5,967 GAL	3020-05 B	1	93.00	93.00	A	5,967 GALLON STAINLESS STEEL WINE STORAGE TANK CT-1 WITH PRESSURE/VACUUM VALVE
C-629-12-0	5,947 Gallons	3020-05 B	1	93.00	93.00	A	5,947 GALLON STAINLESS STEEL WINE STORAGE TANK CT-2 WITH PRESSURE/VACUUM VALVE
C-629-13-0	8,557 Gallons	3020-05 B	1	93.00	93.00	A	8,557 GALLON STAINLESS STEEL WINE STORAGE TANK CT-3 WITH PRESSURE/VACUUM VALVE
C-629-14-0	604 Gallons	3020-05 A	1	75.00	75.00	A	604 GALLON STAINLESS STEEL WINE STORAGE TANK ST-1 WITH PRESSURE/VACUUM VALVE
C-629-15-0	604 Gallons	3020-05 A	1	75.00	75.00	A	604 GALLON STAINLESS STEEL WINE STORAGE TANK ST-2 WITH PRESSURE/VACUUM VALVE
C-629-16-0	603 Gallons	3020-05 A	1	75.00	75.00	A	603 GALLON STAINLESS STEEL WINE STORAGE TANK ST-3 WITH PRESSURE/VACUUM VALVE
C-629-17-0	1,542 Gallons	3020-05 A	1	75.00	75.00	A	1,542 GALLON STAINLESS STEEL WINE STORAGE TANK ST-4 WITH PRESSURE/VACUUM VALVE
C-629-18-0	1,542 Gallons	3020-05 A	1	75.00	75.00	A	1,542 GALLON STAINLESS STEEL WINE STORAGE TANK ST-5 WITH PRESSURE/VACUUM VALVE
C-629-19-0	1,542 Gallons	3020-05 A	1	75.00	75.00	A	1,542 GALLON STAINLESS STEEL WINE STORAGE TANK ST-6 WITH PRESSURE/VACUUM VALVE
C-629-20-0	1,194 Gallons	3020-05 A	1	75.00	75.00	A	1,194 GALLON STAINLESS STEEL WINE STORAGE TANK HT-1 WITH PRESSURE/VACUUM VALVE
C-629-21-0	1,192 Gallons	3020-05 A	1	75.00	75.00	A	1,192 GALLON STAINLESS STEEL WINE STORAGE TANK HT-2 WITH PRESSURE/VACUUM VALVE
C-629-22-0	1,107 Gallons	3020-05 A	1	75.00	75.00	A	1,107 GALLON STAINLESS STEEL WINE STORAGE TANK HT-3 WITH PRESSURE/VACUUM VALVE

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-23-0	1,003 Gallons	3020-05 A	1	75.00	75.00	A	1,003 GALLON STAINLESS STEEL WINE STORAGE TANK HT-4 WITH PRESSURE/VACUUM VALVE
C-629-24-0	15,360 gal	3020-05 B	1	93.00	93.00	A	15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 1 WITH PRESSURE/VACUUM VALVE
C-629-25-0	15,360 gal	3020-05 B	1	93.00	93.00	A	15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 2 WITH PRESSURE/VACUUM VALVE
C-629-26-0	15,360 gal	3020-05 B	1	93.00	93.00	A	15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 3 WITH PRESSURE/VACUUM VALVE
C-629-27-0	15,360 gal	3020-05 B	1	93.00	93.00	A	15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 4 WITH PRESSURE/VACUUM VALVE
C-629-28-0	15,360 gal	3020-05 B	1	93.00	93.00	A	15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 5 WITH PRESSURE/VACUUM VALVE
C-629-29-0	15,360 gal	3020-05 B	1	93.00	93.00	A	15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 6 WITH PRESSURE/VACUUM VALVE
C-629-30-0	6,610 gal	3020-05 B	1	93.00	93.00	A	6,610 GALLON IRON COATED WINE STORAGE TANK 7 WITH PRESSURE/VACUUM VALVE
C-629-31-0	6,605 gal	3020-05 B	1	93.00	93.00	A	6,605 GALLON IRON COATED WINE STORAGE TANK 8 WITH PRESSURE/VACUUM VALVE
C-629-40-0	9,356 gal	3020-05 B	1	93.00	93.00	A	9,356 GALLON STAINLESS STEEL WINE STORAGE TANK 17 WITH PRESSURE/VACUUM VALVE
C-629-41-0	9,339 gal	3020-05 B	1	93.00	93.00	A	9,339 GALLON STAINLESS STEEL WINE STORAGE TANK 18 WITH PRESSURE/VACUUM VALVE
C-629-42-0	9,389 gal	3020-05 B	1	93.00	93.00	A	9,389 GALLON STAINLESS STEEL WINE STORAGE TANK 19 WITH PRESSURE/VACUUM VALVE
C-629-43-0	15,360 gal	3020-05 B	1	93.00	93.00	A	15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 20 WITH PRESSURE/VACUUM VALVE
C-629-44-0	15,360 gal	3020-05 B	1	93.00	93.00	A	15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 21 WITH PRESSURE/VACUUM VALVE
C-629-45-0	15,360 gal	3020-05 B	1	93.00	93.00	A	15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 22 WITH PRESSURE/VACUUM VALVE
C-629-52-0	3,426 gal	3020-05 A	1	75.00	75.00	A	3,426 GALLON STAINLESS STEEL WINE STORAGE TANK 29 WITH PRESSURE/VACUUM VALVE
C-629-53-0	3,424 gal	3020-05 A	1	75.00	75.00	A	3,424 GALLON STAINLESS STEEL WINE STORAGE TANK 30 WITH PRESSURE/VACUUM VALVE
C-629-54-0	46,222 gal	3020-05 C	1	135.00	135.00	A	46,222 GALLON STAINLESS STEEL WINE STORAGE TANK 33 WITH PRESSURE/VACUUM VALVE

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-55-0	46,205 gal	3020-05 C	1	135.00	135.00	A	46,205 GALLON STAINLESS STEEL WINE STORAGE TANK 34 WITH PRESSURE/VACUUM VALVE
C-629-56-0	46,203 gal	3020-05 C	1	135.00	135.00	A	46,203 GALLON STAINLESS STEEL WINE STORAGE TANK 35 WITH PRESSURE/VACUUM VALVE
C-629-57-0	46,215 gal	3020-05 C	1	135.00	135.00	A	46,215 GALLON STAINLESS STEEL WINE STORAGE TANK 36 WITH PRESSURE/VACUUM VALVE
C-629-58-0	46,767 gal	3020-05 C	1	135.00	135.00	A	46,767 GALLON STAINLESS STEEL WINE STORAGE TANK 37 WITH PRESSURE/VACUUM VALVE
C-629-59-0	46,746 gal	3020-05 C	1	135.00	135.00	A	46,746 GALLON STAINLESS STEEL WINE STORAGE TANK 38 WITH PRESSURE/VACUUM VALVE
C-629-60-0	46,584 gal	3020-05 C	1	135.00	135.00	A	46,584 GALLON STAINLESS STEEL WINE STORAGE TANK 39 WITH PRESSURE/VACUUM VALVE
C-629-61-0	46,439 gal	3020-05 C	1	135.00	135.00	A	46,439 GALLON STAINLESS STEEL WINE STORAGE TANK 40 WITH PRESSURE/VACUUM VALVE
C-629-62-0	46,506 gal	3020-05 C	1	135.00	135.00	A	46,506 GALLON STAINLESS STEEL WINE STORAGE TANK 101 WITH PRESSURE/VACUUM VALVE
C-629-63-0	46,508 gal	3020-05 C	1	135.00	135.00	A	46,508 GALLON STAINLESS STEEL WINE STORAGE TANK 102 WITH PRESSURE/VACUUM VALVE
C-629-64-0	46,539 gal	3020-05 C	1	135.00	135.00	A	46,539 GALLON STAINLESS STEEL WINE STORAGE TANK 103 WITH PRESSURE/VACUUM VALVE
C-629-65-0	46,591 gal	3020-05 C	1	135.00	135.00	A	46,591 GALLON STAINLESS STEEL WINE STORAGE TANK 104 WITH PRESSURE/VACUUM VALVE
C-629-66-0	46,573 gal	3020-05 C	1	135.00	135.00	A	46,573 GALLON STAINLESS STEEL WINE STORAGE TANK 105 WITH PRESSURE/VACUUM VALVE
C-629-67-0	46,582 gal	3020-05 C	1	135.00	135.00	A	46,582 GALLON STAINLESS STEEL WINE STORAGE TANK 106 WITH PRESSURE/VACUUM VALVE
C-629-68-0	46,558 gal	3020-05 C	1	135.00	135.00	A	46,558 GALLON STAINLESS STEEL WINE STORAGE TANK 107 WITH PRESSURE/VACUUM VALVE
C-629-69-0	46,542 gal	3020-05 C	1	135.00	135.00	A	46,542 GALLON STAINLESS STEEL WINE STORAGE TANK 108 WITH PRESSURE/VACUUM VALVE
C-629-70-0	46,615 gal	3020-05 C	1	135.00	135.00	A	46,615 GALLON STAINLESS STEEL WINE STORAGE TANK 109 WITH PRESSURE/VACUUM VALVE
C-629-71-0	46,634 gal	3020-05 C	1	135.00	135.00	A	46,634 GALLON STAINLESS STEEL WINE STORAGE TANK 110 WITH PRESSURE/VACUUM VALVE
C-629-72-0	46,568 gal	3020-05 C	1	135.00	135.00	A	46,568 GALLON STAINLESS STEEL WINE STORAGE TANK 111 WITH PRESSURE/VACUUM VALVE

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-73-0	46,719 gal	3020-05 C	1	135.00	135.00	A	46,719 GALLON STAINLESS STEEL WINE STORAGE TANK 112 WITH PRESSURE/VACUUM VALVE
C-629-74-0	46,625 gal	3020-05 C	1	135.00	135.00	A	46,625 GALLON STAINLESS STEEL WINE STORAGE TANK 113 WITH PRESSURE/VACUUM VALVE
C-629-75-0	46,618 gal	3020-05 C	1	135.00	135.00	A	46,618 GALLON STAINLESS STEEL WINE STORAGE TANK 114 WITH PRESSURE/VACUUM VALVE
C-629-76-0	46,587 gal	3020-05 C	1	135.00	135.00	A	46,587 GALLON STAINLESS STEEL WINE STORAGE TANK 115 WITH PRESSURE/VACUUM VALVE
C-629-77-0	46,661 gal	3020-05 C	1	135.00	135.00	A	46,661 GALLON STAINLESS STEEL WINE STORAGE TANK 116 WITH PRESSURE/VACUUM VALVE
C-629-78-0	46,510 gal	3020-05 C	1	135.00	135.00	A	46,510 GALLON STAINLESS STEEL WINE STORAGE TANK 117 WITH PRESSURE/VACUUM VALVE
C-629-79-0	46,567 gal	3020-05 C	1	135.00	135.00	A	46,567 GALLON STAINLESS STEEL WINE STORAGE TANK 118 WITH PRESSURE/VACUUM VALVE
C-629-80-0	46,534 gal	3020-05 C	1	135.00	135.00	A	46,534 GALLON STAINLESS STEEL WINE STORAGE TANK 119 WITH PRESSURE/VACUUM VALVE
C-629-81-0	46,532 gal	3020-05 C	1	135.00	135.00	A	46,532 GALLON STAINLESS STEEL WINE STORAGE TANK 120 WITH PRESSURE/VACUUM VALVE
C-629-82-0	46,532 gal	3020-05 C	1	135.00	135.00	A	46,532 GALLON STAINLESS STEEL WINE STORAGE TANK 121 WITH PRESSURE/VACUUM VALVE
C-629-83-0	46,532 gal	3020-05 C	1	135.00	135.00	A	46,532 GALLON STAINLESS STEEL WINE STORAGE TANK 122 WITH PRESSURE/VACUUM VALVE
C-629-84-0	46,532 gal	3020-05 C	1	135.00	135.00	A	46,532 GALLON STAINLESS STEEL WINE STORAGE TANK 123 WITH PRESSURE/VACUUM VALVE
C-629-85-0	46,532 gal	3020-05 C	1	135.00	135.00	A	46,532 GALLON STAINLESS STEEL WINE STORAGE TANK 124 WITH PRESSURE/VACUUM VALVE
C-629-86-0	37,469 gal	3020-05 C	1	135.00	135.00	A	37,469 GALLON STAINLESS STEEL WINE STORAGE TANK 201 WITH PRESSURE/VACUUM VALVE
C-629-87-0	37,473 gal	3020-05 C	1	135.00	135.00	A	37,473 GALLON STAINLESS STEEL WINE STORAGE TANK 202 WITH PRESSURE/VACUUM VALVE
C-629-88-0	37,489 gal	3020-05 C	1	135.00	135.00	A	37,489 GALLON STAINLESS STEEL WINE STORAGE TANK 203 WITH PRESSURE/VACUUM VALVE
C-629-89-0	37,251 gal	3020-05 C	1	135.00	135.00	A	37,251 GALLON STAINLESS STEEL WINE STORAGE TANK 204 WITH PRESSURE/VACUUM VALVE
C-629-90-0	37,404 gal	3020-05 C	1	135.00	135.00	A	37,404 GALLON STAINLESS STEEL WINE STORAGE TANK 205 WITH PRESSURE/VACUUM VALVE

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-91-0	37,439 gal	3020-05 C	1	135.00	135.00	A	37,439 GALLON STAINLESS STEEL WINE STORAGE TANK 206 WITH PRESSURE/VACUUM VALVE
C-629-92-0	278,711 gal	3020-05 E	1	246.00	246.00	A	278,711 GALLON STAINLESS STEEL WINE STORAGE TANK 207 WITH PRESSURE/VACUUM VALVE
C-629-93-0	278,002 gal	3020-05 E	1	246.00	246.00	A	278,002 GALLON STAINLESS STEEL WINE STORAGE TANK 208 WITH PRESSURE/VACUUM VALVE
C-629-94-0	277,996 gal	3020-05 E	1	246.00	246.00	A	277,996 GALLON STAINLESS STEEL WINE STORAGE TANK 209 WITH PRESSURE/VACUUM VALVE
C-629-95-0	277,937 gal	3020-05 E	1	246.00	246.00	A	277,937 GALLON STAINLESS STEEL WINE STORAGE TANK 210 WITH PRESSURE/VACUUM VALVE
C-629-96-0	278,269 gal	3020-05 E	1	246.00	246.00	A	278,269 GALLON STAINLESS STEEL WINE STORAGE TANK 211 WITH PRESSURE/VACUUM VALVE
C-629-97-0	277,590 gal	3020-05 E	1	246.00	246.00	A	277,590 GALLON STAINLESS STEEL WINE STORAGE TANK 212 WITH PRESSURE/VACUUM VALVE
C-629-98-0	277,731 gal	3020-05 E	1	246.00	246.00	A	277,731 GALLON STAINLESS STEEL WINE STORAGE TANK 213 WITH PRESSURE/VACUUM VALVE
C-629-99-0	277,429 gal	3020-05 E	1	246.00	246.00	A	277,429 GALLON STAINLESS STEEL WINE STORAGE TANK 214 WITH PRESSURE/VACUUM VALVE
C-629-100-0	176,001 gal	3020-05 E	1	246.00	246.00	A	176,001 GALLON STAINLESS STEEL WINE STORAGE TANK 221
C-629-101-0	175,781 gal	3020-05 E	1	246.00	246.00	A	175,781 GALLON STAINLESS STEEL WINE STORAGE TANK 222
C-629-102-0	175,977 gal	3020-05 E	1	246.00	246.00	A	175,977 GALLON STAINLESS STEEL WINE STORAGE TANK 223
C-629-103-0	19,849 gal	3020-05 B	1	93.00	93.00	A	19,849 GALLON STAINLESS STEEL WINE STORAGE TANK 241 WITH PRESSURE/VACUUM VALVE
C-629-104-0	19,908 gal	3020-05 B	1	93.00	93.00	A	19,908 GALLON STAINLESS STEEL WINE STORAGE TANK 242 WITH PRESSURE/VACUUM VALVE
C-629-105-0	19,880 gal	3020-05 B	1	93.00	93.00	A	19,888 GALLON STAINLESS STEEL WINE STORAGE TANK 243 WITH PRESSURE/VACUUM VALVE
C-629-106-0	19,880 gal	3020-05 B	1	93.00	93.00	A	19,880 GALLON STAINLESS STEEL WINE STORAGE TANK 244 WITH PRESSURE/VACUUM VALVE
C-629-107-0	19,884 gal	3020-05 B	1	93.00	93.00	A	19,884 GALLON STAINLESS STEEL WINE STORAGE TANK 245 WITH PRESSURE/VACUUM VALVE
C-629-108-0	19,855 gal	3020-05 B	1	93.00	93.00	A	19,855 GALLON STAINLESS STEEL WINE STORAGE TANK 246 WITH PRESSURE/VACUUM VALVE
C-629-109-0	19,868 gal	3020-05 B	1	93.00	93.00	A	19,868 GALLON STAINLESS STEEL WINE STORAGE TANK 247 WITH PRESSURE/VACUUM VALVE

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-110-0	19,857 gal	3020-05 B	1	93.00	93.00	A	19,857 GALLON STAINLESS STEEL WINE STORAGE TANK 248 WITH PRESSURE/VACUUM VALVE
C-629-111-0	19,833 gal	3020-05 B	1	93.00	93.00	A	19,833 GALLON STAINLESS STEEL WINE STORAGE TANK 249 WITH PRESSURE/VACUUM VALVE
C-629-112-0	19,895 gal	3020-05 B	1	93.00	93.00	A	19,895 GALLON STAINLESS STEEL WINE STORAGE TANK 250 WITH PRESSURE/VACUUM VALVE
C-629-113-0	19,817 gal	3020-05 B	1	93.00	93.00	A	19,817 GALLON STAINLESS STEEL WINE STORAGE TANK 251 WITH PRESSURE/VACUUM VALVE
C-629-114-0	19,826 gal	3020-05 B	1	93.00	93.00	A	19,826 GALLON STAINLESS STEEL WINE STORAGE TANK 252 WITH PRESSURE/VACUUM VALVE
C-629-115-0	12,599 gal	3020-05 B	1	93.00	93.00	A	12,599 GALLON STAINLESS STEEL WINE STORAGE TANK 253 WITH PRESSURE/VACUUM VALVE
C-629-116-0	12,495 gal	3020-05 B	1	93.00	93.00	A	12,495 GALLON STAINLESS STEEL WINE STORAGE TANK 254 WITH PRESSURE/VACUUM VALVE
C-629-117-0	12,588 gal	3020-05 B	1	93.00	93.00	A	12,588 GALLON STAINLESS STEEL WINE STORAGE TANK 255 WITH PRESSURE/VACUUM VALVE
C-629-118-0	12,504 gal	3020-05 B	1	93.00	93.00	A	12,504 GALLON STAINLESS STEEL WINE STORAGE TANK 256 WITH PRESSURE/VACUUM VALVE
C-629-119-0	12,645 gal	3020-05 B	1	93.00	93.00	A	12,645 GALLON STAINLESS STEEL WINE STORAGE TANK 257 WITH PRESSURE/VACUUM VALVE
C-629-120-0	12,565 gal	3020-05 B	1	93.00	93.00	A	12,565 GALLON STAINLESS STEEL WINE STORAGE TANK 258 WITH PRESSURE/VACUUM VALVE
C-629-121-0	12,632 gal	3020-05 B	1	93.00	93.00	A	12,632 GALLON STAINLESS STEEL WINE STORAGE TANK 259 WITH PRESSURE/VACUUM VALVE
C-629-122-0	12,667 gal	3020-05 B	1	93.00	93.00	A	12,667 GALLON STAINLESS STEEL WINE STORAGE TANK 260 WITH PRESSURE/VACUUM VALVE
C-629-123-0	12,569 gal	3020-05 B	1	93.00	93.00	A	12,569 GALLON STAINLESS STEEL WINE STORAGE TANK 261 WITH PRESSURE/VACUUM VALVE
C-629-124-0	12,533 gal	3020-05 B	1	93.00	93.00	A	12,533 GALLON STAINLESS STEEL WINE STORAGE TANK 262 WITH PRESSURE/VACUUM VALVE
C-629-125-0	12,677 gal	3020-05 B	1	93.00	93.00	A	12,677 GALLON STAINLESS STEEL WINE STORAGE TANK 263 WITH PRESSURE/VACUUM VALVE
C-629-126-0	12,648 gal	3020-05 B	1	93.00	93.00	A	12,648 GALLON STAINLESS STEEL WINE STORAGE TANK 264 WITH PRESSURE/VACUUM VALVE
C-629-127-0	12,620 gal	3020-05 B	1	93.00	93.00	A	12,620 GALLON STAINLESS STEEL WINE STORAGE TANK 265 WITH PRESSURE/VACUUM VALVE

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-128-0	12,658 gal	3020-05 B	1	93.00	93.00	A	12,658 GALLON STAINLESS STEEL WINE STORAGE TANK 266 WITH PRESSURE/VACUUM VALVE
C-629-129-0	6,060 gal	3020-05 B	1	93.00	93.00	A	6,060 GALLON STAINLESS STEEL WINE STORAGE TANK 267 WITH PRESSURE/VACUUM VALVE
C-629-130-0	6,068 gal	3020-05 B	1	93.00	93.00	A	6,068 GALLON STAINLESS STEEL WINE STORAGE TANK 268 WITH PRESSURE/VACUUM VALVE
C-629-131-0	6,057 gal	3020-05 B	1	93.00	93.00	A	6,057 GALLON STAINLESS STEEL WINE STORAGE TANK 269 WITH PRESSURE/VACUUM VALVE
C-629-132-0	6,076 gal	3020-05 B	1	93.00	93.00	A	6,076 GALLON STAINLESS STEEL WINE STORAGE TANK 270 WITH PRESSURE/VACUUM VALVE
C-629-133-0	6,072 gal	3020-05 B	1	93.00	93.00	A	6,072 GALLON STAINLESS STEEL WINE STORAGE TANK 271 WITH PRESSURE/VACUUM VALVE
C-629-134-0	6,085 gal	3020-05 B	1	93.00	93.00	A	6,085 GALLON STAINLESS STEEL WINE STORAGE TANK 272 WITH PRESSURE/VACUUM VALVE
C-629-135-0	6,086 gal	3020-05 B	1	93.00	93.00	A	6,086 GALLON STAINLESS STEEL WINE STORAGE TANK 273 WITH PRESSURE/VACUUM VALVE
C-629-136-0	3,092 gal	3020-05 A	1	75.00	75.00	A	3,092 GALLON STAINLESS STEEL WINE STORAGE TANK 274 WITH PRESSURE/VACUUM VALVE
C-629-137-0	3,014 gal	3020-05 A	1	75.00	75.00	A	3,014 GALLON STAINLESS STEEL WINE STORAGE TANK 275 WITH PRESSURE/VACUUM VALVE
C-629-138-0	3,073 gal	3020-05 A	1	75.00	75.00	A	3,073 GALLON STAINLESS STEEL WINE STORAGE TANK 276 WITH PRESSURE/VACUUM VALVE
C-629-139-0	13,231 gal	3020-05 B	1	93.00	93.00	A	13,231 GALLON STAINLESS STEEL WINE STORAGE TANK 285 WITH PRESSURE/VACUUM VALVE
C-629-140-0	13,231 gal	3020-05 B	1	93.00	93.00	A	13,231 GALLON STAINLESS STEEL WINE STORAGE TANK 286 WITH PRESSURE/VACUUM VALVE
C-629-141-0	13,231 gal	3020-05 B	1	93.00	93.00	A	13,231 GALLON STAINLESS STEEL WINE STORAGE TANK 287 WITH PRESSURE/VACUUM VALVE
C-629-142-0	1,244 Gallons	3020-05 A	1	75.00	75.00	A	1,244 GALLON STAINLESS STEEL WINE STORAGE TANK 288
C-629-143-0	1,245 Gallons	3020-05 A	1	75.00	75.00	A	1,245 GALLON STAINLESS STEEL WINE STORAGE TANK 289
C-629-144-0	40,472 gal	3020-05 C	1	135.00	135.00	A	40,472 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 401
C-629-145-0	40,352 gal	3020-05 C	1	135.00	135.00	A	40,352 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 402
C-629-146-0	40,276 gal	3020-05 C	1	135.00	135.00	A	40,276 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 403

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-147-0	40,259 gal	3020-05 C	1	135.00	135.00	A	40,259 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 404
C-629-148-0	40,359 gal	3020-05 C	1	135.00	135.00	A	40,359 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 405
C-629-149-0	40,479 gal	3020-05 C	1	135.00	135.00	A	40,479 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 406
C-629-150-0	40,673 gal	3020-05 C	1	135.00	135.00	A	40,673 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 407
C-629-151-0	40,500 gal	3020-05 C	1	135.00	135.00	A	40,500 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 408
C-629-152-0	39,626 gal	3020-05 C	1	135.00	135.00	A	39,626 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 409
C-629-153-0	40,407 gal	3020-05 C	1	135.00	135.00	A	40,407 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 410
C-629-154-0	40,619 gal	3020-05 C	1	135.00	135.00	A	40,619 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 411
C-629-155-0	40,405 gal	3020-05 C	1	135.00	135.00	A	40,405 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 412
C-629-156-0	40,248 gal	3020-05 C	1	135.00	135.00	A	40,248 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 413
C-629-157-0	40,640 gal	3020-05 C	1	135.00	135.00	A	40,640 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 414
C-629-158-0	40,108 gal	3020-05 C	1	135.00	135.00	A	40,108 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 415
C-629-159-0	39,846 gal	3020-05 C	1	135.00	135.00	A	39,846 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 416
C-629-160-0	40,023 gal	3020-05 C	1	135.00	135.00	A	40,023 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 417
C-629-161-0	40,560 gal	3020-05 C	1	135.00	135.00	A	40,560 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 418
C-629-162-0	40,667 gal	3020-05 C	1	135.00	135.00	A	40,667 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 419
C-629-163-0	40,602 gal	3020-05 C	1	135.00	135.00	A	40,602 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 420
C-629-164-0	40,481 gal	3020-05 C	1	135.00	135.00	A	40,481 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 421

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-165-0	40,458 gal	3020-05 C	1	135.00	135.00	A	40,458 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 422
C-629-166-0	40,465 gal	3020-05 C	1	135.00	135.00	A	40,465 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 423
C-629-167-0	40,493 gal	3020-05 C	1	135.00	135.00	A	40,493 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 424
C-629-168-0	40,186 gal	3020-05 C	1	135.00	135.00	A	40,186 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 501
C-629-169-0	40,348 gal	3020-05 C	1	135.00	135.00	A	40,348 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 502
C-629-170-0	40,250 gal	3020-05 C	1	135.00	135.00	A	40,250 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 503
C-629-171-0	40,503 gal	3020-05 C	1	135.00	135.00	A	40,503 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 504
C-629-172-0	40,350 gal	3020-05 C	1	135.00	135.00	A	40,350 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 505
C-629-173-0	40,275 gal	3020-05 C	1	135.00	135.00	A	40,275 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 506
C-629-174-0	40,349 gal	3020-05 C	1	135.00	135.00	A	40,349 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 507
C-629-175-0	40,242 gal	3020-05 C	1	135.00	135.00	A	40,242 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 508
C-629-176-0	38,991 gal	3020-05 C	1	135.00	135.00	A	38,991 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 509
C-629-177-0	38,311 gal	3020-05 C	1	135.00	135.00	A	39,311 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 510
C-629-178-0	39,232 gal	3020-05 C	1	135.00	135.00	A	39,232 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 511
C-629-179-0	39,414 gal	3020-05 C	1	135.00	135.00	A	39,414 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 512
C-629-180-0	39,333 gal	3020-05 C	1	135.00	135.00	A	39,333 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 513
C-629-181-0	39,168 gal	3020-05 C	1	135.00	135.00	A	39,168 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 514
C-629-182-0	39,107 gal	3020-05 C	1	135.00	135.00	A	39,107 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 515

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-183-0	39,996 gal	3020-05 C	1	135.00	135.00	A	38,996 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 516
C-629-184-0	40,350 gal	3020-05 C	1	135.00	135.00	A	40,350 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 517
C-629-185-0	40,389 gal	3020-05 C	1	135.00	135.00	A	40,389 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 518
C-629-186-0	40,379 gal	3020-05 C	1	135.00	135.00	A	40,379 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 519
C-629-187-0	40,782 gal	3020-05 C	1	135.00	135.00	A	40,782 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 520
C-629-188-0	40,280 gal	3020-05 C	1	135.00	135.00	A	40,280 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 521
C-629-189-0	40,281 gal	3020-05 C	1	135.00	135.00	A	40,281 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 522
C-629-190-0	40,420 gal	3020-05 C	1	135.00	135.00	A	40,420 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 523
C-629-191-0	40,513 gal	3020-05 C	1	135.00	135.00	A	40,513 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 524
C-629-192-0	190,000 gal	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 601 WITH PRESSURE/VACUUM VALVE
C-629-193-0	190,000 gal	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 602 WITH PRESSURE/VACUUM VALVE
C-629-194-0	192,508 gal	3020-05 E	1	246.00	246.00	A	192,508 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 603
C-629-195-0	192,569 gal	3020-05 E	1	246.00	246.00	A	192,569 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 604
C-629-196-0	190,569 gal	3020-05 E	1	246.00	246.00	A	190,569 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 605
C-629-197-0	192,008 gal	3020-05 E	1	246.00	246.00	A	192,008 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 606
C-629-198-3	195,500 gallons	3020-05 E	1	246.00	246.00	A	195,500 GALLON STEEL WHITE WINE FERMENTATION AND WINE STORAGE TANK 607 WITH PRESSURE/VACUUM VALVE
C-629-199-3	195,500 gallons	3020-05 E	1	246.00	246.00	A	195,500 GALLON STEEL WHITE WINE FERMENTATION AND WINE STORAGE TANK 608 WITH PRESSURE/VACUUM VALVE
C-629-200-3	195,500 gallons	3020-05 E	1	246.00	246.00	A	195,500 GALLON STEEL WHITE WINE FERMENTATION AND WINE STORAGE TANK 609 WITH PRESSURE/VACUUM VALVE

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-201-3	195,500 gallons	3020-05 E	1	246.00	246.00	A	195,500 GALLON STEEL WHITE WINE FERMENTATION AND WINE STORAGE TANK 610 WITH PRESSURE/VACUUM VALVE
C-629-202-0	192,493 gal	3020-05 E	1	246.00	246.00	A	192,493 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 611
C-629-203-0	192,569 gal	3020-05 E	1	246.00	246.00	A	192,569 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 612
C-629-204-0	192,569 gal	3020-05 E	1	246.00	246.00	A	192,569 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 613
C-629-205-0	192,619 gal	3020-05 E	1	246.00	246.00	A	192,619 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 614
C-629-206-3	195,500 gallons	3020-05 E	1	246.00	246.00	A	195,500 GALLON STEEL WHITE WINE FERMENTATION AND WINE STORAGE TANK 615 WITH PRESSURE/VACUUM VALVE
C-629-207-3	195,500 gallons	3020-05 E	1	246.00	246.00	A	195,500 GALLON STEEL WHITE WINE FERMENTATION AND WINE STORAGE TANK 616 WITH PRESSURE/VACUUM VALVE
C-629-208-0	195,125 gal	3020-05 E	1	246.00	246.00	A	195,125 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 617 WITH PRESSURE/VACUUM VALVE
C-629-209-0	195,555 gal	3020-05 E	1	246.00	246.00	A	195,555 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 618 WITH PRESSURE/VACUUM VALVE
C-629-210-0	195,219 gal	3020-05 E	1	246.00	246.00	A	195,219 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 620 WITH PRESSURE/VACUUM VALVE
C-629-211-0	195,462 gal	3020-05 E	1	246.00	246.00	A	195,462 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 621 WITH PRESSURE/VACUUM VALVE
C-629-212-0	223,387 gal	3020-05 E	1	246.00	246.00	A	223,387 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 801 WITH PRESSURE/VACUUM VALVE
C-629-213-0	223,736 gal	3020-05 E	1	246.00	246.00	A	223,736 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 802 WITH PRESSURE/VACUUM VALVE
C-629-214-0	223,682 gal	3020-05 E	1	246.00	246.00	A	223,682 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 803 WITH PRESSURE/VACUUM VALVE
C-629-215-0	223,910 gallons	3020-05 E	1	246.00	246.00	A	223,910 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 804
C-629-216-0	223,766 gallons	3020-05 E	1	246.00	246.00	A	223,766 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 805

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-217-0	223,782 gallons	3020-05 E	1	246.00	246.00	A	223,782 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 806
C-629-218-0	231,127 gal	3020-05 E	1	246.00	246.00	A	231,127 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 807 WITH PRESSURE/VACUUM VALVE
C-629-219-0	223,127 gal	3020-05 E	1	246.00	246.00	A	231,127 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 808 WITH PRESSURE/VACUUM VALVE
C-629-220-0	231,127 gal	3020-05 E	1	246.00	246.00	A	231,127 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 809 WITH PRESSURE/VACUUM VALVE
C-629-221-0	231,127 gal	3020-05 E	1	246.00	246.00	A	231,127 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 810 WITH PRESSURE/VACUUM VALVE
C-629-222-0	231,127 gal	3020-05 E	1	246.00	246.00	A	231,127 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 811 WITH PRESSURE/VACUUM VALVE
C-629-223-0	230,867 gal	3020-05 E	1	246.00	246.00	A	230,867 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 812 WITH PRESSURE/VACUUM VALVE
C-629-224-0	46,255 gal	3020-05 C	1	135.00	135.00	A	46,255 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 813
C-629-225-0	46,238 gal	3020-05 C	1	135.00	135.00	A	46,238 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 814
C-629-226-0	46,399 gal	3020-05 C	1	135.00	135.00	A	46,399 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 815
C-629-227-0	46,246 gal	3020-05 C	1	135.00	135.00	A	46,246 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 816
C-629-228-0	46,731 gal	3020-05 C	1	135.00	135.00	A	46,731 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 817
C-629-229-0	46,691 gal	3020-05 C	1	135.00	135.00	A	46,691 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 818
C-629-230-0	46,049 gal	3020-05 C	1	135.00	135.00	A	47,049 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 819
C-629-231-0	47,049 gal	3020-05 C	1	135.00	135.00	A	47,049 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 820
C-629-232-0	46,637 gal	3020-05 C	1	135.00	135.00	A	46,637 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 821

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-233-0	46,609 gal	3020-05 C	1	135.00	135.00	A	46,609 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 822
C-629-234-0	46,520 gal	3020-05 C	1	135.00	135.00	A	46,520 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 823
C-629-235-0	46,608 gal	3020-05 C	1	135.00	135.00	A	46,608 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 824
C-629-236-0	46,619 gal	3020-05 C	1	135.00	135.00	A	46,619 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 825
C-629-237-0	46,535 gal	3020-05 C	1	135.00	135.00	A	46,535 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 826
C-629-238-0	14,251 gal	3020-05 B	1	93.00	93.00	A	14,251 GALLON STAINLESS STEEL ENCLOSED TOP WINE STORAGE TANK 827
C-629-239-0	12,495 gal	3020-05 B	1	93.00	93.00	A	12,495 GALLON STAINLESS STEEL ENCLOSED TOP WINE STORAGE TANK 828 WITH PRESSURE/VACUUM VALVE
C-629-240-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 901 WITH PRESSURE/VACUUM VALVE
C-629-241-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 902 WITH PRESSURE/VACUUM VALVE
C-629-242-0	350,698 Gallons	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 903 WITH PRESSURE/VACUUM VALVE
C-629-243-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 904 WITH PRESSURE/VACUUM VALVE
C-629-244-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 905 WITH PRESSURE/VACUUM VALVE
C-629-245-0	351,049 gal	3020-05 E	1	246.00	246.00	A	351,049 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 906 WITH PRESSURE/VACUUM VALVE
C-629-246-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 907 WITH PRESSURE/VACUUM VALVE
C-629-247-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 908 WITH PRESSURE/VACUUM VALVE

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-248-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 909 WITH PRESSURE/VACUUM VALVE
C-629-249-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 910 WITH PRESSURE/VACUUM VALVE
C-629-250-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 911 WITH PRESSURE/VACUUM VALVE
C-629-251-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 912 WITH PRESSURE/VACUUM VALVE
C-629-252-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 913 WITH PRESSURE/VACUUM VALVE
C-629-253-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 914 WITH PRESSURE/VACUUM VALVE
C-629-254-0	350,698 gal	3020-05 E	1	246.00	246.00	A	350,698 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 915 WITH PRESSURE/VACUUM VALVE
C-629-255-0	13,392 gal	3020-05 B	1	93.00	93.00	A	13,392 GALLON CONCRETE OPEN WINE STORAGE TANK SUMP1
C-629-256-0	14,996 gal	3020-05 B	1	93.00	93.00	A	14,996 GALLON CONCRETE OPEN WINE STORAGE TANK SUMP2
C-629-257-0	15,180 gal	3020-05 B	1	93.00	93.00	A	15,180 GALLON CONCRETE OPEN WINE STORAGE TANK SUMP3
C-629-258-0	14,764 gal	3020-05 B	1	93.00	93.00	A	14,764 GALLON CONCRETE OPEN WINE STORAGE TANK SUMP4
C-629-259-0	13,704 gal	3020-05 B	1	93.00	93.00	A	13,704 GALLON CONCRETE OPEN WINE STORAGE TANK SUMP5
C-629-260-0	14,801 gal	3020-05 B	1	93.00	93.00	A	14,801 GALLON CONCRETE OPEN WINE STORAGE TANK SUMP6
C-629-261-0	19,402 gal	3020-05 B	1	93.00	93.00	A	19,402 GALLON CONCRETE OPEN WINE STORAGE TANK SUMP7
C-629-262-0	19,401 gal	3020-05 B	1	93.00	93.00	A	19,401 GALLON CONCRETE OPEN WINE STORAGE TANK SUMP8
C-629-263-0	19,406 gal	3020-05 B	1	93.00	93.00	A	19,406 GALLON CONCRETE OPEN WINE STORAGE TANK SUMP9
C-629-264-0	6,500 gal	3020-05 B	1	93.00	93.00	A	6,500 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1003 WITH PRESSURE/VACUUM VALVE
C-629-265-0	6,500 gal	3020-05 B	1	93.00	93.00	A	6,500 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1004 WITH PRESSURE/VACUUM VALVE

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-266-0	6,500 gal	3020-05 B	1	93.00	93.00	A	6,500 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1005 WITH PRESSURE/VACUUM VALVE
C-629-267-0	13,000 gal	3020-05 B	1	93.00	93.00	A	13,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1006 WITH PRESSURE/VACUUM VALVE
C-629-268-0	13,000 gal	3020-05 B	1	93.00	93.00	A	13,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1007 WITH PRESSURE/VACUUM VALVE
C-629-269-0	13,000 gal	3020-05 B	1	93.00	93.00	A	13,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1008 WITH PRESSURE/VACUUM VALVE
C-629-270-0	13,000 gal	3020-05 B	1	93.00	93.00	A	13,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1009 WITH PRESSURE/VACUUM VALVE
C-629-271-0	13,000 gal	3020-05 B	1	93.00	93.00	A	13,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1010 WITH PRESSURE/VACUUM VALVE
C-629-272-0	32,000 gal	3020-05 C	1	135.00	135.00	A	32,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1011 WITH PRESSURE/VACUUM VALVE
C-629-273-0	32,000 gal	3020-05 C	1	135.00	135.00	A	32,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1012 WITH PRESSURE/VACUUM VALVE
C-629-274-0	32,000 gal	3020-05 C	1	135.00	135.00	A	32,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1013 WITH PRESSURE/VACUUM VALVE
C-629-275-0	32,000 gal	3020-05 C	1	135.00	135.00	A	32,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1014 WITH PRESSURE/VACUUM VALVE
C-629-276-0	64,000 gal	3020-05 D	1	185.00	185.00	A	64,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1015 WITH PRESSURE/VACUUM VALVE
C-629-277-0	64,000 gal	3020-05 D	1	185.00	185.00	A	64,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1016 WITH PRESSURE/VACUUM VALVE
C-629-278-0	64,000 gal	3020-05 D	1	185.00	185.00	A	64,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1017 WITH PRESSURE/VACUUM VALVE
C-629-279-0	64,000 gal	3020-05 D	1	185.00	185.00	A	64,000 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1018 WITH PRESSURE/VACUUM VALVE

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-280-0	10,535 gal	3020-05 B	1	93.00	93.00	A	10,535 GALLON PLASTIC ENCLOSED TOP WINE STORAGE TANK 3000
C-629-281-0	10,535 gal	3020-05 B	1	93.00	93.00	A	10,535 GALLON PLASTIC ENCLOSED TOP WINE STORAGE TANK 3001
C-629-282-3	1.989 MMBtu/hour	3020-02 E	1	412.00	412.00	A	66,000 BARREL CAPACITY BRANDY STORAGE AND AGING OPERATION (WAREHOUSES 1 & 2) SERVED BY A 0.289 MMBTU/HR ADWEST TECHNOLOGIES MODEL RETOX 1.0 RTO95 REGENERATIVE THERMAL OXIDIZER AND A 1.7 MMBTU/HR ADWEST TECHNOLOGIES MODEL RETOX 6.0 RTO95 REGENERATIVE THERMAL OXIDIZER
C-629-283-3	1.989 MMBtu/hour	3020-02 E	1	412.00	412.00	A	66,000 BARREL CAPACITY BRANDY STORAGE AND AGING OPERATION (WAREHOUSES 3 & 4) SERVED BY A 0.289 MMBTU/HR ADWEST TECHNOLOGIES MODEL RETOX 1.0 RTO95 REGENERATIVE THERMAL OXIDIZER AND A 1.7 MMBTU/HR ADWEST TECHNOLOGIES MODEL RETOX 6.0 RTO95 REGENERATIVE THERMAL OXIDIZER
C-629-284-0	60,000 gallons	3020-05 D	1	185.00	185.00	A	60,000 GALLON STAINLESS STEEL WINE AND DISTILLED SPIRIT STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 301)
C-629-285-0	60,000 gallons	3020-05 D	1	185.00	185.00	A	60,000 GALLON STAINLESS STEEL WINE AND DISTILLED SPIRIT STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 302)
C-629-286-0	60,000 gallons	3020-05 D	1	185.00	185.00	A	60,000 GALLON STAINLESS STEEL WINE AND DISTILLED SPIRIT STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 303)
C-629-287-0	60,000 gallons	3020-05 D	1	185.00	185.00	A	60,000 GALLON STAINLESS STEEL WINE AND DISTILLED SPIRIT STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 304)
C-629-288-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE AND DISTILLED SPIRIT STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 305)
C-629-289-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 306)
C-629-290-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 307)
C-629-291-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 308)
C-629-292-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 309)
C-629-293-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 310)
C-629-294-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 311)
C-629-295-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 312)
C-629-296-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 313)

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-297-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 314)
C-629-298-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 315)
C-629-299-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 316)
C-629-300-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 317)
C-629-301-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 318)
C-629-302-0	190,000 gallons	3020-05 E	1	246.00	246.00	A	190,000 GALLON STAINLESS STEEL WINE STORAGE TANK WITH PRESSURE VACUUM VALVE (TANK 319)
C-629-303-0	121,000 gallons	3020-05 E	1	246.00	246.00	A	121,000 GALLON STEEL WINE STORAGE (TANK # R-2017) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-304-0	121,000 gallons	3020-05 E	1	246.00	246.00	A	121,000 GALLON STEEL WINE STORAGE TANK (TANK # R-2018) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-305-0	121,000 gallons	3020-05 E	1	246.00	246.00	A	121,000 GALLON STEEL WINE STORAGE (TANK # R-2019) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-306-0	121,000 gallons	3020-05 E	1	246.00	246.00	A	121,000 GALLON STEEL WINE STORAGE TANK (TANK # R-2020) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-307-0	45,500 gallons	3020-05 C	1	135.00	135.00	A	45,500 GALLON STEEL WINE STORAGE (TANK # R-2001) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-308-0	45,500 gallons	3020-05 C	1	135.00	135.00	A	45,500 GALLON STEEL WINE STORAGE (TANK # R-2002) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-309-0	45,500 gallons	3020-05 C	1	135.00	135.00	A	45,500 GALLON STEEL WINE STORAGE (TANK # R-2003) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-310-0	45,500 gallons	3020-05 C	1	135.00	135.00	A	45,500 GALLON STEEL WINE STORAGE (TANK # R-2004) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-311-0	45,500 gallons	3020-05 C	1	135.00	135.00	A	45,500 GALLON STEEL WINE STORAGE TANK (TANK # R-2005) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-312-0	45,500 gallons	3020-05 C	1	135.00	135.00	A	45,500 GALLON STEEL WINE STORAGE TANK (TANK # R-2012) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-313-0	45,500 gallons	3020-05 C	1	135.00	135.00	A	45,500 GALLON STEEL WINE STORAGE TANK (TANK # R-2013) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-314-0	45,500 gallons	3020-05 C	1	135.00	135.00	A	45,500 GALLON STEEL WINE STORAGE TANK (TANK # R-2014) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=629 and excluding Deleted Permits
Sorted by Facility Number and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-629-315-0	45,500 gallons	3020-05 C	1	135.00	135.00	A	45,500 GALLON STEEL WINE STORAGE TANK (TANK R-2015) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-316-0	45,500 gallons	3020-05 C	1	135.00	135.00	A	45,500 GALLON STEEL WINE STORAGE TANK (TANK R-2016) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-317-0	121,000 gallons	3020-05 E	1	246.00	246.00	A	121,000 GALLON STEEL WINE STORAGE TANK (TANK R-2023) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-318-0	121,000 gallons	3020-05 E	1	246.00	246.00	A	121,000 GALLON STEEL WINE STORAGE TANK (TANK R-2024) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-319-0	121,000 gallons	3020-05 E	1	246.00	246.00	A	121,000 GALLON STEEL WINE STORAGE TANK (TANK R-2025) WITH PRESSURE/VACUUM VALVE AND INSULATION
C-629-320-0	121,000 gallons	3020-05 E	1	246.00	246.00	A	121,000 GALLON STEEL WINE STORAGE TANK (TANK R-2026) WITH PRESSURE/VACUUM VALVE AND INSULATION

Number of Facilities Reported: 1

Attachment B

Exempt Equipment

**San Joaquin Valley
Unified Air Pollution Control District
Title V Application - INSIGNIFICANT ACTIVITIES**

COMPANY NAME: O'NEILL BEVERAGES CO LLC

FACILITY ID: C - 629

Check the box next to the exemption category from Rule 2020 which describes any insignificant activity or equipment at your facility not requiring a permit.

Exemption Category	Rule 2020 Citation	✓	Exemption Category	Rule 2020 Citation	✓
Structure or incinerator assoc. with a structure designed as a dwelling for 4 families or less	4.1		Containers used to store refined lubricating oils	6.6.8	✓
Locomotives, airplanes, and watercraft used to transport passengers or freight	4.4		Unvented pressure vessels used exclusively to store liquified gases or assoc with exempt equipment	6.6.9 or 6.13	✓
Natural gas or LPG-fired boilers or other indirect heat transfer units of 5 MMBtu/hr or less	6.1.1	✓	Portable tanks used exclusively to store produced fluids for ≤ six months	6.6.10	
Piston-type i.c. engine with maximum continuous rating of 50 braking horsepower (bhp) or less	6.1.2		Mobile transport tanks on delivery vehicles of VOCs	6.6.11	
Gas turbine engines with maximum heat input rating of 3 MMBtu/hr or less	6.1.3		Loading racks used for the transfer of less than 4,000 gal/day of unheated organic material with initial boiling point ≥ 302 F or of fuel oil with specific gravity ≥ 0.8251	6.7.1.1	
Space heating equipment other than boilers	6.1.4	✓	Loading racks used for the transfer of asphalt, crude or residual oil stored in exempt tanks, or crude oil with specific gravity ≥ 0.8762	6.7.1.2	
Cooling towers with a circulation rate less than 10,000 gal/min, and that are not used for cooling of process water, or water from barometric jets or condensers++	6.2	✓	Equipment used exclusively for the transfer of refined lubricating oil	6.7.2	
Use of less than 2 gal/day of graphic arts materials	6.3		Equipment used to apply architectural coatings	6.8.1	✓
Equipment at retail establishments used to prepare food for human consumption	6.4.1		Unheated, non-conveyorized cleaning equipment with < 10 ft ² open area; using solvents with initial boiling point ≥ 248 F; and < 25 gal/yr. evaporative losses	6.9	
Ovens at bakeries with total daily production less than 1,000 pounds and exempt by sec. 6.1.1	6.4.3		Brazing, soldering, or welding equipment	6.10	✓
Equipment used exclusively for extruding or compression molding of rubber or plastics, where no plastisizer or blowing agent is used	6.5		Equipment used to compress natural gas	6.11	
Containers used to store clean produced water	6.6.1		Fugitive emissions sources assoc. with exempt equipment	6.12	✓
Containers ≤ 100 bbl used to store oil with specific gravity ≥ 0.8762	6.6.2		Pits and Ponds as defined in Rule 1020	6.15	
Containers ≤ 100 bbl installed prior to 6/1/89 used to store oil with specific gravity ≥ 0.8762	6.6.3		On-site roadmix manufacturing and the application of roadmix as a road base material	6.17	
Containers with a capacity ≤ 250 gallons used to store organic material where the actual storage temperature < 150 F	6.6.4	✓	Emissions less than 2 lb/day from units not included above	6.19	✓
Containers used to store unheated organic material with an initial boiling point ≥ 302 F	6.6.5	✓	Venting PUC quality natural gas from for sole purpose of pipeline and compressor repair and or maintenance	7.2	
Containers used to store fuel oils or non-air-blown asphalt with specific gravity ≥ 0.9042	6.6.6		Non-structural repairs & maintenance to permitted equipment	7.3	✓
Containers used to store petroleum distillates used as motor fuel with specific gravity ≥ 0.8251	6.6.7	✓	Detonation of explosives ≤ 100 lb/day and 1,000 lb/year	7.4	

No insignificant activities (Check this box if no equipment in the above categories exist at your facility.)

Attachment C

Current Permit to Operate



Permit to Operate

FACILITY: C-629

EXPIRATION DATE: 07/31/2012

LEGAL OWNER OR OPERATOR:

O'NEILL BEVERAGES CO LLC

MAILING ADDRESS:

8418 S LAC JAC AVE
PARLIER, CA 93648-9708

FACILITY LOCATION:

8418 S LAC JAC AVE
PARLIER, CA 93648

FACILITY DESCRIPTION:

WINERY

The Facility's Permit to Operate may include Facility-wide Requirements as well as requirements that apply to specific permit units.

This Permit to Operate remains valid through the permit expiration date listed above, subject to payment of annual permit fees and compliance with permit conditions and all applicable local, state, and federal regulations. This permit is valid only at the location specified above, and becomes void upon any transfer of ownership or location. Any modification of the equipment or operation, as defined in District Rule 2201, will require prior District approval. This permit shall be posted as prescribed in District Rule 2010.

Seyed Sadredin
Executive Director / APCO

David Warner
Director of Permit Services

San Joaquin Valley Air Pollution Control District

FACILITY: C-629-0-0

EXPIRATION DATE: 07/31/2012

FACILITY-WIDE REQUIREMENTS

1. A Three-Year Compliance Plan that demonstrates compliance with the requirements of Section 5.1 of District Rule 4694 for each year of the applicable compliance period shall be submitted to the District by no later than December 1, 2006, and every three years thereafter on or before December 1. [District Rule 4694]
2. A Three-Year Compliance Plan Verification that demonstrates that the Three-Year Compliance Plan elements are in effect shall be submitted to the District by no later than July 1, 2007, and every three years thereafter on or before July 1 [District Rule 4694]
3. An Annual Compliance Plan Demonstration that shows compliance with the applicable requirements of this rule shall be submitted to the District by no later than February 1, 2008, and every year thereafter on or before February 1. [District Rule 4694]
4. Operators using CER to mitigate fermentation emissions shall perform all monitoring and recordkeeping, as established in their approved Three-Year Compliance Plan, and shall maintain all records necessary to demonstrate compliance. [District Rule 4694]

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: O'NEILL BEVERAGES CO LLC
Location: 8418 S LAC JAC AVE, PARLIER, CA 93648
C-629-0-0 - Apr 8 2010 12:47PM - SANDHUG

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-2-6

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

47.8 MMBTU/HR BABCOCK AND WILCOX NATURAL GAS-FIRED BOILER (SERIAL #NB21232) WITH AN AMERICAN COMBUSTION TECH MODEL ACI-04G LOW NOX BURNER WITH INDUCED FLUE GAS RECIRCULATION

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
3. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. The flue gas recirculation system shall be in operation at all times when the boiler is firing. [District Rule 2201]
6. The unit shall only be fired on PUC-regulated natural gas. [District Rule 2201]
7. Emissions rates from the natural gas-fired unit shall not exceed any of the following limits: 9 ppmvd NO_x @ 3% O₂ or 0.011 lb-NO_x/MMBtu, 0.00285 lb-SO_x/MMBtu, 0.0076 lb-PM₁₀/MMBtu, 200 ppmvd CO @ 3% O₂ or 0.146 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rules 2201, 4305, and 4306]
8. The permittee shall monitor and record the stack concentration of NO_x, CO, and O₂ at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305 and 4306]
9. If either the NO_x or CO concentrations corrected to 3% O₂, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of performing the notification and testing required by this condition. [District Rules 4305 and 4306]
10. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305 and 4306]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

11. The permittee shall maintain records of: (1) the date and time of NO_x, CO, and O₂ measurements, (2) the O₂ concentration in percent and the measured NO_x and CO concentrations corrected to 3% O₂, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305 and 4306]
12. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305 and 4306]
13. Source testing to measure NO_x and CO emissions from this unit while fired on natural gas shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306]
14. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306]
15. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081]
16. NO_x emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306]
17. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306]
18. Stack gas oxygen (O₂) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306]
19. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306]
20. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081]
21. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, and 4306]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-4-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

165 BHP CATERPILLAR MODEL 3208 DIESEL-FIRED EMERGENCY IC ENGINE POWERING FIRE PROTECTION EQUIPMENT

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
2. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
3. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115]
4. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
5. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. For testing purposes, the engine shall only be operated the number of hours necessary to comply with the testing requirements of the National Fire Protection Association (NFPA) 25 - "Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems", 1998 edition. Total hours of operation for all maintenance, testing, and required regulatory purposes shall not exceed 100 hours per calendar year. [District Rule 4702 and 17 CCR 93115]
6. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, and the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.). For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115]
7. The permittee shall maintain monthly records of the type of fuel purchased, the amount of fuel purchased, date when the fuel was purchased, signature of the permittee who received the fuel, and signature of the fuel supplier indicating that the fuel was delivered. [17 CCR 93115]
8. If this engine is located on the grounds of a K-12 school, or if this engine is located within 500 feet of the property boundary of a K-12 school, the engine shall not be operated for non-emergency purposes, including maintenance and testing, between 7:30 a.m. and 3:30 p.m. on days when school is in session. [17 CCR 93115]
9. If this engine is located on the grounds of a K-12 school, the engine shall not be operated for non-emergency purposes, including maintenance and testing, whenever there is a school sponsored activity. [17 CCR 93115]
10. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-5-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

185 BHP CUMMINS MODEL #V504 DIESEL-FIRED EMERGENCY IC ENGINE POWERING FIRE PROTECTION EQUIPMENT

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
2. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
3. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
4. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115]
5. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. For testing purposes, the engine shall only be operated the number of hours necessary to comply with the testing requirements of the National Fire Protection Association (NFPA) 25 - "Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems", 1998 edition. Total hours of operation for all maintenance, testing, and required regulatory purposes shall not exceed 100 hours per calendar year. [District Rule 4702 and 17 CCR 93115]
6. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, and the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.). For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115]
7. The permittee shall maintain monthly records of the type of fuel purchased, the amount of fuel purchased, date when the fuel was purchased, signature of the permittee who received the fuel, and signature of the fuel supplier indicating that the fuel was delivered. [17 CCR 93115]
8. If this engine is located on the grounds of a K-12 school, or if this engine is located within 500 feet of the property boundary of a K-12 school, the engine shall not be operated for non-emergency purposes, including maintenance and testing, between 7:30 a.m. and 3:30 p.m. on days when school is in session. [17 CCR 93115]
9. If this engine is located on the grounds of a K-12 school, the engine shall not be operated for non-emergency purposes, including maintenance and testing, whenever there is a school sponsored activity. [17 CCR 93115]
10. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-6-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

185 BHP CUMMINS MODEL #V504 DIESEL-FIRED EMERGENCY IC ENGINE POWERING FIRE PROTECTION EQUIPMENT

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
2. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
3. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
4. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115]
5. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. For testing purposes, the engine shall only be operated the number of hours necessary to comply with the testing requirements of the National Fire Protection Association (NFPA) 25 - "Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems", 1998 edition. Total hours of operation for all maintenance, testing, and required regulatory purposes shall not exceed 100 hours per calendar year. [District Rule 4702 and 17 CCR 93115]
6. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, and the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.). For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115]
7. The permittee shall maintain monthly records of the type of fuel purchased, the amount of fuel purchased, date when the fuel was purchased, signature of the permittee who received the fuel, and signature of the fuel supplier indicating that the fuel was delivered. [17 CCR 93115]
8. If this engine is located on the grounds of a K-12 school, or if this engine is located within 500 feet of the property boundary of a K-12 school, the engine shall not be operated for non-emergency purposes, including maintenance and testing, between 7:30 a.m. and 3:30 p.m. on days when school is in session. [17 CCR 93115]
9. If this engine is located on the grounds of a K-12 school, the engine shall not be operated for non-emergency purposes, including maintenance and testing, whenever there is a school sponsored activity. [17 CCR 93115]
10. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-11-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

5,967 GALLON STAINLESS STEEL WINE STORAGE TANK CT-1 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-12-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

5,947 GALLON STAINLESS STEEL WINE STORAGE TANK CT-2 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-13-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

8,557 GALLON STAINLESS STEEL WINE STORAGE TANK CT-3 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-14-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

604 GALLON STAINLESS STEEL WINE STORAGE TANK ST-1 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-15-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

604 GALLON STAINLESS STEEL WINE STORAGE TANK ST-2 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-16-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

603 GALLON STAINLESS STEEL WINE STORAGE TANK ST-3 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-17-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

1,542 GALLON STAINLESS STEEL WINE STORAGE TANK ST-4 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-18-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

1,542 GALLON STAINLESS STEEL WINE STORAGE TANK ST-5 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-19-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

1,542 GALLON STAINLESS STEEL WINE STORAGE TANK ST-6 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-20-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

1,194 GALLON STAINLESS STEEL WINE STORAGE TANK HT-1 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-21-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

1,192 GALLON STAINLESS STEEL WINE STORAGE TANK HT-2 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-22-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

1,107 GALLON STAINLESS STEEL WINE STORAGE TANK HT-3 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-23-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

1,003 GALLON STAINLESS STEEL WINE STORAGE TANK HT-4 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-24-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 1 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-25-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 2 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-26-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 3 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-27-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 4 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-28-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 5 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-29-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 6 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-30-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

6,610 GALLON IRON COATED WINE STORAGE TANK 7 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-31-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

6,605 GALLON IRON COATED WINE STORAGE TANK 8 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-40-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

9,356 GALLON STAINLESS STEEL WINE STORAGE TANK 17 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-41-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

9,339 GALLON STAINLESS STEEL WINE STORAGE TANK18 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-42-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

9,389 GALLON STAINLESS STEEL WINE STORAGE TANK 19 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-43-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 20 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-44-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 21 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-45-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

15,360 GALLON STAINLESS STEEL WINE STORAGE TANK 22 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-52-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

3,426 GALLON STAINLESS STEEL WINE STORAGE TANK 29 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-53-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

3,424 GALLON STAINLESS STEEL WINE STORAGE TANK 30 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-54-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,222 GALLON STAINLESS STEEL WINE STORAGE TANK 33 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-55-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,205 GALLON STAINLESS STEEL WINE STORAGE TANK 34 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-56-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,203 GALLON STAINLESS STEEL WINE STORAGE TANK 35 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-57-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,215 GALLON STAINLESS STEEL WINE STORAGE TANK 36 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-58-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,767 GALLON STAINLESS STEEL WINE STORAGE TANK 37 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-59-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,746 GALLON STAINLESS STEEL WINE STORAGE TANK 38 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-60-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,584 GALLON STAINLESS STEEL WINE STORAGE TANK 39 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-61-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,439 GALLON STAINLESS STEEL WINE STORAGE TANK 40 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-62-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,506 GALLON STAINLESS STEEL WINE STORAGE TANK 101 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-63-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,508 GALLON STAINLESS STEEL WINE STORAGE TANK 102 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-64-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,539 GALLON STAINLESS STEEL WINE STORAGE TANK 103 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-65-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,591 GALLON STAINLESS STEEL WINE STORAGE TANK 104 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-66-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,573 GALLON STAINLESS STEEL WINE STORAGE TANK 105 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-67-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,582 GALLON STAINLESS STEEL WINE STORAGE TANK 106 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: C-629-68-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,558 GALLON STAINLESS STEEL WINE STORAGE TANK 107 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-69-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,542 GALLON STAINLESS STEEL WINE STORAGE TANK 108 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-70-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,615 GALLON STAINLESS STEEL WINE STORAGE TANK 109 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-71-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,634 GALLON STAINLESS STEEL WINE STORAGE TANK 110 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-72-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,568 GALLON STAINLESS STEEL WINE STORAGE TANK 111 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-73-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,719 GALLON STAINLESS STEEL WINE STORAGE TANK 112 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-74-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,625 GALLON STAINLESS STEEL WINE STORAGE TANK 113 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-75-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,618 GALLON STAINLESS STEEL WINE STORAGE TANK 114 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-76-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,587 GALLON STAINLESS STEEL WINE STORAGE TANK 115 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-77-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,661 GALLON STAINLESS STEEL WINE STORAGE TANK 116 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-78-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,510 GALLON STAINLESS STEEL WINE STORAGE TANK 117 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-79-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,567 GALLON STAINLESS STEEL WINE STORAGE TANK 118 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-80-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,534 GALLON STAINLESS STEEL WINE STORAGE TANK 119 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-81-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,532 GALLON STAINLESS STEEL WINE STORAGE TANK 120 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-82-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,532 GALLON STAINLESS STEEL WINE STORAGE TANK 121 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-83-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,532 GALLON STAINLESS STEEL WINE STORAGE TANK 122 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-84-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,532 GALLON STAINLESS STEEL WINE STORAGE TANK 123 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-85-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

46,532 GALLON STAINLESS STEEL WINE STORAGE TANK 124 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-86-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

37,469 GALLON STAINLESS STEEL WINE STORAGE TANK 201 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-87-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

37,473 GALLON STAINLESS STEEL WINE STORAGE TANK 202 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-88-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

37,489 GALLON STAINLESS STEEL WINE STORAGE TANK 203 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-89-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

37,251 GALLON STAINLESS STEEL WINE STORAGE TANK 204 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-90-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

37,404 GALLON STAINLESS STEEL WINE STORAGE TANK 205 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-91-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

37,439 GALLON STAINLESS STEEL WINE STORAGE TANK 206 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-92-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

278,711 GALLON STAINLESS STEEL WINE STORAGE TANK 207 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-93-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

278,002 GALLON STAINLESS STEEL WINE STORAGE TANK 208 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-94-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

277,996 GALLON STAINLESS STEEL WINE STORAGE TANK 209 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-95-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

277,937 GALLON STAINLESS STEEL WINE STORAGE TANK 210 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-96-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

278,269 GALLON STAINLESS STEEL WINE STORAGE TANK 211 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-97-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

277,590 GALLON STAINLESS STEEL WINE STORAGE TANK 212 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-98-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

277,731 GALLON STAINLESS STEEL WINE STORAGE TANK 213 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-99-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

277,429 GALLON STAINLESS STEEL WINE STORAGE TANK 214 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-100-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

176,001 GALLON STAINLESS STEEL WINE STORAGE TANK 221

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: C-629-101-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

175,781 GALLON STAINLESS STEEL WINE STORAGE TANK 222

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-102-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

175,977 GALLON STAINLESS STEEL WINE STORAGE TANK 223

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-103-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

19,849 GALLON STAINLESS STEEL WINE STORAGE TANK 241 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-104-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

19,908 GALLON STAINLESS STEEL WINE STORAGE TANK 242 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-105-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

19,888 GALLON STAINLESS STEEL WINE STORAGE TANK 243 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-106-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

19,880 GALLON STAINLESS STEEL WINE STORAGE TANK 244 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-107-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

19,884 GALLON STAINLESS STEEL WINE STORAGE TANK 245 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-108-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

19,855 GALLON STAINLESS STEEL WINE STORAGE TANK 246 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-109-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

19,868 GALLON STAINLESS STEEL WINE STORAGE TANK 247 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-110-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

19,857 GALLON STAINLESS STEEL WINE STORAGE TANK 248 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-111-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

19,833 GALLON STAINLESS STEEL WINE STORAGE TANK 249 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-112-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

19,895 GALLON STAINLESS STEEL WINE STORAGE TANK 250 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-113-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

19,817 GALLON STAINLESS STEEL WINE STORAGE TANK 251 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-114-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

19,826 GALLON STAINLESS STEEL WINE STORAGE TANK 252 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-115-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,599 GALLON STAINLESS STEEL WINE STORAGE TANK 253 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-116-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,495 GALLON STAINLESS STEEL WINE STORAGE TANK 254 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-117-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,588 GALLON STAINLESS STEEL WINE STORAGE TANK 255 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-118-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,504 GALLON STAINLESS STEEL WINE STORAGE TANK 256 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-119-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,645 GALLON STAINLESS STEEL WINE STORAGE TANK 257 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-120-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,565 GALLON STAINLESS STEEL WINE STORAGE TANK 258 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-121-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,632 GALLON STAINLESS STEEL WINE STORAGE TANK 259 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-122-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,667 GALLON STAINLESS STEEL WINE STORAGE TANK 260 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-123-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,569 GALLON STAINLESS STEEL WINE STORAGE TANK 261 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-124-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,533 GALLON STAINLESS STEEL WINE STORAGE TANK 262 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-125-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,677 GALLON STAINLESS STEEL WINE STORAGE TANK 263 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-126-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,648 GALLON STAINLESS STEEL WINE STORAGE TANK 264 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-127-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,620 GALLON STAINLESS STEEL WINE STORAGE TANK 265 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-128-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

12,658 GALLON STAINLESS STEEL WINE STORAGE TANK 266 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-129-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

6,060 GALLON STAINLESS STEEL WINE STORAGE TANK 267 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-130-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

6,068 GALLON STAINLESS STEEL WINE STORAGE TANK 268 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-131-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

6,057 GALLON STAINLESS STEEL WINE STORAGE TANK 269 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-132-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

6,076 GALLON STAINLESS STEEL WINE STORAGE TANK 270 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-133-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

6,072 GALLON STAINLESS STEEL WINE STORAGE TANK 271 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-134-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

6,085 GALLON STAINLESS STEEL WINE STORAGE TANK 272 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-135-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

6,086 GALLON STAINLESS STEEL WINE STORAGE TANK 273 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: O'NEILL BEVERAGES CO LLC

Location: 8418 S LAC JAC AVE, PARLIER, CA 93648

C-629-135-0 : Apr 6 2010 12:53PM - SANDHUG

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-136-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

3,092 GALLON STAINLESS STEEL WINE STORAGE TANK 274 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-137-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

3,014 GALLON STAINLESS STEEL WINE STORAGE TANK 275 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-138-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

3,073 GALLON STAINLESS STEEL WINE STORAGE TANK 276 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-139-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

13,231 GALLON STAINLESS STEEL WINE STORAGE TANK 285 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-140-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

13,231 GALLON STAINLESS STEEL WINE STORAGE TANK 286 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-141-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

13,231 GALLON STAINLESS STEEL WINE STORAGE TANK 287 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-142-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

1,244 GALLON STAINLESS STEEL WINE STORAGE TANK 288

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-143-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

1,245 GALLON STAINLESS STEEL WINE STORAGE TANK 289

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-144-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,472 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 401

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-145-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,352 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 402

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-146-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,276 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 403

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-147-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,259 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 404

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-148-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,359 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 405

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-149-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,479 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 406

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-150-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,673 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK
407

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-151-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,500 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK
408

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-152-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

39,626 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK
409

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-153-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,407 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK
410

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-154-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,619 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK
411

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-155-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,405 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK
412

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-156-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,248 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK
413

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-157-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,640 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK
414

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-158-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,108 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK
415

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-159-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

39,846 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK
416

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-160-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,023 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK
417

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-161-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,560 GALLON CONCRETE ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK
418

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-162-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,667 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 419

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: C-629-163-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,602 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 420

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-164-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,481 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 421

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-165-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,458 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 422

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-166-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,465 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 423

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-167-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,493 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 424

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-168-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,186 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 501

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: C-629-169-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,348 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 502

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-170-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,250 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 503

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-629-171-0

EXPIRATION DATE: 07/31/2012

EQUIPMENT DESCRIPTION:

40,503 GALLON CONCRETE ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 504

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]

These terms and conditions are part of the Facility-wide Permit to Operate.