Appendix G

FASP Mobile Laboratory Results - Water

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: MW01A
URS SAMPLE NO.: WMW01A-01M
EPA SAMPLE NO.: WMW01A-01M
DATE COLLECTED: 06/26/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 1

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW01B
URS SAMPLE NO.: WMW01B-01M
EPA SAMPLE NO.: WMW01B-01M
DATE COLLECTED: 06/25/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 2

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW01C
URS SAMPLE NO.: WMW01C-01M
EPA SAMPLE NO.: WMW01C-01M
DATE COLLECTED: 06/25/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 3

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: MW01D
URS SAMPLE NO.: WMW01D-01M
EPA SAMPLE NO.: WMW01D-01M
DATE COLLECTED: 06/25/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 4

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW01E
URS SAMPLE NO.: WMW01E-01M
EPA SAMPLE NO.: WMW01E-01M
DATE COLLECTED: 06/25/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 5

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW01F
URS SAMPLE NO.: WMW01F-01M
EPA SAMPLE NO.: WMW01F-01M
DATE COLLECTED: 06/24/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 6

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5	0.9		
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5	0.7		
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5	0.6		
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	0.7		
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: MW01G
URS SAMPLE NO.: WMW01G-01M
EPA SAMPLE NO.: WMW01G-01M
DATE COLLECTED: 06/25/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 7

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW01H
URS SAMPLE NO.: WMW01H-01M
EPA SAMPLE NO.: WMW01H-01M
DATE COLLECTED: 06/25/92
LAB NAME: MOBILE
DUPLICATE: WMW01H-02M
RECORD NO: 8

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW01H
URS SAMPLE NO.: WMW01H-02M
EPA SAMPLE NO.: WMW01H-02M
DATE COLLECTED: 06/25/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 9

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5	0.8		
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: MW01I
URS SAMPLE NO.: WMW01I-01M
EPA SAMPLE NO.: WMW01I-01M
DATE COLLECTED: 06/25/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 10

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW01J
URS SAMPLE NO.: WMW01J-01M
EPA SAMPLE NO.: WMW01J-01M
DATE COLLECTED: 06/24/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 11

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5	2		
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5	0.8		
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW02A
URS SAMPLE NO.: WMW02A-01M
EPA SAMPLE NO.: WMW02A-01M
DATE COLLECTED: 04/09/92
LAB NAME: MOBILE
DUPLICATE: WMW02A-02M
RECORD NO: 12

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	0.71		
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: MW02A
URS SAMPLE NO.: WMW02A-02M
EPA SAMPLE NO.: WMW02A-02M
DATE COLLECTED: 04/09/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 13

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	0.72		
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW02B
URS SAMPLE NO.: WMW02B-01M
EPA SAMPLE NO.: WMW02B-01M
DATE COLLECTED: 04/07/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 14

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5	0.68		
cis-1,2-Dichloroethene	0.5	2		
Chloroform	0.5	0.8		
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5	3.1		
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	15		M
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW03A
URS SAMPLE NO.: WMW03A-01M
EPA SAMPLE NO.: WMW03A-01M
DATE COLLECTED: 04/06/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 15

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5	0.8		
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5	0.4	J	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	0.68		
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: MW03B
URS SAMPLE NO.: WMW03B-01M
EPA SAMPLE NO.: WMW03B-01M
DATE COLLECTED: 03/26/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 16

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5	4		
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	16		M
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW04A
URS SAMPLE NO.: WMW04A-01M
EPA SAMPLE NO.: WMW04A-01M
DATE COLLECTED: 03/10/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 17

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	0.5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW04B
URS SAMPLE NO.: WMW04B-01M
EPA SAMPLE NO.: WMW04B-01M
DATE COLLECTED: 03/12/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 18

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	0.5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	0.5		U	
Chloroform	NA			
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	NA			
Trichloroethene	0.5	1.1		
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5	11		M
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: MW05A
URS SAMPLE NO.: WMW05A-01M
EPA SAMPLE NO.: WMW05A-01M
DATE COLLECTED: 03/24/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 19

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	0.4	J	
Dibromochloromethane	0.5		U	
Bromoform	0.5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW05B
URS SAMPLE NO.: WMW05B-01M
EPA SAMPLE NO.: WMW05B-01M
DATE COLLECTED: 03/24/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 20

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5	7.2		M
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	2.1		
Dibromochloromethane	0.5		U	
Bromoform	0.5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW06A
URS SAMPLE NO.: WMW06A-01M
EPA SAMPLE NO.: WMW06A-01M
DATE COLLECTED: 04/21/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 21

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: MW06B
URS SAMPLE NO.: WMW06B-01M
EPA SAMPLE NO.: WMW06B-01M
DATE COLLECTED: 04/20/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 22

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW07A
URS SAMPLE NO.: WMW07A-01M
EPA SAMPLE NO.: WMW07A-01M
DATE COLLECTED: 06/28/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 23

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5	0.7		
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5	1.5		
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5	3		
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5	1.5		
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	17		M
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW07B
URS SAMPLE NO.: WMW07B-01M
EPA SAMPLE NO.: WMW07B-01M
DATE COLLECTED: 06/28/92
LAB NAME: MOBILE
DUPLICATE: WMW07B-02M
RECORD NO: 24

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5	0.7		
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5	3		
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	19		M
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: MW07B
URS SAMPLE NO.: WMW07B-02M
EPA SAMPLE NO.: WMW07B-02M
DATE COLLECTED: 06/28/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 25

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5	3		
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5	1		
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	19		M
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW08A
URS SAMPLE NO.: WMW08A-01M
EPA SAMPLE NO.: WMW08A-01M
DATE COLLECTED: 07/09/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 26

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5	0.9		
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: MW08B
URS SAMPLE NO.: WMW08B-01M
EPA SAMPLE NO.: WMW08B-01M
DATE COLLECTED: 07/09/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 27

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5	31		
1,1-Dichloroethene	0.5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	0.5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	0.5	2.4		
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5	0.7		
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5	3.4		
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	25		M
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: DEVIL CANYON #2
URS SAMPLE NO.: MUNI-02-01
EPA SAMPLE NO.: MUNI-02-01
DATE COLLECTED: 03/12/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 28

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	5		U	
Chloroform	NA			
1,1,1-Trichloroethane	NA			
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	NA			
1,2-Dichloroethane	NA			
Trichloroethene	0.5		U	
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5		U	
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

STATION NAME: NEWMARK #4
URS SAMPLE NO.: MUNI-03-01
EPA SAMPLE NO.: MUNI-03-01
DATE COLLECTED: 03/11/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 29

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	5		U	
Chloroform	NA			
1,1,1-Trichloroethane	NA			
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	NA			
1,2-Dichloroethane	NA			
Trichloroethene	0.5	2		
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5	14		M
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

STATION NAME: NEWMARK #1
URS SAMPLE NO.: MUNI-05-01
EPA SAMPLE NO.: MUNI-05-01
DATE COLLECTED: 03/11/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 30

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	5		U	
Chloroform	NA			
1,1,1-Trichloroethane	NA			
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	NA			
1,2-Dichloroethane	NA			
Trichloroethene	0.5	2		
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5	16		M
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: ELECTRIC DR. #1 W1-1
URS SAMPLE NO.: MUNI-08-01
EPA SAMPLE NO.: MUNI-08-01M
DATE COLLECTED: 03/25/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 31

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	5		U	
Chloroform	0.5	0.8		
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5		U	
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5		U	
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: PARKDALE SCHOOL W3-3
URS SAMPLE NO.: MUNI-12-01
EPA SAMPLE NO.: MUNI-12-01M
DATE COLLECTED: 03/25/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 32

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	5		U	
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	5		U	
1,1-Dichloroethene	5		U	
Methylene Chloride	0.5		U	
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	0.5		U	
cis-1,2-Dichloroethene	5		U	
Chloroform	0.5		U	
1,1,1-Trichloroethane	0.5		U	
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	0.5		U	
1,2-Dichloroethane	0.5		U	
Trichloroethene	0.5	4		
1,2-Dichloropropane	0.5		U	
Bromodichloromethane	0.5		U	
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	0.5		U	
Tetrachloroethene	0.5	17		M
Dibromochloromethane	0.5		U	
Bromoform	5		U	
1,1,2,2-Tetrachloroethane	0.5		U	

STATION NAME: WATERMAN AVE.
URS SAMPLE NO.: MUNI-13-01
EPA SAMPLE NO.: MUNI-13-01
DATE COLLECTED: 03/11/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 33

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	5		U	
Chloroform	NA			
1,1,1-Trichloroethane	NA			
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	NA			
1,2-Dichloroethane	NA			
Trichloroethene	0.5	4		
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5	28		M
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: 30TH ST. & MT. VIEW
URS SAMPLE NO.: MUNI-15-01
EPA SAMPLE NO.: MUNI-15-01
DATE COLLECTED: 03/11/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 34

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	5		U	
Chloroform	NA			
1,1,1-Trichloroethane	NA			
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	NA			
1,2-Dichloroethane	NA			
Trichloroethene	0.5	5		M
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5	25		M
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

STATION NAME: 27TH ST.
URS SAMPLE NO.: MUNI-18-01
EPA SAMPLE NO.: MUNI-18-01
DATE COLLECTED: 03/12/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 35

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	5		U	
Chloroform	NA			
1,1,1-Trichloroethane	NA			
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	NA			
1,2-Dichloroethane	NA			
Trichloroethene	0.5		U	
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5	0.3	J	
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

STATION NAME: NORTH "E" ST.
URS SAMPLE NO.: MUNI-19-01
EPA SAMPLE NO.: MUNI-19-01
DATE COLLECTED: 03/12/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 36

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	5		U	
Chloroform	NA			
1,1,1-Trichloroethane	NA			
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	NA			
1,2-Dichloroethane	NA			
Trichloroethene	0.5	0.2	J	
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5	0.4	J	
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: PERRRIS HILL #2
URS SAMPLE NO.: MUNI-21-01
EPA SAMPLE NO.: MUNI-21-01
DATE COLLECTED: 03/11/92
LAB NAME: MOBILE
DUPLICATE: MUNI-21-02
RECORD NO: 37

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	5		U	
Chloroform	NA			
1,1,1-Trichloroethane	NA			
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	NA			
1,2-Dichloroethane	NA			
Trichloroethene	0.5		U	
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5		U	
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

STATION NAME: PERRRIS HILL #2
URS SAMPLE NO.: MUNI-21-02
EPA SAMPLE NO.: MUNI-21-02
DATE COLLECTED: 03/11/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 38

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	5		U	
Chloroform	NA			
1,1,1-Trichloroethane	NA			
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	NA			
1,2-Dichloroethane	NA			
Trichloroethene	0.5		U	
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5		U	
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

STATION NAME: 17TH ST.
URS SAMPLE NO.: MUNI-22-01
EPA SAMPLE NO.: MUNI-22-01
DATE COLLECTED: 03/11/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 39

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	5		U	
Chloroform	NA			
1,1,1-Trichloroethane	NA			
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	NA			
1,2-Dichloroethane	NA			
Trichloroethene	0.5	2		
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5	3		
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

Table G-1
Volatile Organics Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: GILBERT ST.
URS SAMPLE NO.: MUNI-24-01
EPA SAMPLE NO.: MUNI-24-01
DATE COLLECTED: 03/12/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 40

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	5		U	
Chloroform	NA			
1,1,1-Trichloroethane	NA			
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	NA			
1,2-Dichloroethane	NA			
Trichloroethene	0.5		U	
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5		U	
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

STATION NAME: 7TH ST.
URS SAMPLE NO.: MUNI-26-01
EPA SAMPLE NO.: MUNI-26-01
DATE COLLECTED: 03/11/92
LAB NAME: MOBILE
DUPLICATE:
RECORD NO: 41

	CRQL	VALUE	QUALS	MCL
Benzene	0.5		U	
Toluene	0.5		U	
Chlorobenzene	0.5		U	
Ethylbenzene	0.5		U	
p/m-Xylene	0.5		U	
o-Xylene/Styrene	0.5		U	
Chloromethane	NA			
Vinyl Chloride	5		U	
Bromomethane	5		U	
Chloroethane	NA			
1,1-Dichloroethene	5		U	
Methylene Chloride	NA			
trans-1,2-Dichloroethene	5		U	
1,1-Dichloroethane	NA			
cis-1,2-Dichloroethene	5		U	
Chloroform	NA			
1,1,1-Trichloroethane	NA			
1,1-Dichloropropene	0.5		U	
Carbon Tetrachloride	NA			
1,2-Dichloroethane	NA			
Trichloroethene	0.5		U	
1,2-Dichloropropane	NA			
Bromodichloromethane	NA			
cis-1,3-Dichloropropene	0.5		U	
1,1,2-Trichloroethane	NA			
Tetrachloroethene	0.5		U	
Dibromochloromethane	NA			
Bromoform	NA			
1,1,2,2-Tetrachloroethane	NA			

Notes: M - Result found is >= the Maximum Contaminant Level (MCL).
All data are validated.

NA - Constituent Not Analyzed.
µg/L - microgram per liter.

DATA QUALIFIERS FOR VALIDATED DATA PACKAGES

NO QUALIFIERS indicates that the data are acceptable both qualitatively and quantitatively.

Qualifier	Description
U	The analyte was analyzed for, but was not detected above the Contract Required Quantitation Limit (CRQL) or the Contract Required Detection Limit (CRDL).
J	The result is estimated and the data are usable for limited purposes. The results are qualitatively acceptable.
R	Result is rejected and unusable for all purposes. (Note: An analyte may or may not be present).
UJ	The combination of a U and a J indicates that the analyte was not detected. The sample quantitation limit is estimated. The results are estimated and the data are usable for limited purposes. The results are qualitatively acceptable.
N	The identification of the analyte is considered to be tentative. The data are usable for limited purposes.

Notes:

NA - Analyte not analyzed.
CRQL - Contract Required Quantitation Limit
CRDL - Contract Required Detection Limit
MW - Monitor Well
RI/FS - Remedial Investigation/Feasibility Study

Table G-2
Total Petroleum Hydrocarbons - Gas and Diesel Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: MW01A
URS SAMPLE NO.: WMW01A-01M
EPA SAMPLE NO.: WMW01A-01M
DATE COLLECTED: 06/26/92
DUPLICATE:
RECORD NO.: 1

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW01B
URS SAMPLE NO.: WMW01B-01M
EPA SAMPLE NO.: WMW01B-01M
DATE COLLECTED: 06/25/92
DUPLICATE:
RECORD NO.: 2

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW01C
URS SAMPLE NO.: WMW01C-01M
EPA SAMPLE NO.: WMW01C-01M
DATE COLLECTED: 06/25/92
DUPLICATE:
RECORD NO.: 3

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW01D
URS SAMPLE NO.: WMW01D-01M
EPA SAMPLE NO.: WMW01D-01M
DATE COLLECTED: 06/25/92
DUPLICATE:
RECORD NO.: 4

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW01E
URS SAMPLE NO.: WMW01E-01M
EPA SAMPLE NO.: WMW01E-01M
DATE COLLECTED: 06/25/92
DUPLICATE:
RECORD NO.: 5

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW01F
URS SAMPLE NO.: WMW01F-01M
EPA SAMPLE NO.: WMW01F-01M
DATE COLLECTED: 06/24/92
DUPLICATE:
RECORD NO.: 6

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW01G
URS SAMPLE NO.: WMW01G-01M
EPA SAMPLE NO.: WMW01G-01M
DATE COLLECTED: 06/25/92
DUPLICATE:
RECORD NO.: 7

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW01H
URS SAMPLE NO.: WMW01H-01M
EPA SAMPLE NO.: WMW01H-01M
DATE COLLECTED: 06/25/92
DUPLICATE: WMW01H-02M
RECORD NO.: 8

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW01H
URS SAMPLE NO.: WMW01H-02M
EPA SAMPLE NO.: WMW01H-02M
DATE COLLECTED: 06/25/92
DUPLICATE:
RECORD NO.: 9

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW01I
URS SAMPLE NO.: WMW01I-01M
EPA SAMPLE NO.: WMW01I-01M
DATE COLLECTED: 06/25/92
DUPLICATE:
RECORD NO.: 10

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW01J
URS SAMPLE NO.: WMW01J-01M
EPA SAMPLE NO.: WMW01J-01M
DATE COLLECTED: 06/24/92
DUPLICATE:
RECORD NO.: 11

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW02A
URS SAMPLE NO.: WMW02A-01M
EPA SAMPLE NO.: WMW02A-01M
DATE COLLECTED: 04/09/92
DUPLICATE: WMW02A-02M
RECORD NO.: 12

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

Notes: All data are validated.
µg/L - microgram per liter.

Table G-2
Total Petroleum Hydrocarbons - Gas and Diesel Results for Water
Newmark Groundwater Superfund Site, Newmark Operable Unit RI/FS Report
(All results in µg/L)

STATION NAME: MW02A
URS SAMPLE NO.: WMW02A-02M
EPA SAMPLE NO.: WMW02A-02M
DATE COLLECTED: 04/09/92
DUPLICATE:
RECORD NO.: 13

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW02B
URS SAMPLE NO.: WMW02B-01M
EPA SAMPLE NO.: WMW02B-01M
DATE COLLECTED: 04/07/92
DUPLICATE:
RECORD NO.: 14

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW03A
URS SAMPLE NO.: WMW03A-01M
EPA SAMPLE NO.: WMW03A-01M
DATE COLLECTED: 04/06/92
DUPLICATE:
RECORD NO.: 15

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW03B
URS SAMPLE NO.: WMW03B-01M
EPA SAMPLE NO.: WMW03B-01M
DATE COLLECTED: 03/26/92
DUPLICATE:
RECORD NO.: 16

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW04A
URS SAMPLE NO.: WMW04A-01M
EPA SAMPLE NO.: WMW04A-01M
DATE COLLECTED: 03/10/92
DUPLICATE:
RECORD NO.: 17

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW04B
URS SAMPLE NO.: WMW04B-01M
EPA SAMPLE NO.: WMW04B-01M
DATE COLLECTED: 03/12/92
DUPLICATE:
RECORD NO.: 18

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW05A
URS SAMPLE NO.: WMW05A-01M
EPA SAMPLE NO.: WMW05A-01M
DATE COLLECTED: 03/24/92
DUPLICATE:
RECORD NO.: 19

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW05B
URS SAMPLE NO.: WMW05B-01M
EPA SAMPLE NO.: WMW05B-01M
DATE COLLECTED: 03/24/92
DUPLICATE:
RECORD NO.: 20

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW06A
URS SAMPLE NO.: WMW06A-01M
EPA SAMPLE NO.: WMW06A-01M
DATE COLLECTED: 04/21/92
DUPLICATE:
RECORD NO.: 21

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

STATION NAME: MW06B
URS SAMPLE NO.: WMW06B-01M
EPA SAMPLE NO.: WMW06B-01M
DATE COLLECTED: 04/20/92
DUPLICATE:
RECORD NO.: 22

	CRQL	VALUE	QUALS
TPH-Gas	1		U
TPH-Diesel	2		U

Notes: All data are validated.
µg/L - microgram per liter.

DATA QUALIFIERS FOR VALIDATED DATA PACKAGES

NO QUALIFIERS indicates that the data are acceptable both qualitatively and quantitatively.

Qualifier	Description
U	The analyte was analyzed for, but was not detected above the Contract Required Quantitation Limit (CRQL) or the Contract Required Detection Limit (CRDL).
J	The result is estimated and the data are usable for limited purposes. The results are qualitatively acceptable.
R	Result is rejected and unusable for all purposes. (Note: An analyte may or may not be present).
UJ	The combination of a U and a J indicates that the analyte was not detected. The sample quantitation limit is estimated. The results are estimated and the data are usable for limited purposes. The results are qualitatively acceptable.
N	The identification of the analyte is considered to be tentative. The data are usable for limited purposes.

Notes:

NA - Analyte not analyzed.
CRQL - Contract Required Quantitation Limit
CRDL - Contract Required Detection Limit
MW - Monitor Well
RI/FS - Remedial Investigation/Feasibility Study