APPENDIX L

WELL LOGS

WELL #112
ALIGNMENT SURVEY

DEPTH IN FEET



SURVEYED 09-JULY-01

LAYNE CHRISTENSEN CO.

11001 ETIWANDA AVE. FONTANA,

OWNER CITY OF SAN BERNARDINO DATE 09-July-01
ADDRESS VIRGINIA St. SAN BERNARDINO PLUMBED BY D. Lawson
WELL DIA. 19.75 WATER LEVEL 171 FT. DATUM 10FT
WELL NUMBER 112 JOB NUMBER 27-5567

DEPTH. FT.	DRIFT READING INCHES				DEPTH FT.	DEVIATION READING INCHES			
	N.	S.	E.	W.		N.	S.	E.	W.
10	.0			.20	10	0			.44
20	.03			.38	* 20	.09			1.14
30	.02			.42	30	.08			1.68
40	.02			.40	* 40	.100			2.00
50	.02			.38	50	.120			2.28
60	.02			.36	* 60	.140			2.52
70	.02			.34	70	.16			2.72
80	.02			.32	* 80	.18			2.88
90	.02			.30	90	.20			3.00
100	.02			.30	* 100	.22			3.30
10	.02			.30	10	.24			3.60
20	.02			.30	* 20	.26			3.90
30	.02			.30	30	.28			4.20
40	.02			.30	* 40	.30			4.50
50	.02			.30	50	.32			4.80
60	.02			.30	* 60	.34			5.10
70	.02			.30	70	.36			5.40
80	.02			.30	* 80	.38			5.70
90	.02			.30	90	.40			6.00
200	.02			.30	* 200	.42			6.3
10	.02			.30	10	.88			6.6
20	.02			.30	* 20	.46			6.9
30	.02			.29	30	.48			6.96
40	.02			.29	* 40	.50			7.25
50	.02			.28	50	.52			7.28

LAYNE CHRISTENSEN CO.

11001 ETIWANDA AVE. FONTANA,

OWNER CITY of SAN BERNARDINO CA DATE 9-July-01 P92

ADDRESS VIRGINIA SAN BERNARDO CA PLUMBED BY D. Lewson

WELL DIA. 19.75 WATER LEVEL 171 FT. DATUM 10 FT

WELL NUMBER #12 JOB NUMBER 27-5567

DEPTH. FT.	DRIFT READING INCHES N.	S.	E.	W.	DEPTH FT.	DEVIATION READING INCHES N.	S.	E.	W.
260	.02			.27	* 260	.54			7.29
70	.02			.26	70	.56			7.28
80	.02			.26	* 80	.58			7.54
90	.02			.25	90	.60			7.50
300	.02			.24	* 300	.62			7.44
10	.02			.22	10	.64			7.04
20	.02			.20	* 20	.66			6.6
30	.02			.20	30	.68			6.8
40	.02			.20	* 40	.70			7.0
50	.02			.19	50	.72			6.84
60	.02			.18	* 60	.74			6.66
70	.02			.17	70	.76			6.46
80	.02			.16	* 80	.78			6.24
90	.02			.15	90	.80			6.0
400	.02			.14	* 400	.82			5.74
10	.02			.12	10	.84			5.04
20	.02			.10	* 20	.86			4.30
30	.02			.08	30	.88			3.52
40	.02			.06	* 40	.90			2.7
50	.01			.04	50	.46			1.84
60	.01			.02	* 60	.47			.94
70		.00		.02	70		.00		.96
80		.01		.02	* 80		.49		.98
90		.07		.02	90		1.00		1.00
500		.03		.02	* 500		1.53		1.02

LAYNE CHRISTENSEN CO.

11001 ETIWANDA AVE. FONTANA,

OWNER CITY OF SAN BERNARDINO DATE 09-July-01 P93

ADDRESS VIRGINIA SAN BERNARDINO Ca PLUMBED BY D. Lawson

WELL DIA. 19.75 WATER LEVEL 171 FT. DATUM 10 FT

WELL NUMBER 112 JOB NUMBER 27-5567

DEPTH. FT.	DRIFT READING INCHES N.	S.	E.	W.	DEPTH FT.	DEVIATION READING INCHES N.	S.	E.	W.
510		.03		.02	510		1.56		1.04
20		.03		.02	* 20		1.59		1.06
30		.04		.02	30		2.16		1.08
40		.04		.02	* 40		2.2		1.10
50		.04		.02	50		2.24		1.12
60		.04		.03	* 60		2.28		1.71
70		.04		.03	70		2.32		1.74
80		.04		.03	* 80		2.36		1.77
90		.03		.03	90		1.80		1.80
600		.03		.03	* 600		1.83		1.83
10		.02		.03	10		1.24		1.86
20		.02		.03	* 20		1.26		1.89
30		.02		.02	30		1.28		1.28
40		.02		.02	* 40		1.30		1.30
50		.02		.01	50		1.32		.66
60		.02		.01	* 60		1.34		.67
70		.02		.01	70		1.36		.68
80		.02		.01	* 80		1.38		.69
90		.02		.01	90		1.40		.70
700		.02		.01	* 700		1.42		.71
10		.02		.01	10		1.44		.72
20		.02		.01	* 20		1.46		.73
30		.02		.01	30		1.48		.74
40		.03		.01	* 40		2.25		.75
50		.03		.01	50		2.28		.76
60		.03		.01	* 760		2.31		.77

TD 769FT

COLOG INC
BOREHOLE GEOPHYSICS
17301 W COLFAX, STE 265, GOLDEN, CO 80401
PHONE (303) 279-0171 FAX 279-7730

WELL: #112
LOGS: NATURAL GAMMA
GUARD RESISTIVITY

PROJECT: CITY OF SAN BERNARDINO
CLIENT: LAYNE CHRISTENSEN
LOCATION: SAN BERNARDINO

DATE: 28 FEBRUARY 2001
COUNTY: SAN BERNARDINO
STATE: CALIFORNIA

BOREHOLE DATA

DRILLING CONTRACTOR: LAYNE CHRISTENSEN
ELEV: NA
DEPTH REF.: GROUND LEVEL

CUSTOMER TD: 935'
COLOG TD: 931'

RUN	BIT RECORD			CASING RECORD		
NO.	Bit Size	From	To	Size/Wgt/Thk.	From	To
1	46"	0'	60'	42"	0	60'
2	17.5"	60'	935'			
3						
4						

DRILL METHOD: REVERSE
HOLE MEDIUM: WATER
VISCOSITY: N/A

DATE DRILLED: 2/28/01
FLUID LEVEL: SURFACE
WEIGHT: N/A

TIME SINCE CIRC: 1 HOUR
MUD TYPE: N/A
Rm: N/A at N/A Deg N/A

GENERAL DATA

LOGGING ENGINEER: JOE ABREAU
CLIENT REP: BRUCE
OTHER SERVICES: GAMMA,16 & 64" NORM. RESISTIVITIES, SP, SPR

INSTRUMENTS: MSI SERIES 3
UNIT/TRUCK: 17

LOGGING DATA

LOG FUNCTION	RUN NO	EQUIPMENT			LOGGING		DETECTOR	SPACING		SOURCE		LOGGED INTERVAL		
		MODEL	PROBE S.N.	UPHOLE S.N.	DIG INT FEET	SPEED FT./MIN.	TYPE	Tx–Rx FEET	Rx–Rx FEET	TYPE	SIZE CURIE	FROM	TO	INT FEET
NAT. GAMMA	1	IPF	1414	1524	0.1	20	NaI					931'	60'	871'
GUARD RES.	1	IPF	1414	1524	0.1	20						931'	~0'	871'

SOURCE S.N.(S): NONE USED
CALIBRATION FACTOR(S):
DIGITAL FILE NAME(S): GUARD.IB1 GUARD.PLP, GUARD.HDP
REMARKS:

PRE–LOG CALIBRATION CHECK WITHIN 2%
POST–LOG CALIBRATION CHECK WITHIN 2%

SURFACE CASING STICKUP = 0.0'

N/A – NOT AVAILABLE

CITY OF SAN BERNARDINO, WELL #112, MAIN RUN, 28 FEBRUARY 01

COLOG




560
580
600
620
640
660
680
700
720
740
760


300
320
340
360
380
400
420
440
460
480
500
520



CITY OF SAN BERNARDINO, WELL #112, MAIN RUN, 28 FEBRUARY 01

COLOG

COLOG
INC

BOREHOLE GEOPHYSICS

17301 W. COLFAX, STE 265, GOLDEN, CO 80401
PHONE: (303) 279-0171 FAX: (303) 279-2730

RUN: #112
[illegible]: 16--64" NORMAL RESI
SINGLE POINT RESIST.
SPONTANEOUS POTENTIAL

PROJECT: CITY OF SAN BERNARDINO
CLIENT: LAYNE CHRISTENSEN
LOCATION: SAN BERNARDINO

[illegible]: 28 FEBRUARY 2001
[illegible]: SAN BERNARDINO
[illegible]: CALIFORNIA

BOREHOLE DATA

DRILLING CONTRACTOR: LAYNE CHRISTENSEN
ELEV: NA
DEPTH REF: GROUND LEVEL
[illegible]: 935'
[illegible]: 931'

RUN NO.	Bit Size	From	To	Casing Weight	Casing Record
1	46"	0'	60'		
2	17.5"	60'	935'		
3					
4					

DRILL METHOD: REVERSE
HOLE MEDIUM: WATER
VISCOSITY: N/A

[illegible]: 2/28/01
[illegible]: SURFACE
[illegible]: N/A

TIME [illegible]: 1 HOUR
MUD TYPE: N/A
RM: N/A [illegible]: N/A

LOGGING ENGINEER: JOE ABREAU

LOGGING DATA

LOG FUNCTION	RUN NO.	EQUIPMENT MODEL	PROBE S.N.	UPHOLE S.N.	LOGGING DIG INT FEET	LOGGING SPEED FT./MIN.	DETECTOR TYPE	SPACING T.-R. FEET	SPACING R.-R. FEET	SOURCE TYPE	SOURCE SIZE CURIE	LOGGED INTERVAL FROM	LOGGED INTERVAL TO	LOGGED INTERVAL INT. FEET
16" NORMAL	1	PLP	404	1524	0.1	40						931'	60'	871'
64" NORMAL	1	PLP	404	1524	0.1	40						931'	60'	871'
SINGLE PT.	1	PLP	404	1524	0.1	40						931'	60'	871'
SP	1	PLP	404	1524	0.1	40						931'	60'	871'

SOURCE S.N.(S): NONE USED

CALIBRATION FACTOR(S):

DIGITAL FILE NAME(S): PLP.PAO, PLP.PLP, PLP.HDP

REMARKS:

PRE-LOG CALIBRATION CHECK WITHIN 2%

POST-LOG CALIBRATION CHECK WITHIN 2%

SURFACE CASING STICKUP = 0.0'

N/A – NOT AVAILABLE

CITY OF SAN BERNARDINO, WELL #11?, MAIN LOG, 28 FEBRUARY 01

COLOG

ELEVATION @ GROUND LEVEL IS 1179'



CLAY

0 200 220 240 260 280 300 320 340 360 380 400 420

(679)

(879ft)

(779ft)

280


320
340
360
380
400
420
440
460
480
500
520
540
(779eL)
(679eL)

CLAY

CLAY

560

600

620

640

660

680

700

720

740

760

780

(579 EL)

(479 EL)



CITY OF SAN BERNARDINO, WELL #11, 2, MAIN LOG, 28 FEBRUARY 01

CO 06

COLOG INC

BOREHOLE GEOPHYSICS

17301 W COLFAX, STE 265, GOLDEN, CO 80401
PHONE (303) 279-0171 FAX 279-2730

WELL: #112
LOGS: TEMPERATURE
FLUID RES.

PROJECT: CITY OF SAN BERNARDINO
CLIENT: LAYNE CHRISTENSEN
LOCATION: SAN BERNARDINO

DATE: 28 FEBRUARY 2001
COUNTY: SAN BERNARDINO
STATE: CALIFORNIA

BOREHOLE DATA

DRILLING CONTRACTOR: LAYNE CHRISTENSEN
ELEV: NA DEPTH REF: GROUND LEVEL

CUSTOMER TD: 935'
COLOG TD: 931'

RUN NO	BIT RECORD Bit Size	From	To	CASING RECORD Size/Wgt/Thk	From	To
1	45"	0'	60'	42"	0	60'
2	17.5"	60'	935'			
3						
4						

DRILL METHOD: REVERSE
HOLE MEDIUM: WATER
VISCOSITY: N/A

DATE DRILLED: 2/28/01 TIME SINCE CIRC: 1 HOUR
FLUID LEVEL: SURFACE MUD TYPE: N/A
WEIGHT: N/A Pm: N/A at N/A Deg: N/A

PERSONAL DATA

LOGGING ENGINEER: JOE ABREAU
CLIENT REP: BRUCE

INSTRUMENT: MSI SERIES 3
UNIT/TRUCK: 17

OTHER SERVICES: GAMMA, 16 & 64" NORM RESISTIVITIES, SP, SPR

LOG DATA

LOG FUNCTION	RUN NO.	EQUIPMENT MODEL	PROBE S.N.	UPHOLE S.N.	LOGGING DIGITIZ FEET	LOGGING SPEED FT/MIN	CORRELATION TYPE	SPACING T-R FEET	SPACING R-R FEET	SOURCE TYPE	SOURCE SIZE CURIE	LOGGED INTERVAL FROM	LOGGED INTERVAL TO	LOGGED INTERVAL INT FEET
TEMPERATURE	1	MLP	2101	1524	0.1	20						931'	0'	931'
GUARD RES	1	MLP	2101	1524	0.1	20						931'	0'	931'

SOURCE S.N. S/S: NONE USED
CALIBRATION FACTOR(S):

DIGITAL FILE NAME(S): MLP.MBO, MLP.PLP, MLP.HDP

REMARKS:

PRE-LOG CALIBRATION CHECK WITHIN 2%
POST-LOG CALIBRATION CHECK WITHIN 2%

SURFACE CASING STICKUP = 0.0'

N/A – NOT AVAILABLE

CITY OF SAN BERNARDINO, WELL # 112, MAIN LOG, 28 FEBRUARY 2001

COLOG

DIFFERENTIAL TEMP
-0.5 DEG CELSIUS 0.5

FLUID RESISTIVITY
19 OHM-METERS 23

TEMPERATURE
19 DEG CELSIUS 27




20
40
60
80
100
120
140
160
180
200
220
240


260
280
300
320
340
360
380
400
420
440
460
480


520
540
560
580
600
620
640
660
680
700
720
740



CITY OF SAN BERNARDINO, WELL # 112, MAIN LOG, 28 FEBRUARY 200

COLOG

COLOG INC

BOREHOLE GEOPHYSICS

17301 W. COLFAX, STE 260, GOLDEN, CO 80401
PHONE (303) 279-0171 FAX 279-2730

WELL: #112
LOGS: TEMPERATURE
FLUID RES.

PROJECT: CITY OF SAN BERNARDINO
CLIENT: LAYNE CHRISTENSEN
LOCATION: SAN BERNARDINO

DATE: 28 FEBRUARY 2001
COUNTY: SAN BERNARDINO
STATE: CALIFORNIA

BOREHOLE DATA

DRILLING CONTRACTOR: LAYNE CHRISTENSEN
ELEV: NA
DEPTH REF: GROUND LEVEL

CUSTOMER TD: 935'
COLOG TD: 931'

RUN NO.	BIT RECORD			CASING RECORD		
	Bit Size	From	To	Size/Wgt/Thk.	From	To
1	46"	0'	60'	42"	0	60'
2	17.5"	60'	935'			
3						
4						

DRILL METHOD: REVERSE
HOLE MEDIUM: WATER
VISCOSITY: N/A

DATE DRILLED: 2/28/01
FLUID LEVEL: SURFACE
WEIGHT: N/A

TIME SINCE CIRC: 1 HOUR
MUD TYPE: N/A
Rm: N/A at N/A Deg F: N/A

GENERAL DATA

LOGGING ENGINEER: JOE ABREAU
CLIENT REP: BRUCE

INSTRUMENT: MSI SERIES 3
UNIT/TRUCK: 17

OTHER SERVICES: GAMMA, 16 & 64" NORM, RESISTIVITIES, SP, SPR

LOG DATA

LOG FUNCTION	RUN NO.	EQUIPMENT MODEL	PROBE S.N.	UPHOLE S.N.	LOGGING DIG. INT. FEET	LOGGING SPEED FT/MIN	DETECTOR TYPE	SPACING T-R FEET	SPACING R-R FEET	SOURCE TYPE	SOURCE SIZE CURIE	LOGGED INTERVAL FROM	LOGGED INTERVAL TO	LOGGED INTERVAL INT FEET
TEMPERATURE	1	MLP	2101	1524	0.1	20						931'	0'	931'
GUARD RES	1	"	"	1524	0.1	20						931'	0'	931'

SOURCE S.N.'s: NONE USED
DIGITAL FILE NAME(S): MLP1M30, MLP1LP, MLP1HPP
REMARKS:

CALIBRATION FACTOR(S):

PRE-LOG CALIBRATION CHECK WITHIN 2%
POST-LOG CALIBRATION CHECK WITHIN 2%

SURFACE CASING STICKUP = 0.0'

N/A = NOT AVAILABLE




0
40
60
80
100
120
140
160
180
200
220
240


280
320
340
360
380
400
420
440
460
480


520
540
560
580
600
620
640
660
680
700
720
740



CITY OF SAN BERNARDINO, WELL # 112, MAIN LOG, 28 FEBRUARY 200

COLOG