



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

August 26, 2008

Mr. Theodore Haile
Director of Operations
IPS Corporation
17109 S. Main Street
Gardena, CA 90248

SUBJECT: Title V Facility Permit Revision (Facility ID: 800367)

Dear Mr. Haile:

Please find attached the revised Title Page, Table of Contents, and Section D of your Title V Facility Permit. The revised sections reflect the approval of the permit revision requested in your Application No. 482764. The proposed permit revision was submitted to EPA for 45-day review on July 9, 2008. This permit revision includes the permits to construct for the following equipment:

Equipment	Application No.	Permit Type
Container Filling Liquid Adhesives	482765	PC
Container Filling Liquid Adhesives	482766	PC
Container Filling Liquid Adhesives	482767	PC
Regenerative Thermal Oxidizer	482768	PC

Please review the attached sections carefully. Insert the attached sections into your Facility Permit and discard the earlier versions. Questions concerning changes to your permit should be directed to Ms. Marilyn Potter at (909) 396-2376.

Sincerely,

Brian L. Yeh
Senior Manager
Chemical/Mechanical Operations

BLY: coverletter
Attachments

cc: Gerardo Rios, EPA Region IX