South Coast
Air Quality Management District
21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 · www.aqmd.gov

**NOTICE OF RENEWAL OF TITLE V PERMIT**

The South Coast Air Quality Management District (AQMD) is the air pollution control agency for all of Orange County and portions of Los Angeles, Riverside and San Bernardino Counties. Rule 3006 requires that the AQMD publish this notice prior to the renewal of a Title V for the facility listed below:

**Tesoro Refining & Marketing Company LLC, Calciner Operations**
1175 Carrack Avenue
Wilmington, CA 90748
Facility ID# 174591
*Contact Person:*
Adrian Rosu
Environmental Engineer
1175 Carrack Avenue
Wilmington, CA 90748

This facility is a petroleum coke calcining facility. The facility was constructed in 1980 to process green coke, a residual product of crude oil refining. The plant is currently owned and operated by Tesoro Refining & Marketing Company LLC, Calciner Operations under Facility ID 174591 after the change of ownership from BP to Tesoro on June 1, 2013. The facility operates a rotary kiln, pyroscrubber afterburner, two scrubbers, several storage silos, several baghouses and internal combustion engines.

Pursuant to Title V of the federal Clean Air Act and AQMD Rule 3004(f), a Title V permit shall expire five years from the date of issuance, unless such permit has been renewed. Accordingly, the above facility has submitted a Title V renewal application and requested that AQMD renew their Title V permit. The proposed permit incorporates updates to the facility information, as provided in the facility's Title V renewal application, as well as updates to all rules and regulations that are currently applicable to the facility. The proposed permit also incorporates several changes to the permit conditions of the pyroscrubber afterburner and main baghouse to update monitoring requirements

As required by Title V of the Federal Clean Air Act, Title V permits include all of the emission limits, applicable requirements and operating conditions imposed on the equipment. Title V facilities are required to certify compliance with the Title V permits in addition to recordkeeping and mandatory reporting of any deviation from the permit conditions.

The proposed permit is available for public review at AQMD, 21865 Copley Dr., Diamond Bar, CA 91765 and at the Long Beach Main Library, 101 Pacific Avenue, Long Beach, CA 90822. The proposed permit can also be viewed at *http://www3.aqmd.gov/webappl/publicnotices2/*. by entering the facility's ID number. Information regarding the facility owner's compliance history submitted to the AQMD pursuant to California Health & Safety Code Section 42336, or otherwise known to the AQMD based on credible information, is also available from the AQMD for public review. **Anyone wishing to comment on the issuance of the proposed permit should submit their comments in writing by May 3, 2014. Written comments should be submitted to:**

South Coast Air Quality Management District
Engineering and Compliance Office
21865 Copley Drive
Diamond Bar, CA 91765-4178
Attention: Ken Matsuda
Sr. AQ Engineer

If you are concerned primarily about zoning decisions and the process by which this facility has been sited at this location, you should contact your local city or county planning department. For additional information, please contact Mr. Ken Matsuda at (909) 396-2656 or by email at kmatsuda@aqmd.gov.

The public may request the AQMD to conduct a public hearing on the proposed permit by submitting a Hearing Request Form (Form 500-G) to Ken Matsuda at the above AQMD address. The public hearing request must contain all the information requested on the form in order for the AQMD to determine whether or not the request is valid or if a public hearing will be held. The public hearing request forms may be obtained from the AQMD by calling the Title V hotline at (909) 396-3013, or downloading from the internet at http://www.aqmd.gov/titlev. **Any request for a public hearing must be submitted to the AQMD no later than April 17, 2014. A copy of the public hearing request must also be sent by first class mail to the facility contact person listed above, at the same time.**