



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

April 6, 2012
Via electronic submittal

Mr. Gerardo Rios
USEPA – Region IX
Mail Stop A-5-2
75 Hawthorne Blvd.
San Francisco, CA 94105

Dear Mr. Rios,

Proposed Minor Revision to Title V Permit for Commerce Refuse to Energy Facility (ID# 037336)

Enclosed for your review is the proposed revision to the Title V Permit for Commerce Refuse to Energy Facility located at 5926 Sheila Street, Commerce, CA in Los Angeles County. This revision is considered to be a minor permit revision. We are enclosing the appropriate pages of the proposed Section D, which includes the permit as shown below and the engineering evaluation.

SECTION D, PERMIT TO OPERATE

Appl. No.	Equipment	Description
446552	Resource Recovery System	Include an automatic controller at the outlet of the boiler for ammonia control and update 40 CFR 60 Subpart Cb requirements (emission limits and testing).
383843	Air Pollution Control System	Reissue/update 40 CFR 60 Subpart Cb requirements.

The initial Title V permit for this facility was issued April 12, 2004.

This request is being made via electronic submittal in order to facilitate your review. If you have any questions or need additional information, please contact Ms. Angela Shibata at (909) 396-2737 or by email at ashibata@aqmd.gov.

Sincerely,

Jay Chen, P.E.
Senior AQ Engineering Manager
Refinery and Waste Management Permitting

JC: CDT: AIS
Enclosures

cc: Wendy Han, LACSD, with proposed Title V permit Revision
A/N 448748 Title V Permit Revision (01)