



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

December 1, 2011

Mr. Paul Sewell
Vice President/Chief Financial Officer
Sorenson Engineering, Inc.
32032 Dunlap Boulevard
Yucaipa, CA 92399

SUBJECT: Title V Facility Permit Revision (Facility ID: 036738)

Dear Mr. Sewell:

Please find attached the revised Title Page, Table of Contents, and Section D of your Title V Facility Permit. The revised sections reflect the approval of the permit revision requested in your Application No. 523074. The proposed permit revision was submitted to EPA for 45-day review on October 11, 2011. This permit revision includes the installation of the following new equipment as summarized below.

Equipment	Application No.	Permit Action
Chemical Deburring Line	523064	PC
Gold Plating Line	523065	PC
Fume Scrubber	523070	PC
Fume Scrubber	523073	PC
NOx Scrubber	523073	PC

Please review the attached sections carefully. Insert the enclosed sections into your Title V Facility Permit and discard the earlier versions. Questions concerning changes to your permit should be directed to Mr. Rene Loof at (909) 396-2544.

Sincerely,

Brian L. Yeh
Senior Manager
Coating, Printing, Plating, Military
& Entertainment Operations

BLY:EMM:approval

Attachment

cc: Gerardo Rios, EPA Region IX

Cleaning the air that we breathe...