

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID: 222	Company Name: Architectural Woodworking Company												
Equipment Location: 582 S. Monterey Pass Road, Monterey Park, CA 91754			SIC Code: 2511										
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:											
Application #(s): 525778	Application Submittal Date(s): 07/26/2011												
AQMD Contact Person: Hamed Mandilawi	Phone #: (909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov											
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the manufacturing of wood office furniture. The facility operates a spray booth, a flash off room and drying enclosure, and other supporting equipment.													
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal													
Permit Features: <input checked="" type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance													
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for 2010		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> The Following TACs Were Reported: <table style="margin-left: 20px; width: 100%;"> <tr> <td>Ammonia</td> <td style="text-align: right;">Emissions (lbs/yr):</td> </tr> <tr> <td>Benzene</td> <td style="text-align: right;">3.96</td> </tr> <tr> <td>Formaldehyde</td> <td style="text-align: right;">0.001</td> </tr> <tr> <td>Naphthalene</td> <td style="text-align: right;">0.001</td> </tr> <tr> <td>PAHs</td> <td style="text-align: right;">0.001</td> </tr> </table>		Ammonia	Emissions (lbs/yr):	Benzene	3.96	Formaldehyde	0.001	Naphthalene	0.001	PAHs	0.001
Ammonia	Emissions (lbs/yr):												
Benzene	3.96												
Formaldehyde	0.001												
Naphthalene	0.001												
PAHs	0.001												
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ Acute Hazard Index = _____ Chronic Hazard Index = _____													
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2010		<input checked="" type="checkbox"/> NOx 0.014 <input checked="" type="checkbox"/> PM 0 <input checked="" type="checkbox"/> CO 0.003 <input checked="" type="checkbox"/> SOx 0 <input checked="" type="checkbox"/> VOC 0.978 <input type="checkbox"/> Other: _____											
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (1) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (0)													
Comments:													