

South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

February 24, 2009

Mr. Gerardo Rios
U. S. EPA, Region IX
Mail Stop A-5-2
75 Hawthorne Street
San Francisco, California 94105

Dear Mr. Rios:

SFPP, L.P. (Company ID 800129) has proposed to revise their Title V permit to install three new storage tanks, a new bulk loading rack, a new loading rack sump, and to modify an existing storage tank, three existing loading racks, and an existing air pollution control system (thermal oxidizer). This is a petroleum bulk loading and storage facility (SIC 4226) located at 2359 Riverside Ave., Bloomington, CA 92316. This proposed permit revision is considered a "significant permit revision" to their Title V permit. Attached for your 45-day review are the permit evaluations, public notice, and draft permits for the proposed permit revision.

The South Coast Air Quality Management District (AQMD) has received applications for Permits to Construct and Operate from SFPP, L.P. for the equipment described in the enclosed notice. Pursuant to AQMD Rule 212 - Standards for Approving Permits and Issuing Public Notice, new or modified sources exceeding any of the specified daily maximums are subject to the public notification and comment provisions of 40 CFR Part 51, Section 51.161(b), and 40 CFR Part 124, Section 124.10. In addition, pursuant to AQMD Rule 3006, Public Participation, a public notice is required prior to the issuance of a significant revision to a Title V permit. The public notice requirements for Rule 212 and Rule 3006 have been combined into one notice to be conducted simultaneously.

The AQMD has evaluated the applications and made a preliminary determination that the equipment will operate in compliance with all of the applicable requirements of our Rules and Regulations. Therefore, the AQMD is proposing to issue a revised Title V permit to SFPP, L.P. for the equipment described in the enclosed notice.

Please find enclosed a public notice for SFPP, L.P. issued in accordance with Rules 212(g) and 3006. The public notice provides for a 30-day comment period, which is scheduled to end on or about April 2, 2009, and is being published in a newspaper of general circulation in the vicinity of this facility. This notice is also being distributed to each address within a ¼-mile radius of the property line of the facility, as well as being sent to the California Air Resources Board, the Southern California Association of Governments, the County of San Bernardino, City of Rialto, and the State and Federal Land Managers.

In addition, two storage tanks (A/N 458890 and 458976) were previously issued non-Title V permits prior to the facility receiving its Initial TV permit. Per Rule 3004, these two tanks are also being noticed herein for official incorporation into the Title V permit.

If you have any questions or wish to provide comments regarding this project, please call the processing engineer, Mr. Thomas Liebel at (909) 396-2554.

Very truly yours,



Jay Chen, P.E.
Senior Manager
Refinery and Waste Management - Permitting
Engineering and Compliance

TL:LLD
Enclosures

cc: w/o enclosures
Ron Zinner, KinderMorgan Energy Partners
File A/N's 474542-50, 481543, 495548

(usepa)