



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

February 3, 2012
via electronic submittal

Mr. Gerardo Rios
Chief, Permits Office
U.S. EPA, Region IX, Mail Stop AIR-3
75 Hawthorne St.
San Francisco, CA 94105

Subject: Proposed Minor Permit Revision to Title V Facility Permit for Ultramar Corporation, Wilmington Refinery (Facility ID #800026)

Dear Gerardo:

Enclosed for your 45-day review is the proposed revision to the Title V facility permit for Ultramar Corporation (Ultramar) located at 2402 East Anaheim Street, Wilmington, CA 90744, California. This revision is being proposed under Application No. 523984 as a Minor Permit Revision and does not, therefore, require any public notice.

The South Coast Air Quality Management District (AQMD) has received an application from Ultramar for a revision to its Rule 1173 compliance plan. AQMD has evaluated the application and made a preliminary determination that the compliance plan complies with all of the applicable requirements of our Rules and Regulations. The revised portions of the permit and our evaluation report are attached for your review.

Section I: Plans and Schedules

Application No.	Equipment	Application Purpose
523986	Atmospheric Pressure Relief Device	Update PRD Inventory with the Required Electronic Monitoring Devices

This letter is sent to you via email in order to facilitate your review. If you have any questions or wish to provide comments regarding this project, please contact the permit processing engineer, Mr. Johnny Pan, at (909) 396-3612 or by email at jpan@aqmd.gov.

Sincerely,

Jay Chen
Senior AQ Engineering Manager
Refinery and Waste Management Permitting
Engineering and Compliance

Enclosures
cc w/o enclosures: Matt Smith, Ultramar

(nt\doc\windword\Letter_EPA_MinorRev_010711_UC.doc)

Cleaning the air that we breathe...