



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

June 17, 2014

Ms. Penny Wirsing
Environmental Supervisor
ExxonMobil Oil Corporation
3700 West 190th Street
Torrance, CA 90503

Subject: RECLAIM /Title V Facility Permit Revision A/N 563078 (Facility ID 800089)

Dear Ms. Wirsing:

Please find attached the revised Title Page, Table of Contents and Section D of your RECLAIM/Title V Facility Permit. The revised sections reflect the approval of the permit revision requested by ExxonMobil. The application has been reviewed by EPA for an expedited review in lieu of 45 days review period which will be expired on or about 7/21/2014. There is no comment from EPA. The revised sections reflect the inclusion of the following applications approved for Permit to Operate:

<u>Application Nos.</u>	<u>RECLAIM Device I.D.</u>	<u>Sections</u>	<u>Process/System</u>
563079	D2544, D2546, D2547	D	17/13
563078	Application to Reissue Facility Permit (Supersedes A/N 542104)		

Please review this document carefully, insert the attached sections into your Facility Permit and discard the earlier versions. Questions concerning changes to your permit should be directed to Ms. Chingli Lin at (909) 396-2374 (clin@aqmd.gov) or Mr. Merrill Hickman, Senior Engineer, at (909) 396-2676 (mhickman@aqmd.gov).

Sincerely,

William C. Thompson, P.E.
Senior Enforcement Manager
Engineering and Compliance

Enclosure

cc: Gerardo Rios, EPA Region IX
Edwin Pupka, Compliance, SCAQMD
Application Files(s)