South Coast
Air Quality Management District
21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 · www.aqmd.gov

April 12, 2011

Mr. Les Willis
Facilities Manager
AMF Anaheim LLC
2100 East Orangewood Avenue
Anaheim, CA 92806

SUBJECT: Title V Facility Permit (Facility ID: 149235)

Dear Mr. Willis:

Please find attached the revised Title Page, Table of Contents and Section D of your Title V Facility Permit for your facility located at 2100 East Orangewood Avenue, Anaheim, CA 92806. The proposed permit revisions were submitted to EPA for 45-day review on February 24, 2011. The revised sections reflect the approval of the permit revisions requested in your Application No. 518879 for the installation of two spray booths.

Equipment	Application No.	Permit Type
SPRAY BOOTH	518877	PC
SPRAY BOOTH	518878	PC

Please review the attached sections carefully. Insert the attached sections into your Facility Permit and discard the earlier versions. Questions concerning changes to your permit should be directed to Mr. Shailesh Patel at (909) 396-2681.

Sincerely,

Ed Muehlbacher

Ed Muehlbacher
Air Quality Analysis andCompliance Supervisor
Coating, Printing, Plating, Military and
Entertainment Operations

EMM:approval letter

cc: Gerardo Rios, EPA Region IX