



# South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178  
(909) 396-2000 • www.aqmd.gov

May 3, 2013  
*Via Electronic Submittal*

Mr. Gerardo Rios  
Chief-Permits Office  
U.S. EPA, Region IX  
75 Hawthorne Street  
San Francisco, CA 94105

Dear Mr. Rios:

Proposed Minor Revision to Title V Permit for BP West Coast Products, LLC – Carson Products Terminal (ID# 800395)

Enclosed for your 45-day review is the proposed revision to the Title V Permit for BP West Coast Products, LLC – Carson Products Terminal, located at 2149 E. Sepulveda Boulevard, Carson, CA. This revision is considered a “minor permit revision”, and a public notice is not required. We are enclosing the revised permit as shown below and the engineering evaluation.

Section H: PERMITS TO CONSTRUCT:

Application No.	Previous Application & Permit No.	Equipment/Description
544780	419716; R-F65483 (Section D)	Modification to Air Pollution Control System serving two-rack bulk loading facility by: 1. Removing the vapor recovery portion (refrigeration condenser) of the system. 2. Requiring additional source testing.

**We are requesting this review be expedited and completed by May 14, 2013 due to the refrigeration system’s reliability and maintenance/repair delays due to replacement parts availability.**

The revision is covered under A/N 544781.

This request is being made via electronic submittal in order to facilitate your review. If you have any questions or wish to provide comments regarding this project, please contact Mr. Thomas Liebel, Senior Engineer of my staff at (909) 396-2554 or by e-mail at [tliebel@aqmd.gov](mailto:tliebel@aqmd.gov).

Very truly yours,

Andrew Y. Yee, P.E.  
Senior Engineering Manager  
Engineering & Compliance

AYL:CDT:TGL  
Enclosures  
cc: Ruthanne Walker, w/o enclosures