SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
Title V Permit Summary

AQMD Facility ID: 800367	Company Name: IPS CORP		
Equipment Location: 17109 S. Main Street, Gardena, Ca 90248			SIC Code: 2891
Permit Revision #: 1	Revision Date:	Facility Permit Section(s) Affected: ALL	
Application #(s): 482654	Application Submittal Date(s): 5/13/2008		
AQMD Contact Person: Marilyn Potter	Phone #: (909) 396-2376	E-Mail Address: mpotter@aqmd.gov	

Project Description: This is an existing facility, applying for a Title V permit renewal, that is engaged in the manufacturing and packaging of plastic adhesives and solvent cements. The facility operates storage tanks, holding tanks, mixers, container filling stations, and other supporting equipment. Particulate matter emissions from the mixers are vented to air pollution control equipment baghouses. Volatile organic compound (VOC) emissions from the holding tanks and mixers are vented to air pollution control equipment carbon adsorbers. VOC emissions from the container filling stations are vented to air pollution control equipment regenerative thermal oxidizers.

Permit Type:
- ☐ Initial Title V Permit
- ☐ Significant Revision
- ☒ Permit Renewal

Permit Features:
- ☒ Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements
- ☐ Permit Shield Applies
- ☐ Permit Contains Conditions Allowing Emission Trading
- ☐ Alternative Operating Scenario
- ☐ Permit Streamlines Overlapping or Outdated Requirements
- ☐ Other: _____
- ☐ Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance

Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2006-2007

- ☐ No TACs Reported
- ☒ The Following TACs Were Reported:

The Following TACs Were Reported:	Emissions (lbs/yr):
Methylene Chloride	141

Health Risk From Toxic Air Contaminants:
- ☐ Health Risk Assessment Required for this Permit Action (AQMD Rule 1401)
- ☐ Health Risk Reduction Plan Approved (AQMD Rule 1402) (Year): _____
- ☒ Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588)
  - ☒ Facility Determined to be Exempt from AB2588 Requirements
  - ☐ AQMD is Tracking Status of Facility under AB2588
  - ☐ Health Risk Assessment Submittal Pending
  - ☐ Health Risk Assessment Submitted to AQMD and Is Being Reviewed
  - ☐ Final Facility Health Risk Approved (date) _____
  - Cancer Risk = _____ in one million
  - Acute Hazard Index = _____
  - Chronic Hazard Index = _____

Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2006-2007

☐	NOx		☐ PM	
☐	CO		☐ S0x	
☒	VOC	15.15	☐ Other:	

Compliance History:
- ☐ Citizen Complaints Filed in Last Two Calendar Years (# 0)
- ☐ Notices to Comply Issued in Last Two Calendar Years (# 0)
- ☐ Notices of Violation Issued in Last Two Calendar Years (# 0)

Comments: