



JUL 15 2013

Sy Dang Le
California Dairies, Inc.
755 F Street
Fresno, CA 93706

Re: Notice of Final Action - Minor Title V Permit Modification
District Facility # C-402
Project # C-1131364

Dear Mr. Le:

The Air Pollution Control Officer has modified the Title V permit for California Dairies, Inc. by incorporating C-402-15-3, -16-3, -17-3, -18-3, and -19-3. The facility is proposing to establish a combined throughput limit for storage silos #1, #2, #3, #4, and #5

Enclosed is the modified Title V permit. The application and proposal were sent to US EPA Region IX on May 13, 2013. No comments were received following the District's preliminary decision on this project.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,


David Warner
Director of Permit Services

DW:jms

Enclosures

cc: Gerardo C. Rios, EPA (w/enclosure) via email
Seyed Sadredin

Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-15-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

12,000-GALLON POWDER MILK STORAGE SILO #1 SERVED BY A SOCK FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the sock filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from sock filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
7. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
8. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-16-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

12,000-GALLON POWDER MILK STORAGE SILO #2 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from bin vent filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
7. Visible emissions from the source operation shall be evaluated using EPA method 22 once per calendar year. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520] Federally Enforceable Through Title V Permit
8. Annual records of visible emissions monitoring results shall be maintained and retained on the premises for a period of at least 5 years and made available for District inspection upon request. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-17-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

30,000-GALLON POWDER MILK STORAGE SILO #3 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from bin vent filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
7. Visible emissions from the bin vent filter shall be evaluated using EPA method 22 for a period of at least 6 minutes at least once during each day that silo #3 is loaded. If visible emissions are observed, corrective action shall be taken prior to further operation of the equipment. Corrective action means that visible emissions are eliminated before operation of the equipment is resumed. [40 CFR 64.3] Federally Enforceable Through Title V Permit
8. The permittee shall comply with the compliance assurance monitoring operation and maintenance requirements of 40 CFR part 64.7. [40 CFR 64.7] Federally Enforceable Through Title V Permit
9. The permittee shall comply with the recordkeeping and reporting requirements of 40 CFR part 64.9. [40 CFR 64.9] Federally Enforceable Through Title V Permit
10. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7 (d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-18-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

30,000 GALLON POWDER MILK STORAGE SILO #4 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from sock filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
7. Visible emissions from the bin vent filter shall be evaluated using EPA method 22 for a period of at least 6 minutes at least once during each day that silo #4 is loaded. If visible emissions are observed, corrective action shall be taken prior to further operation of the equipment. Corrective action means that visible emissions are eliminated before operation of the equipment is resumed. [40 CFR 64.3] Federally Enforceable Through Title V Permit
8. The permittee shall comply with the compliance assurance monitoring operation and maintenance requirements of 40 CFR part 64.7. [40 CFR 64.7] Federally Enforceable Through Title V Permit
9. The permittee shall comply with the recordkeeping and reporting requirements of 40 CFR part 64.9. [40 CFR 64.9] Federally Enforceable Through Title V Permit
10. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7 (d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-402-19-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

30,000 GALLON POWDER MILK STORAGE SILO #5 SERVED BY BIN VENT FILTER (DAILY THROUGHPUT LIMIT SHARED WITH PERMIT UNITS '-15,'-16, '-17, '-18, & '-19)

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the bin vent filter serving the storage silo operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from sock filter shall not exceed 0.012 lb/ton of product transferred to silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total PM10 emissions from silos C-402-15, '-16, '-17, '-18 & '-19 combined shall not exceed 5.7 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The amount of product transferred to silos C-402-15, '-16, '-17, '-18 & '-19 shall not exceed 475 tons combined in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Records of the amount of daily milk powder (in tons) process shall be maintained, retained for at least five years, and shall be made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
7. Visible emissions from the bin vent filter shall be evaluated using EPA method 22 for a period of at least 6 minutes at least once during each day that silo #5 is loaded. If visible emissions are observed, corrective action shall be taken prior to further operation of the equipment. Corrective action means that visible emissions are eliminated before operation of the equipment is resumed. [40 CFR 64.3] Federally Enforceable Through Title V Permit
8. The permittee shall comply with the compliance assurance monitoring operation and maintenance requirements of 40 CFR part 64.7. [40 CFR 64.7] Federally Enforceable Through Title V Permit
9. The permittee shall comply with the recordkeeping and reporting requirements of 40 CFR part 64.9. [40 CFR 64.9] Federally Enforceable Through Title V Permit
10. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7 (d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.