



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

March 9, 2010
via electronic submittal

Mr. Gerardo Rios
USEPA Region IX, Mail Stop AIR-3
75 Hawthorne Street
San Francisco, CA 94105

SUBJECT: Minor Permit Revision to Title V Facility Permit
Ultramar, Inc.
2402 E. Anaheim Street
Wilmington, CA 90744

REFERENCE: SCAQMD Facility ID: 800026
SCAQMD Application # 500933

Dear Mr. Rios:

The South Coast Air Quality Management District (AQMD) has received and reviewed a Title V Minor Permit Revision application to the Ultramar, Inc. Facility Permit. Ultramar, Inc. submitted a Rule 1118 (Control of Emissions from Refinery Flares) Flare Minimization Plan (A/N 500933) for approval. The proposed Flare Minimization Plan has been determined to be a Minor Permit Revision and is subject to a 45-day EPA review (AQMD Rule 3003).

The AQMD is required under Rule 3003(j) to provide a copy of the proposed permit to the EPA administrator for a 45-day review. A copy of the proposed permit (Section I) and plan approval letter along with our analysis is attached for your review. As agreed with your staff, we are submitting the required documents to the email address R9AirPermits_SC@epa.gov.

If you have any questions or wish to provide comments regarding this proposed permit, please contact Ms. Connie Yee (909) 396-2619 (cye@aqmd.gov) or Mr. Paul Park at (909) 396-2568 (ppark@aqmd.gov).

Sincerely,

Jay Chen, P.E.
Senior Manager
Refinery and Waste Management Permitting
Engineering and Compliance

Enclosures: Proposed Rule 1118 Flare Minimization Plan Approval
Proposed Section I
Evaluation for A/N 500933

cc: with proposed plan approval and Section I only
Wesley Waida, Ultramar, Inc.