

South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

April 25, 2012

Ms. Susan Polen
Plant Manager
MCP Foods, Inc.
424 S. Atchison Street
Anaheim, CA 92805

SUBJECT: RECLAIM/Title V Facility Permit, ID. No: 002825


Dear Ms. Polen:

Please find attached the revised Title Page, Table of Contents, and Section D of your RECLAIM/Title V Facility Permit. The revised sections reflect the approval of the minor permit revision requested in your Application Nos. 524806 and 526854. The proposed permit revision was submitted to EPA for 45-Day revision on March 8, 2012. This permit revision includes modifications to the following equipment:

Equipment	Appl. No.	Device No.	Process	Permit Type
Continious Line	524805	D43-D53, D156, D157	4,9	PO
Silver Line	526855	D54-D58	4,3	PO
Yellow Line	526856	D59-D63	4,4	PO
Orange Line	526857	D64-D68	4,5	PO
Tan Line	526858	D69-D73	4,6	PO

Please review the attached sections carefully. Insert the enclosed sections into your RECLAIM Facility Permit and discard the earlier version. Questions concerning changes to your permit should be directed to Ms. Monica Fernandez-Neild at 909.396.2202.

Sincerely,



Brian L. Yeh
Senior Manager
Mechanical, Chemical and Public Services

BLY:mfn
Enclosure

cc: Gerardo Rios, EPA Region IX

FACILITY PERMIT TO OPERATE


**MCP FOODS INC
424-25 S ATCHISON ST
ANAHEIM, CA 92805**

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.
EXECUTIVE OFFICER

By 
Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering & Compliance

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

TABLE OF CONTENTS

Section	Description	Revision #	Date Issued
A	Facility Information	15	07/20/2010
B	RECLAIM Annual Emission Allocation	20	01/01/2012
C	Facility Plot Plan	TO BE DEVELOPED	
D	Facility Description and Equipment Specific Conditions	17	04/25/2012
E	Administrative Conditions	9	07/29/2004
F	RECLAIM Monitoring and Source Testing Requirements	7	07/29/2004
G	Recordkeeping and Reporting Requirements for RECLAIM Sources	8	07/29/2004
H	Permit To Construct and Temporary Permit to Operate	11	07/20/2010
I	Compliance Plans & Schedules	4	07/29/2004
J	Air Toxics	4	07/20/2010
K	Title V Administration	4	07/20/2010
Appendix			
A	NOx and SOx Emitting Equipment Exempt From Written Permit Pursuant to Rule 219	3	07/29/2004
B	Rule Emission Limits	4	07/20/2010

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 1: EXTERNAL COMBUSTION					
System 1: BOILERS					
BOILER, NATURAL GAS, CLEAVER-BROOKS, MODEL CEW700-750, WITH LOW NOX BURNER, 31.4 MMBTU/HR WITH A/N: 378926	D27		NOX: LARGE SOURCE**	CO: 100 PPMV (4) [RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 9 PPMV NATURAL GAS (3) [RULE 2012, 5-6-2005]; NOX: 9 PPMV (4) [RULE 2005, 5-6-2005]; PM: 0.1 GRAINS/SCF (4) [RULE 409, 8-7-1981]	A63.1, D328.1, D328.4
BURNER, NATURAL GAS, ALZETA, MODEL CSB, WITH LOW NOX BURNER, 31.4 MMBTU/HR					
Process 2: STORAGE TANKS					
STORAGE TANK, UNDERGROUND, T-10, ISOPROPYL ALCOHOL, WITH NITROGEN BLANKET, VAPOR LOCK BALANCE RECOVERY SYSTEM, 30000 GALS; DIAMETER: 10 FT 6 IN; HEIGHT: 47 FT A/N: 278195	D4				B27.1, E144.1
STORAGE TANK, UNDERGROUND, NO. T-20, ISOPROPYL ALCOHOL, WITH TWO SETTLING TANKS (TOTES), 550 GALLONS EACH, WITH NITROGEN BLANKET, 10000 GALS; DIAMETER: 9 FT 6 IN; HEIGHT: 19 FT 11 IN A/N: 516269	D5	C30			B27.1, C1.6, E193.2
Process 3: AIR POLLUTION CONTROL					

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3 AIR POLLUTION CONTROL					
System 1 AIR POLLUTION CONTROL SYSTEM					
AFTERBURNER, CATALYTIC PRODUCTS INTERNATIONAL, NATURAL GAS, MODEL VECTOR-30, WITH CATALYTIC AFTERBURNER, LOW NOX BURNER, 5 MMBTU/HR A/N: 516272	C29	C30	NOX: PROCESS UNIT**	CO: 2000 PPMV NATURAL GAS (5A) [RULE 407, 4-2-1982]; NOX: 30 PPMV NATURAL GAS (4) [RULE 2005, 5-6-2005]; NOX: 130 LBS/MMSCF NATURAL GAS (1) [RULE 2012, 5-6-2005]; PM: 0.1 GRAINS/SCF NATURAL GAS (5A) [RULE 409, 8-7-1981]	A72.1, B27.1, C8.4, D12.4, D182.1, D328.2

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 5 AIR POLLUTION CONTROL					
FILTER, DUST COLLECTOR, REVERSE PULSE JET CLEANING, WHEELABRATOR, MODEL SERIES 8, UNIT 88, SIXTY-FOUR CARTRIDGE FILTERS, 150 HP EXHAUST BLOWER, 12160 SQ.FT. A/N: 446620	C30	D5 C29 D47 D54 D55 D59 D60 D64 D65 D69 D70 D101 D102 D103 C109 C110 C111 C112 C113 C114 C115 C116 C117 C118 C119 C120 C121 C122 C123 C124 C125 C126 C127 C128 C129 C130 C131 C132 C133 C134 D150 C152 C153 D156 D157 D158 D159 D163 C168 C170 C172 C174 C176 C178 C180 C182 C184 C186 C188 C190 D197 D198		PM: (9) [RULE 404, 2-7-1986]	D322.2, D323.2, E102.1
FILTER, DUST COLLECTOR, CARTRIDGE, DONALDSON TORIT, MODEL DFO-4-16, 30-HP EXHAUST BLOWER, 3040 SQ.FT. A/N: 447717	C196	D146 D147 D194 D195		PM: (9) [RULE 404, 2-7-1986]	D322.2, D323.2, E102.1

* (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 3: AIR POLLUTION CONTROL					
System 2: DUST CONTROL SYSTEM					
FILTER, DUST COLLECTOR, TWO CARTRIDGE FILTERS, FLEXICON, MODEL NO. BV-FB1W, 1.5 HP EXHAUST BLOWER, 100 SQ.FT. A/N: 447709	C31	D43		PM: (9) [RULE 404, 2-7-1986]	D322.1, D323.2, E102.1
FILTER, DUST COLLECTOR, TWO CARTRIDGE FILTERS, FLEXICON, MODEL NO. BV-FB1W, 1.5 HP EXHAUST BLOWER, 100 SQ.FT. A/N: 447710	C32	D44		PM: (9) [RULE 404, 2-7-1986]	D322.1, D323.2, E102.1
FILTER, DUST COLLECTOR, TWO CARTRIDGE FILTERS, FLEXICON, MODEL NO. BV-FB1W, 1.5 HP EXHAUST BLOWER, 100 SQ.FT. A/N: 447711	C33	D45		PM: (9) [RULE 404, 2-7-1986]	D322.1, D323.2, E102.1
FILTER, DUST COLLECTOR, TORIT DOWNFLOW, SIX CARTRIDGE FILTERS, DONALDSON, MODEL SDF-6, 7.5 HP EXHAUST BLOWER, 300 SQ.FT. A/N: 446620	C34	D50 D51 D52 D53		PM: (9) [RULE 404, 2-7-1986]	D322.1, D323.2, E102.1
Process 4: FOOD					
System 2: DEHYDRATION SYSTEM 2					
MIXER, FLAVORINGS, WITH A 5 HP AGITATOR, 2000 GALS; DIAMETER: 7 FT ; HEIGHT: 7 FT A/N: 508841	D146	C196		PM: (9) [RULE 405, 2-7-1986]	
MIXER, FLAVORINGS, WITH A 5 HP AGITATOR, 2000 GALS; DIAMETER: 7 FT ; HEIGHT: 7 FT A/N: 508841	D147	C196		PM: (9) [RULE 405, 2-7-1986]	

* (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits
(2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: FOOD					
DRYER, SPRAY, NATURAL GAS, 7 MMBTU/HR WITH A/N: 508841 BURNER, NATURAL GAS, MAXON, MODEL CROSSFIRE, WITH LOW NOX BURNER, 7 MMBTU/HR	D23	D24	NOX: PROCESS UNIT**	CO: 2000 PPMV (5) [RULE 407, 4-2-1982]; NOX: 130 LBS/MMSCF (1) [RULE 2012, 5-6-2005]; PM: (9) [RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	B27.1, C1.1, C1.5, D323.2
CYCLONE, PRIMARY HOT, 1/2 H.P. DISCHARGE VALVE MOTOR, HEIGHT: 27 FT ; DIAMETER: 6 FT A/N: 508841	D24	D23 D25			
CYCLONE, SECONDARY HOT, 1/2 H.P. DISCHARGE VALVE MOTOR, HEIGHT: 27 FT ; DIAMETER: 6 FT A/N: 508841	D25	D24 C26			
SCRUBBER, VENTURI, HEIGHT: 16 FT ; DIAMETER: 11 FT A/N: 451404	C26	D25		PM: (9) [RULE 404, 2-7-1986]	C8.1, C8.2, D323.2, E149.1, E193.1
System 3: FLAVOR EXTRACTION SYSTEM NO. 1 (SILVER LINE)					
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 526855	D54	C30			B27.1

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: FOOD					
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 526855	D55	C30			B27.1
TANK, RECIRCULATION, ISOPROPYL ALCOHOL, 50 GALS; DIAMETER: 1 FT 6 IN; HEIGHT: 4 FT 4.5 IN A/N: 526855	D56				B27.1
FUGITIVE EMISSIONS, MISCELLANEOUS, HYDROCYCLONE, KREBS, ISOPROPYL ALCOHOL, MODEL P4-SS-752, LENGTH: 2 FT 1 IN; DIAMETER: 5 IN A/N: 526855	D57				
CENTRIFUGE, 30 HP MOTOR, TEMA SYSTEMS, ISOPROPYL ALCOHOL, LENGTH: 1 FT 7 IN; DIAMETER: 1 FT 6 IN A/N: 526855	D58				B27.1
System 4: FLAVOR EXTRACTION SYSTEM NO. 2 (YELLOW LINE)					S1.6
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 526856	D59	C30			B27.1
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 526856	D60	C30			B27.1

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: FOOD					
TANK, RECIRCULATION, ISOPROPYL ALCOHOL, 50 GALS; DIAMETER: 1 FT 6 IN; HEIGHT: 4 FT 4.5 IN A/N: 526856	D61				B27.1
FUGITIVE EMISSIONS, MISCELLANEOUS, HYDROCYCLONE, KREBS, ISOPROPYL ALCOHOL, MODEL P4-SS-752, LENGTH: 2 FT 1 IN; DIAMETER: 5 IN A/N: 526856	D62				
CENTRIFUGE, 30 HP MOTOR, TEMA SYSTEMS, ISOPROPYL ALCOHOL, LENGTH: 1 FT 4 IN; DIAMETER: 2 FT 1 IN A/N: 526856	D63				B27.1
System 5: FLAVOR EXTRACTION SYSTEM NO. 3 (ORANGE LINE)					S1.7
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 526857	D64	C30			B27.1
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 526857	D65	C30			B27.1
TANK, RECIRCULATION, ISOPROPYL ALCOHOL, 50 GALS; DIAMETER: 1 FT 6 IN; HEIGHT: 4 FT 4.5 IN A/N: 526857	D66				B27.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: FOOD					
FUGITIVE EMISSIONS, MISCELLANEOUS, HYDROCYCLONE, KREBS, ISOPROPYL ALCOHOL, MODEL P4-SS-752, LENGTH: 2 FT 1 IN; DIAMETER: 5 IN A/N: 526857	D67				
CENTRIFUGE, 30 HP MOTOR, TEMA SYSTEMS, ISOPROPYL ALCOHOL, LENGTH: 1 FT 4 IN; DIAMETER: 2 FT 1 IN A/N: 526857	D68				B27.1
System 6: FLAVOR EXTRACTION SYSTEM NO. 4 (TAN LINE)					S1.8
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 526858	D69	C30			B27.1
TANK, QUENCH, ISOPROPYL ALCOHOL, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 526858	D70	C30			B27.1
TANK, RECIRCULATION, ISOPROPYL ALCOHOL, 50 GALS; DIAMETER: 1 FT 6 IN; HEIGHT: 4 FT 4.5 IN A/N: 526858	D71				B27.1

* (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: FOOD					
FUGITIVE EMISSIONS, MISCELLANEOUS, HYDROCYCLONE, KREBS, ISOPROPYL ALCOHOL, MODEL P4-SS-752, LENGTH: 2 FT 1 IN; DIAMETER: 5 IN A/N: 526858	D72				
CENTRIFUGE, 30 HP MOTOR, TEMA SYSTEMS, ISOPROPYL ALCOHOL, LENGTH: 1 FT 7 IN; DIAMETER: 1 FT 5 IN A/N: 526858	D73				B27.1
System 7: FLAVOR EXTRACTION DRYING SYSTEM					
DRYER, ROTARY, NO. 1, STEAM HEATED, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 386712	D74	C109			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386798	C109	C30 D74			
DRYER, ROTARY, NO. 2, STEAM HEATED, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 386713	D75	C110			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386799	C110	C30 D75			

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: FOOD					
DRYER, ROTARY, NO. 3, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386714	D76	C111			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386800	C111	C30 D76			
DRYER, ROTARY, NO. 4, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386715	D77	C112			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386805	C112	C30 D77			
DRYER, ROTARY, NO. 5, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386716	D78	C113			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386806	C113	C30 D78			
DRYER, ROTARY, NO. 6, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386717	D79	C114			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386807	C114	C30 D79			

* (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: FOOD					
DRYER, ROTARY, NO. 7, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386718	D80	C115			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386808	C115	C30 D80			
DRYER, ROTARY, NO. 8, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386725	D81	C116			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386809	C116	C30 D81			
DRYER, ROTARY, NO. 9, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386729	D82	C117			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386810	C117	C30 D82			
DRYER, ROTARY, NO. 10, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386733	D83	C118			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386811	C118	C30 D83			

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: FOOD					
DRYER, ROTARY, NO. 11, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386734	D84	C119			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386812	C119	C30 D84			
DRYER, ROTARY, NO. 12, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386737	D85	C120			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386813	C120	C30 D85			
DRYER, ROTARY, NO. 13, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386738	D86	C121			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386815	C121	C30 D86			
DRYER, ROTARY, NO. 14, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386740	D87	C122			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386816	C122	C30 D87			

* (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits
(2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: FOOD					
DRYER, ROTARY, NO. 15, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386741	D88	C123			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386817	C123	C30 D88			
DRYER, ROTARY, NO. 16, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386742	D89	C124			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386818	C124	C30 D89			
DRYER, ROTARY, NO. 17, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386744	D90	C125			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386819	C125	C30 D90			
DRYER, ROTARY, NO. 18, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386745	D91	C126			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386820	C126	C30 D91			

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (3) Denotes RECLAIM concentration limit
- (4) Denotes BACT emission limit
- (5) (5A) (5B) Denotes command and control emission limit
- (6) Denotes air toxic control rule limit
- (7) Denotes NSR applicability limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (9) See App B for Emission Limits
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4 - FOOD					
DRYER, ROTARY, NO. 19, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386746	D92	C127			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386821	C127	C30 D92			
DRYER, ROTARY, NO. 20, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386748	D93	C128			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386822	C128	C30 D93			
DRYER, ROTARY, NO. 21, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386750	D94	C129			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386823	C129	C30 D94			
DRYER, ROTARY, NO. 22, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386751	D95	C130			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386824	C130	C30 D95			

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4 FOOD					
DRYER, ROTARY, NO. 23, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386752	D96	C131			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386825	C131	C30 D96			
DRYER, ROTARY, NO. 24, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386753	D97	C132			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386826	C132	C30 D97			
DRYER, ROTARY, NO. 25, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386755	D98	C133			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386827	C133	C30 D98			
DRYER, ROTARY, NO. 26, STEAM HEATED 4-1/2 FT DIA. X 4-1/2 FT L. A/N: 386756	D99	C134			B27.1
CYCLONE, AGET MANUFACTURING, MODEL 8N50-D1, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 386814	C134	C30 D99			

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: FOOD					
DRYER, ROTARY, STEAM HEATED, PILOT NO. 1 (SMALL) A/N: 386759	D100				B27.1
DRYER, ROTARY, STEAM HEATED, PILOT NO. 2 (SMALL) A/N: 386763	D101	C30			B27.1
DRYER, ROTARY, STEAM HEATED, PILOT NO. 3 (SMALL) A/N: 386766	D102	C30			B27.1
DRYER, ROTARY, STEAM HEATED, PILOT NO. 4 (SMALL) A/N: 386768	D103	C30			B27.1
DRYER, ROTARY, RED LINE NO. 1, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 446650	D167	C168			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 446650	C168	C30 D167			
DRYER, ROTARY, RED LINE NO. 2, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 446651	D169	C170			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 446651	C170	C30 D169			

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit
(4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit
(6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: FOOD					
DRYER, ROTARY, RED LINE NO. 3, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 446652	D171	C172			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 446652	C172	C30 D171			
DRYER, ROTARY, RED LINE NO. 4, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 446653	D173	C174			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 446653	C174	C30 D173			
DRYER, ROTARY, RED LINE NO. 5, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 446654	D175	C176			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 446654	C176	C30 D175			

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: FOOD					
DRYER, ROTARY, RED LINE NO. 6, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 446655	D177	C178			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 446655	C178	C30 D177			
DRYER, ROTARY, RED LINE NO. 7, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 446656	D179	C180			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 446656	C180	C30 D179			
DRYER, ROTARY, RED LINE NO. 8, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 446657	D181	C182			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 446657	C182	C30 D181			

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: FOOD					
DRYER, ROTARY, RED LINE NO. 9, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 446660	D183	C184			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 446660	C184	C30 D183			
DRYER, ROTARY, RED LINE NO. 10, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 446661	D185	C186			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 446661	C186	C30 D185			
DRYER, ROTARY, RED LINE NO. 11, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 446662	D187	C188			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 446662	C188	C30 D187			

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (3) Denotes RECLAIM concentration limit
- (4) Denotes BACT emission limit
- (5) (5A) (5B) Denotes command and control emission limit
- (6) Denotes air toxic control rule limit
- (7) Denotes NSR applicability limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (9) See App B for Emission Limits
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: FOOD					
DRYER, ROTARY, RED LINE NO. 12, STEAM HEATED, ABC SHEETMETAL, 2-HP DRIVE MOTOR, LENGTH: 4 FT 6 IN; DIAMETER: 4 FT 6 IN A/N: 446663	D189	C190			B27.1, C1.9
CYCLONE, AGET MANUFACTURING, MODEL 8N50-P, HEIGHT: 2 FT ; DIAMETER: 1 FT A/N: 446663	C190	C30 D189			
System 8: FLAVOR EXTRACTION SCREENING SYSTEM					
SCREEN, CLASSIFYING, VIBRATING, FOOD FLAVOR CRYSTALS A/N: 386774	D104			PM: (9) [RULE 405, 2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, FOOD FLAVOR CRYSTALS A/N: 386777	D105			PM: (9) [RULE 405, 2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, FOOD FLAVOR CRYSTALS A/N: 386794	D106			PM: (9) [RULE 405, 2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, FOOD FLAVOR CRYSTALS A/N: 386796	D107			PM: (9) [RULE 405, 2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, FOOD FLAVOR CRYSTALS A/N: 386797	D108			PM: (9) [RULE 405, 2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, J LINE, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N: 446679	D191			PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: FOOD					
SCREEN, CLASSIFYING, VIBRATING, RED LINE #1, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N: 446680	D192			PM: (9) [RULE 405, 2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, RED LINE #2, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N: 446681	D193			PM: (9) [RULE 405, 2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, #6, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N: 463669	D199			PM: (9) [RULE 405, 2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, #31, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N: 463670	D200			PM: (9) [RULE 405, 2-7-1986]	D323.1
SCREEN, CLASSIFYING, VIBRATING, #48, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N: 463671	D201			PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: FOOD					
SCREEN, CLASSIFYING, VIBRATING, CDL2, SWECO, FOOD FLAVOR CRYSTALS, CIRCULAR STYLE, PORTABLE WITH A 2 1/2 HP MOTOR A/N: 463673	D202			PM: (9) [RULE 405, 2-7-1986]	D323.1
System 9: CONTINUOUS LINE					S1.3, S1.4
BULK MATERIAL UNLOADING STATION, NO. 1 A/N: 524805	D43	C31		PM: (9) [RULE 405, 2-7-1986]	D323.2
BULK MATERIAL UNLOADING STATION, NO. 2 A/N: 524805	D44	C32		PM: (9) [RULE 405, 2-7-1986]	D323.2
BULK MATERIAL UNLOADING STATION, NO. 3 A/N: 524805	D45	C33		PM: (9) [RULE 405, 2-7-1986]	D323.2
TANK, ISOPROPYL ALCOHOL, 230 GALS; DIAMETER: 3 FT ; HEIGHT: 4 FT 4 IN A/N: 524805	D46				B27.1
CONVEYOR, HAPMAN, MODEL NO. 4000 A/N: 524805	D50	C34		PM: (9) [RULE 405, 2-7-1986]	D323.2
FEEDER, SCREW, FLEXWALL, MODEL NO. FW33 A/N: 524805	D51	C34		PM: (9) [RULE 405, 2-7-1986]	D323.2
SCREEN, CLASSIFYING, VIBRATORY, SOUTHWESTERN VIBRECON, WITH A 1/3 HP MOTOR A/N: 524805	D52	C34		PM: (9) [RULE 405, 2-7-1986]	D323.1
HOPPER A/N: 524805	D53	C34		PM: (9) [RULE 405, 2-7-1986]	D323.2

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: FOOD					
TANK, QUENCH, CUSTOM, ISOPROPYL ALCOHOL WITH ONE 10 HP DISINTEGRATOR MOTOR, 50 GALS A/N: 524805	D156	C30			B27.1, E17.1
TANK, QUENCH, CUSTOM, ISOPROPYL ALCOHOL WITH ONE 10 HP DISINTEGRATOR MOTOR, 50 GALS A/N: 524805	D47	C30			B27.1, E17.1
CENTRIFUGE, TEMA SYSTEMS, MODEL NO. TS-360-FK, DECANTER A/N: 524805	D48				B27.1
DRYER, STEAM HEATED, TWO 10 HP REC FANS, ONE 20 HP EX FAN AND ONE 5 HP DRIVE MOTOR A/N: 524805	D49	D157		PM: (9) [RULE 405, 2-7-1986]	B27.1, D323.2
CYCLONE, WIDTH: 3 FT ; HEIGHT: 15 FT ; LENGTH: 3 FT A/N: 524805	D157	C30 D49		PM: (9) [RULE 405, 2-7-1986]	
System 10: FLAVORED SUGAR DRYING					
DRYER, FLUIDIZED BED, STEAM HEATED, A/N: 458070	D137	D138 D139		PM: (9) [RULE 405, 2-7-1986]	C1.4, D323.1, K67.2
CYCLONE, VENTILEX, MODEL MEC-900, HEIGHT: 9 FT 5 IN; DIAMETER: 2 FT 11 IN A/N: 458070	D138	D137 C140		PM: (9) [RULE 405, 2-7-1986]	D323.1
CYCLONE, VENTILEX, MODEL MEC-900, HEIGHT: 9 FT 5 IN; DIAMETER: 2 FT 11 IN A/N: 458070	D139	D137 C140		PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: FOOD					
BAGHOUSE, CARTRIDGE FILTER, DONALDSON TORIT, MODEL DFO3-24, 4560 SQ.FT.; 24 CARTRIDGE A/N: 458071	C140	D138 D139		PM: (9) [RULE 404, 2-7-1986]	C10.1, D12.5, D322.1, D381.1, E102.1
System 11: FLAVOR EXTRACTION SYSTEM NO. 5 (RED LINE)					
TANK, QUENCH, ISOPROPYL ALCOHOL, WITH A 7 1/2 HP AGITATOR, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 446647	D158	C30			B27.1
TANK, QUENCH, ISOPROPYL ALCOHOL, WITH A 7 1/2 HP AGITATOR, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 446647	D159	C30			B27.1
TANK, RECIRCULATION, ISOPROPYL ALCOHOL, 230 GALS; DIAMETER: 3 FT 6 IN; HEIGHT: 4 FT 10 IN A/N: 446647	D160				B27.1
FUGITIVE EMISSIONS, MISCELLANEOUS, HYDROCYCLONE, KREBS, ISOPROPYL ALCOHOL, MODEL P4-SS-752, LENGTH: 2 FT 1 IN; DIAMETER: 5 IN A/N: 446647	D161				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 4: FOOD					
CENTRIFUGE, 30 HP MOTOR, TEMA SYSTEMS, ISOPROPYL ALCOHOL, D-LIMONENE, LENGTH: 1 FT 7 IN; DIAMETER: 1 FT 6 IN A/N: 446647	D162				B27.1
TANK, WASH, D-LIMONENE, WITH A 2 HP AGITATOR, 955 GALS; DIAMETER: 5 FT ; HEIGHT: 6 FT A/N: 446647	D197	C30			B27.1, C1.11
TANK, HOLDING, D-LIMONENE, 700 GALS; DIAMETER: 5 FT 2 IN; HEIGHT: 4 FT 5 IN A/N: 446647	D198	C30			B27.1, C1.11
System 12: FLAVOR EXTRACTION SYSTEM NO. 6 (J LINE)					S1.2
TANK, QUENCH, ISOPROPYL ALCOHOL, WITH A 7 1/2 HP AGITATOR, 50 GALS; WIDTH: 2 FT 8 IN; HEIGHT: 5 FT 6 IN; LENGTH: 1 FT 10 IN A/N: 446649	D163	C30			B27.1
TANK, RECIRCULATION, ISOPROPYL ALCOHOL, 230 GALS; DIAMETER: 3 FT 6 IN; HEIGHT: 4 FT 10 IN A/N: 446649	D164				B27.1
FUGITIVE EMISSIONS, MISCELLANEOUS, HYDROCYCLONE, KREBS, ISOPROPYL ALCOHOL, MODEL P4-SS-752, LENGTH: 2 FT 1 IN; DIAMETER: 5 IN A/N: 446649	D165				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: FOOD					
CENTRIFUGE, 30 HP MOTOR, TEMA SYSTEMS, ISOPROPYL ALCOHOL, LENGTH: 1 FT 7 IN; DIAMETER: 1 FT 6 IN A/N: 446649	D166				B27.1
System 13: BLENDING					
BLENDER, NO. 1, HOMOGENIZING, CUSTOM BUILT, 7,000 POUND CAPACITY A/N: 447713	D194	C196		PM: (9) [RULE 405, 2-7-1986]	C1.10, D323.1
BLENDER, NO. 2, HOMOGENIZING, CUSTOM BUILT, 7,000 POUND CAPACITY A/N: 447716	D195	C196		PM: (9) [RULE 405, 2-7-1986]	C1.10, D323.1
Process 5: RULE 219 EXEMPT EQUIPMENT					
RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS	E17			VOC: (9) [RULE 1113, 11-8-1996; RULE 1113, 7-13-2007; RULE 1171, 11-7-2003; RULE 1171, 2-1-2008]	K67.1
RULE 219 EXEMPT EQUIPMENT, AIR CONDITIONING UNITS	E18				H23.1
RULE 219 EXEMPT EQUIPMENT, FLAVOR OIL BLENDING	E203				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 - (3) Denotes RECLAIM concentration limit
 - (5) (5A) (5B) Denotes command and control emission limit
 - (7) Denotes NSR applicability limit
 - (9) See App B for Emission Limits
 - (2) (2A) (2B) Denotes RECLAIM emission rate
 - (4) Denotes BACT emission limit
 - (6) Denotes air toxic control rule limit
 - (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 - (10) See section J for NESHAP/MACT requirements
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: DEVICE ID INDEX

**The following sub-section provides an index
to the devices that make up the facility
description sorted by device ID.**

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D4	1	2	0
D5	1	2	0
E17	26	5	0
E18	26	5	0
D23	5	4	2
D24	5	4	2
D25	5	4	2
C26	5	4	2
D27	1	1	1
C29	2	3	1
C30	3	3	1
C31	4	3	2
C32	4	3	2
C33	4	3	2
C34	4	3	2
D43	22	4	9
D44	22	4	9
D45	22	4	9
D46	22	4	9
D47	23	4	9
D48	23	4	9
D49	23	4	9
D50	22	4	9
D51	22	4	9
D52	22	4	9
D53	22	4	9
D54	5	4	3
D55	6	4	3
D56	6	4	3
D57	6	4	3
D58	6	4	3
D59	6	4	4
D60	6	4	4
D61	7	4	4
D62	7	4	4

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D63	7	4	4
D64	7	4	5
D65	7	4	5
D66	7	4	5
D67	8	4	5
D68	8	4	5
D69	8	4	6
D70	8	4	6
D71	8	4	6
D72	9	4	6
D73	9	4	6
D74	9	4	7
D75	9	4	7
D76	10	4	7
D77	10	4	7
D78	10	4	7
D79	10	4	7
D80	11	4	7
D81	11	4	7
D82	11	4	7
D83	11	4	7
D84	12	4	7
D85	12	4	7
D86	12	4	7
D87	12	4	7
D88	13	4	7
D89	13	4	7
D90	13	4	7
D91	13	4	7
D92	14	4	7
D93	14	4	7
D94	14	4	7
D95	14	4	7
D96	15	4	7
D97	15	4	7

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D98	15	4	7
D99	15	4	7
D100	16	4	7
D101	16	4	7
D102	16	4	7
D103	16	4	7
D104	20	4	8
D105	20	4	8
D106	20	4	8
D107	20	4	8
D108	20	4	8
C109	9	4	7
C110	9	4	7
C111	10	4	7
C112	10	4	7
C113	10	4	7
C114	10	4	7
C115	11	4	7
C116	11	4	7
C117	11	4	7
C118	11	4	7
C119	12	4	7
C120	12	4	7
C121	12	4	7
C122	12	4	7
C123	13	4	7
C124	13	4	7
C125	13	4	7
C126	13	4	7
C127	14	4	7
C128	14	4	7
C129	14	4	7
C130	14	4	7
C131	15	4	7
C132	15	4	7

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
C133	15	4	7
C134	15	4	7
D137	23	4	10
D138	23	4	10
D139	23	4	10
C140	24	4	10
D146	4	4	2
D147	4	4	2
D156	23	4	9
D157	23	4	9
D158	24	4	11
D159	24	4	11
D160	24	4	11
D161	24	4	11
D162	25	4	11
D163	25	4	12
D164	25	4	12
D165	25	4	12
D166	26	4	12
D167	16	4	7
C168	16	4	7
D169	16	4	7
C170	16	4	7
D171	17	4	7
C172	17	4	7
D173	17	4	7
C174	17	4	7
D175	17	4	7
C176	17	4	7
D177	18	4	7
C178	18	4	7
D179	18	4	7
C180	18	4	7
D181	18	4	7
C182	18	4	7

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D183	19	4	7
C184	19	4	7
D185	19	4	7
C186	19	4	7
D187	19	4	7
C188	19	4	7
D189	20	4	7
C190	20	4	7
D191	20	4	8
D192	21	4	8
D193	21	4	8
D194	26	4	13
D195	26	4	13
C196	3	3	1
D197	25	4	11
D198	25	4	11
D199	21	4	8
D200	21	4	8
D201	21	4	8
D202	22	4	8
E203	26	5	0

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

FACILITY CONDITIONS

F14.1 The operator shall not purchase diesel fuel containing sulfur compounds in excess of 15 ppm by weight as supplied by the supplier.

[RULE 431.2, 5-4-1990; RULE 431.2, 9-15-2000]

F14.2 The operator shall not burn diesel fuel containing sulfur compounds in excess of 500 ppm by weight.

[RULE 431.2, 5-4-1990; RULE 431.2, 9-15-2000]

SYSTEM CONDITIONS

S1.1 The operator shall limit the throughput to no more than 554400 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Red Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 11]

S1.2 The operator shall limit the throughput to no more than 4000 lb(s) in any one day.

FACILITY PERMIT TO OPERATE
MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

For the purpose of this condition, throughput shall be defined as finished product from the J Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 12]

S1.3 The operator shall limit the throughput to no more than 160,100 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as the combined usage of isopropyl alcohol from the Continuous Line and the Silver Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 3 , 9]

S1.4 The operator shall limit the throughput to no more than 893,520 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as product from the Continuous Line and the Silver Line, including off spec and discarded material.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Systems subject to this condition : Process 4, System 3 , 9]

S1.5 The operator shall limit the throughput to no more than 443520 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Silver Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 3]

S1.6 The operator shall limit the throughput to no more than 403920 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Yellow Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 4]

S1.7 The operator shall limit the throughput to no more than 261360 lb(s) in any one calendar month.

FACILITY PERMIT TO OPERATE
MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Orange Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 5]

S1.8 The operator shall limit the throughput to no more than 251460 lb(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as finished Durarome product from the Tan Line.

The operator shall maintain records in a manner approved by the District to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 4, System 6]

DEVICE CONDITIONS

A. Emission Limits

A63.1 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
CO	Less than 1689 LBS IN ANY ONE MONTH

FACILITY PERMIT TO OPERATE
MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D27]

A72.1 The operator shall maintain this equipment to achieve a minimum overall control efficiency of 96.9 percent for VOC during the normal operation of the equipment it vents.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : C29]

B. Material/Fuel Type Limits

B27.1 The operator shall not use materials containing any toxic air contaminants (TACs) identified in the SCAQMD Rule 1401 (except for those compounds listed below), as amended 03/04/2005.

The operator shall not exceed the usage limit specified below for the listed compounds.

COMPOUND	CAS NO.
Acetaldehyde	75-07-0
Isopropyl Alcohol	67-63-0

[RULE 1401, 3-4-2005]

FACILITY PERMIT TO OPERATE
MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D4, D5, D23, C29, D46, D47, D48, D49, D54, D55, D56, D58, D59, D60, D61, D63, D64, D65, D66, D68, D69, D70, D71, D73, D74, D75, D76, D77, D78, D79, D80, D81, D82, D83, D84, D85, D86, D87, D88, D89, D90, D91, D92, D93, D94, D95, D96, D97, D98, D99, D100, D101, D102, D103, D156, D158, D159, D160, D162, D163, D164, D166, D167, D169, D171, D173, D175, D177, D179, D181, D183, D185, D187, D189, D197, D198]

C. Throughput or Operating Parameter Limits

C1.1 The operator shall limit the production rate to no more than 2200 lb(s)/hr.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D23]

C1.4 The operator shall limit the material processed to no more than 480240 lb(s) in any one month.

To comply with this condition, the operator shall maintain adequate records. Such records shall be kept on the premises for at least five years and be made available to the Executive Officer or his representative upon request..

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D137]

C1.5 The operator shall limit the production rate to no more than 528000 lb(s) in any one calendar month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D23]

- C1.6 The operator shall limit the throughput to no more than 100,000 gallon(s) in any one calendar month.

For the purpose of this condition, throughput shall be defined as spent isopropyl alcohol.

The operator shall maintain records in a manner approved by the District, to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D5]

- C1.9 The operator shall limit the throughput to no more than 183,040 lb(s) in any one calendar month.

For the purpose of this condition, material processed shall be defined as finished product in the Red Line.

This limit shall be based on the total combined limit for equipment D167, D169, D171, D173, D175, D177, D179, D181, D183, D185, D187 and D189.

The operator shall maintain records in a manner approved by the District, to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D167, D169, D171, D173, D175, D177, D179, D181, D183, D185, D187, D189]

- C1.10 The operator shall limit the throughput to no more than 1,386 ton(s) in any one calendar month.

FACILITY PERMIT TO OPERATE
MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

For the purpose of this condition, throughput shall be defined as finished product blended.

This limit shall be based on the total combined limit for equipment D194 and D195.

The operator shall maintain records in a manner approved by the District, to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D194, D195]

- C1.11 The operator shall limit the throughput to no more than 48 batch(es) in any one calendar month.

The purpose(s) of this condition is to limit the batches of Duralife.

The operator shall maintain records in a manner approved by the District, to demonstrate compliance with this condition.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D197, D198]

- C8.1 The operator shall use this equipment in such a manner that the flow rate being monitored, as indicated below, is not less than 40 gpm.

To comply with this condition, the operator shall install and maintain a(n) flow meter to accurately indicate the flow rate being supplied to the recirculation line.

The operator shall determine and record the flow rate once every day.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : C26]

- C8.2 The operator shall use this equipment in such a manner that the pressure being monitored, as indicated below, is not less than 30 Psig.

To comply with this condition, the operator shall install and maintain a(n) pressure gauge to accurately indicate the pressure of the recirculation line.

The operator shall determine and record the parameter being monitored once every day.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C26]

- C8.4 The operator shall use this equipment in such a manner that the temperature being monitored, as indicated below, is not less than 600 Deg F.

To comply with this condition, the operator shall install and maintain a(n) temperature reading device to accurately indicate the temperature in the catalyst bed.

The operator shall also install and maintain a device to continuously record the temperature being measured.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C29]

- C10.1 The operator shall use this equipment in such a manner that the differential pressure being monitored, as indicated below, is maintained between 0.5 and 6 inches water column.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

FACILITY PERMIT TO OPERATE
MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : C140]

D. Monitoring/Testing Requirements

D12.4 The operator shall install and maintain a(n) pressure sensing device to accurately indicate the pressure in the main exhaust duct and in each branch of the VOC emissions collection system.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C29]

D12.5 The operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the filter.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C140]

D182.1 The operator shall test this equipment in accordance with the following specifications:

the activity of the catalyst shall be tested once per year.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C29]

D322.1 The operator shall perform annual inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C31, C32, C33, C34, C140]

D322.2 The operator shall perform a quarterly inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C30, C196]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D323.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on an annual basis, at least, unless the equipment did not operate during the entire annual period. The routine annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D52, D104, D105, D106, D107, D108, D137,
D138, D139, D191, D192, D193, D194, D195, D199, D200, D201, D202]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D323.2 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a semi-annual basis, at least, unless the equipment did not operate during the entire semi-annual period. The routine semi-annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or

2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD.

In addition, the operator shall have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within 72 hours of conversion to fuel oil firing and on a weekly basis thereafter, until the equipment stops firing fuel oil.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- 4). All visible emission observation records by operator or a certified smoke reader.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D23, C26, C30, C31, C32, C33, C34, D43, D44, D45, D49, D50, D51, D53, C196]

- D328.1 The operator shall determine compliance with the CO emission limit(s) either: (a) conducting a source test at least once every five years using AQMD Method 100.1 or 10.1; or (b) conducting a test at least annually using a portable analyzer and AQMD-approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with 1146. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D27]

- D328.2 The operator shall determine compliance with the CO emission limit(s) either: (a) conducting a source test at least once every five years using AQMD Method 100.1 or 10.1; or (b) conducting a test at least annually using a portable analyzer and AQMD-approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with Rule 407. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C29]

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D328.4 The operator shall determine compliance with the NOX emission limit(s) either: (a) conducting a source test at least once every five years using AQMD Method 100.1 or 7.1; or (b) conducting a test at least annually using a portable analyzer and AQMD-approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with BACT. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D27]

D381.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a quarterly basis, at least, unless the equipment did not operate during the entire quarterly period. The routine quarterly inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

**FACILITY PERMIT TO OPERATE
MCP FOODS INC**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : C140]

E. Equipment Operation/Construction Requirements

E17.1 The operator shall not use more than 1 of the following items simultaneously:

Device ID: D47 [QUENCH TANK]

Device ID: D156 [QUENCH TANK]

[Devices subject to this condition : D47, D156]

E102.1 The operator shall discharge dust collected in this equipment only into closed containers.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C30, C31, C32, C33, C34, C140, C196]

E144.1 The operator shall vent this equipment, during filling, only to the vessel from which it is being filled.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D4]

E149.1 The operator shall replace the scrubbing water with fresh water at least once every day.

FACILITY PERMIT TO OPERATE
MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C26]

E193.1 The operator shall operate and maintain this equipment as follows:

The operator shall bleed periodically scrubbing water and replenish with fresh water to maintain operability of the scrubber.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C26]

E193.2 The operator shall operate and maintain this equipment as follows:

The operator shall use a nitrogen blanket to maintain the pressure greater than 1.5 inches water column.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D5]

H. Applicable Rules

H23.1 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Refrigerants	District Rule	1415

FACILITY PERMIT TO OPERATE MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1415, 10-14-1994]

[Devices subject to this condition : E18]

K. Record Keeping/Reporting

K67.1 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

For architectural applications where no thinners, reducers, or other VOC containing materials are added, maintain semi-annual records for all coating consisting of (a) coating type, (b) VOC content as supplied in grams per liter (g/l) of materials for low-solids coatings, (c) VOC content as supplied in g/l of coating, less water and exempt solvent, for other coatings.

For architectural applications where thinners, reducers, or other VOC containing materials are added, maintain daily records for each coating consisting of (a) coating type, (b) VOC content as applied in grams per liter (g/l) of materials used for low-solids coatings, (c) VOC content as applied in g/l of coating, less water and exempt solvent, for other coatings.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : E17]

K67.2 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

material processed by Dryer D137

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

FACILITY PERMIT TO OPERATE
MCP FOODS INC

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D137]