



San Joaquin Valley

AIR POLLUTION CONTROL DISTRICT



HEALTHY AIR LIVING™

NOV 07 2013

Mr. Paul Bement
The Wine Group
2916 S Reed Ave
Sanger, CA 93657

**Re: Final - Authority to Construct / COC (Significant Mod)
District Facility # C-120
Project # C-1132537**

Dear Mr. Bement:

The Air Pollution Control Officer has issued Authorities to Construct (ATC # C-120-170-2 and '171-2) with Certificates of Conformity to The Wine Group at 2916 S Reed Ave, Sanger. The facility proposes to replace the existing distilled spirits operation in Tank 533 (listed in permit C-120-184) with an equivalent operation which will now be performed in Tanks 711 and 712 (listed in permits C-120-170 and '171). Enclosed are the Authorities to Construct and a copy of the notice of final action to be published approximately three days from the date of this letter.

Notice of the District's preliminary decision to issue the Authority to Construct permit was published on October 4, 2013. The District's analysis of the proposal was also sent to CARB and US EPA Region IX on October 1, 2013. No comments were received following the District's preliminary decision on this project.

Prior to operating with modifications authorized by the Authority to Construct, you must submit an application to modify the Title V permit as an administrative amendment in accordance with District Rule 2520, Section 11.5.

Also enclosed is an invoice for the engineering evaluation fees pursuant to District Rule 3010. Please remit the amount owed, along with a copy of the attached invoice, within 60 days.

Seyed Sadredin

Executive Director/Air Pollution Control Officer

Northern Region

4800 Enterprise Way

Modesto, CA 95356-8718

Tel: (209) 557-6400 FAX: (209) 557-8475

Central Region (Main Office)

1990 E. Gettysburg Avenue

Fresno, CA 93726-0244

Tel: (559) 230-8000 FAX: (559) 230-6061

Southern Region

34946 Flyover Court

Bakersfield, CA 93308-9725

Tel: 661-392-5500 FAX: 661-392-5585

Mr. Paul Bement
Page 2

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

A handwritten signature in black ink, appearing to read "D. Warner", with a long horizontal flourish extending to the right.

David Warner
Director of Permit Services

Enclosures

cc: Mike Tollstrup, CARB (w/enclosure) via email
cc: Gerardo C. Rios, EPA (w/enclosure) via email



AUTHORITY TO CONSTRUCT

PERMIT NO: C-120-170-2

ISSUANCE DATE: 11/06/2013

LEGAL OWNER OR OPERATOR: THE WINE GROUP INC

MAILING ADDRESS:

ATTN: A/P 1931
PO BOX 90
TRACY, CA 95378-0090

LOCATION:

2916 S REED AVE
SANGER, CA 93657

EQUIPMENT DESCRIPTION:

MODIFICATION OF 22,612 GALLON STAINLESS STEEL WHITE WINE FERMENTATION AND WINE STORAGE TANK 711: ADD DISTILLED SPIRITS STORAGE OPERATION, ESTABLISH SLC WITH PERMIT C-120-171, AND CORRECT EQUIPMENT DESCRIPTION TO LIST INSULATION AND PV VALVE


CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Upon implementation of the modification and startup of the equipment authorized by this Authority to Construct (ATC), PTO C-120-184-1 shall be cancelled. [District Rule 2201] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. When used for wine storage or distilled spirits storage, this tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

C-120-170-2 Nov 6 2013 2:27PM - TOMS : Joint Inspection NOT Required

6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
7. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
8. The maximum distilled spirits storage throughput in this tank shall not exceed 75,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The combined maximum distilled spirits storage throughput for the tanks listed in permits C-120-170 and '171 shall not exceed 376,580 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The daily VOC emissions rate for distilled spirits storage shall not exceed 1.437 pounds per 1,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
11. The annual VOC emissions rate for distilled spirits storage shall not exceed 0.807 pounds per 1,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the volume percent ethanol in the batch, the volume of wine transferred, and the volume of distilled spirits transferred, shall be maintained. [District Rule 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: C-120-171-2

ISSUANCE DATE: 11/06/2013

LEGAL OWNER OR OPERATOR: THE WINE GROUP INC

MAILING ADDRESS: ATTN: A/P 1931
PO BOX 90
TRACY, CA 95378-0090

LOCATION: 2916 S REED AVE
SANGER, CA 93657

EQUIPMENT DESCRIPTION:

MODIFICATION OF 10,620 GALLON STAINLESS STEEL WHITE WINE FERMENTATION AND WINE STORAGE TANK 712: ADD DISTILLED SPIRITS STORAGE OPERATION, ESTABLISH SLC WITH PERMIT C-120-171, AND CORRECT EQUIPMENT DESCRIPTION TO LIST INSULATION AND PV VALVE

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Upon implementation of the modification and startup of the equipment authorized by this Authority to Construct (ATC), PTO C-120-184-1 shall be cancelled. [District Rule 2201] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. When used for wine storage or distilled spirits storage, this tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

C-120-171-2 Nov 6 2013 2:27PM - TOMS Joint Inspection NOT Required

6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
7. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
8. The maximum distilled spirits storage throughput in this tank shall not exceed 75,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The combined maximum distilled spirits storage throughput for the tanks listed in permits C-120-170 and '171 shall not exceed 376,580 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The daily VOC emissions rate for distilled spirits storage shall not exceed 1.437 pounds per 1,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
11. The annual VOC emissions rate for distilled spirits storage shall not exceed 0.807 pounds per 1,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the volume percent ethanol in the batch, the volume of wine transferred, and the volume of distilled spirits transferred, shall be maintained. [District Rule 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit