



San Joaquin Valley

AIR POLLUTION CONTROL DISTRICT

JAN 28 2013

Mr. Paul Franzia
Bronco Wine Company
P.O. Box 789
Ceres, CA 95307

**Re: Final - Authority to Construct / Certificate of Conformity (Minor Mod)
Project # N-1122878**

Dear Mr. Franzia:


The Air Pollution Control Officer has issued Authorities to Construct (N-1665-497-2 to -506-2) with Certificates of Conformity to Bronco Wine Company. The applicant proposes to increase the maximum ethanol content of wine stored from 13% to 14%, increase the maximum daily and annual storage temperature from 65 degrees and 50 degrees to 77.3 degrees and 61.6 degrees respectively and remove the annual average liquid height requirement.

Enclosed are the Authorities to Construct and invoice. The application and proposal were sent to US EPA Region IX on November 21, 2012. No comments were received following the District's preliminary decision on this project.

Prior to operating with modifications authorized by the Authority to Construct, you must submit an application to modify the Title V permit as an administrative amendment in accordance with District Rule 2520, Section 11.5.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,



David Warner
Director of Permit Services

Enclosures
jag

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061
www.valleyair.org

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: (661) 392-5500 FAX: (661) 392-5585



San Joaquin Valley

AIR POLLUTION CONTROL DISTRICT

JAN 28 2013

Gerardo C. Rios, Chief
Permits Office
Air Division
U.S. EPA - Region IX
75 Hawthorne St
San Francisco, CA 94105

**Re: Final - Authority to Construct / Certificate of Conformity (Minor Mod)
Project # N-1122878**


Dear Mr. Rios:

The Air Pollution Control Officer has issued Authorities to Construct (N-1665-497-2 to -506-2) with Certificates of Conformity to Bronco Wine Company. The applicant proposes to increase the maximum ethanol content of wine stored from 13% to 14%, increase the maximum daily and annual storage temperature from 65 degrees and 50 degrees to 77.3 degrees and 61.6 degrees respectively and remove the annual average liquid height requirement.

Enclosed are copies of the Authorities to Construct. The application and proposal were sent to US EPA Region IX on November 21, 2012. No comments were received following the District's preliminary decision on this project.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,



David Warner
Director of Permit Services

Enclosures
jag

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061
www.valleyair.org

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: (661) 392-5500 FAX: (661) 392-5585



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-497-2

ISSUANCE DATE: 01/24/2013

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: ATTN: MAINTENANCE MANAGER
P O BOX 789
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1410) WITH PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
N-1665-497-2; Jan 24 2013 3:17PM - GARCIAJ : Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 425,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
10. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-498-2

ISSUANCE DATE: 01/24/2013

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: ATTN: MAINTENANCE MANAGER
P O BOX 789
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1411) WITH PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit.
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

N-1665-498-2, Jan 24 2013 3:17PM - GARCIAJ - Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 425,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
10. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-499-2

ISSUANCE DATE: 01/24/2013

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: ATTN: MAINTENANCE MANAGER
P O BOX 789
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1412) WITH A PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

N-1665-499-2 : Jan 24 2013 3:17PM - GARCIAJ : Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 425,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
10. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-500-2

ISSUANCE DATE: 01/24/2013

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: ATTN: MAINTENANCE MANAGER
P O BOX 789
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1413) WITH A PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F


CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

N-1665-500-2 : Jan 24 2013 3:17PM - GARCIAJ : Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 425,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
10. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-501-2

ISSUANCE DATE: 01/24/2013

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: ATTN: MAINTENANCE MANAGER
P O BOX 789
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1414) WITH PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F


CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



DAVID WARNER, Director of Permit Services
N-1665-501-2 : Jan 24 2013 3:17PM -- GARCIAJ : Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 425,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
10. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-502-2

ISSUANCE DATE: 01/24/2013

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: ATTN: MAINTENANCE MANAGER
P O BOX 789
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1415) WITH PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
N-1665-502-2: Jan 24 2013 3:17PM - GARCIAJ : Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 425,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
10. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-503-2

ISSUANCE DATE: 01/24/2013

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: ATTN: MAINTENANCE MANAGER
P O BOX 789
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1416) WITH PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR, 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
N-1665-503-2 Jan 24 2013 3:17PM - GARCIAJ : Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2:2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 425,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
10. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-504-2

ISSUANCE DATE: 01/24/2013

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: ATTN: MAINTENANCE MANAGER
P O BOX 789
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1417) WITH A PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F


CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

N-1665-504-2 Jan 24 2013 3:17PM - GARCIAJ : Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 425,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
10. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-505-2

ISSUANCE DATE: 01/24/2013

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: ATTN: MAINTENANCE MANAGER
P O BOX 789
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1418) WITH A PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

DAVID WARNER, Director of Permit Services
N-1665-505-2, Jan 24 2013 3:17PM - GARCIAJ : Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 425,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
10. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-506-2

ISSUANCE DATE: 01/24/2013

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: ATTN: MAINTENANCE MANAGER
P. O BOX 789
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1419) WITH A PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

N-1665-506-2 Jan 24 2013 3:17PM - GARCIAJ : Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 425,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
10. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT

Due Date
3/25/2013

Amount Due
\$ 1,612.50

Amount Enclosed

ATCFEE N1122878
1665 N97578 1/24/2013

RETURN THIS TOP PORTION ONLY, WITH REMITTANCE TO:

BRONCO WINE COMPANY
ATTN: MAINTENANCE MANAGER
P O BOX 789
CERES, CA 95307

SJVAPCD
4800 Enterprise Way
Modesto, CA 95356-8718

Thank You!



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT

SJVAPCD Tax ID: 77-0262563

BRONCO WINE COMPANY
6342 BYSTRUM RD
CERES, CA 95307

Facility ID
N1665

Invoice Date
1/24/2013

Invoice Number
N97578

Invoice Type
Project: N1122878

PROJECT NUMBER: 1122878

APPLICATION FILING FEES	\$ 710.00
ENGINEERING TIME FEES	\$ 902.50
TOTAL FEES	\$ 1,612.50
LESS PREVIOUSLY PAID PROJECT FEES APPLIED TO THIS INVOICE	\$ 0.00
PROJECT FEES DUE (Enclosed is a detailed statement outlining the fees for each item.)	\$ 1,612.50

Late Payment (see Rule 3010, Section 11.0 Late Fees)	
Postmarked	Total Due
After 3/25/2013 through 4/4/2013	\$ 1,773.75
After 4/4/2013	\$ 2,418.75
After 4/24/2013	Permits To Operate MAY BE SUSPENDED

San Joaquin Valley Air Pollution Control District
4800 Enterprise Way, Modesto, CA 95356-8718, (209) 557-6400, Fax (209) 557-6475

Invoice Detail

Facility ID: N1665

BRONCO WINE COMPANY
6342 BYSTRUM RD
CERES, CA 95307Invoice Nbr: N97578
Invoice Date: 1/24/2013
Page: 1**Application Filing Fees**

Project Nbr	Permit Number	Description	Application Fee
N1122878	N-1665-497-2	MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1410) WITH PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F	\$ 71.00
N1122878	N-1665-498-2	MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1411) WITH PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F	\$ 71.00
N1122878	N-1665-499-2	MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1412) WITH A PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F	\$ 71.00
N1122878	N-1665-500-2	MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1413) WITH A PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F	\$ 71.00
N1122878	N-1665-501-2	MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1414) WITH PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F	\$ 71.00
N1122878	N-1665-502-2	MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1415) WITH PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F	\$ 71.00
N1122878	N-1665-503-2	MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1416) WITH PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F	\$ 71.00
N1122878	N-1665-504-2	MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1417) WITH A PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F	\$ 71.00
N1122878	N-1665-505-2	MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1418) WITH A PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F	\$ 71.00

Invoice Detail

Facility ID: N1665

BRONCO WINE COMPANY
6342 BYSTRUM RD
CERES, CA 95307Invoice Nbr: N97578
Invoice Date: 1/24/2013
Page: 2

Project Nbr	Permit Number	Description	Application Fee
N1122878	N-1665-506-2	MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1419) WITH A PRESSURE/VACUUM VALVE: INCREASE WEIGHTED AVERAGE ETHANOL CONTENT FROM 13% TO 14%, INCREASE MAXIMUM DAILY TEMPERATURE FROM 65 DEG F TO 77.3 DEG F AND MAXIMUM ANNUAL TEMPERATURE FROM 50 DEG F TO 61.6 DEG F	\$ 71.00

Total Application Filing Fees: \$ 710.00**Engineering Time Fees**

Project Nbr	Quantity	Rate	Description	Fee
N1122878	4 hours	\$ 138.00 /h	After-Hours Engineering Time(OverTime)	\$ 552.00
			Less Credit For Application Filing Fees	(\$ 552.00)
			After-Hours Engineering Time(OverTime) SubTotal	\$ 0.00
N1122878	10.1 hours	\$ 105.00 /h	Standard Engineering Time	\$ 1,060.50
			Less Credit For Application Filing Fees	(\$ 158.00)
			Standard Engineering Time SubTotal	\$ 902.50

Total Engineering Time Fees: \$ 902.50

Account Summary

Facility ID: N1665

BRONCO WINE COMPANY
 6342 BYSTRUM RD
 CERES, CA 95307

Statement Date: 1/24/2013

Invoice Date	Invoice Number	Invoice Due Date	Description of Fees		Amount Due
10/18/2012	N94150	12/17/2012	Project: N1123083	Fees	\$ 71.00
				Invoiced	
				Late Charges	\$ 7.10
				Payments	<u>(\$ 71.00)</u>
				Balance Due	\$ 7.10
01/07/2013	N96964	02/06/2013	Rule 4320 Emissions Fees		\$ 5,130.54
01/22/2013	N97022	03/25/2013	Title V Hourly Fees: 4th Quarter 2012		\$ 472.50
01/24/2013	N97578	03/25/2013	Project: N1122878		\$ 1,612.50
				Total Outstanding Balance:	\$ 7,222.64