



**JAN 10 2013**

Paul Franzia  
Bronco Wine Company  
P O Box 789  
Ceres, CA 95307

**Re: Notice of Minor Title V Permit Modification  
District Facility # N-1665  
Project # N-1122879**

Dear Mr. Franzia:

Enclosed is the District's analysis of your application for minor Title V permit modification for the facility identified above. You proposed a Title V minor permit modification to incorporate recently issued Authorities to Construct N-1668-508-0 to '513-0 into the Title V operating permit. The project is to install six new wine storage tanks.

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued Authorities to Construct N-1668-508-0 to '513-0, and emission increases. This project will be subject to a 45-day EPA commenting period prior to the District taking final action.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Rupi Gill at (209) 557-6400.

Sincerely,

David Warner  
Director of Permit Services

DW: JK/cf

Enclosures

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356 8718  
Tel (209) 557-6400 FAX (209) 557 6475

**Central Region (Main Office)**  
1990 E Gettysburg Avenue  
Fresno, CA 93726 0244  
Tel (559) 230 6000 FAX (559) 230 6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel 661 392 5500 FAX 661 392-5585



**JAN 10 2013**

Gerardo C. Rios, Chief  
Permits Office  
Air Division  
U.S. EPA - Region IX  
75 Hawthorne St  
San Francisco, CA 94105

**Re: Notice of Minor Title V Permit Modification  
District Facility # N-1665  
Project # N-1122879**

Dear Mr. Rios:

Enclosed for you to review is an application for minor Title V permit modification for the facility identified above. Bronco Wine Company is proposing a Title V minor permit modification to incorporate the recently issued Authorities to Construct N-1668-508-0 to '513-0 into the Title V operating permit. The project is to install six new wine storage tanks.

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued Authorities to Construct N-1668-508-0 to '513-0, and emission increases, application. Please submit your written comments on this project within the 45-day comment period that begins on the date you receive this letter

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Rupi Gill at (209) 557-6400.

Sincerely,

David Warner  
Director of Permit Services

DW: JK/cf

Enclosures

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356 8718  
Tel (209) 557 6400 FAX (209) 557 6475

**Central Region (Main Office)**  
1990 E Gettysburg Avenue  
Fresno, CA 93726 0244  
Tel (559) 230 6000 FAX (559) 230 6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308 9725  
Tel 661 392 5500 FAX 661 392-5585

## Title V APPLICATION REVIEW Minor Modification

**Facility Number:** N-1665  
**Facility Name:** Bronco Wine Company  
**Mailing Address:** P O Box 789  
Ceres, CA 95307

**Contact Name:** Paul W Franzia  
**Phone:** (209) 585-5287  
**Fax:** (209) 538-8074

**Responsible Official:** Paul W Franzia  
**Title:** Engineering and Environmental Affairs Manager

**Processing Staff:** Jag Kahlon  
**Project Number:** N-1122879  
**Date:** December 10, 2012

### I. PROPOSAL

Bronco Wine Company has proposed to incorporate Authority to Construct permits (ATCs) N-1665-508-0 to '-513-0 into their Title V operating permit. These ATCs were issued without Certificate of Conformity (COC). These ATCs were to install six new wine storage tanks.

The purpose of this document is to identify all applicable requirements, determine if the facility will comply with the applicable requirements, and to provide the legal and factual basis for the proposed revisions.

### II. FACILITY LOCATION

This facility is located at 6342 Bystrum Road, Ceres, California.

### III. EQUIPMENT DESCRIPTION

Permit #	Equipment Description
N-1665-508-1	23,609 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B231) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING
N-1665-509-1	23,609 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B232) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING

Continue

Permit #	Equipment Description
N-1665-510-1	14,376 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B141) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING
N-1665-511-1	14,376 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B142) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING
N-1665-512-1	7,290 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B71) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING
N-1665-513-1	7,290 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B72) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING

#### IV. SCOPE OF EPA AND PUBLIC REVIEW

The proposed project is a Minor Modification to the Title V permit since the ATC project N-1122927 (under which ATCs N-1665-508-0 to '-513 were issued) was not an SB-288 or Federal major modification under Rule 2201. Therefore, public review is not required.

#### V. APPLICABLE REQUIREMENTS

Rule 2520 Federally Mandated Operating Permits (6/21/01)

#### VI. DESCRIPTION OF PROPOSED MODIFICATIONS

Bronco Wine Company is proposing a Minor Modification to their Title V permit to incorporate the ATCs N-1665-508-0 to '-513-0 into the current Title V permit. These permits authorized the installation of new wine storage tanks.

#### VII. COMPLIANCE

In accordance with Rule 2520, 3 20, the proposed project:

1. Do not violate requirements of any applicable federally enforceable local or federal requirement;
2. Do not relax monitoring, reporting, or recordkeeping requirements in the permit and are not significant changes in existing monitoring permit terms or conditions;
3. Do not require or change a case-by-case determination of an emission limitation or other standard, or a source-specific determination for temporary sources of ambient impacts, or a visibility or increment analysis;

4. Do not seek to establish or change a permit term or condition for which there is no corresponding underlying applicable requirement and that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject. Such terms and conditions include;
  - a. A federally enforceable emission cap assumed to avoid classification as a modification under any provisions of Title I of the Federal Clean Air Act; and
  - b. An alternative emissions limit approved pursuant to regulations promulgated under section 112(i)(5) of the Federal Clean Air Act; and
5. Are not Title I modifications as defined in District Rule 2520 or modifications as defined in section 111 or 112 of the Federal Clean Air Act; and
6. Do not seek to consolidate overlapping applicable requirements.

In accordance with Rule 2520, the application meets the procedural requirements of section 11.4 by including;

1. A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs (Appendix IV) ;
2. The source's suggested draft permit (Appendix I), and
3. Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used (Appendix III)

Compliance is expected with this Rule.

**APPENDICES**

Appendix I: Proposed Title V Operating Permit No. N-1665-508-1 to '-513-1

Appendix II: Authority to Construct N-1665-508-0 to '-513-0

Appendix III. Permit Application

Appendix IV: Emissions Change

Appendix I

Proposed Title V Operating Permit No. N-1665-508-1 to '-513-1

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1665-508-1

EXPIRATION DATE: 04/30/2013

## EQUIPMENT DESCRIPTION:

23,609 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B231) WITH PRESSURE/VACUUM VALVE  
LOCATED INSIDE A CLIMATE CONTROLLED BUILDING

## PERMIT UNIT REQUIREMENTS

---

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75°F. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75°F or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75°F or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The maximum wine throughput in this tank shall not exceed 23,609 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The maximum wine throughput in this tank, calculated on a 12 month rolling basis, shall not exceed 232,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1665-509-1

EXPIRATION DATE: 04/30/2013

## EQUIPMENT DESCRIPTION:

23,609 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B232) WITH PRESSURE/VACUUM VALVE  
LOCATED INSIDE A CLIMATE CONTROLLED BUILDING

## PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75°F. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75°F or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75°F or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The maximum wine throughput in this tank shall not exceed 23,609 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The maximum wine throughput in this tank, calculated on a 12 month rolling basis, shall not exceed 232,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1665-510-1

EXPIRATION DATE: 04/30/2013

## EQUIPMENT DESCRIPTION:

14,376 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B141) WITH PRESSURE/VACUUM VALVE  
LOCATED INSIDE A CLIMATE CONTROLLED BUILDING

## PERMIT UNIT REQUIREMENTS

---

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75°F. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75°F or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75°F or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The maximum wine throughput in this tank shall not exceed 14,376 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The maximum wine throughput in this tank, calculated on a 12 month rolling basis, shall not exceed 232,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly) [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1665-511-1

EXPIRATION DATE: 04/30/2013

## EQUIPMENT DESCRIPTION:

14,376 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B142) WITH PRESSURE/VACUUM VALVE  
LOCATED INSIDE A CLIMATE CONTROLLED BUILDING

## PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75°F. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75°F or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75°F or less was achieved [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The maximum wine throughput in this tank shall not exceed 14,376 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The maximum wine throughput in this tank, calculated on a 12 month rolling basis, shall not exceed 232,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1665-512-1

EXPIRATION DATE: 04/30/2013

**EQUIPMENT DESCRIPTION:**

7,290 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B71) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING

## PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21 [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75°F. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75°F or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75°F or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The maximum wine throughput in this tank shall not exceed 7,290 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The maximum wine throughput in this tank, calculated on a 12 month rolling basis, shall not exceed 232,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly) [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1665-513-1

**EXPIRATION DATE:** 04/30/2013

**EQUIPMENT DESCRIPTION:**

7,290 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B72) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING

## PERMIT UNIT REQUIREMENTS

---

- 1 This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 3 The temperature of the wine stored in this tank shall be maintained at or below 75°F. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75°F or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75°F or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume [District Rule 2201] Federally Enforceable Through Title V Permit
5. The maximum wine throughput in this tank shall not exceed 7,290 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6 The maximum wine throughput in this tank, calculated on a 12 month rolling basis, shall not exceed 232,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

**Appendix II**  
**Authority to Construct N-1665-508-0 to '-513-0**



**San Joaquin Valley**  
AIR POLLUTION CONTROL DISTRICT

  
**HEALTHY AIR LIVING™**

**COPY**

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-1665-508-0

**ISSUANCE DATE:** 09/28/2012

**LEGAL OWNER OR OPERATOR:** BRONCO WINE COMPANY  
**MAILING ADDRESS:** ATTN MAINTENANCE MANAGER  
P O BOX 789  
CERES, CA 95307

**LOCATION:** 6342 BYSTRUM RD  
CERES, CA 95307

**EQUIPMENT DESCRIPTION:**  
23,609 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B231) WITH PRESSURE/VACUUM VALVE  
LOCATED INSIDE A CLIMATE CONTROLLED BUILDING


### CONDITIONS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
3. The temperature of the wine stored in this tank shall be maintained at or below 75°F. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75°F or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75°F or less was achieved. [District Rules 2201 and 4694]
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume [District Rule 2201]
5. The maximum wine throughput in this tank shall not exceed 23,609 gallons per day. [District Rule 2201]
6. The maximum wine throughput in this tank, calculated on a 12 month rolling basis, shall not exceed 232,000 gallons per year. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / AP/CO

  
DAVID WARNER, Director of Permit Services

N 1665-508-0 - B 09 28 2012 8:26AM - KAH/LONJ Joint Inspection NOT Required

7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694]
9. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201]
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request [District Rules 1070, 2201 and 4694]



**San Joaquin Valley**  
AIR POLLUTION CONTROL DISTRICT

  
**HEALTHY AIR LIVING™**

**COPY**

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-1665-509-0

**ISSUANCE DATE:** 09/28/2012

**LEGAL OWNER OR OPERATOR:** BRONCO WINE COMPANY  
**MAILING ADDRESS:** ATTN MAINTENANCE MANAGER  
P O BOX 789  
CERES, CA 95307

**LOCATION:** 6342 BYSTRUM RD  
CERES, CA 95307

**EQUIPMENT DESCRIPTION:**  
23,609 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B232) WITH PRESSURE/VACUUM VALVE  
LOCATED INSIDE A CLIMATE CONTROLLED BUILDING

### CONDITIONS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
3. The temperature of the wine stored in this tank shall be maintained at or below 75°F. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75°F or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75°F or less was achieved. [District Rules 2201 and 4694]
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume [District Rule 2201]
5. The maximum wine throughput in this tank shall not exceed 23,609 gallons per day. [District Rule 2201]
6. The maximum wine throughput in this tank, calculated on a 12 month rolling basis, shall not exceed 232,000 gallons per year. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

  
DAVID WARNER, Director of Permit Services

N-1665-509-0 Sep 28 2012 8:28AM - KAKLONJ Joint Inspection NOT Required

- 7 Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
- 8 The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694]
9. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201]
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



**San Joaquin Valley**  
AIR POLLUTION CONTROL DISTRICT

  
**HEALTHY AIR LIVING™**

**COPY**

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-1665-510-0

**ISSUANCE DATE:** 09/28/2012

**LEGAL OWNER OR OPERATOR:** BRONCO WINE COMPANY  
**MAILING ADDRESS:** ATTN MAINTENANCE MANAGER  
P O BOX 789  
CERES, CA 95307

**LOCATION:** 6342 BYSTRUM RD  
CERES, CA 95307

**EQUIPMENT DESCRIPTION:**  
14,376 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B141) WITH PRESSURE/VACUUM VALVE  
LOCATED INSIDE A CLIMATE CONTROLLED BUILDING

### CONDITIONS

- 1 This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
- 3 The temperature of the wine stored in this tank shall be maintained at or below 75°F. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75°F or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75°F or less was achieved. [District Rules 2201 and 4694]
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume [District Rule 2201]
5. The maximum wine throughput in this tank shall not exceed 14,376 gallons per day. [District Rule 2201]
6. The maximum wine throughput in this tank, calculated on a 12 month rolling basis, shall not exceed 232,000 gallons per year. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCD



DAVID WARNER, Director of Permit Services

N-1665-510-0 Sep 28 2012 8:35AM - KAH/LOM Joint Inspection NOT Required

7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694]
9. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201]
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



**San Joaquin Valley**  
AIR POLLUTION CONTROL DISTRICT



## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-1665-511-0

**ISSUANCE DATE:** 09/28/2012

**LEGAL OWNER OR OPERATOR:** BRONCO WINE COMPANY  
**MAILING ADDRESS:** ATTN MAINTENANCE MANAGER  
P O BOX 789  
CERES, CA 95307

**LOCATION:** 6342 BYSTRUM RD  
CERES, CA 95307

**EQUIPMENT DESCRIPTION:**  
14,376 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B142) WITH PRESSURE/VACUUM VALVE  
LOCATED INSIDE A CLIMATE CONTROLLED BUILDING

### CONDITIONS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
3. The temperature of the wine stored in this tank shall be maintained at or below 75°F. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75°F or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75°F or less was achieved. [District Rules 2201 and 4694]
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201]
5. The maximum wine throughput in this tank shall not exceed 14,376 gallons per day. [District Rule 2201]
6. The maximum wine throughput in this tank, calculated on a 12 month rolling basis, shall not exceed 232,000 gallons per year. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCD

DAVID WARNER, Director of Permit Services

N-1665-511-0 Sep 28 2012 8:28AM - KAHLOUJ Joint Inspection NOT Required

7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694]
9. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201]
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request [District Rules 1070, 2201 and 4694]



**San Joaquin Valley**  
AIR POLLUTION CONTROL DISTRICT

  
**HEALTHY AIR LIVING™**

**COPY**

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-1665-512-0

**ISSUANCE DATE:** 09/28/2012

**LEGAL OWNER OR OPERATOR:** BRONCO WINE COMPANY  
**MAILING ADDRESS:** ATTN MAINTENANCE MANAGER  
P O BOX 789  
CERES, CA 95307

**LOCATION:** 6342 BYSTRUM RD  
CERES, CA 95307

**EQUIPMENT DESCRIPTION:**  
7,290 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B71) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING


### CONDITIONS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
3. The temperature of the wine stored in this tank shall be maintained at or below 75°F. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75°F or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75°F or less was achieved. [District Rules 2201 and 4694]
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume [District Rule 2201]
5. The maximum wine throughput in this tank shall not exceed 7,290 gallons per day. [District Rule 2201]
6. The maximum wine throughput in this tank, calculated on a 12 month rolling basis, shall not exceed 232,000 gallons per year [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadeghdin, Executive Director / APCC

  
DAVID WARNER, Director of Permit Services

N-1665-512-0 Sep 28 2012 8:30AM - KAHLOUJ Joint Inspection NOT Required

7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694]
9. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201]
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



**San Joaquin Valley**  
AIR POLLUTION CONTROL DISTRICT

  
**HEALTHY AIR LIVING™**  
**COPY**

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-1665-513-0

**ISSUANCE DATE:** 09/28/2012

**LEGAL OWNER OR OPERATOR:** BRONCO WINE COMPANY  
**MAILING ADDRESS:** ATTN. MAINTENANCE MANAGER  
P O BOX 789  
CERES, CA 95307

**LOCATION:** 6342 BYSTRUM RD  
CERES, CA 95307

**EQUIPMENT DESCRIPTION:**  
7,290 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B72) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING

### CONDITIONS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
3. The temperature of the wine stored in this tank shall be maintained at or below 75°F. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75°F or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75°F or less was achieved. [District Rules 2201 and 4694]
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201]
5. The maximum wine throughput in this tank shall not exceed 7,290 gallons per day. [District Rule 2201]
6. The maximum wine throughput in this tank, calculated on a 12 month rolling basis, shall not exceed 232,000 gallons per year. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sajjedin, Executive Director / APCO

  
DAVID WARNER, Director of Permit Services

N-1665-513-0 • Sep 28 2012 8:35AM - KAH/LGNJ Job Inspection NOT Required

7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694]
9. The operator shall maintain records of the calculated 12 month rolling wine throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201]
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]

**Appendix III**  
**Permit Application**

# San Joaquin Valley Air Pollution Control District

www.valleyair.org

## Permit Application For:

[ ] ADMINISTRATIVE AMENDMENT    [x] MINOR MODIFICATION    [ ] SIGNIFICANT MODIFICATION

1. PERMIT TO BE ISSUED TO: <p style="text-align: center;">Bronco Wine Co., Inc.</p>	
2. MAILING ADDRESS:  STREET/P.O. BOX: <u>PO Box 789</u>  CITY: <u>Ceres</u> STATE: <u>CA</u> 9-DIGIT ZIP CODE: <u>95307</u>	
3. LOCATION WHERE THE EQUIPMENT WILL BE OPERATED.  STREET: <u>6342 Bystrum Rd.</u> CITY: <u>Ceres</u>  1/4 SECTION _____ TOWNSHIP _____ RANGE _____	INSTALLATION DATE.
4. GENERAL NATURE OF BUSINESS: <u>Wine Business</u>	
5. DESCRIPTION OF EQUIPMENT OR MODIFICATION FOR WHICH APPLICATION IS MADE (include Permit #'s if known, and use additional sheets if necessary) Facility request new permits for unit ID N-1665-497-1 through N-1665-506-1 with changes to the following conditions: 5. Change the annual average ethanol content from 13% to 14% 6. and 7. Change temperature limit to 64.2 deg. F By applying the Tank 4.0 model based on SJVAPCD FYI 295 policy to these tanks the Facility requests to have the tank average fill height restriction in condition 8.  <i>Incorporate six new wine storage tanks into this Title 2 permit.</i>	
6. TYPE OR PRINT NAME OF APPLICANT: <u>Paul W. Franzia</u>	TITLE OF APPLICANT: <u>Engineering and Environmental Affairs Manager</u>
7. SIGNATURE OF APPLICANT 	DATE: <u>8/29/12</u> PHONE #: (209)-585-5287 FAX #: (209)-538-8074 E-MAIL: paul.franzia@broncowine.com

**For APCD Use Only:**

<p>DATE RECEIVED: <b>RECEIVED</b> <b>AUG 29 2012</b> SJVAPCD</p>	<p>FILING FEE RECEIVED: \$ <u>0</u> CHECK# _____ DATE PAID _____ PROJECT NO: <u>N1122879</u> FACILITY ID: <u>N-1665</u></p>
--	---

SJVAPCD  
Central Regional Office 1990 E. Gettysburg Avenue • Fresno, CA 93726-0244 • (559) 230-5900 • FAX (559) 230-6061

**San Joaquin Valley  
Unified Air Pollution Control District**

**TITLE V MODIFICATION - COMPLIANCE CERTIFICATION FORM**

**I. TYPE OF PERMIT ACTION (Check appropriate box)**

- SIGNIFICANT PERMIT MODIFICATION                       ADMINISTRATIVE  
 MINOR PERMIT MODIFICATION                                       AMENDMENT

COMPANY NAME: BroncoWine Co., Inc.	FACILITY ID: N-1665
1. Type of Organization: <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Sole Ownership <input type="checkbox"/> Government <input type="checkbox"/> Partnership <input type="checkbox"/> Utility	
2. Owner's Name: John Franzia Jr.	
3. Agent to the Owner: Paul W. Franzia	

**II. COMPLIANCE CERTIFICATION (Read each statement carefully and initial all circles for confirmation):**

- Based on information and belief formed after reasonable inquiry, the equipment identified in this application will continue to comply with the applicable federal requirement(s).
- Based on information and belief formed after reasonable inquiry, the equipment identified in this application will comply with applicable federal requirement(s) that will become effective during the permit term, on a timely basis.
- Corrected information will be provided to the District when I become aware that incorrect or incomplete information has been submitted.
- Based on information and belief formed after reasonable inquiry, information and statements in the submitted application package, including all accompanying reports, and required certifications are true accurate and complete

I declare, under penalty of perjury under the laws of the state of California, that the forgoing is correct and true:

*Paul W. Franzia*  
 Signature of Responsible Official

8/27/12  
 Date

Paul W. Franzia  
 Name of Responsible Official (please print)

Engineering & Environmental Affairs Manager  
 Title of Responsible Official (please print)

**Appendix IV  
Emissions Change**

## Emissions Change

Emissions changes for each permit unit under ATC project N-1122927 are summarized in the following table.

<b>Emissions Change for</b>			
<b>Pollutant</b>	<b>Annual PE2 (lb/yr)</b>	<b>Annual PE1 (lb/yr)</b>	<b>Quarterly IPE (lb/qtr)</b>
VOC	30	0	7.5