



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT



DEC 01 2014

Mr. Doug Shaffer
Vintage Production California, LLC
9600 Ming Ave.
Bakersfield, CA 93311

Re: Notice of Minor Title V Permit Modification
District Facility # S-8282
Project # 1134710

Dear Mr. Shaffer:

Enclosed is the District's analysis of your application for minor Title V permit modification for the facility identified above. You proposed a Title V minor permit modification to incorporate recently issued S-8282-54-1 into the Title V operating permit. The ATC modified a storage tank by changing its name and removing its requirement to operate at a constant level.

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued S-8282-54-1, emission increases, application, and previous Title V permit. This project will be subject to a 45-day EPA commenting period prior to the District taking final action.

If you have any questions, please contact Mr. Leonard Scandura, Permit Services Manager, at (661) 392-5500.

Thank you for your cooperation in this matter.

Sincerely,


Arnaud Marjollet
Director of Permit Services

Enclosures

cc: Gerardo C. Rios, EPA (w/enclosure) via email

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

TITLE V APPLICATION REVIEW

Minor Modification
Project #: S-1134710

Engineer: David Torii
Reviewing Engineer: ~~Rich Karrs~~

APPROVED

Facility Number: S-8282
Facility Name: Vintage Production California, LLC
Mailing Address: 9600 Ming Ave.
Bakersfield, CA 93311
Contact Name: Doug Shaffer
Phone: 661-869-8237

NOV 24 2014

Responsible Official: Denny Brown
Title: Operations Manager

I. PROPOSAL

Vintage Production California, LLC (VPC) is proposing a Title V minor permit modification to incorporate the recently issued ATC S-8282-54-1 into the Title V operating permit. The ATC modified a storage tank by changing its name and removing its requirement to operate at a constant level.

II. FACILITY LOCATION

The tank is located within the NE/4 of Section 6, Township 32S, Range 24E in VPC's Light Oil Western stationary source.

III. EQUIPMENT DESCRIPTION

Proposed Title V Operating Permit:

S-8282-54-2: 1,000 BBL FIXED ROOF (#IGF52) SERVED BY A VAPOR CONTROL SYSTEM LISTED ON S-8282-9 (LITTLE SIX LEASE)

IV. SCOPE OF EPA AND PUBLIC REVIEW

This change to a Title V permit is considered to be a minor modification and, as such, requires no public review.

V. APPLICABLE REQUIREMENTS

District Rule 2520, Federally Mandated Operating Permits (Adopted June 21, 2001)

VI. DESCRIPTION OF PROPOSED MODIFICATIONS

The Changes to the original Permits to Operate are as follows

S-8282-54-2		
Condition # on Current Permit	Condition is New, Revised, moved or Removed	Reason for Change from Current PTO
Equipment Description	Revised	The words "Wash Tank" were removed
6	Removed	Condition requiring constant level operation was removed

VII. COMPLIANCE

In accordance with Rule 2520, 3.20, these modifications:

1. Do not violate requirements of any applicable federally enforceable local or federal requirement;
2. Do not relax monitoring, reporting, or recordkeeping requirements in the permit and are not significant changes in existing monitoring permit terms or conditions;
3. Do not require or change a case-by-case determination of an emission limitation or other standard, or a source-specific determination for temporary sources of ambient impacts, or a visibility or increment analysis;
4. Do not seek to establish or change a permit term or condition for which there is no corresponding underlying applicable requirement and that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject. Such terms and conditions include;
 - a. A federally enforceable emission cap assumed to avoid classification as a modification under any provisions of Title I of the Federal Clean Air Act; and
 - b. An alternative emissions limit approved pursuant to regulations promulgated under section 112(i)(5) of the Federal Clean Air Act; and
5. Are not Title I modifications as defined in District Rule 2520 or modifications as defined in section 111 or 112 of the Federal Clean Air Act; and
6. Do not seek to consolidate overlapping applicable requirements.

In accordance with Rule 2520, the application meets the procedural requirements of section 11.4 by including;

1. A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;

2. The source's suggested draft permit; and
3. Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used.

ATTACHMENT A

Proposed Modified Title V Operating Permit
S-8282-54-2

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-8282-54-2

EXPIRATION DATE: 08/31/2016

SECTION: 06 **TOWNSHIP:** 32S **RANGE:** 24E

EQUIPMENT DESCRIPTION:

1,000 BBL FIXED ROOF (#IGF52) SERVED BY A VAPOR CONTROL SYSTEM LISTED ON S-8282-9 (LITTLE SIX LEASE)

PERMIT UNIT REQUIREMENTS

1. The tank shall be equipped with a fixed roof with no holes or openings. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All piping, valves, and fittings shall be constructed and maintained in a leak-free condition. [District Rule 4623] Federally Enforceable Through Title V Permit
3. Any tank gauging or sampling device on a tank vented to the vapor recovery system shall be equipped with a leak-free cover which shall be closed at all times except during gauging or sampling. [District Rule 4623] Federally Enforceable Through Title V Permit
4. Tank roof appurtenances shall be maintained leak free (less than 10,000 ppmv). [District Rule 2201] Federally Enforceable Through Title V Permit
5. Operation shall include make-up gas line with regulator and piping to gas gathering line shared between permit units S-8282-9, '-1, and '-54. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Gas regulator shall activate when tank pressure falls below 2 in. H₂O allowing make-up gas to enter tank. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Gas regulator shall activate when tank pressure rises above 2 in-H₂O allowing vapor to be drawn into gas gathering line. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Total combined volatile organic compound (VOC) emissions from tanks S-8282-9, '-11, and '-54 shall not exceed 0.24 lb per day. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The tank shall comply with the voluntary inspection and maintenance program requirements of conditions 99 through 107 of the Facility-Wide Permit S-8282-0. [District Rule 4623] Federally Enforceable Through Title V Permit
10. Permittee shall notify the APCO in writing at least three (3) days prior to performing tank degassing and interior tank cleaning activities. Written notification shall include the following: 1) the Permit to Operate number and physical location of the tank being degassed, 2) the date and time that tank degassing and cleaning activities will begin, 3) the degassing method, as allowed in this permit, to be used, 4) the method to be used to clean the tank, including any solvents to be used, and 5) the method to be used to dispose of any removed sludge, including methods that will be used to control emissions from the receiving vessel and emissions during transport. [District Rule 4623] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.



11. This tank shall be degassed before commencing interior cleaning by following one of the following options: 1) exhausting VOCs contained in the tank vapor space to an APCO-approved vapor recovery system until the organic vapor concentration is 5,000 ppmv or less, or is 10 percent or less of the lower explosion limit (LEL), whichever is less, or 2) by displacing VOCs contained in the tank vapor space to an APCO-approved vapor recovery system by filling the tank with a suitable liquid until 90 percent or more of the maximum operating level of the tank is filled. Suitable liquids are organic liquids having a TVP of less than 0.5 psia, water, clean produced water, or produced water derived from crude oil having a TVP less than 0.5 psia, or 3) by displacing VOCs contained in the tank vapor space to an APCO-approved vapor recovery system by filling the tank with a suitable gas. Degassing shall continue until the operator has achieved a vapor displacement equivalent to at least 2.3 times the tank capacity. Suitable gases are air, nitrogen, carbon dioxide, or natural gas containing less than 10 percent VOC by weight. [District Rule 4623] Federally Enforceable Through Title V Permit
12. During tank degassing, the operator shall discharge or displace organic vapors contained in the tank vapor space to an APCO-approved vapor recovery system. [District Rule 4623] Federally Enforceable Through Title V Permit
13. To facilitate connection to an external APCO-approved recovery system, a suitable tank fitting, such as a manway, may be temporarily removed for a period of time not to exceed 1 hour. [District Rule 4623] Federally Enforceable Through Title V Permit
14. This tank shall be in compliance with the applicable requirements of District Rule 4623 at all times during draining, degassing, and refilling the tank with an organic liquid having a TVP of 0.5 psia or greater. [District Rule 4623] Federally Enforceable Through Title V Permit
15. After a tank has been degassed pursuant to the requirements of this permit, vapor control requirements are not applicable until an organic liquid having a TVP of 0.5 psia or greater is placed, held, or stored in this tank. [District Rule 4623] Federally Enforceable Through Title V Permit
16. While performing tank cleaning activities, operators may only use the following cleaning agents: diesel, solvents with an initial boiling point of greater than 302 degrees F, solvents with a vapor pressure of less than 0.5 psia, or solvents with 50 grams of VOC per liter or less. [District Rule 4623] Federally Enforceable Through Title V Permit
17. Tank steam cleaning shall only be allowed at locations where wastewater treatment facilities are limited, or during the months of December through March. [District Rule 4623] Federally Enforceable Through Title V Permit
18. During sludge removal, the operator shall control emissions from the sludge receiving vessel by operating an APCO-approved vapor control device that reduces emissions of organic vapors by at least 95%. [District Rule 4623] Federally Enforceable Through Title V Permit
19. Permittee shall only transport removed sludge in closed, liquid leak-free containers. [District Rule 4623] Federally Enforceable Through Title V Permit
20. Permittee shall store removed sludge, until final disposal, in vapor leak-free containers, or in tanks complying with the vapor control requirements of District Rule 4623. Sludge that is to be used to manufacture roadmix, as defined in District Rule 2020, is not required to be stored in this manner. Roadmix manufacturing operations exempt pursuant to District Rule 2020 shall maintain documentation of their compliance with Rule 2020, and shall readily make said documentation available for District inspection upon request. [District Rule 4623] Federally Enforceable Through Title V Permit
21. All records required to be maintained by this permit shall be maintained for a period of at least five years and shall be made readily available for District inspection upon request. [District Rule 4623] Federally Enforceable Through Title V Permit
22. Formerly S-1130-23-0
23. Formerly S-1641-45-0
24. Formerly S-1216-131.

These terms and conditions are part of the Facility-wide Permit to Operate.



ATTACHMENT B
Authority to Construct Permit
S-8282-54-1





AUTHORITY TO CONSTRUCT

ISSUANCE DATE: 11/08/2013

PERMIT NO: S-8282-54-1

LEGAL OWNER OR OPERATOR: VINTAGE PRODUCTION CALIFORNIA LLC
MAILING ADDRESS: 9600 MING AVE, SUITE 300
BAKERSFIELD, CA 93311

LOCATION: LIGHT OIL WESTERN STATIONARY SOURCE
KERN COUNTY, CA

SECTION: 06 **TOWNSHIP:** 32S **RANGE:** 24E

EQUIPMENT DESCRIPTION:
MODIFICATION OF 1,000 BBL FIXED ROOF WASH TANK (#IGF52) SERVED BY A VAPOR CONTROL SYSTEM LISTED ON S-8282-9 (LITTLE SIX LEASE): REMOVE REFERENCE TO "WASH" IN TANK DESCRIPTION AND DELETE REQUIREMENT TO OPERATE AT CONSTANT LEVEL

CONDITIONS

1. The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520. [District Rule 2520] Federally Enforceable Through Title V Permit
2. The tank shall be equipped with a fixed roof with no holes or openings. [District Rule 2201] Federally Enforceable Through Title V Permit
3. All piping, valves, and fittings shall be constructed and maintained in a leak-free condition. [District Rule 4623] Federally Enforceable Through Title V Permit
4. Any tank gauging or sampling device on a tank vented to the vapor recovery system shall be equipped with a leak-free cover which shall be closed at all times except during gauging or sampling. [District Rule 4623] Federally Enforceable Through Title V Permit
5. Tank roof appurtenances shall be maintained leak free (less than 10,000 ppmv). [District Rule 2201] Federally Enforceable Through Title V Permit
6. Operation shall include make-up gas line with regulator and piping to gas gathering line shared between permit units S-8282-9, '-1, and '-54. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with the Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

COPY



7. Gas regulator shall activate when tank pressure falls below 2 in. H₂O allowing make-up gas to enter tank. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Gas regulator shall activate when tank pressure rises above 2 in-H₂O allowing vapor to be drawn into gas gathering line. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Total combined volatile organic compound (VOC) emissions from tanks S-8282-9, '-11, and '-54 shall not exceed 0.24 lb per day. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The tank shall comply with the voluntary inspection and maintenance program requirements of conditions 99 through 107 of the Facility-Wide Permit S-8282-0. [District Rule 4623] Federally Enforceable Through Title V Permit
11. Permittee shall notify the APCO in writing at least three (3) days prior to performing tank degassing and interior tank cleaning activities. Written notification shall include the following: 1) the Permit to Operate number and physical location of the tank being degassed, 2) the date and time that tank degassing and cleaning activities will begin, 3) the degassing method, as allowed in this permit, to be used, 4) the method to be used to clean the tank, including any solvents to be used, and 5) the method to be used to dispose of any removed sludge, including methods that will be used to control emissions from the receiving vessel and emissions during transport. [District Rule 4623] Federally Enforceable Through Title V Permit
12. This tank shall be degassed before commencing interior cleaning by following one of the following options: 1) exhausting VOCs contained in the tank vapor space to an APCO-approved vapor recovery system until the organic vapor concentration is 5,000 ppmv or less, or is 10 percent or less of the lower explosion limit (LEL), whichever is less, or 2) by displacing VOCs contained in the tank vapor space to an APCO-approved vapor recovery system by filling the tank with a suitable liquid until 90 percent or more of the maximum operating level of the tank is filled. Suitable liquids are organic liquids having a TVP of less than 0.5 psia, water, clean produced water, or produced water derived from crude oil having a TVP less than 0.5 psia, or 3) by displacing VOCs contained in the tank vapor space to an APCO-approved vapor recovery system by filling the tank with a suitable gas. Degassing shall continue until the operator has achieved a vapor displacement equivalent to at least 2.3 times the tank capacity. Suitable gases are air, nitrogen, carbon dioxide, or natural gas containing less than 10 percent VOC by weight. [District Rule 4623] Federally Enforceable Through Title V Permit
13. During tank degassing, the operator shall discharge or displace organic vapors contained in the tank vapor space to an APCO-approved vapor recovery system. [District Rule 4623] Federally Enforceable Through Title V Permit
14. To facilitate connection to an external APCO-approved recovery system, a suitable tank fitting, such as a manway, may be temporarily removed for a period of time not to exceed 1 hour. [District Rule 4623] Federally Enforceable Through Title V Permit
15. This tank shall be in compliance with the applicable requirements of District Rule 4623 at all times during draining, degassing, and refilling the tank with an organic liquid having a TVP of 0.5 psia or greater. [District Rule 4623] Federally Enforceable Through Title V Permit
16. After a tank has been degassed pursuant to the requirements of this permit, vapor control requirements are not applicable until an organic liquid having a TVP of 0.5 psia or greater is placed, held, or stored in this tank. [District Rule 4623] Federally Enforceable Through Title V Permit
17. While performing tank cleaning activities, operators may only use the following cleaning agents: diesel, solvents with an initial boiling point of greater than 302 degrees F, solvents with a vapor pressure of less than 0.5 psia, or solvents with 50 grams of VOC per liter or less. [District Rule 4623] Federally Enforceable Through Title V Permit
18. Tank steam cleaning shall only be allowed at locations where wastewater treatment facilities are limited, or during the months of December through March. [District Rule 4623] Federally Enforceable Through Title V Permit
19. During sludge removal, the operator shall control emissions from the sludge receiving vessel by operating an APCO-approved vapor control device that reduces emissions of organic vapors by at least 95%. [District Rule 4623] Federally Enforceable Through Title V Permit
20. Permittee shall only transport removed sludge in closed, liquid leak-free containers. [District Rule 4623] Federally Enforceable Through Title V Permit



21. Permittee shall store removed sludge, until final disposal, in vapor leak-free containers, or in tanks complying with the vapor control requirements of District Rule 4623. Sludge that is to be used to manufacture roadmix, as defined in District Rule 2020, is not required to be stored in this manner. Roadmix manufacturing operations exempt pursuant to District Rule 2020 shall maintain documentation of their compliance with Rule 2020, and shall readily make said documentation available for District inspection upon request. [District Rule 4623] Federally Enforceable Through Title V Permit
22. All records required to be maintained by this permit shall be maintained for a period of at least five years and shall be made readily available for District inspection upon request. [District Rule 4623] Federally Enforceable Through Title V Permit
23. Formerly S-1130-23-0
24. Formerly S-1641-45-0
25. Formerly S-1216-131.



ATTACHMENT C

Current PTO

S-8282-54-0



San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-8282-54-0

EXPIRATION DATE: 08/31/2016

SECTION: 06 **TOWNSHIP:** 32S **RANGE:** 24E

EQUIPMENT DESCRIPTION:


1,000 BBL FIXED ROOF WASH TANK (#IGF52) SERVED BY A VAPOR CONTROL SYSTEM LISTED ON S-8282-9 (LITTLE SIX LEASE)

PERMIT UNIT REQUIREMENTS

1. The tank shall be equipped with a fixed roof with no holes or openings. [District Rule 2201] Federally Enforceable Through Title V Permit
2. All piping, valves, and fittings shall be constructed and maintained in a leak-free condition. [District Rule 4623] Federally Enforceable Through Title V Permit
3. Any tank gauging or sampling device on a tank vented to the vapor recovery system shall be equipped with a leak-free cover which shall be closed at all times except during gauging or sampling. [District Rule 4623] Federally Enforceable Through Title V Permit
4. Tank roof appurtenances shall be maintained leak free (less than 10,000 ppmv). [District Rule 2201] Federally Enforceable Through Title V Permit
5. Operation shall include make-up gas line with Varec Fig. 181 valve regulator and piping through Varec Fig. 180 valve regulator to gas gathering line shared between permit units S-8282-9, '-1, and '-54. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Tank shall be operated at constant fluid level. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Varec Fig. 181 gas regulator shall activate when tank pressure falls below 2 in. H₂O allowing make-up gas to enter tank. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Varec Fig. 180 gas regulator shall activate when tank pressure rises above 2 in-H₂O allowing vapor to be drawn into gas gathering line. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Total combined volatile organic compound (VOC) emissions from tanks S-8282-9, '-11, and '-54 shall not exceed 0.24 lb per day. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The tank shall comply with the voluntary inspection and maintenance program requirements of conditions 99 through 107 of the Facility-Wide Permit S-8282-0. [District Rule 4623] Federally Enforceable Through Title V Permit
11. Permittee shall notify the APCO in writing at least three (3) days prior to performing tank degassing and interior tank cleaning activities. Written notification shall include the following: 1) the Permit to Operate number and physical location of the tank being degassed, 2) the date and time that tank degassing and cleaning activities will begin, 3) the degassing method, as allowed in this permit, to be used, 4) the method to be used to clean the tank, including any solvents to be used, and 5) the method to be used to dispose of any removed sludge, including methods that will be used to control emissions from the receiving vessel and emissions during transport. [District Rule 4623] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.



12. This tank shall be degassed before commencing interior cleaning by following one of the following options: 1) exhausting VOCs contained in the tank vapor space to an APCO-approved vapor recovery system until the organic vapor concentration is 5,000 ppmv or less, or is 10 percent or less of the lower explosion limit (LEL), whichever is less, or 2) by displacing VOCs contained in the tank vapor space to an APCO-approved vapor recovery system by filling the tank with a suitable liquid until 90 percent or more of the maximum operating level of the tank is filled. Suitable liquids are organic liquids having a TVP of less than 0.5 psia, water, clean produced water, or produced water derived from crude oil having a TVP less than 0.5 psia, or 3) by displacing VOCs contained in the tank vapor space to an APCO-approved vapor recovery system by filling the tank with a suitable gas. Degassing shall continue until the operator has achieved a vapor displacement equivalent to at least 2.3 times the tank capacity. Suitable gases are air, nitrogen, carbon dioxide, or natural gas containing less than 10 percent VOC by weight. [District Rule 4623] Federally Enforceable Through Title V Permit
13. During tank degassing, the operator shall discharge or displace organic vapors contained in the tank vapor space to an APCO-approved vapor recovery system. [District Rule 4623] Federally Enforceable Through Title V Permit
14. To facilitate connection to an external APCO-approved recovery system, a suitable tank fitting, such as a manway, may be temporarily removed for a period of time not to exceed 1 hour. [District Rule 4623] Federally Enforceable Through Title V Permit
15. This tank shall be in compliance with the applicable requirements of District Rule 4623 at all times during draining, degassing, and refilling the tank with an organic liquid having a TVP of 0.5 psia or greater. [District Rule 4623] Federally Enforceable Through Title V Permit
16. After a tank has been degassed pursuant to the requirements of this permit, vapor control requirements are not applicable until an organic liquid having a TVP of 0.5 psia or greater is placed, held, or stored in this tank. [District Rule 4623] Federally Enforceable Through Title V Permit
17. While performing tank cleaning activities, operators may only use the following cleaning agents: diesel, solvents with an initial boiling point of greater than 302 degrees F, solvents with a vapor pressure of less than 0.5 psia, or solvents with 50 grams of VOC per liter or less. [District Rule 4623] Federally Enforceable Through Title V Permit
18. Tank steam cleaning shall only be allowed at locations where wastewater treatment facilities are limited, or during the months of December through March. [District Rule 4623] Federally Enforceable Through Title V Permit
19. During sludge removal, the operator shall control emissions from the sludge receiving vessel by operating an APCO-approved vapor control device that reduces emissions of organic vapors by at least 95%. [District Rule 4623] Federally Enforceable Through Title V Permit
20. Permittee shall only transport removed sludge in closed, liquid leak-free containers. [District Rule 4623] Federally Enforceable Through Title V Permit
21. Permittee shall store removed sludge, until final disposal, in vapor leak-free containers, or in tanks complying with the vapor control requirements of District Rule 4623. Sludge that is to be used to manufacture roadmix, as defined in District Rule 2020, is not required to be stored in this manner. Roadmix manufacturing operations exempt pursuant to District Rule 2020 shall maintain documentation of their compliance with Rule 2020, and shall readily make said documentation available for District inspection upon request. [District Rule 4623] Federally Enforceable Through Title V Permit
22. All records required to be maintained by this permit shall be maintained for a period of at least five years and shall be made readily available for District inspection upon request. [District Rule 4623] Federally Enforceable Through Title V Permit
23. Formerly S-1130-23-0
24. Formerly S-1641-45-0
25. Formerly S-1216-131.

These terms and conditions are part of the Facility-wide Permit to Operate.



ATTACHMENT D

Emissions Increases

SSIPE (lb/yr)				
NOx	VOC	CO	SOx	PM10
0	0	0	0	0

ATTACHMENT E

Application





Vintage Production California LLC

A subsidiary of Occidental Petroleum Corporation



9600 Ming Avenue, Suite 300
Bakersfield, California 93311
Phone 661.869.8000, Fax 661.869.8170

December 11, 2013

Mr. Martin Keast
San Joaquin Valley Unified APCD
1990 East Gettysburg Avenue
Fresno, CA 93726-0244

**SUBJECT: ADMINISTRATIVE AMENDMENT TO TITLE V PERMIT S-8282
IMPLEMENT AUTHORITY TO CONSTRUCT: S-8282-54-1**

Dear Mr. Keast:

Please find attached the Title V permit administrative amendment application.

If you have any questions please call me at (661) 869-8075.

Sincerely,

Joey Barulich
HES Consultant
Vintage Production California LLC

San Joaquin Valley Air Pollution Control District

www.valleyair.org

RECEIVED

DEC 16 2013

Permit Application For:

Permits Services

SJVAPCD

ADMINISTRATIVE AMENDMENT MINOR MODIFICATION SIGNIFICANT MODIFICATION

1. PERMIT TO BE ISSUED TO: Vintage Production California LLC (VPC)	
2. MAILING ADDRESS:	
STREET/P.O. BOX: 9600 Ming Avenue, Suite 300	
CITY: Bakersfield STATE: CA	9-DIGIT ZIP CODE: 93311
3. LOCATION WHERE THE EQUIPMENT WILL BE OPERATED:	
STREET: BV Hills CITY: LOW	INSTALLATION DATE:
NE ¼ SECTION 06 TOWNSHIP 32S RANGE 24E	
4. GENERAL NATURE OF BUSINESS: Crude Oil and Natural Gas Production	
5. DESCRIPTION OF EQUIPMENT OR MODIFICATION FOR WHICH APPLICATION IS MADE (include Permit #'s if known, and use additional sheets if necessary)	
Incorporate ATC S-8282-54-1 into Title V permit S-8282 – Vintage Production California LLC, Light Oil Western stationary source.	
Project S-1133802	
6. TYPE OR PRINT NAME OF APPLICANT: Joey Barulich – Vintage Production California LLC	TITLE OF APPLICANT: HES Consultant
7. SIGNATURE OF APPLICANT: 	DATE: 11/22/13
	PHONE: (661) 869-8075
	FAX: (661) 869-8170
	EMAIL: joey_barulich@oxy.com

For APCD Use Only:

DATE STAMP	FILING FEE RECEIVED: \$ _____ CHECK#: _____ DATE PAID: _____ PROJECT NO: _____ FACILITY ID: _____
------------	---

**San Joaquin Valley
Unified Air Pollution Control District**

TITLE V MODIFICATION - COMPLIANCE CERTIFICATION FORM

I. TYPE OF PERMIT ACTION (Check appropriate box)

SIGNIFICANT PERMIT MODIFICATION

ADMINISTRATIVE

MINOR PERMIT MODIFICATION

AMENDMENT

COMPANY NAME: Vintage Production California LLC	FACILITY ID: - S - 8282
1. Type of Organization: <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Sole Ownership <input type="checkbox"/> Government <input type="checkbox"/> Partnership <input type="checkbox"/> Utility	
2. Owner's Name: Vintage Production California LLC	
3. Agent to the Owner: Joey Barulich	

II. COMPLIANCE CERTIFICATION (Read each statement carefully and initial **all** circles for confirmation):

Based on information and belief formed after reasonable inquiry, the source identified in this application will continue to comply with the applicable federal requirement(s) which the source is in compliance.

Based on information and belief formed after reasonable inquiry, the source identified in this application will comply with applicable federal requirement(s) that will become effective during the permit term, on a timely basis.

Corrected information will be provided to the District when I become aware that incorrect or incomplete information has been submitted.

Based on information and belief formed after reasonable inquiry, information and statements in the submitted application package, including all accompanying reports, and required certifications are true accurate and complete.

I declare, under penalty of perjury under the laws of the state of California, that the forgoing is correct and true:



Signature of Responsible Official

12-11-13

Date

Denny Brown

Name of Responsible Official (please print)

Operations Manager

Title of Responsible Official (please print)

