



MAR 08 2012

Gerardo C. Rios, Chief
Permits Office
Air Division
U.S. EPA - Region IX
75 Hawthorne St
San Francisco, CA 94105

Re: **Notice of Minor Title V Permit Modification**
District Facility # S-382
Project # 1114014


Dear Mr. Rios:

Enclosed for you to review is an application for minor Title V permit modification for the facility identified above. Occidental of Elk Hills, Inc. is proposing a Title V minor permit modification to incorporate the recently issued S-382-806-4 and '808-4 into the Title V operating permit. The proposed modification to these two units is to increase the throughput of soda ash receiving from 75 tons/day and 3,833 tons/year to 126 tons/day and 7,666 tons/year and soda surge bin from 10.5 tons/day and 3,833 tons/year to 21 tons/day and 7,666 tons/year for unit -806 and increase the throughput of surfactant from 9,881 gal/day and 513,812 gal/year to 14,821 gal/day and 1,027,624 gal/year for unit -808.

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued S-382-806-4 and '808-4, emission increases, application, and previous Title V permit. Please submit your written comments on this project within the 45-day comment period that begins on the date you receive this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Leonard Scandura at (661) 392-5500.

Sincerely,


David Warner
Director of Permit Services

Enclosures

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



MAR 08 2012

Raymond Rodriguez
Occidental of Elk Hills, Inc.
10800 Stockdale Hwy
Bakersfield, CA 93311

**Re: Notice of Minor Title V Permit Modification
District Facility # S-382
Project # 1114014**


Dear Mr. Rodriguez:

Enclosed is the District's analysis of your application for minor Title V permit modification for the facility identified above. You proposed a Title V minor permit modification to incorporate recently issued S-382-806-4 and '808-4 into the Title V operating permit. The proposed modification to these two units is to increase the throughput of soda ash receiving from 75 tons/day and 3,833 tons/year to 126 tons/day and 7,666 tons/year and soda surge bin from 10.5 tons/day and 3,833 tons/year to 21 tons/day and 7,666 tons/year for unit -806 and increase the throughput of surfactant from 9,881 gal/day and 513,812 gal/year to 14,821 gal/day and 1,027,624 gal/year for unit -808.

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued S-382-806-4 and '808-4, emission increases, application, and previous Title V permit. This project will be subject to a 45-day EPA commenting period prior to the District taking final action.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Leonard Scandura at (661) 392-5500.

Sincerely,



David Warner
Director of Permit Services

Enclosures

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

TITLE V APPLICATION REVIEW

Minor Modification
Project #: S-1114014

Engineer: David Torii
Reviewing Engineer: Rich Karrs

Date: *RWK 3-7-12*

Facility Number: S-382
Facility Name: Occidental of Elk Hills
Mailing Address: 10800 Stockdale Hwy.
Bakersfield, CA 93311

Contact Name: Raymond Rodriguez
Phone: 661-412-5263

Responsible Official: Mike Galvin
Title: HES Environmental Team Leader

I. PROPOSAL

Occidental of Elk Hills (OEHI) is proposing a Title V minor permit modification to incorporate ATCs S-382-806-4 and '808-4 into their Title V operating permit.

The purpose of this evaluation is to identify all applicable requirements, determine if the facility will comply with the applicable requirements and to provide the legal and factual basis for the proposed revisions.

II. FACILITY LOCATION

The equipment is located in section 3, township 29S, Range 21E in Aera's Heavy Oil Western stationary source, Kern County.

III. EQUIPMENT DESCRIPTION

ATC S-382-806-4: MODIFICATION OF SODA ASH RECEIVING AND STORAGE WITH 30,000 GALLON STORAGE SILO SERVED BY BAGHOUSE, SODA ASH SURGE BIN SERVED BY BIN VENT, AND SODA ASH MIX TANK: **INCREASE THROUGHPUT FOR THE RECEIVING FROM 75 TONS/DAY AND 3,833 TONS/YEAR TO 126 TONS/DAY AND 7,666 TONS/YEAR AND FOR THE SODA ASH SURGE BIN FROM 10.5 TONS/DAY AND 3,833 TONS/YEAR TO 21 TONS/DAY AND 7,666 TONS/YEAR**

OEHI
S-382, 1114014

ATC S-382-808-4: MODIFICATION OF 9881 GALLON SURFACTANT STORAGE TANK (OR EQUIVALENT): **INCREASE THROUGHPUT FROM 9,881 GAL/DAY AND 513,812 GAL/YEAR TO 14,821 GAL/DAY AND 1,027,624 GAL/YEAR**

IV. SCOPE OF EPA AND PUBLIC REVIEW

This change to a Title V permit is considered to be a minor modification and, as such, requires no public review.

V. APPLICABLE REQUIREMENTS

District Rule 2520, Federally Mandated Operating Permits (Adopted June 21, 2001)

VI. DESCRIPTION OF PROPOSED MODIFICATIONS

The Changes in the original Permit to Operate and the implemented ATC are as follows:

Condition # on <u>current</u> PTO S-382-806-3	Condition # on Proposed Permit S-382-806-5	Condition is New, Modified, or Removed	Reason for Change from Current PTO
7	-	Modified	Throughput increased
-	8	New	Throughput increased

Condition # on <u>current</u> PTO S-382-808-3	Condition # on Proposed Permit S-382-808-5	Condition is New, Modified, or Removed	Reason for Change from Current PTO
2	-	Modified	Throughput increased

VII. COMPLIANCE

In accordance with Rule 2520, 3.20, these modifications:

1. Do not violate requirements of any applicable federally enforceable local or federal requirement;
2. Do not relax monitoring, reporting, or recordkeeping requirements in the permit and are not significant changes in existing monitoring permit terms or conditions;
3. Do not require or change a case-by-case determination of an emission limitation or other standard, or a source-specific determination for temporary sources of ambient impacts, or a visibility or increment analysis;

OEHI
S-382, 1114014

4. Do not seek to establish or change a permit term or condition for which there is no corresponding underlying applicable requirement and that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject. Such terms and conditions include;
 - a. A federally enforceable emission cap assumed to avoid classification as a modification under any provisions of Title I of the Federal Clean Air Act; and
 - b. An alternative emissions limit approved pursuant to regulations promulgated under section 112(i)(5) of the Federal Clean Air Act; and
5. Are not Title I modifications as defined in District Rule 2520 or modifications as defined in section 111 or 112 of the Federal Clean Air Act; and
6. Do not seek to consolidate overlapping applicable requirements.

In accordance with Rule 2520, the application meets the procedural requirements of section 11.4 by including;

1. A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
2. The source's suggested draft permit; and
3. Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used.

ATTACHMENT A

**Proposed Modified Title V Operating Permit Nos.
(S-382-806-5 and '808-5)**

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-382-806-5

EXPIRATION DATE: 10/31/2016

SECTION: SE27 **TOWNSHIP:** 30S **RANGE:** 24E

EQUIPMENT DESCRIPTION:

SODA ASH RECEIVING AND STORAGE WITH 30,000 GALLON STORAGE SILO SERVED BY BAGHOUSE, SODA ASH SURGE BIN SERVED BY BIN VENT, AND SODA ASH MIX TANK

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the baghouse serving the soda ash storage silo and bin vent filter serving the soda ash surge bin shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rules 2201 and 4101] Federally Enforceable Through Title V Permit
2. Dust collection system shall operate continuously during loading of soda ash storage silo. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 control efficiency of the baghouse shall not be less than 99% by weight. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The baghouse serving soda ash storage silo shall be equipped with an operational pressure differential gauge to indicate the pressure drop across the bags. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere (i.e. no visible emissions). [District Rule 2201] Federally Enforceable Through Title V Permit
6. A spare set of cartridges/bags shall be maintained on the premises at all times. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput of soda ash received by silo shall not exceed 126 ton in any one day or 7,666 tons in any one year. [District Rule 2201]
8. Daily throughput of soda ash through the surge bin shall not exceed 21 ton in any one day or 7,666 tons in any one year. [District Rule 2201]
9. PM10 emissions rate from the soda ash receiving and storage and from the surge bin shall not exceed 0.0051 lb-PM10/ton-soda ash each. [District Rule 2201]
10. Conveyors handling soda ash shall be fully enclosed. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Records of daily amount of soda ash processed at the soda ash unloading and soda ash storage operation shall be maintained, retained on-site for a period of at least five (5) years and made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: S-382-808-5

EXPIRATION DATE: 10/31/2016

SECTION: SE27 **TOWNSHIP:** 30S **RANGE:** 24E

EQUIPMENT DESCRIPTION:

9,881 GALLON SURFACTANT STORAGE TANK

DRAFT

PERMIT UNIT REQUIREMENTS

1. This tank can only be used for the storage of surfactant and water. [District Rule 2201] Federally Enforceable Through Title V Permit
2. Maximum daily throughput shall not exceed 14,821 gallons per day nor 1,027,624 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
3. True Vapor Pressure (TVP) of any organic liquid introduced to or stored in the tank shall not exceed 0.17 psia. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The permittee shall maintain monthly records of the tank throughput and TVP of the organic liquid introduced or stored in the tank. [District Rule 1070] Federally Enforceable Through Title V Permit
5. All records required to be maintained by this permit shall be maintained for a period of at least five years and shall be made readily available for District inspection upon request. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

OEHI
S-382, 1114014

ATTACHMENT B

Authority to Construct
(S-382-806-4 and '808-4)

OEHI
S-382, 1114014



AUTHORITY TO CONSTRUCT

PERMIT NO: S-382-806-4

ISSUANCE DATE: 07/21/2011

LEGAL OWNER OR OPERATOR: OCCIDENTAL OF ELK HILLS INC
MAILING ADDRESS: 10800 STOCKDALE HIGHWAY
BAKERSFIELD, CA 93311

LOCATION: LIGHT OIL WESTERN STATIONARY SOURCE
KERN COUNTY, CA

SECTION: SE 27 **TOWNSHIP:** 30S **RANGE:** 24E

EQUIPMENT DESCRIPTION:

MODIFICATION OF SODA ASH RECEIVING AND STORAGE WITH 30,000 GALLON STORAGE SILO SERVED BY BAGHOUSE, SODA ASH SURGE BIN SERVED BY BIN VENT, AND SODA ASH MIX TANK: INCREASE THROUGHPUT FOR THE RECEIVING FROM 75 TONS/DAY AND 3,833 TONS/YEAR TO 126 TONS/DAY AND 7,666 TONS/YEAR AND FOR THE SODA ASH SURGE BIN FROM 10.5 TONS/DAY AND 3,833 TONS/YEAR TO 21 TONS/DAY AND 7,666 TONS/YEAR

CONDITIONS

1. The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520. [District Rule 2520] Federally Enforceable Through Title V Permit
2. Visible emissions from the baghouse serving the soda ash storage silo and bin vent filter serving the soda ash surge bin shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rules 2201 and 4101] Federally Enforceable Through Title V Permit
3. Dust collection system shall operate continuously during loading of soda ash storage silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. PM10 control efficiency of the baghouse shall not be less than 99% by weight. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The baghouse serving soda ash storage silo shall be equipped with an operational pressure differential gauge to indicate the pressure drop across the bags. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere (i.e. no visible emissions). [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
S-382-806-4 Jul 21 2011 5:12PM -- GARCIAJ : Joint Inspection NOT Required



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT



HEALTHY AIR LIVING™

JUL 22 2011

Raymond Rodriguez
Occidental of Elk Hills Inc
PO Box 1001
Tupman, CA 93276

Re: Notice of Issuance of Authority To Construct
Project Number: S-1112058

Dear Mr. Rodriguez:

The Air Pollution Control Officer has issued the Authority To Construct to Occidental of Elk Hills Inc to modify a surfactant storage tank and truck unloading operation with soda ash storage tanks, polymer bag handling station and mix tanks at the Light Oil Western stationary source in Kern County.

Enclosed are the Authority To Construct and invoice for the engineering evaluation fees pursuant to District Rule 3010. Please remit the amount owed, along with a copy of the attached invoice, before the due date.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jesse A. Garcia at (559) 230-5918.

Sincerely,

David Warner
Director of Permit Services

Jim Swaney, P.E.
Permit Services Manager

DW: jag

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1800 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



AUTHORITY TO CONSTRUCT

PERMIT NO: S-382-808-4

ISSUANCE DATE: 07/21/2011

LEGAL OWNER OR OPERATOR: OCCIDENTAL OF ELK HILLS INC
MAILING ADDRESS: 10800 STOCKDALE HIGHWAY
BAKERSFIELD, CA 93311

LOCATION: LIGHT OIL WESTERN STATIONARY SOURCE
KERN COUNTY, CA

SECTION: SE 27 **TOWNSHIP:** 30S **RANGE:** 24E

EQUIPMENT DESCRIPTION:


MODIFICATION OF 9881 GALLON SURFACTANT STORAGE TANK (OR EQUIVALENT): INCREASE THROUGHPUT FROM 9,881 GAL/DAY AND 513,812 GAL/YEAR TO 14,821 GAL/DAY AND 1,027,624 GAL/YEAR

CONDITIONS

1. The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520. [District Rule 2520] Federally Enforceable Through Title V Permit
2. This tank can only be used for the storage of surfactant and water. [District Rule 2201] Federally Enforceable Through Title V Permit
3. Maximum daily throughput shall not exceed 14,821 gallons per day nor 1,027,624 gallons per year. [District Rule 2201]
4. True Vapor Pressure (TVP) of any organic liquid introduced to or stored in the tank shall not exceed 0.17 psia. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The permittee shall maintain monthly records of the tank throughput and TVP of the organic liquid introduced or stored in the tank. [District Rule 1070] Federally Enforceable Through Title V Permit
6. All records required to be maintained by this permit shall be maintained for a period of at least five years and shall be made readily available for District inspection upon request. [District Rule 4623]

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
S-382-808-4 - Jul 21, 2011 5:13PM - GARCIAJ - Joint Inspection NOT Required

7. A spare set of cartridges/bags shall be maintained on the premises at all times. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Daily throughput of soda ash received by silo shall not exceed 126 ton in any one day or 7,666 tons in any one year. [District Rule 2201]
9. Daily throughput of soda ash through the surge bin shall not exceed 21 ton in any one day or 7,666 tons in any one year. [District Rule 2201]
10. PM10 emissions rate from the soda ash receiving and storage and from the surge bin shall not exceed 0.0051 lb-PM10/ton-soda ash each. [District Rule 2201]
11. Conveyors handling soda ash shall be fully enclosed. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Records of daily amount of soda ash processed at the soda ash unloading and soda ash storage operation shall be maintained, retained on-site for a period of at least five (5) years and made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit

OEHI
S-382, 1114014

ATTACHMENT C

Emissions Increases

OEHI
S-382, 1114014

SSIPE (lb/yr)				
NOx	VOC	CO	SOx	PM10
0	38	0	0	10

OEHI
S-382, 1114014

ATTACHMENT D

Previous Title V Operating Permit
S-382-806-3 and '808-3

OEHI
S-382, 1114014

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-382-806-3

EXPIRATION DATE: 10/31/2016

SECTION: SE27 **TOWNSHIP:** 30S **RANGE:** 24E

EQUIPMENT DESCRIPTION:

SODA ASH RECEIVING AND STORAGE WITH 30,000 GALLON STORAGE SILO SERVED BY BAGHOUSE, SODA ASH SURGE BIN SERVED BY BIN VENT, AND SODA ASH MIX TANK

PERMIT UNIT REQUIREMENTS

1. Visible emissions from the baghouse serving the soda ash storage silo and bin vent filter serving the soda ash surge bin shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rules 2201 and 4101] Federally Enforceable Through Title V Permit
2. Dust collection system shall operate continuously during loading of soda ash storage silo. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 control efficiency of the baghouse shall not be less than 99% by weight. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The baghouse serving soda ash storage silo shall be equipped with an operational pressure differential gauge to indicate the pressure drop across the bags. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere (i.e. no visible emissions). [District Rule 2201] Federally Enforceable Through Title V Permit
6. A spare set of cartridges/bags shall be maintained on the premises at all times. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput of soda ash received by silo shall not exceed 75 ton in any one day nor 3,833 tons in any one year. [District Rule 2201] Federally Enforceable Through Title V Permit
8. PM10 emissions rate from the soda ash receiving and storage shall not exceed 0.0051 lb-PM10/ton-soda ash. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Conveyors handling soda ash shall be fully enclosed. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Records of daily amount of soda ash processed at the soda ash unloading and soda ash storage operation shall be maintained, retained on-site for a period of at least five (5) years and made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-382-808-3

EXPIRATION DATE: 10/31/2016

SECTION: SE27 **TOWNSHIP:** 30S **RANGE:** 24E

EQUIPMENT DESCRIPTION:

9,881 GALLON SURFACTANT STORAGE TANK (OR EQUIVALENT)

PERMIT UNIT REQUIREMENTS

1. This tank can only be used for the storage of surfactant and water. [District Rule 2201] Federally Enforceable Through Title V Permit
2. Maximum daily throughput shall not exceed 9,881 gallons per day nor 513,812 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
3. True vapor pressure (TVP) of any organic liquid introduced to or stored in the tank shall not exceed 0.17 psia. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The permittee shall maintain monthly records of the tank throughput and TVP of the organic liquid introduced or stored in the tank. [District Rule 1070] Federally Enforceable Through Title V Permit
5. All records required to be maintained by this permit shall be maintained for a period of at least five years and shall be made readily available for District inspection upon request. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

OEHI
S-382, 1114014

ATTACHMENT E

Application



OCCIDENTAL OF ELK HILLS, INC.
10800 Stockdale Highway Bakersfield, California 93311
Telephone 661 412-5000

RECEIVED

SEP 13 2011

SJVAPCD
Southern Region

September 13, 2011

Mr. Leonard Scandura
Permit Services Manager
San Joaquin Valley APCD – Southern Region
34946 Flyover Court
Bakersfield, CA 93308

Subject: Minor Modification to Occidental of Elk Hills, Inc.(OEHI) Title V Permit (S-382)

Dear Mr. Scandura:

Pursuant to Authorities to Construction conditional requirements, Occidental of Elk Hills, Inc. requests District approval for a Minor Modification of facility S-382 Title V Permit to include the following Authorities to Construct:

S-382-806-4

S-382-808-4

Please bill OEHI for all administrative costs associated with this request. If you have any questions or require addition information concerning this issue, please contact me directly at (661) 412-5263 or on my cellular phone at (661) 204-9236.

Yours sincerely,

A handwritten signature in cursive script that reads "Raymond Rodriguez".

Raymond Rodriguez
Sr. Environmental Advisor
Occidental of Elk Hills, Inc.

Cc: Mike Glavin, OEHI
Kevin Madry, ERM

San Joaquin Valley Air Pollution Control District

www.valleyair.org

RECEIVED
SEP 13 2011
 SJVAPCD
 Southern Region

Permit Application For:

ADMINISTRATIVE AMENDMENT
 MINOR MODIFICATION
 SIGNIFICANT MODIFICATION

1. PERMIT TO BE ISSUED TO: <p style="text-align: center;">Occidental of Elk Hills, Inc</p>		
2. MAILING ADDRESS: STREET/P.O. BOX: <u>10800 Stockdale Hwy</u> CITY: <u>Bakersfield</u> STATE: <u>CA</u> 9-DIGIT ZIP CODE: <u>93311</u>		
3. LOCATION WHERE THE EQUIPMENT WILL BE OPERATED: STREET: <u>Elk Hills</u> CITY: <u>Tupman</u> _____ ¼ SECTION _____ TOWNSHIP _____ RANGE _____		INSTALLATION DATE:
4. GENERAL NATURE OF BUSINESS: Oil and Natural Gas Production		
5. DESCRIPTION OF EQUIPMENT OR MODIFICATION FOR WHICH APPLICATION IS MADE (include Permit #'s if known, and use additional sheets if necessary) Incorporate following ATCs into S-382 Title V document: <p style="text-align: center;">S-382-806-4 S-382-808-4</p>		
6. TYPE OR PRINT NAME OF APPLICANT: <p style="text-align: center;">Raymond Rodriguez</p>		TITLE OF APPLICANT: <p style="text-align: center;">Sr. Environmental Advisor</p>
7. SIGNATURE OF APPLICANT: 		DATE: <u>September 13, 2011</u> PHONE: (661) 412-5263 FAX: (661) 412-5270 EMAIL: <u>Raymond_rodriguez@oxy.com</u>

For APCD Use Only:

DATE STAMP	FILING FEE RECEIVED: \$ _____ CHECK#: _____ DATE PAID: _____ PROJECT NO: <u>S-1114014</u> FACILITY ID: <u>S-382</u>
------------	---

Title V - Minor Mod

San Joaquin Valley
Unified Air Pollution Control District

RECEIVED
SEP 13 2011
SJVAPCD
Southern Region

TITLE V MODIFICATION - COMPLIANCE CERTIFICATION FORM

I. TYPE OF PERMIT ACTION (Check appropriate box)


- SIGNIFICANT PERMIT MODIFICATION ADMINISTRATIVE AMENDMENT
 MINOR PERMIT MODIFICATION

COMPANY NAME: Occidental of Elk Hills, Inc	FACILITY ID: S - 382
1. Type of Organization: <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Sole Ownership <input type="checkbox"/> Government <input type="checkbox"/> Partnership <input type="checkbox"/> Utility	
2. Owner's Name: Occidental of Elk Hills, Inc	
3. Agent to the Owner: Occidental of Elk Hills, Inc.	

II. COMPLIANCE CERTIFICATION (Read each statement carefully and initial **all** circles for confirmation):

- MG* Based on information and belief formed after reasonable inquiry, the equipment identified in this application will continue to comply with the applicable federal requirement(s).
- MG* Based on information and belief formed after reasonable inquiry, the equipment identified in this application will comply with applicable federal requirement(s) that will become effective during the permit term, on a timely basis.
- MG* Corrected information will be provided to the District when I become aware that incorrect or incomplete information has been submitted.
- MG* Based on information and belief formed after reasonable inquiry, information and statements in the submitted application package, including all accompanying reports, and required certifications are true accurate and complete.

I declare, under penalty of perjury under the laws of the state of California, that the forgoing is correct and true:



Signature of Responsible Official

Mike Glavin

Name of Responsible Official (please print)

HES Environmental Team Lead

Title of Responsible Official (please print)

September 13, 2011

Date