



OCT 29 2010

Steven Sylvester
E & J Gallo Winery
PO Box 1130
Modesto, CA 95353-1130

**Re: Notice of Preliminary Decision - Title V Permit Renewal
District Facility # N-3386
Project # N-1092180**

Dear Mr. Sylvester:

Enclosed for your review and comment is the District's analysis of the application to renew the Federally Mandated Operating Permit for E & J Gallo Winery for its wine production facility, 600 Yosemite Blvd, Modesto, California.

The notice of preliminary decision for this project will be published approximately three days from the date of this letter. Please submit your written comments on this project within the 30-day comment period which begins on the date of publication of the public notice.

Thank you for your cooperation in this matter. If you have any questions regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner
Director of Permit Services

Attachments

C: Juscelino Siongco, Permit Services Engineer

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



OCT 29 2010

Gerardo C. Rios, Chief
Permits Office (AIR-3)
U.S. EPA - Region IX
75 Hawthorne St.
San Francisco, CA 94105

**Re: Notice of Preliminary Decision – Title V Permit Renewal
District Facility # N-3386
Project # N-1092180**

Dear Mr. Rios:

Enclosed for your review and comment is the District's analysis of the application to renew the Federally Mandated Operating Permit for E & J Gallo Winery for its wine production facility, 600 Yosemite Blvd, Modesto, California.

The notice of preliminary decision for this project will be published approximately three days from the date of this letter. Please submit your written comments on this project within the 45-day comment period which begins on the date of publication of the public notice.

Thank you for your cooperation in this matter. If you have any questions regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner
Director of Permit Services

Attachments

C: Juscelino Siongco, Permit Services Engineer

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



OCT 29 2010

Mike Tollstrup, Chief
Project Assessment Branch
Air Resources Board
P O Box 2815
Sacramento, CA 95812-2815

**Re: Notice of Preliminary Decision - Title V Permit Renewal
District Facility # N-3386
Project # N-1092180**

Dear Mr. Tollstrup:

Enclosed for your review and comment is the District's analysis of the application to renew the Federally Mandated Operating Permit for E & J Gallo Winery for its wine production facility, 600 Yosemite Blvd, Modesto, California.

The notice of preliminary decision for this project will be published approximately three days from the date of this letter. Please submit your written comments on this project within the 30-day comment period which begins on the date of publication of the public notice.

Thank you for your cooperation in this matter. If you have any questions regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner
Director of Permit Services

Attachments

C: Juscelino Siongco, Permit Services Engineer

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

Modesto Bee

**NOTICE OF PRELIMINARY DECISION
FOR THE PROPOSED RENEWAL OF
THE FEDERALLY MANDATED OPERATING PERMIT**

NOTICE IS HEREBY GIVEN that the San Joaquin Valley Air Pollution Control District solicits public comment on the proposed renewal of the Federally Mandated Operating Permit to E & J Gallo Winery for its wine production facility, 600 Yosemite Blvd, Modesto, California.

The District's analysis of the legal and factual basis for this proposed action, project #N-1092180, is available for public inspection at http://www.valleyair.org/notices/public_notices_idx.htm and the District office at the address below. There are no emission changes associated with this proposed action. This will be the public's only opportunity to comment on the specific conditions of the proposed renewal of the Federally Mandated Operating permit. If requested by the public, the District will hold a public hearing regarding issuance of this renewed permit. For additional information, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900. Written comments on the proposed renewed permit must be submitted within 30 days of the publication date of this notice to DAVID WARNER, DIRECTOR OF PERMIT SERVICES, SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT, 1990 E. GETTYSBURG AVE, FRESNO, CALIFORNIA 93726-0244.

**SAN JOAQUIN VALLEY
AIR POLLUTION CONTROL DISTRICT**

**Proposed Title V Permit Renewal Evaluation
E & J Gallo Winery
N-3386**

TABLE OF CONTENTS

I.	PROPOSAL	2
II.	FACILITY LOCATION	2
III.	EQUIPMENT LISTING	3
IV.	GENERAL PERMIT TEMPLATE USAGE	3
V.	SCOPE OF EPA AND PUBLIC REVIEW	3
VI.	FEDERALLY ENFORCEABLE REQUIREMENTS	3
VII.	REQUIREMENTS NOT FEDERALLY ENFORCEABLE	6
VIII.	PERMIT REQUIREMENTS	7
IX.	PERMIT SHIELD	22
X.	PERMIT CONDITIONS	23
XI.	ATTACHMENTS	23
A.	DRAFT RENEWED TITLE V OPERATING PERMIT	
B.	PREVIOUS TITLE V OPERATING PERMIT	
C.	DETAILED FACILITY LIST	

TITLE V PERMIT RENEWAL EVALUATION
Wine Production

Engineer: Juscelino Siongco
Date: July 21, 2010

Facility Number: N-3386
Facility Name: E & J Gallo Winery
Mailing Address: PO Box 1130
Modesto, CA 95353-1130

Contact Name: Steven Sylvester
Phone: (209) 341-6804

Responsible Official: Doug Reifsteck
Title: VP-Modesto Cellar and Bottling Operation

Project # : N-1092180
Deemed Complete: May 14, 2009

I. PROPOSAL

E & J Gallo Winery was issued a Title V permit on June 29, 2000. As required by District Rule 2520, the applicant is requesting a permit renewal. The existing Title V permit shall be reviewed and modified to reflect all applicable District and federal rules updated, removed, or added since the issuance of the initial Title V permit.

The purpose of this evaluation is to provide the legal and factual basis for all updated applicable requirements and to determine if the facility will comply with these updated requirements. It also specifically identifies all additions, deletions, and/or changes made to permit conditions or equipment descriptions.

II. FACILITY LOCATION

E & J Gallo Winery is located at 600 Yosemite Blvd, Modesto in Stanislaus County.

III. EQUIPMENT LISTING

A detailed facility printout listing all permitted equipment at the facility is included as Attachment C.

IV. GENERAL PERMIT TEMPLATE USAGE

The applicant does not propose to use any model general permit templates.

V. SCOPE OF EPA AND PUBLIC REVIEW

Certain segments of the proposed Renewed Operating Permit are based on model general permit templates that have been previously subject to EPA and public review. The terms and conditions from the model general permit templates are included in the proposed permit and are not subject to further EPA and public review.

For permit applications utilizing model general permit templates, public and agency comments on the District's proposed actions are limited to the applicant's eligibility for model general permit template, applicable requirements not covered by the model general permit template, and the applicable procedural requirements for issuance of Title V Operating Permits.

The applicant is not requesting any model general permit templates. Therefore, all federally enforceable conditions in this current Title V permit will be subject to EPA and public review.

VI. FEDERALLY ENFORCEABLE REQUIREMENTS

A. Rules Updated

- District Rule 2020, Exemptions
(amended September 21, 2006 ⇒ amended December 20, 2007)
- District Rule 2201, New and Modified Stationary Source Review Rule
(amended September 21, 2006 ⇒ amended December 18, 2008)
- District Rule 4101, Visible Emissions
(amended November 15, 2001 ⇒ amended February 17, 2005)
- District Rule 4306, Boilers, Steam Generators, and Process Heaters–Phase 3
(amended March 17, 2005 ⇒ amended October 16, 2008)

- District Rule 4601, Architectural Coatings
(amended October 31, 2001 ⇒ amended December 17, 2009)
- District Rule 4603, Surface Coating of Metal Parts and Products, Plastic Parts and Products, and Pleasure Crafts
(amended October 16, 2008 ⇒ amended September 17, 2009)
- District Rule 4621, Gasoline Transfer into Stationary Storage Containers, Delivery Vessels and Bulk Plants
(amended June 18, 1998 ⇒ amended December 20, 2007)
- District Rule 4622, Gasoline Transfer into Motor Vehicle Fuel Tanks
(amended September 19, 2002 ⇒ amended December 20, 2007)
- District Rule 4702, Internal Combustion Engines–Phase 2
(amended April 20, 2006 ⇒ amended January 18, 2007)
- District Rule 8011, General Requirements
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8021, Construction, Demolition, Excavation, Extraction, and Other Earthmoving Activities
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8031, Bulk Materials
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8041, Carryout and Trackout
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8051, Open Areas
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8061, Paved and Unpaved Roads
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8071, Unpaved Vehicle/Equipment Traffic Areas
(adopted November 15, 2001 ⇒ amended September 16, 2004)

- 40 CFR Part 60, Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units (amended January 28, 2009)
- 40 CFR Part 63, Subpart ZZZZ, National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines (amended January 18, 2008)
- 40 CFR Part 82, Subpart B, Stratospheric Ozone (amended November 9, 2007)
- 40 CFR Part 82, Subpart F, Stratospheric Ozone (amended June 8, 2008)

B. Rules Not Updated

- District Rule 1081, Source Sampling (amended December 16, 1993)
- District Rule 1100, Equipment Breakdown (amended December 17, 1992)
- District Rule 1160, Emission Statements (adopted November 18, 1992)
- District Rule 2010, Permits Required (amended December 17, 1992)
- District Rule 2031, Transfer of Permits (amended December 17, 1992)
- District Rule 2040, Applications (amended December 17, 1992)
- District Rule 2070, Standards for Granting Applications (amended December 17, 1992)
- District Rule 2080, Conditional Approval (amended December 17, 1992)
- District Rule 2520, Federally Mandated Operating Permits (amended June 21, 2001)
- District Rule 4201, Particulate Matter Concentration (amended December 17, 1992)
- District Rule 4202, Particulate Matter - Emission Rate (amended December 17, 1992)

- District Rule 4305, Boilers, Steam Generators, and Process Heaters–Phase 2 (amended August 21, 2003)
- District Rule 4801, Sulfur Compounds (amended December 17, 1992)
- 40 CFR Part 60, Subpart IIII, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines
- 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos
- 40 CFR Part 82, Subpart F, Stratospheric Ozone

VII. REQUIREMENTS NOT FEDERALLY ENFORCEABLE

For each Title V source, the District issues a single permit that contains the Federally Enforceable requirements, as well as the District-only requirements. The District-only requirements are not a part of the Title V Operating Permits. The terms and conditions that are part of the facility's Title V permit are designated as "Federally Enforceable Through Title V Permit."

For this facility, the following are not federally enforceable and will not be discussed in further detail:

A. District Rule 4102, Nuisance (Amended December 17, 1992)

The purpose of this rule is to protect the health and safety of the public. This rule applies to any source operation which emits or may emit air contaminants or other materials:

- a. N-3386-0-3 – Facility-Wide Requirements
 - Condition 39 on the proposed permit is based on this rule.
- b. N-3386-23-6 – 240 bhp Ford-Generac Model 7.5DTA Diesel-Fired Emergency Standby IC Engine Powering an Electrical Generator
 - Condition 3 on the proposed permit is based on this rule.
- c. N-3386-26-3 – 192 bhp Generac Model 64DTAH Diesel-Fired Emergency Standby IC Engine Powering an Electrical Generator
 - Condition 3 on the proposed permit is based on this rule.

d. N-3386-27-2 – 1,120 bhp Detroit Diesel Model 12V2000 Diesel-Fired Emergency Standby IC Engine Powering an Electrical Generator

- Condition 6 on the proposed permit is based on this rule.

e. N-3386-28-4 – 270 bhp Cummins Model 6CTA8.3-F2 Diesel-Fired Emergency IC Engine Powering a Firewater Pump

- Condition 6 on the proposed permit is based on this rule.

f. N-3386-29-3 – Trans portable 460 bhp Caterpillar Model 3406DITA Tier 2 Diesel-Fired IC Engine Served by a Mine-X Model DC16-6 Oxidation Purifier Powering an Air Compressor

- Condition 2 on the proposed permit is based on this rule.

B. District Rule 4694, Wine Fermentation and Storage Tanks (adopted December 15, 2005)

The purpose of this rule is to reduce emissions of volatile organic compounds (VOC) from the fermentation and bulk storage of wine, or achieve equivalent reductions from alternative emission sources. This rule applies to any winery fermenting wine and/or storing wine in bulk containers.

1. N-3386-0-3 – Facility-Wide Requirements

- Condition 42 on the proposed permit is based on this rule.

VIII. PERMIT REQUIREMENTS

The purpose of this evaluation is to review changes to federally enforceable requirements; therefore, this compliance section will only address rules that have been amended or added since the issuance of the initial Title V permit.

A. District Rule 2020 – Exemptions

District Rule 2020 lists equipment which are specifically exempt from obtaining permits and specifies recordkeeping requirements to verify such exemptions. The amendments to this rule do not have any affect on current permit requirements and will therefore not be addressed in this evaluation.

B. District Rule 2201 – New and Modified Stationary Source Review Rule

District Rule 2201 has been amended since this facility's initial Title V permit was issued. This Title V permit renewal does not constitute a modification per section 3.26, defined as an action including at least one of the following items:

- 1) Any change in hours of operation, production rate, or method of operation of an existing emissions unit, which would necessitate a change in permit conditions.
- 2) Any structural change or addition to an existing emissions unit which would necessitate a change in permit conditions. Routine replacement shall not be considered to be a structural change.
- 3) An increase in emissions from an emissions unit caused by a modification of the Stationary Source when the emissions unit is not subject to a daily emissions limitation.
- 4) Addition of any new emissions unit which is subject to District permitting requirements.
- 5) A change in a permit term or condition proposed by an applicant to obtain an exemption from an applicable requirement to which the source would otherwise be subject.

Therefore, the updated requirements of this rule are not applicable at this time.

C. District Rule 4101 – Visible Emissions

This rule prohibits the discharge of any air contaminant for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker in shade as that designated as No. 1 on the Ringelmann Chart; or is of such opacity as to obscure an observer's view to a degree equal to or greater than the smoke described in Section 5.1 of Rule 4101. The rule was amended in February 17, 2005.

a. N-3386-0-3 – Facility-Wide Requirements

- Condition 22 on the proposed permit assures compliance with this rule.

D. District Rule 4306 – Boilers, Steam Generators, and Process Heaters – Phase 3

This rule applies to any boiler, steam generator or process heater, with a rated heat input greater than 5 million Btu per hour that is fired with gaseous and/or liquid fuels.

Section 5.1 requires that NO_x and CO emissions shall not exceed the limits specified in Table 1. For units with a rated heat input equal to or less than 20.0 MMBtu/hr (Table 1 Category A), NO_x and CO emissions shall not exceed 15 ppmv and 400 ppmv, respectively. Units emissions, limited to an annual heat input of 9 billion Btu/year to 30 billion Btu/year (Table 1, Category H), shall not exceed 30 ppmv NO_x per year and 400 ppmv CO per year.

Section 5.3 states that emission limits shall not apply during start-up or shutdown provided an operator complies with the requirements that the duration of each start-up or each shutdown shall not exceed two hours, the emission control system shall be in operation and emissions shall be minimized insofar as technologically feasible during start-up or shutdown, and an operator may submit an application for a permit condition to allow more than two hours for each start-up or each shutdown provided the operator meets all of the conditions specified in Sections 5.3.3.1 through 5.3.3.3.

Section 5.4 requires that operators of any unit subject to the applicable emission limits of the rule shall install and maintain an operational APCO approved Continuous Emissions Monitoring System (CEMS) for NO_x, CO, and oxygen, or implement an APCO-approved Alternate Monitoring System. The operator of any Category H units shall install and maintain an operational non-resettable, totalizing mass or volumetric flow meter in each fuel line to each unit.

Section 6.1 requires that records required by Sections 6.1.1 through 6.1.4 shall be maintained for five calendar years and shall be made available to the APCO upon request.

Section 6.2 identifies the applicable test methods.

Section 6.3 requires that units subject to the requirements in Sections 5.1 or 5.2.3 shall be source tested to determine compliance with the applicable emission limits at least once every 12 months.

The following permit requirements ensure compliance with this rule:

- a. N-3386-1-8 – 10.463 MMBtu/hr Kewanee #L2S-250-G02 Natural Gas-Fired Boiler (#1)
 - Conditions 4 through 9, 11, 12, 13, 15 through 19, and 21 assure compliance with the requirements of this rule.

- b. N-3386-2-7 – 10.463 MMBtu/hr Kewanee #L2S-250-G02 Natural Gas-Fired Boiler (#2)
- Conditions 1, 4 through 13, 15, 16, 17, 21, and 22 assure compliance with the requirements of this rule.
- c. N-3386-3-6 – 10.2058 MMBtu/hr Cleaver-Brooks Model CB200-250 Natural Gas-Fired Boiler
- Conditions 12 through 24 assure compliance with the requirements of this rule.
- d. N-3386-11-6 – 6.28 MMBtu/hr Cleaver-Brooks Model CB-LE Natural Gas-Fired Boiler
- Conditions 3 through 11, 13, 14, 15, and 19 assure compliance with the requirements of this rule.

E. District Rule 4601 - Architectural Coatings

This rule limits the emissions of VOCs from architectural coatings. It requires limiting the application of any architectural coating to no more than what is listed in the Table of Standards (Section 5.0). The rule was amended in December 17, 2009. Since the following changes included in the latest rule amendment did not result in adding new requirements and/or revising current requirements in the facility-wide permit, no further evaluation is needed.

Section 2.0 – Applicability

The phrase “blends or repackages” was added to rule language to extend the applicability of rule language to facilities involved in those activities.

Section 3.0 – Definitions

Numerous definitions was added, deleted or modified in order to make the amended rule harmonize with definitions and rule requirements presented in the California Air Resources Board (ARB) Suggested Control Measures (SCM).

Section 4.0 – Exemptions

A reporting requirement was added for any architectural coating that is sold in a container with a volume of one liter or less. The exemption for architectural coatings was further defined by adding “coatings that are supplied and offered for sale” to current language, in order to make the rule consistent with the ARB SCM.

Section 5.0 – Requirements

The amended rule implements the recommended VOC limits per the ARB SCM. The following changes were as follows: 15 coating categories were eliminated, ten were added, nineteen coatings categories remained unchanged, and the VOC content limits for 19 categories were lowered.

Section 6.0 – Administrative Requirements

Section 6.1 – Labeling Requirements

Labeling requirements were updated to add new labeling standards consistent with new coatings categories per the SCM.

Section 6.2 – Reporting Requirements

A new section was added to include reporting requirements per the SCM. The SCM contains a new requirement to submit sales data. Collection of this data is authorized in the California Health and Safety Code which requires submission of data to estimate emissions.

Section 6.3 – Test Methods

New sections were added to coincide with new coating categories pursuant to the ARB SCM.

Section 7.0 – Compliance Schedule

This section was updated to account for the new amendments to rule language by adding the phrase “the dates specified within the text of the rule.”

Section 8.0 – Averaging Compliance Option

This section was deleted in its entirety.

a. N-3386-0-3 – Facility-Wide Requirements

- Conditions 23, 24, and 25 on the proposed permit assure compliance with this rule.

F. District Rule 4603 - Surface Coating of Metal Parts and Products, Plastic Parts and Products, and Pleasure Crafts

The purpose of this rule is to limit the emissions of volatile organic compounds (VOCs) from the coating of metal parts and products, large appliances parts or products, metal furniture, plastic parts and products, and pleasure crafts, and from the organic solvent cleaning and storage and disposal of solvents and waste solvent materials associated with such coating. This rule was amended in September 17, 2009.

a. N-3386-469-2 – Metal Parts and Products Coating Operations

- Conditions 4 through 9, 11, 12, and 13 of the permit assure compliance with this rule.

G. District Rule 4621 - Gasoline Transfer into Stationary Storage Containers, Delivery Vessels and Bulk Plants

This rule limits VOC emissions from stationary storage containers, delivery vessels, and bulk plants and to provide the administrative requirements for determining compliance. The rule was amended in December 20, 2007.

a. N-3386-10-3 – Gasoline Dispensing Operation with One 1,000 Gallon Trusco Supervault Aboveground Storage Tank Served by an OPW Phase 1 Vapor Recovery

- Conditions 2, 3, 5, 6, 7, 11, 12, 15, 17 through 21, 25, and 26 of the permit assure compliance with this rule.

b. N-3386-24-4 – Gasoline Dispensing Operation with Two 15,000 Gallon Underground Storage Tanks Served by an EBW Phase I Vapor Recovery System (VR-103-A) and Healy Phase II Vapor Recovery System (VR-201-I)

- Conditions 1, 3, 4, 5, 9, 10, 14 through 17, 22, 23, 24, 29, and 30 of the permit assure compliance with this rule.

H. District Rule 4622 - Transfer of Gasoline Into Vehicle Fuel Tanks

This rule limits emissions of gasoline vapors from the transfer of gasoline into motor vehicle fuel tanks. The rule was amended in December 20, 2007.

a. N-3386-10-3 – Gasoline Dispensing Operation with One 1,000 Gallon Trusco Supervault Aboveground Storage Tank Served by an OPW Phase 1 Vapor Recovery

- Conditions 1, 2, 3, 5, 6, 8 through 11, 13 through 20, and 22 through 26 of the permit assure compliance with this rule.

b. N-3386-24-4 – Gasoline Dispensing Operation with Two 15,000 Gallon Underground Storage Tanks Served by an EBW Phase I Vapor Recovery System (VR-103-A) and Healy Phase II Vapor Recovery System (VR-201-I)

- Conditions 1 through 4, 6 through 9, 11 through 14, 17 through 24, and 26 through 30 of the permit assure compliance with this rule.

I. District Rule 4702–Internal Combustion Engines–Phase 2

The purpose of this rule is to limit the emissions of nitrogen oxides (NO_x), carbon monoxide (CO), and volatile organic compounds (VOC) from internal combustion engines. The rule was amended in January 18, 2007 to address the following. The definition of Certified Compression-Ignited Engine was modified to include a Code of Federal Regulation citation. Exemption was added for engines used in retracting arresting gear cables used to stop military naval aircraft after landing. A compliance deadline for engines used exclusively in agricultural operation was extended for one year. Engines operated with an APCO certified exhaust control system were exempted from submitting an emission control plan. Certified compression ignition engines were exempted from compliance testing. A portable NO_x analyzer was allowed for Agriculture Operation (AO) spark-ignited engines to initially show compliance with the emission standards until a source test can be arranged. Representative testing for spark-ignited engines were allowed. A District certification program was established to verify the control efficiency of exhaust control systems.

The following permit requirements assure compliance with this rule:

a. N-3386-23-6 – 240 bhp Ford-Generac Model 7.5DTA Diesel-Fired Emergency Standby IC Engine Powering an Electrical Generator

- Conditions 4 and 8 through 13 from the PTO were included as conditions 4 and 8 through 13 on the proposed permit.
- Condition 14 from the PTO was updated to current rule requirement and included as condition 14 on the proposed permit.
- Condition 15 from the PTO was included as condition 15 on the proposed permit.

b. N-3386-26-3 – 192 bhp Generac Model 64DTAH Diesel-Fired Emergency Standby IC Engine Powering an Electrical Generator

- Conditions 2, 8, 9, and 10 from the PTO were included as conditions 2, 8, 9, and 10 on the proposed permit.

- Conditions 11 and 12 on the proposed permit were added to comply with current rule conditions.
 - Condition 11 from the PTO was updated to current rule requirement and included as condition 13 on the proposed permit.
 - Conditions 12 and 13 from the PTO were included as conditions 14 and 15 on the proposed permit.
- c. N-3386-27-2 – 1,120 bhp Detroit Diesel Model 12V2000 Diesel-Fired Emergency Standby IC Engine Powering an Electrical Generator
- Conditions 7, 8, and 9 from the PTO were included as conditions 7, 8, and 9 on the proposed permit.
 - Condition 10 from the PTO was updated to current rule requirement and included as condition 10 on the proposed permit.
 - Conditions 11 and 12 on the proposed permit were added to comply with current rule requirements.
 - Conditions 11 and 12 from the PTO were updated to current rule requirements and included as conditions 13 and 14 on the proposed permit.
 - Condition 15 was added to comply with recordkeeping requirement.
- d. N-3386-28-4 – 270 bhp Cummins Model 6CTA8.3-F2 Diesel-Fired Emergency IC Engine Powering a Firewater Pump
- Conditions 2 and 7 from the PTO were included as conditions 2 and 7 on the proposed permit.
 - Condition 8 from the PTO was updated to current rule requirement and included as condition 8 on the proposed permit.
 - Condition 9 from the PTO was included as condition 9 on the proposed permit.
 - Condition 10 on the proposed permit was added to comply with current rule requirements.
 - Condition 10 from the PTO was included as condition 11 on the proposed permit.
- e. N-3386-29-3 – Trans portable 460 bhp Caterpillar Model 3406DITA Tier 2 Diesel-Fired IC Engine Served by a Mine-X Model DC16-6 Oxidation Purifier Powering an Air Compressor
- Conditions 7, 8, and 9 from the PTO were replaced with updated rule requirements and included as conditions 7 through 12 on the proposed permit.

J. District Rule 8011 - General Requirements

The provisions of this rule are applicable to specified outdoor fugitive dust sources. The definitions, exemptions, requirements, administrative requirements, recordkeeping requirements, and test methods set forth in this rule are applicable to all Rules under Regulation VIII (Fugitive PM10 Prohibitions) of the Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. The rule was amended in August 19, 2004.

a. N-3386-0-3 – Facility-Wide Requirements

- Conditions 29 through 34 on the proposed permit assure compliance with this rule.

K. District Rule 8021 - Construction, Demolition, Excavation, Extraction, and Other Earthmoving Activities

The purpose of this rule is to limit fugitive dust emissions from construction, demolition, excavation, extraction, and other earthmoving activities. The rule was amended in August 19, 2004.

This rule applies to any construction, demolition, excavation, extraction, and other earthmoving activities, including, but not limited to, land clearing, grubbing, scraping, travel on site, and travel on access roads to and from the site. This rule also applies to the construction of new landfill disposal sites or modification to existing landfill disposal sites prior to commencement of landfilling activities.

Section 5.0 requires that no person shall perform any construction, demolition, excavation, extraction, or other earthmoving activities unless the appropriate requirements in sections 5.1 and 5.2 are sufficiently implemented to limit VDE to 20% opacity. In addition to the requirements of this rule, a person shall comply with all other applicable requirements of Regulation VIII.

a. N-3386-0-3 – Facility-Wide Requirements

- Condition 29 on the proposed permit assures compliance with this rule.

L. District Rule 8031 - Bulk Materials

The purpose of this rule is to limit fugitive dust emissions from the outdoor handling, storage, and transport of bulk materials. The rule was amended in August 19, 2004.

This rule applies to the outdoor handling, storage, and transport of any bulk material.

Section 5.0 requires that no person shall perform any outdoor handling, storage, and transport of bulk materials unless the appropriate requirements in Table 8031-1 of this rule are sufficiently implemented to limit VDE to 20% opacity or to comply with the conditions for a stabilized surface as defined in Rule 8011. In addition to the requirements of this rule, a person shall comply with all other applicable requirements of Regulation VIII.

a. N-3386-0-3 – Facility-Wide Requirements

- Condition 30 on the proposed permit assures compliance with this rule.

M. District Rule 8041 - Carryout and Trackout

The purpose of this rule is to limit fugitive dust emissions from carryout and trackout. The rule was amended in August 19, 2004.

This rule applies to all sites that are subject to Rules 8021 (Construction, Demolition, Excavation, Extraction, and other Earthmoving Activities), 8031 (Bulk Materials), and 8071 (Unpaved Vehicle and Equipment Traffic Areas) where carryout or trackout has occurred or may occur.

Section 5.0 requires that an owner/operator shall sufficiently prevent or cleanup carryout and trackout as specified in sections 5.1 through 5.8. In addition to the requirements of this rule, a person shall comply with all other applicable requirements of Regulation VIII. The use of blower devices, or dry rotary brushes or brooms, for removal of carryout and trackout on public roads is expressly prohibited. The removal of carryout and trackout from paved public roads does not exempt an owner/operator from obtaining state or local agency permits which may be required for the cleanup of mud and dirt on paved public roads.

a. N-3386-0-3 – Facility-Wide Requirements

- Condition 31 on the proposed permit assures compliance with this rule.

N. District Rule 8051 - Open Areas

The purpose of this rule is to limit fugitive dust emissions from open areas. The rule was amended in August 19, 2004.

This rule applies to any open area having 3.0 acres or more of disturbed surface area that has remained undeveloped, unoccupied, unused, or vacant for more than seven days.

Section 5.0 requires that whenever open areas are disturbed or vehicles are used in open areas, the owner/operator shall implement one or a combination of control measures indicated in Table 8051-1 to comply with the conditions of a stabilized surface at all times and to limit VDE to 20% opacity. In addition to the requirements of this rule, a person shall comply with all other applicable requirements of Regulation VIII.

a. N-3386-0-3 – Facility-Wide Requirements

- Condition 32 on the proposed permit assures compliance with this rule.

O. District Rule 8061 - Paved and Unpaved Roads

The purpose of this rule is to limit fugitive dust emissions from paved and unpaved roads by implementing control measures and design criteria. The rule was amended in August 19, 2004.

This rule applies to any new or existing public or private paved or unpaved road, road construction project, or road modification project.

a. N-3386-0-3 – Facility-Wide Requirements

- Condition 33 on the proposed permit assures compliance with this rule.

P. District Rule 8071 - Unpaved Vehicle/Equipment Traffic Area

The purpose of this rule is to limit fugitive dust emissions from unpaved vehicle and equipment traffic areas by implementing control measures and design criteria. The rule was amended in September 16, 2004.

This rule applies to any unpaved vehicle/equipment traffic area of 1.0 acre or larger.

a. N-3386-0-3 – Facility-Wide Requirements

- Condition 34 on the proposed permit assures compliance with this rule.

P. 40 CFR Part 60, Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units

Subpart Dc applies to steam generating units for which construction, modification, or reconstruction is commenced after June 9, 1989 and that has a maximum design heat input capacity of 100 million Btu per hour or less, but greater than or equal to 10 million Btu per hour. This rule was amended in January 28, 2009.

Subpart Dc has no emission requirements for gas-fired units. Since all the steam generating units in this facility are natural-gas fired units, there are no requirements imposed by this rule except for the notification requirements of §60.48c whenever applicable. No further evaluation is needed.

Q. 40 CFR Part 60, Subpart IIII, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines

This subpart applies to owners and operators of stationary compression ignition (CI) internal combustion engines (ICE) that commences construction, modify, or reconstruct their stationary CI ICE after July 11, 2005.

The facility does not have any CI ICE that is subject to this subpart.

R. 40 CFR Part 63, Subpart ZZZZ, National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

This subpart establishes national emission limitations and operating limitations for hazardous air pollutants (HAP) emitted from stationary reciprocating internal combustion engines (RICE) located at major and area sources of HAP emissions.

The facility is not a major or area source of HAP emissions and is not subject to this subpart.

S. 40 CFR Part 82, Subpart B and F, Stratospheric Ozone

These regulations apply to servicing motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC). Sections of this regulation were amended in 2004 and 2008, and conditions 27 and 28 of N-3386-0-3 assure compliance with the requirements.

T. 40 CFR Part 64-CAM

40 CFR Part 64 requires Compliance Assurance Monitoring (CAM) for units that meet the following three criteria:

- 1) the unit must have an emission limit for the pollutant;
- 2) the unit must have add-on controls for the pollutant; these are devices such as flue gas recirculation (FGR), baghouses, and catalytic oxidizers; and
- 3) the unit must have a pre-control potential to emit of greater than the major source thresholds.

a. N-3386-1-8 – 10.463 MMBtu/hr Kewanee #L2S-250-G02 Natural Gas-Fired Boiler (#1) with Flue Gas Recirculation

This permit unit has emissions limits for SO_x, PM₁₀, CO, and VOC but it does not have add-on controls for these criteria pollutants. Therefore, this permit unit is not subject to CAM for SO_x, PM₁₀, CO, and VOC.

This permit may be subject to CAM for NO_x since there is a NO_x limit, and it has add-on controls in the form of FGR. However, the pre-control NO_x potential to emit is less than the major source threshold of 50,000 pounds NO_x/year as shown below. Therefore, this unit is not subject to CAM.

The natural gas controlled-low NO_x emission factor is 50 lb/MMscf or 0.049 lb/MMBtu (AP-42, 1.4-5, July 1998). The maximum rating for this unit is 10.463 MMBtu/hr.

$10.463 \text{ MMBtu/hr} \times 0.049 \text{ lb NO}_x/\text{MMBtu} \times 8760 \text{ hrs/year} = 4,491 \text{ lbs NO}_x/\text{year}$

b. N-3386-2-7 – 10.463 MMBtu/hr Kewanee #L2S-250-G02 Natural Gas-Fired Boiler (#2) with Flue Gas Recirculation

This permit unit has emissions limits for SO_x, PM₁₀, CO, and VOC but it does not have add-on controls for these criteria pollutants. Therefore, this permit unit is not subject to CAM for SO_x, PM₁₀, CO, and VOC.

This permit may be subject to CAM for NO_x since there is a NO_x limit, and it has add-on controls in the form of FGR. However, the pre-control NO_x potential to emit is less than the major source threshold of 50,000 pounds NO_x/year as shown below. Therefore, this unit is not subject to CAM.

The natural gas controlled-low NO_x emission factor is 50 lb/MMscf or 0.049 lb/MMBtu (AP-42, 1.4-5, July 1998). The maximum rating for this unit is 10.463 MMBtu/hr.

10.463 MMBtu/hr x 0.049 lb NO_x/MMBtu x 8760 hrs/year = 4,491 lbs
NO_x/year

- c. N-3386-3-6 – 10.2058 MMBtu/hr Cleaver-Brooks Model CB200-250 Natural Gas-Fired Boiler

This permit unit is not subject to CAM since it has no add-on controls.

- d. N-3386-5-3 – Diatomaceous Earth (DE) Pneumatic Receiving and Storage Operation with Two 11,818 Cubic Feet Silos Served by a Sly Pactecon Baghouse

This permit unit is a grandfathered equipment and not subjected to an emissions limit. Therefore, CAM is not applicable.

- e. N-3386-6-3 – Activated Carbon Receiving and Storage Operation with a 4182 Cubic Foot Storage Silo Served by an AGL Precision Baghouse

This permit unit is limited to 96 tons of material received in any one day and has a PM₁₀ emissions factor of 0.003 lbs per ton of material received.

Generally accepted control efficiency for the baghouse is 99%. Therefore, pre-control potential to emit can be calculated as follows.

$PE = (0.003 \text{ lb/ton} \times 96 \text{ ton/day} \times 365 \text{ days/year}) / (1 - 0.99) = 10,512 \text{ lb/year}$

Major source threshold for PM₁₀ is 140,000 lb/year. Therefore, this permit unit is not subject to CAM.

- f. N-3386-10-3 – Gasoline Dispensing Operation

This gasoline dispensing operation is not subject to CAM since the unit does not have an emissions limit for VOC.

- g. N-3386-11-6 – 6.28 MMBtu/hr Cleaver-Brooks Model CB-LE Natural Gas-Fired Boiler with Flue Gas Recirculation

This permit unit has emissions limits for SO_x, PM₁₀, CO, and VOC but it does not have add-on controls for these criteria pollutants. Therefore, this permit unit is not subject to CAM for SO_x, PM₁₀, CO, and VOC.

This permit may be subject to CAM for NO_x since there is a NO_x limit, and it has add-on controls in the form of FGR. However, the pre-control NO_x potential to emit is less than the major source threshold of 50,000 pounds NO_x/year as shown below. Therefore, this unit is not subject to CAM.

The natural gas controlled-low NO_x emission factor is 50 lb/MMscf or 0.049 lb/MMBtu (AP-42, 1.4-5, July 1998). The maximum rating for this unit is 10.463 MMBtu/hr.

$6.28 \text{ MMBtu/hr} \times 0.049 \text{ lb NO}_x/\text{MMBtu} \times 8760 \text{ hrs/year} = 2,696 \text{ lbs NO}_x/\text{year}$

- h. N-3386-23-6 – 240 bhp Ford-Generac Diesel-Fired Emergency Standby IC Engine Powering an Electrical Generator

This permit unit is not subject to CAM since it has no add-on controls.

- i. N-3386-24-4 – Gasoline Dispensing Operation

This gasoline dispensing operation is not subject to CAM since the unit does not have an emissions limit for VOC.

- j. N-3386-26-3 – 192 bhp Generac Diesel-Fired Emergency Standby IC Engine Powering an Electrical Generator

This permit unit is not subject to CAM since it has no add-on controls.

- k. N-3386-27-2 – 1,120 bhp Detroit Diesel-Fired Emergency Standby IC Engine Powering an Electrical Generator

This permit unit is not subject to CAM since it has no add-on controls.

- l. N-3386-28-4 – 270 bhp Cummins Diesel-Fired Emergency IC Engine Powering a Firewater Pump

This permit unit is not subject to CAM since it has no add-on controls.

- m. N-3386-29-2 – 460 bhp Caterpillar Diesel-Fired IC Engine Served by a Mine-X Oxidation Purifier Powering an Air Compressor

The diesel-fired internal combustion (IC) engine with external controls is not subject to CAM, since the following calculations show that the unit's pre-control potential to emit for NO_x, PM₁₀, CO, and VOC are less than the major thresholds.

Using the AP-42, Table 3.3-1, uncontrolled emission factors for diesel-fired IC Engines, the pre-control potential to emit for NO_x, PM₁₀, CO, and VOC are calculated as follows.

AP-42, Table 3.3-1:
NO_x = 14.1 g/hp-hr
PM₁₀ = 0.99 g/hp-hr
CO = 3.04 g/hp-hr
VOC = 1.134 g/hp-hr

NO_x = 460 bhp x 14.1 g/hp-hr x 200 hr/yr x lb/453.6 g
= **2,860 lb/yr** < 50,000 lb/yr
PM₁₀ = 460 bhp x 0.99 g/hp-hr x 200 hr/yr x lb/453.6 g
= **200 lb/yr** < 140,000 lb/yr
CO = 460 bhp x 3.04 g/hp-hr x 200 hr/yr x lb/453.6 g
= **616 lb/yr** < 200,000 lb/yr
VOC = 460 bhp x 1.134 g/hp-hr x 200 hr/yr x lb/453.6 g
= **230 lb/yr** < 50,000 lb/yr

n. N-3386-33-1 through -467-1– Wine Storage Tanks

These permit units are not subject to CAM since the units have no emissions limits.

o. N-3386-469-2 – Metal Parts and Products Coating Operation

This permit unit has an emissions limit for VOC but no add on controls. Therefore, the permit unit is not subject to CAM for VOC.

The permit unit has an emissions limit for PM₁₀ and is controlled with the use of a paint booth with dry filters with 66% control efficiency. The following calculation shows that the pre-control potential for PM₁₀ are less than major source threshold. Therefore, the permit unit is not subject to CAM for PM₁₀.

PM₁₀ = (2.7 lb/day x 365 day/y) ÷ (1-0.66) = 2,899 lb/yr < 140,000 lb/yr

IX. PERMIT SHIELD

A permit shield legally protects a facility from enforcement of the shielded regulations when a source is in compliance with the terms and conditions of the Title V permit. Compliance with the terms and conditions of the Operating Permit is considered compliance with all applicable requirements upon which those conditions are based, including those that have been subsumed.

The applicant did not request new permit shields.

X. PERMIT CONDITIONS

See Attachment A - Draft Renewed Title V Operating Permit.

XI. ATTACHMENTS

- A. Draft Renewed Title V Operating Permit
- B. Previous Title V Operating Permit
- C. Detailed Facility List

ATTACHMENT A

Draft Renewed Title V Operating Permit

San Joaquin Valley Air Pollution Control District

FACILITY: N-3386-0-3

EXPIRATION DATE: 10/31/2009

FACILITY-WIDE REQUIREMENTS

1. The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; Stanislaus County Rule 110] Federally Enforceable Through Title V Permit
2. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; Stanislaus County Rule 110] Federally Enforceable Through Title V Permit
3. {4364} The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. {4365} Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. {4366} The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.9.1 and 9.13.1] Federally Enforceable Through Title V Permit
6. {4367} A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. {4368} Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. {4369} The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
9. {4370} The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: E & J GALLO WINERY
Location: 600 YOSEMITE BLVD, MODESTO, CA 95353
N-3386-0-3 : Jul 22 2010 10:45AM - KEASTMD

10. {4371} The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. {4372} Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. {4373} If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. {4374} It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. {4375} The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. {4376} The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. {4377} The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. {4378} The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. {4379} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. {4380} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. {4381} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. {4382} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and Stanislaus County Rule 401] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

23. {4384} No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. {4385} All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. {4386} The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. {4387} With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. {4388} If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. {4389} If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
29. {4390} Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8021 and 8011] Federally Enforceable Through Title V Permit
30. {4391} Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8031 and 8011] Federally Enforceable Through Title V Permit
31. {4392} An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8041 and 8011] Federally Enforceable Through Title V Permit
32. {4393} Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8051 and 8011] Federally Enforceable Through Title V Permit
33. {4394} Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8061 and Rule 8011] Federally Enforceable Through Title V Permit
34. {4395} Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rule 8071 and Rule 8011] Federally Enforceable Through Title V Permit
35. {4396} Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

36. {4397} The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. {4398} The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. {4399} When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
40. Facility shall comply with all applicable requirements regarding preparation and implementation of a risk management plan (RMP) by August 31, 1999, and shall abide by all applicable sections of 40 CFR Part 68. [40 CFR 68] Federally Enforceable Through Title V Permit
41. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report begin July 6 of each year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days of the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit
42. Operator shall maintain annual records of the total gallons of red wine and total gallons of white wine fermented at the winery, and total gallons of wine in storage tanks to claim exemption pursuant to section 4.0 of District Rule 4694 (12/15/05). [District Rule 4694]
43. Facilities N-3386 and N7478 are part of the same stationary source for Rule 2201 purposes. [District NSR Rule] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-1-8

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10.463 MMBTU/HR KEWANEE MODEL #L2S-250-G02 NATURAL GAS-FIRED BOILER (#1) WITH A CLEAVER-BROOKS MODEL NTH105NGX-F9R BURNER WITH FLUE GAS RECIRCULATION

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
3. The unit shall only be fired on PUC-regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
4. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 15 ppmvd NO_x @ 3% O₂ or 0.018 lb-NO_x/MMBtu, 0.00285 lb-SO_x/MMBtu, 0.014 lb-PM₁₀/MMBtu, 315 ppmvd CO @ 3% O₂ or 0.2293 lb-CO/MMBtu, or 0.0027 lb-VOC/MMBtu. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
5. The final emission limit for CO shall be established with the initial source test. The final emission limit for CO shall be the average of the 30-minute arithmetic averages observed during the source test plus 40%, but in no case to exceed 315 ppmvd @ 3% O₂. If the average of the 30-minute arithmetic averages plus 40% is less than 47 ppmvd (0.035 lb-CO/MMBtu), then 47 ppmvd (0.035 lb-CO/MMBtu) shall be established as the final emission limit for CO. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
6. Source testing to measure natural gas-combustion NO_x and CO emissions from this unit shall be conducted within 60 days of initial start-up. [District NSR Rule and District Rules 4305 and 4306, 6.3.1] Federally Enforceable Through Title V Permit
7. Source testing to measure natural gas-combustion NO_x and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306, 6.3.1] Federally Enforceable Through Title V Permit
8. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306, 5.5.1] Federally Enforceable Through Title V Permit
9. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306, 5.5.5] Federally Enforceable Through Title V Permit
10. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

11. NO_x emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
12. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
13. Stack gas oxygen (O₂) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
14. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
15. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305 and 4306, 5.5.2] Federally Enforceable Through Title V Permit
16. The permittee shall monitor and record the stack concentration of NO_x, CO, and O₂ at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
17. If either the NO_x or CO concentrations corrected to 3% O₂, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
18. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305 and 4306, 5.5.4] Federally Enforceable Through Title V Permit
19. The permittee shall maintain records of: (1) the date and time of NO_x, CO, and O₂ measurements, (2) the O₂ concentration in percent and the measured NO_x and CO concentrations corrected to 3% O₂, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
20. {2810} The requirements of 40 CFR 72.6(b) are not applicable because this is not an affected unit under the acid rain provisions. The requirements of 40 CFR 60.40c do not apply to this source because it is not used to produce electricity for sale. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
21. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, and 4306, 6.1] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-2-7

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10.463 MMBTU/HR KEWANEE MODEL #L2S-250-G02 NATURAL GAS-FIRED BOILER (#2) WITH A CLEAVER-BROOKS MODEL NTH105NGX-F9R BURNER AND FLUE GAS RECIRCULATION

PERMIT UNIT REQUIREMENTS

1. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of natural gas combusted in the unit shall be installed, utilized and maintained. [District NSR Rule and District Rules 4305 and 4306, 5.4.4] Federally Enforceable Through Title V Permit
2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
3. The unit shall only be fired on PUC-regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
4. Maximum annual heat input of the unit shall not exceed 30 billion Btu per calendar year. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
5. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 15 ppmvd NO_x @ 3% O₂ or 0.018 lb-NO_x/MMBtu, 0.00285 lb-SO_x/MMBtu, 0.014 lb-PM₁₀/MMBtu, 47 ppmvd CO @ 3% O₂ or 0.296 lb-CO/MMBtu, or 0.0027 lb-VOC/MMBtu. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
6. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305 and 4306, 5.5.2] Federally Enforceable Through Title V Permit
7. The permittee shall monitor and record the stack concentration of NO_x, CO, and O₂ at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
8. If either the NO_x or CO concentrations corrected to 3% O₂, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

9. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305 and 4306, 5.5.4] Federally Enforceable Through Title V Permit
10. The permittee shall maintain records of: (1) the date and time of NO_x, CO, and O₂ measurements, (2) the O₂ concentration in percent and the measured NO_x and CO concentrations corrected to 3% O₂, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
11. Source testing to measure natural gas-combustion NO_x and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306, 6.3.1] Federally Enforceable Through Title V Permit
12. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306, 5.5.1] Federally Enforceable Through Title V Permit
13. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306, 5.5.5] Federally Enforceable Through Title V Permit
14. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
15. NO_x emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
16. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
17. Stack gas oxygen (O₂) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
18. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
19. {2810} The requirements of 40 CFR 72.6(b) are not applicable because this is not an affected unit under the acid rain provisions. The requirements of 40 CFR 60.40c do not apply to this source because it is not used to produce electricity for sale. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
20. Operator shall maintain copies of fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
21. Records of monthly and annual heat input of the unit shall be maintained. [District NSR Rule and District Rules 4305 and 4306, 6.1.2] Federally Enforceable Through Title V Permit
22. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, and 4306, 6.1] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-3-6

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10.2058 MMBTU/HR CLEAVER-BROOKS MODEL CB200-250 NATURAL GAS-FIRED BOILER WITH A CLEAVER-BROOKS/NATCOM MODEL NTI250 LOW NOX BURNER

PERMIT UNIT REQUIREMENTS

1. {450} Particulate matter emissions shall not exceed 0.1 grain/dscf at operating conditions, nor 0.1 grain/dscf calculated to 12% CO₂, nor 10 lb/hr. [District Rule 4201 and District Rule 4301, 5.1 and 5.2.3] Federally Enforceable Through Title V Permit
2. Operator shall ensure that all required source testing conforms to the compliance testing procedures described in District Rule 1081 (12/16/93). [District Rule 1081] Federally Enforceable Through Title V Permit
3. Operator shall provide that fuel hhv be certified by third party fuel supplier or determined annually by: ASTM D1826 or D1945 in conjunction with ASTM D3588 for gaseous fuels. [District Rule 2520, 9.3.2; 4305, 6.2.1; and 4351, 6.2.1] Federally Enforceable Through Title V Permit
4. Operator shall maintain copies of fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Compliance with permit conditions in the Title V permit shall be deemed compliance with District Rule 4301. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
6. Compliance with permit conditions in the Title V permit shall be deemed compliance with District Rule 4801 and Stanislaus County Rule 407. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
7. Compliance with permit conditions in the Title V permit shall be deemed compliance with the following requirements: SJVUAPCD Rule 4201, 4305, and 4351. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
8. Compliance with permit conditions in the Title V permit shall be deemed compliance with District Rule Rule 1081. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
9. {2810} The requirements of 40 CFR 72.6(b) are not applicable because this is not an affected unit under the acid rain provisions. The requirements of 40 CFR 60.40c do not apply to this source because it is not used to produce electricity for sale. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
10. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
11. The unit shall only be fired on PUC-regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

12. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 15.0 ppmvd NO_x @ 3% O₂ or 0.0182 lb-NO_x/MMBtu, 0.00285 lb-SO_x/MMBtu, 0.0076 lb-PM₁₀/MMBtu, 30 ppmvd CO @ 3% O₂ or 0.022 lb-CO/MMBtu, or 6.8 ppmvd VOC @ 3% O₂ or 0.00287 lb-VOC/MMBtu. [District NSR Rule and Rules 4305, and 4306] Federally Enforceable Through Title V Permit
13. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306 (10/16/08). [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
14. Source testing to measure natural gas-combustion NO_x and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
15. The source plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
16. NO_x emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
17. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
18. Stack gas oxygen (O₂) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
19. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
20. The permittee shall monitor and record the stack concentration of NO_x, CO, and O₂ at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305, 4306, and 2520 9.3.2] Federally Enforceable Through Title V Permit
21. If either the NO_x or CO concentrations corrected to 3% O₂, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305, 4306, and 2520 9.3.2] Federally Enforceable Through Title V Permit
22. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the permit-to-operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306, and 2520 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

23. The permittee shall maintain records of: (1) the date and time of NO_x, CO, and O₂ measurements, (2) the O₂ concentration in percent and the measured NO_x and CO concentrations corrected to 3% O₂, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305, 4306, and 2520 9.4.2] Federally Enforceable Through Title V Permit
24. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306, and 2520 9.4.2] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-5-3

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

DIATOMACEOUS EARTH (DE) PNEUMATIC RECEIVING AND STORAGE OPERATION WITH TWO (2) 11,818 CUBIC FEET SILOS EACH SERVED BY A SLY PACTECON BAGHOUSE (MODEL # PC-3(1)-584).

DRAFT

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. Visible emissions shall be inspected annually during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
3. Dust collection system shall be completely inspected annually for evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
4. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation $E = 3.59 \times P^{0.62}$ if P is less than or equal to 30 tons per hour, or $E = 17.37 \times P^{0.16}$ if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-6-3

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

ACTIVATED CARBON RECEIVING AND STORAGE OPERATION WITH A 4182 CUBIC FOOT STORAGE SILO SERVED BY A G. L. PRECISION (MODEL # 72GLP25-B) BAGHOUSE.

PERMIT UNIT REQUIREMENTS

1. There shall be no visible emissions from the baghouse. [District NSR Rule] Federally Enforceable Through Title V Permit
2. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule] Federally Enforceable Through Title V Permit
3. Replacement bags numbering at least 10% of the total number of bags in the largest baghouse using each type of bag shall be maintained on the premises. [District NSR Rule] Federally Enforceable Through Title V Permit
4. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
5. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
6. Ducting to the baghouse shall be properly maintained to prevent fugitive dust emissions. [District NSR Rule] Federally Enforceable Through Title V Permit
7. The PM10 emission concentration shall not exceed 0.003 lbs per ton of material received. [District NSR Rule] Federally Enforceable Through Title V Permit
8. The amount of material received shall not exceed 96 tons in any one day. [District NSR Rule] Federally Enforceable Through Title V Permit
9. Daily records of the amount of material received shall be maintained, retained on the premises for a minimum of five years, and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit
10. Particulate matter emissions shall not exceed 0.1 gr/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
11. Visible emissions shall be inspected annually during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
12. Dust collection system shall be completely inspected annually for evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
13. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

14. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
15. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation $E = 3.59 \times P^{0.62}$ if P is less than or equal to 30 tons per hour, or $E = 17.37 \times P^{0.16}$ if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-10-3

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

GASOLINE DISPENSING OPERATION WITH ONE 1,000 GALLON TRUSCO SUPERVAULT ABOVEGROUND STORAGE TANK SERVED BY AN OPW PHASE I VAPOR RECOVERY SYSTEM (G-70-132-A), AND 1 FUELING POINT WITH 1 GASOLINE DISPENSING NOZZLE SERVED BY OPW PHASE II VAPOR RECOVERY SYSTEMS (G-70-132-A)

PERMIT UNIT REQUIREMENTS

1. No owner or operator shall tamper with, or permit tampering with, the ARB certified vapor recovery system in a manner that would impair the operation or effectiveness of the system. [District Rule 4622] Federally Enforceable Through Title V Permit
2. The Phase I and Phase II vapor recovery systems shall be installed and maintained in accordance with the manufacturer specifications and the ARB Executive Orders specified in this permit, including applicable rules and regulations of the Division of Measurement Standards of the Department of Food and Agriculture, the Office of the State Fire Marshal of the Department of Forestry and Fire Protection, the Division of Occupational Safety and Health of the Department of Industrial Relations, and the Division of Water Quality of the State Water Resources Control Board that have been made conditions of the certification. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
3. This gasoline storage and dispensing equipment shall not be used in retail sales, where gasoline dispensed by the unit is subject to payment of California sales tax on gasoline sales. [District Rule 4622] Federally Enforceable Through Title V Permit
4. The storage container(s) shall be installed, maintained, and operated such that they are leak-free. [District Rule 4621] Federally Enforceable Through Title V Permit
5. The Phase I and Phase II vapor recovery systems and gasoline dispensing equipment shall be maintained without leaks as determined in accordance with the test method specified in this permit. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
6. A leak is defined as the dripping of VOC-containing liquid at a rate of more than three (3) drops per minute, or the detection of any gaseous or vapor emissions with a concentration of total organic compound greater than 10,000 ppmv, as methane, above background when measured in accordance with EPA Test Method 21. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
7. No gasoline delivery vessel shall be operated or be allowed to operate unless valid State of California decals are displayed on the cargo container, which attest to the vapor integrity of the container. [District Rule 4621] Federally Enforceable Through Title V Permit
8. No person shall operate any ARB certified Phase II vapor recovery system or any portion thereof that has a major defect or an equipment defect that is identified in any applicable ARB Executive Order until the following conditions have been met: 1) the defect has been repaired, replaced, or adjusted as necessary to correct the defect; 2) the District has been notified, and the District has reinspected the system or authorized the system for use (such authorization shall not include the authority to operate the equipment prior to the correction of the defective components); and 3) all major defects, after repair, are duly entered into the Operations and Maintenance (O&M) manual. [District Rule 4622] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

9. Upon identification of any major defects, the permittee shall tag "Out-of-Order" all dispensing equipment for which vapor recovery has been impaired. Tagged equipment shall be rendered inoperable and the tag(s) shall not be removed until the defective equipment has been repaired, replaced, or adjusted, as necessary. In the case of defects identified by the District, tagged equipment shall be rendered inoperable, and the tag shall not be removed until the District has been notified of the repairs, and the District has either reinspected the system or authorized the tagged equipment for use. [District Rule 4622] Federally Enforceable Through Title V Permit
10. The permittee shall implement a periodic maintenance inspection program for the certified Phase II vapor recovery system consistent with the requirements of this permit. The program shall be documented in an operation and maintenance (O&M) manual and shall at a minimum contain the following information: 1) copies of all vapor recovery performance tests; 2) all applicable ARB Executive Orders, Approval Letters, and District Permits; 3) the manufacturer's specifications and instructions for installation, operation, repair, and maintenance required pursuant to ARB Certification Procedure CP-201, and any additional instruction provided by the manufacturer; 4) system and/or component testing requirements, including test schedules and passing criteria for each of the standard tests required by this permit (the owner/operator may include any non-ARB required diagnostic and other tests as part of the testing requirements), and 5) additional O&M instructions, if any, that are designed to ensure compliance with the applicable rules, regulations, ARB Executive Orders, and District permit conditions, including replacement schedules for failure or wear prone components. [District Rule 4622] Federally Enforceable Through Title V Permit
11. The permittee shall conduct periodic maintenance inspections based on the greatest monthly throughput of gasoline dispensed by the facility in the previous year as follows: A) less than 2,500 gallons - one day per month; B) 2,500 to less than 25,000 gallons - one day per week; or C) 25,000 gallons or greater - five days per week. All inspections shall be documented within the O & M Manual. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
12. Periodic maintenance inspections of the Phase I vapor recovery system shall include, at a minimum, verification that 1) the fill caps and vapor caps are not missing, damaged, or loose; 2) the fill cap gasket and vapor cap gaskets are not missing or damaged; 3) the fill adapter and vapor adapter are securely attached to the risers; 4) where applicable, the spring-loaded submerged fill tube seals properly against the coaxial tubing; 5) the dry break (poppet-valve) is not missing or damaged; and 6) the submerged fill tube is not missing or damaged. [District Rule 4621] Federally Enforceable Through Title V Permit
13. Periodic maintenance inspections of the Phase II vapor recovery system shall include, at a minimum, verification that 1) the fueling instructions required by this permit are clearly displayed with the appropriate toll-free complaint phone number and toxic warning signs; 2) the following nozzle components are in place and in good condition as specified in ARB Executive Order as applicable: faceplate/facecone, bellows, latching device spring, vapor check valve, spout (proper diameter/vapor collection holes), insertion interlock mechanism, automatic shut-off mechanism, and hold open latch (unless prohibited by law or the local fire control authority); 3) the hoses are not torn, flattened or crimped; 4) the vapor path of the coaxial hoses associated with bellows equipped nozzles does not contain more than 100 ml of liquid if applicable; and 5) the vapor processing unit is functioning properly, for operations that are required to have or possess such a unit. [District Rule 4622] Federally Enforceable Through Title V Permit
14. In the event of a separation due to a drive off, the permittee shall, unless otherwise specified in the applicable ARB Executive Order, conduct a visual inspection of the affected equipment and either 1) perform qualified repairs on any damaged components and conduct applicable re-verification tests pursuant to the requirements of this permit, or 2) replace the affected nozzles, coaxial hoses, breakaway couplings, and any other damaged components with new or certified rebuilt components that are ARB certified. The activities shall be documented in accordance with the requirements of this permit before placing the affected equipment back in service. [District Rule 4622] Federally Enforceable Through Title V Permit
15. The permittee shall conduct all periodic vapor recovery system performance tests specified in this permit, no more than 30 days before or after the required compliance testing date, unless otherwise required under the applicable ARB Executive Order. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

16. For certified Phase II vapor recovery systems with liquid removal devices, the permittee shall perform and pass an ARB TP-201.6 Liquid Removal Test whenever the liquid in the vapor path exceeds 100 ml of liquid. The amount of liquid in the vapor path shall be measured by lowering the gasoline dispensing nozzle into a container until such time that no more liquid drains from the nozzle. The amount of liquid drained into the container shall be measured using a graduated cylinder or graduated beaker. The vapor path shall be inspected once per month if monthly throughput is below 2,500 gallons or once per week otherwise. [District Rule 4622] Federally Enforceable Through Title V Permit
17. The permittee shall perform and pass a Static Leak Test for Aboveground Tanks using ARB TP-201.3B or TP-206.3 at least once every 12 months. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
18. A person conducting testing of, or repairs to, a certified vapor recovery system shall be in compliance with District Rule 1177 (Gasoline Dispensing Facility Tester Certification). [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
19. A person performing installation of, or maintenance on, a certified Phase I or Phase II vapor recovery system shall be certified by the ICC for Vapor Recovery System Installation and Repair, or work under the direct and personal supervision of an individual physically present at the work site who is certified. The ICC certification shall be renewed every 24 months. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
20. Proof of the ICC certification and all other certifications required by the Executive Order and installation and operation manual shall be made available onsite. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
21. The permittee shall notify the District at least 7 days prior to each performance test. The test results shall be submitted to the District no later than 30 days after the completion of each test. [District Rule 4621] Federally Enforceable Through Title V Permit
22. The permittee shall maintain a copy of all test results. The test results shall be dated and shall contain the name, address, and telephone number of the company responsible for system installation and testing. [District Rule 4622] Federally Enforceable Through Title V Permit
23. The permittee shall maintain on the premises a log of any repairs made to the certified Phase I or Phase II vapor recovery system. The repair log shall include the following: 1) date and time of each repair; 2) the name and applicable certification numbers of the person(s) who performed the repair, and if applicable, the name, address and phone number of the person's employer; 3) description of service performed; 4) each component that was repaired, serviced, or removed; 5) each component that was installed as replacement, if applicable; and 6) receipts or other documents for parts used in the repair and, if applicable, work orders which shall include the name and signature of the person responsible for performing the repairs. [District Rule 4622] Federally Enforceable Through Title V Permit
24. The O&M manual shall be kept at the dispensing operation and made available to any person who operates, inspects, maintains, repairs, or tests the equipment at the operation as well as to District personnel upon request. [District Rule 4622] Federally Enforceable Through Title V Permit
25. The permittee shall maintain monthly and annual gasoline throughput records. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
26. All records required by this permit shall be retained on-site for a period of at least five years and shall be made available for District inspection upon request. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-11-6

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

6.28 MMBTU/HR CLEAVER-BROOKS MODEL CB-LE NATURAL GAS-FIRED BOILER WITH A CLEAVER-BROOKS MODEL NT1150 BURNER AND FLUE GAS RECIRCULATION

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The unit shall only be fired on PUC-regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
3. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 15 ppmvd NO_x @ 3% O₂ or 0.018 lb-NO_x/MMBtu, 0.00285 lb-SO_x/MMBtu, 0.012 lb-PM₁₀/MMBtu, 366 ppmvd CO @ 3% O₂ or 0.296 lb-CO/MMBtu, or 0.0027 lb-VOC/MMBtu. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
4. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305 and 4306, 5.5.2] Federally Enforceable Through Title V Permit
5. The permittee shall monitor and record the stack concentration of NO_x, CO, and O₂ at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
6. If either the NO_x or CO concentrations corrected to 3% O₂, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

7. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305 and 4306, 5.5.4] Federally Enforceable Through Title V Permit
8. The permittee shall maintain records of: (1) the date and time of NO_x, CO, and O₂ measurements, (2) the O₂ concentration in percent and the measured NO_x and CO concentrations corrected to 3% O₂, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
9. Source testing to measure natural gas-combustion NO_x and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306, 6.3.1] Federally Enforceable Through Title V Permit
10. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306, 5.5.1] Federally Enforceable Through Title V Permit
11. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306, 5.5.5] Federally Enforceable Through Title V Permit
12. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
13. NO_x emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
14. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
15. Stack gas oxygen (O₂) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
16. {2810} The requirements of 40 CFR 72.6(b) are not applicable because this is not an affected unit under the acid rain provisions. The requirements of 40 CFR 60.40c do not apply to this source because it is not used to produce electricity for sale. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
17. Operator shall maintain copies of fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
18. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
19. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, and 4306, 6.1] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: N-3386-13-3

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 700 POUND CAPACITY BLASTING POT

DRAFT

PERMIT UNIT REQUIREMENTS

1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-16-3

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

DRAFT

PERMIT UNIT REQUIREMENTS

1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-17-3

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

DRAFT

PERMIT UNIT REQUIREMENTS

1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-18-3

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

PERMIT UNIT REQUIREMENTS

1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley
Air Pollution Control District**

PERMIT UNIT: N-3386-19-3

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

DRAFT

PERMIT UNIT REQUIREMENTS

1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-23-6

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

240 BHP FORD-GENERAC MODEL 7.5DTA DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING AN ELECTRICAL GENERATOR

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. This engine shall be equipped with either a positive crankcase ventilation (PCV) system that recirculates crankcase emissions into the air intake system for combustion, or a crankcase emissions control device of at least 90% control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
3. {1898} The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
4. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
5. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District NSR Rule, 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
6. Emissions from this IC engine shall not exceed any of the following limits: 6.71 g-NOx/bhp-hr, 8.5 g-CO/bhp-hr, or 1.0 g-VOC/bhp-hr. [District NSR Rule, 13 CCR 2423 and 17 CCR 93115] Federally Enforceable Through Title V Permit
7. Emissions from this IC engine shall not exceed 0.4 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District NSR Rule, 4102, 13 CCR 2423 and 17 CCR 93115] Federally Enforceable Through Title V Permit
8. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
9. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
10. This engine shall be operated only for testing and maintenance of the engine, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 30 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
11. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

12. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
13. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.) and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
14. The permittee shall maintain monthly records of the type of fuel purchased. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
15. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
16. Facilities N-3386 and N-7478 are the same stationary source. [District NSR Rule] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-24-4

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

GASOLINE DISPENSING OPERATION WITH TWO 15,000 GALLON UNDERGROUND STORAGE TANKS SERVED BY AN EBW PHASE I VAPOR RECOVERY SYSTEM (VR-103-A), AND 4 FUELING POINTS WITH 4 GASOLINE DISPENSING NOZZLES SERVED BY A HEALY PHASE II VAPOR RECOVERY SYSTEM (VR-201-I)

PERMIT UNIT REQUIREMENTS

1. The Phase I and Phase II vapor recovery systems shall be installed and maintained in accordance with the manufacturer specifications and the ARB Executive Orders specified in this permit, including applicable rules and regulations of the Division of Measurement Standards of the Department of Food and Agriculture, the Office of the State Fire Marshal of the Department of Forestry and Fire Protection, the Division of Occupational Safety and Health of the Department of Industrial Relations, and the Division of Water Quality of the State Water Resources Control Board that have been made conditions of the certification. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
2. This gasoline storage and dispensing equipment shall not be used in retail sales, where gasoline dispensed by the unit is subject to payment of California sales tax on gasoline sales. [District Rule 4622] Federally Enforceable Through Title V Permit
3. The Phase I and Phase II vapor recovery systems and gasoline dispensing equipment shall be maintained without leaks as determined in accordance with the test method specified in this permit. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
4. A leak is defined as the dripping of VOC-containing liquid at a rate of more than three (3) drops per minute, or the detection of any gaseous or vapor emissions with a concentration of total organic compound greater than 10,000 ppmv, as methane, above background when measured in accordance with EPA Test Method 21. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
5. No gasoline delivery vessel shall be operated or be allowed to operate unless valid State of California decals are displayed on the cargo container, which attest to the vapor integrity of the container. [District Rule 4621] Federally Enforceable Through Title V Permit
6. No person shall operate any ARB certified Phase II vapor recovery system or any portion thereof that has a major defect or an equipment defect that is identified in any applicable ARB Executive Order until the following conditions have been met: 1) the defect has been repaired, replaced, or adjusted as necessary to correct the defect; 2) the District has been notified, and the District has reinspected the system or authorized the system for use (such authorization shall not include the authority to operate the equipment prior to the correction of the defective components); and 3) all major defects, after repair, are duly entered into the Operations and Maintenance (O&M) manual. [District Rule 4622] Federally Enforceable Through Title V Permit
7. Upon identification of any major defects, the permittee shall tag "Out-of-Order" all dispensing equipment for which vapor recovery has been impaired. Tagged equipment shall be rendered inoperable and the tag(s) shall not be removed until the defective equipment has been repaired, replaced, or adjusted, as necessary. In the case of defects identified by the District, tagged equipment shall be rendered inoperable, and the tag shall not be removed until the District has been notified of the repairs, and the District has either reinspected the system or authorized the tagged equipment for use. [District Rule 4622] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

8. The permittee shall implement a periodic maintenance inspection program for the certified Phase II vapor recovery system consistent with the requirements of this permit. The program shall be documented in an operation and maintenance (O&M) manual and shall at a minimum contain the following information: 1) copies of all vapor recovery performance tests; 2) all applicable ARB Executive Orders, Approval Letters, and District Permits; 3) the manufacturer's specifications and instructions for installation, operation, repair, and maintenance required pursuant to ARB Certification Procedure CP-201, and any additional instruction provided by the manufacturer; 4) system and/or component testing requirements, including test schedules and passing criteria for each of the standard tests required by this permit (the owner/operator may include any non-ARB required diagnostic and other tests as part of the testing requirements), and 5) additional O&M instructions, if any, that are designed to ensure compliance with the applicable rules, regulations, ARB Executive Orders, and District permit conditions, including replacement schedules for failure or wear prone components. [District Rule 4622] Federally Enforceable Through Title V Permit
9. The permittee shall conduct periodic maintenance inspections based on the greatest monthly throughput of gasoline dispensed by the facility in the previous year as follows: A) less than 2,500 gallons - one day per month; B) 2,500 to less than 25,000 gallons - one day per week; or C) 25,000 gallons or greater - five days per week. All inspections shall be documented within the O & M Manual. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
10. Periodic maintenance inspections of the Phase I vapor recovery system shall include, at a minimum, verification that 1) the fill caps and vapor caps are not missing, damaged, or loose; 2) the fill cap gasket and vapor cap gaskets are not missing or damaged; 3) the fill adapter and vapor adapter are securely attached to the risers; 4) where applicable, the spring-loaded submerged fill tube seals properly against the coaxial tubing; 5) the dry break (poppet-valve) is not missing or damaged; and 6) the submerged fill tube is not missing or damaged. [District Rule 4621] Federally Enforceable Through Title V Permit
11. Periodic maintenance inspections of the Phase II vapor recovery system shall include, at a minimum, verification that 1) the fueling instructions required by this permit are clearly displayed with the appropriate toll-free complaint phone number and toxic warning signs; 2) the following nozzle components are in place and in good condition as specified in ARB Executive Order as applicable: faceplate/facecone, bellows, latching device spring, vapor check valve, spout (proper diameter/vapor collection holes), insertion interlock mechanism, automatic shut-off mechanism, and hold open latch (unless prohibited by law or the local fire control authority); 3) the hoses are not torn, flattened or crimped; 4) the vapor path of the coaxial hoses associated with bellows equipped nozzles does not contain more than 100 ml of liquid if applicable; and 5) the vapor processing unit is functioning properly, for operations that are required to have or possess such a unit. [District Rule 4622] Federally Enforceable Through Title V Permit
12. In the event of a separation due to a drive off, the permittee shall, unless otherwise specified in the applicable ARB Executive Order, conduct a visual inspection of the affected equipment and either 1) perform qualified repairs on any damaged components and conduct applicable re-verification tests pursuant to the requirements of this permit, or 2) replace the affected nozzles, coaxial hoses, breakaway couplings, and any other damaged components with new or certified rebuilt components that are ARB certified. The activities shall be documented in accordance with the requirements of this permit before placing the affected equipment back in service. [District Rule 4622] Federally Enforceable Through Title V Permit
13. Unless an In-Station Diagnostic (ISD) system is installed pursuant to a District Authority to Construct permit, the gasoline throughput at this facility shall not exceed the following: 1.8 million gallons per year (effective September 1, 2009) and 600,000 gallons per year (effective September 1, 2010). [District Rule 4622] Federally Enforceable Through Title V Permit
14. The permittee shall conduct all periodic vapor recovery system performance tests specified in this permit, no more than 30 days before or after the required compliance testing date, unless otherwise required under the applicable ARB Executive Order. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
15. The permittee shall perform and pass a Static Torque of Rotatable Phase I Adaptors test using ARB procedure TP-201.1B at least once every 36 months. [District Rule 4621] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

16. The permittee shall perform and pass a Pressure Integrity of Drop Tube Drain Valve Assembly Test using ARB TP-201.1C or a Pressure Integrity of Drop Tube Overfill Protection Devices Test using ARB TP-201.1D if an overfill protection device is installed, at least once every 36 months. [District Rule 4621] Federally Enforceable Through Title V Permit
17. The permittee shall perform and pass a Static Leak Test for Underground Tanks using ARB TP-201.3 in accordance with the Executive Order specified in this permit for the Phase II Vapor Recovery System at least once every 12 months. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
18. The permittee shall perform and pass a Dynamic Back Pressure Test using ARB TP-201.4 at least once every 12 months. [District Rule 4622] Federally Enforceable Through Title V Permit
19. The permittee shall perform and pass a Vapor-to-Liquid Volume Ratio Test using the test procedure defined in the Executive Order specified in this permit for the Phase II Vapor Recovery System at least once every six (6) months. [District Rule 4622] Federally Enforceable Through Title V Permit
20. The permittee shall perform and pass a Static Pressure Test for the Healy Clean Air Separator using the test procedure defined in the Executive Order specified in this permit for the Phase II Vapor Recovery System at least once every 12 months. [District Rule 4622] Federally Enforceable Through Title V Permit
21. The permittee shall perform and pass a Dispenser vapor Line Tightness test for each dispenser using the test procedure defined in the Installation, Operation and Maintenance manual of the Executive Order specified in this permit for the Phase II Vapor Recovery System at least once every 12 months. [District Rule 4622] Federally Enforceable Through Title V Permit
22. A person conducting testing of, or repairs to, a certified vapor recovery system shall be in compliance with District Rule 1177 (Gasoline Dispensing Facility Tester Certification). [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
23. A person performing installation of, or maintenance on, a certified Phase I or Phase II vapor recovery system shall be certified by the ICC for Vapor Recovery System Installation and Repair, or work under the direct and personal supervision of an individual physically present at the work site who is certified. The ICC certification shall be renewed every 24 months. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
24. Proof of the ICC certification and all other certifications required by the Executive Order and installation and operation manual shall be made available onsite. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
25. The permittee shall notify the District at least 7 days prior to each performance test. The test results shall be submitted to the District no later than 30 days after the completion of each test. [District Rule 4621] Federally Enforceable Through Title V Permit
26. The permittee shall maintain a copy of all test results. The test results shall be dated and shall contain the name, address, and telephone number of the company responsible for system installation and testing. [District Rule 4622] Federally Enforceable Through Title V Permit
27. The permittee shall maintain on the premises a log of any repairs made to the certified Phase I or Phase II vapor recovery system. The repair log shall include the following: 1) date and time of each repair; 2) the name and applicable certification numbers of the person(s) who performed the repair, and if applicable, the name, address and phone number of the person's employer; 3) description of service performed; 4) each component that was repaired, serviced, or removed; 5) each component that was installed as replacement, if applicable; and 6) receipts or other documents for parts used in the repair and, if applicable, work orders which shall include the name and signature of the person responsible for performing the repairs. [District Rule 4622] Federally Enforceable Through Title V Permit
28. The O&M manual shall be kept at the dispensing operation and made available to any person who operates, inspects, maintains, repairs, or tests the equipment at the operation as well as to District personnel upon request. [District Rule 4622] Federally Enforceable Through Title V Permit
29. The permittee shall maintain monthly and annual gasoline throughput records. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

30. All records required by this permit shall be retained on-site for a period of at least five years and shall be made available for District inspection upon request. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-26-3

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

192 BHP GENERAC MODEL 64DTAH DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING A 125 KW ELECTRICAL GENERATOR

PERMIT UNIT REQUIREMENTS

1. The engine shall be equipped with a positive crankcase ventilation (PCV) system or a crankcase emissions control device of at least 90% control efficiency. [District NSR Rule and 4102] Federally Enforceable Through Title V Permit
2. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
3. {1898} The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201, 3.1] Federally Enforceable Through Title V Permit
5. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District NSR Rule, 4102, and 4801, and 17 CCR 93115] Federally Enforceable Through Title V Permit
6. The NOx emissions shall not exceed 4.20 g/hp-hr. [District NSR Rule] Federally Enforceable Through Title V Permit
7. The PM10 emissions shall not exceed 0.135 g/hp-hr. [District NSR Rule and 4102] Federally Enforceable Through Title V Permit
8. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
9. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 50 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
10. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
11. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
12. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program; or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
13. The permittee shall maintain monthly records of the type of fuel purchased. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

14. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.) and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
15. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-27-2

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

1,120 BHP DETROIT DIESEL MODEL 12V2000 DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING AN ELECTRICAL GENERATOR

PERMIT UNIT REQUIREMENTS

1. The engine shall be equipped with a positive crankcase ventilation (PCV) system or a crankcase emissions control device of at least 90% control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201, 3.1] Federally Enforceable Through Title V Permit
3. Emissions from this IC engine shall not exceed any of the following limits: 5.75 g-NOx/bhp-hr, 0.6 g-CO/bhp-hr, or 0.26 g-VOC/bhp-hr. [District NSR Rule] Federally Enforceable Through Title V Permit
4. Emissions from this IC engine shall not exceed 0.09 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District NSR Rule and 4102, 17 CCR 93115] Federally Enforceable Through Title V Permit
5. Only CARB certified diesel fuel containing not more than 0.05% sulfur by weight is to be used. [District NSR Rule] Federally Enforceable Through Title V Permit
6. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
7. This engine shall be operated only for testing and maintenance of the engine, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 50 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
8. This engine shall be equipped with an operational nonresettable elapsed operating time meter or other APCO approved alternative. [District Rule 4702] Federally Enforceable Through Title V Permit
9. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
10. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
11. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
12. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

13. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.) and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702] Federally Enforceable Through Title V Permit
14. The permittee shall maintain monthly records of the type of fuel purchased. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
15. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-28-4

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

270 BHP CUMMINS MODEL 6CTA8.3-F2 DIESEL-FIRED EMERGENCY IC ENGINE POWERING A FIREWATER PUMP

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201, 3.1] Federally Enforceable Through Title V Permit
2. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
3. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District NSR Rule, 4102, and 4801, and 17 CCR 93115] Federally Enforceable Through Title V Permit
4. Emissions shall not exceed any of the following: 5.45 g-NOx/bhp-hr, 3.11 g-CO/bhp-hr, or 0.82 g-VOC/bhp-hr. [District NSR Rule] Federally Enforceable Through Title V Permit
5. PM10 emissions shall not exceed 0.25 g/bhp-hr based on U.S EPA certification using test procedure ISO 8178. [District NSR Rule and District Rule 4102] Federally Enforceable Through Title V Permit
6. The exhaust stack shall not be fitted with a rain cap or any similar device that would impede vertical exhaust flow. [District Rule 4102]
7. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. For testing purposes, the engine shall only be operated the number of hours necessary to comply with the testing requirements of the National Fire Protection Association (NFPA) 25 - "Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems", 1998 edition. Total hours of operation for all maintenance, testing, and required regulatory purposes shall not exceed 100 hours per calendar year. [District NSR Rule and 4702, and 17 CCR 93115] Federally Enforceable Through Title V Permit
8. The permittee shall maintain monthly records of the type of fuel purchased. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
9. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, and the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.). For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
10. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
11. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-29-3

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

TRANSPORTABLE 460 BHP CATERPILLAR MODEL 3406 DITA TIER 2 DIESEL-FIRED IC ENGINE SERVED BY A MINE-X MODEL DC16-6 OXIDATION PURIFIER POWERING AN AIR COMPRESSOR

PERMIT UNIT REQUIREMENTS

1. This engine shall be equipped with a turbocharger, intercooler/aftercooler and either a positive crankcase ventilation (PCV) system that recirculates crankcase emissions into the air intake system for combustion, or a crankcase emissions control device of at least 90% control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
2. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap, roof overhang, or any other obstruction. [District Rule 4102]
3. Emissions from this engine shall not exceed any of the following limits: 3.45 g-NO_x/hp-hr; 0.23 g-CO/hp-hr; or 0.01 g-VOC/hp-hr. [District NSR Rule] Federally Enforceable Through Title V Permit
4. The PM₁₀ emissions rate shall not exceed 0.08 g/hp-hr. [District NSR Rule and 40 CFR 89.112-96(a)(4)] Federally Enforceable Through Title V Permit
5. Particulate matter emissions shall not exceed 0.1 gr/dscf in concentration. [District Rule 4201, 3.1] Federally Enforceable Through Title V Permit
6. The sulfur content of the diesel fuel used shall not exceed 0.0015% by weight. The operator shall maintain copies of all fuel invoices and supplier certifications. [District NSR Rule and 4801] Federally Enforceable Through Title V Permit
7. The operating hours of this engine shall not exceed 200 hours during any one calendar year. [District Rule 4701 and 4702] Federally Enforceable Through Title V Permit
8. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702] Federally Enforceable Through Title V Permit
9. Operator shall maintain annual operating records. The records shall include the date, total hours of operation, records of operational characteristic monitoring, and purpose for operating the engine. The records shall be kept on the premises at all times and shall be readily made available for inspection upon request. [District Rule 4701 and 4702] Federally Enforceable Through Title V Permit
10. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
11. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
12. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-30-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

CONFINED AND UNCONFINED ABRASIVE BLASTING OPERATION WITH A 900 LB KELCO 280V BLASTING POT

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
2. {52} The blasting operations shall be carried out in a manner to prevent any nuisances. [District Rule 4102]
3. {1475} All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [92000 through 92540 CCR]
4. {1483} A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
5. {1474} Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
6. {1482} Unconfined abrasive blasting operations shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
7. {3259} Except as otherwise provided in this permit, abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used. [92500 CCR]
8. {1991} Abrasive blasting of items exceeding 8 feet in any dimension, or of a surface situated at its permanent location, or no further away from its permanent location than is necessary to allow the surface to be blasted, may be performed outside a permanent building only if one of the following is used: steel or iron shot/grit; abrasives certified by CARB for permissible dry outdoor blasting; wet abrasive blasting, hydroblasting; or vacuum blasting. [92500 CCR]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-31-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

CONFINED AND UNCONFINED ABRASIVE BLASTING OPERATION WITH A 300 LB KELCO K-116V BLASTING POT

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
2. {52} The blasting operations shall be carried out in a manner to prevent any nuisances. [District Rule 4102]
3. {1475} All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [92000 through 92540 CCR]
4. {1483} A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
5. {1474} Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
6. {1482} Unconfined abrasive blasting operations shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
7. {3259} Except as otherwise provided in this permit, abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used. [92500 CCR]
8. {1991} Abrasive blasting of items exceeding 8 feet in any dimension, or of a surface situated at its permanent location, or no further away from its permanent location than is necessary to allow the surface to be blasted, may be performed outside a permanent building only if one of the following is used: steel or iron shot/grit; abrasives certified by CARB for permissible dry outdoor blasting; wet abrasive blasting, hydroblasting; or vacuum blasting. [92500 CCR]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-33-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,806 GALLON STEEL WINE STORAGE TANK 61 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-34-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,815 GALLON STEEL WINE STORAGE TANK 62 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-35-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,813 GALLON STEEL WINE STORAGE TANK 63 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-36-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,815 GALLON STEEL WINE STORAGE TANK 64 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-37-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,807 GALLON STEEL WINE STORAGE TANK 65 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-38-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,809 GALLON STEEL WINE STORAGE TANK 66 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-39-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,812 GALLON STEEL WINE STORAGE TANK 67 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-40-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,807 GALLON STEEL WINE STORAGE TANK 68 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-41-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,521 GALLON STEEL WINE STORAGE TANK 102 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-42-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,506 GALLON STEEL WINE STORAGE TANK 103 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-43-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,499 GALLON STEEL WINE STORAGE TANK 106 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-44-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,540 GALLON STEEL WINE STORAGE TANK 107 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-45-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,522 GALLON STEEL WINE STORAGE TANK 108 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-46-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,507 GALLON STEEL WINE STORAGE TANK 109 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-47-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,519 GALLON STEEL WINE STORAGE TANK 110 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-48-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,563 GALLON STEEL WINE STORAGE TANK 111 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-49-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,568 GALLON STEEL WINE STORAGE TANK 112 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-50-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,549 GALLON STEEL WINE STORAGE TANK 113 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-51-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,554 GALLON STEEL WINE STORAGE TANK 114 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-52-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,558 GALLON STEEL WINE STORAGE TANK 115 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-53-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,471 GALLON STEEL WINE STORAGE TANK 116 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-54-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,486 GALLON STEEL WINE STORAGE TANK 117 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-55-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,572 GALLON STEEL WINE STORAGE TANK 118 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-56-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,557 GALLON STEEL WINE STORAGE TANK 119 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-57-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,542 GALLON STEEL WINE STORAGE TANK 120 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-58-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,858 GALLON STEEL WINE STORAGE TANK 121 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-59-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,858 GALLON STEEL WINE STORAGE TANK 122 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-60-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,855 GALLON STEEL WINE STORAGE TANK 123 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-61-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,854 GALLON STEEL WINE STORAGE TANK 124 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-62-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,846 GALLON STEEL WINE STORAGE TANK 125 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-63-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,854 GALLON STEEL WINE STORAGE TANK 126 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-64-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,855 GALLON STEEL WINE STORAGE TANK 127 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-65-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,861 GALLON STEEL WINE STORAGE TANK 128 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-66-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,860 GALLON STEEL WINE STORAGE TANK 129 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-67-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,860 GALLON STEEL WINE STORAGE TANK 130 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-68-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,860 GALLON STEEL WINE STORAGE TANK 131 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-69-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,846 GALLON STEEL WINE STORAGE TANK 132 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-70-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,858 GALLON STEEL WINE STORAGE TANK 133 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-71-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,850 GALLON STEEL WINE STORAGE TANK 134 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-72-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,853 GALLON STEEL WINE STORAGE TANK 135 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-73-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,850 GALLON STEEL WINE STORAGE TANK 136 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-74-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,859 GALLON STEEL WINE STORAGE TANK 137 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-75-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,857 GALLON STEEL WINE STORAGE TANK 138 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-76-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,858 GALLON STEEL WINE STORAGE TANK 139 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-77-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,206 GALLON STEEL WINE STORAGE TANK 198 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-78-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,395 GALLON STEEL WINE STORAGE TANK 201 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-79-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,386 GALLON STEEL WINE STORAGE TANK 202 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-80-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,399 GALLON STEEL WINE STORAGE TANK 203 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-81-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,384 GALLON STEEL WINE STORAGE TANK 204 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-82-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,367 GALLON STEEL WINE STORAGE TANK 205 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-83-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,412 GALLON STEEL WINE STORAGE TANK 206 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-84-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,423 GALLON STEEL WINE STORAGE TANK 207 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-85-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,444 GALLON STEEL WINE STORAGE TANK 208 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-86-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,392 GALLON STEEL WINE STORAGE TANK 209 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-87-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,376 GALLON STEEL WINE STORAGE TANK 210 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-88-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,427 GALLON STEEL WINE STORAGE TANK 211 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-89-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,358 GALLON STEEL WINE STORAGE TANK 212 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-90-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,311 GALLON STEEL WINE STORAGE TANK 213 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-91-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,435 GALLON STEEL WINE STORAGE TANK 214 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-92-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,354 GALLON STEEL WINE STORAGE TANK 215 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-93-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,359 GALLON STEEL ENCLOSED TOP WINE FERMENTATION AND STORAGE TANK 216 WITH
PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-94-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,366 GALLON STEEL WINE STORAGE TANK 217 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-95-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,389 GALLON STEEL WINE STORAGE TANK 218 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-96-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,609 GALLON STEEL WINE STORAGE TANK 219 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-97-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,491 GALLON STEEL WINE STORAGE TANK 220 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-98-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,295 GALLON STEEL WINE STORAGE TANK 501 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-99-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,266 GALLON STEEL WINE STORAGE TANK 502 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-100-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,302 GALLON STEEL WINE STORAGE TANK 503 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-101-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,278 GALLON STEEL WINE STORAGE TANK 504 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-102-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,264 GALLON STEEL WINE STORAGE TANK 505 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-103-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,311 GALLON STEEL WINE STORAGE TANK 506 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-104-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,289 GALLON STEEL WINE STORAGE TANK 507 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-105-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,279 GALLON STEEL WINE STORAGE TANK 508 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-106-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,359 GALLON STEEL WINE STORAGE TANK 509 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-107-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,250 GALLON STEEL WINE STORAGE TANK 510 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-108-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,186 GALLON STEEL WINE STORAGE TANK 511 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-109-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,228 GALLON STEEL WINE STORAGE TANK 512 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-110-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,252 GALLON STEEL WINE STORAGE TANK 513 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-111-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,260 GALLON STEEL WINE STORAGE TANK 514 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-112-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,237 GALLON STEEL WINE STORAGE TANK 515 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-113-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,227 GALLON STEEL WINE STORAGE TANK 516 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-114-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,283 GALLON STEEL WINE STORAGE TANK 517 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-115-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,257 GALLON STEEL WINE STORAGE TANK 518 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-116-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,123 GALLON STEEL WINE STORAGE TANK 519 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-117-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

53,030 GALLON STEEL WINE STORAGE TANK 520 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-118-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,450 GALLON STEEL WINE STORAGE TANK 528 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit



These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-119-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,302 GALLON STEEL WINE STORAGE TANK 529 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-120-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,316 GALLON STEEL WINE STORAGE TANK 530 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-121-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,280 GALLON STEEL WINE STORAGE TANK 531 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-122-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,277 GALLON STEEL WINE STORAGE TANK 532 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-123-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,290 GALLON STEEL WINE STORAGE TANK 533 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-124-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,365 GALLON STEEL WINE STORAGE TANK 534 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-125-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,236 GALLON STEEL WINE STORAGE TANK 535 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-126-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,223 GALLON STEEL WINE STORAGE TANK 536 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-127-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,287 GALLON STEEL WINE STORAGE TANK 537 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-128-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,228 GALLON STEEL WINE STORAGE TANK 538 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-129-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,435 GALLON STEEL WINE STORAGE TANK 539 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-130-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,267 GALLON STEEL WINE STORAGE TANK 540 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-131-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,283 GALLON STEEL WINE STORAGE TANK 541 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-132-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,375 GALLON STEEL WINE STORAGE TANK 542 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-133-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,274 GALLON STEEL WINE STORAGE TANK 543 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-134-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,255 GALLON STEEL WINE STORAGE TANK 544 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-135-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,251 GALLON STEEL WINE STORAGE TANK 545 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-136-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,320 GALLON STEEL WINE STORAGE TANK 547 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-137-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,355 GALLON STEEL WINE STORAGE TANK 548 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-138-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,359 GALLON STEEL WINE STORAGE TANK 549 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-139-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

55,255 GALLON STEEL WINE STORAGE TANK 551 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-140-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

53,906 GALLON STEEL WINE STORAGE TANK 552 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-141-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,416 GALLON STEEL WINE STORAGE TANK 553 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-142-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,321 GALLON STEEL WINE STORAGE TANK 554 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-143-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,440 GALLON STEEL WINE STORAGE TANK 555 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-144-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,434 GALLON STEEL WINE STORAGE TANK 556 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-145-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

57,581 GALLON STEEL WINE STORAGE TANK 557 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-146-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,533 GALLON STEEL WINE STORAGE TANK 558 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-147-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,494 GALLON STEEL WINE STORAGE TANK 559 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-148-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,338 GALLON STEEL WINE STORAGE TANK 560 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-149-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,333 GALLON STEEL WINE STORAGE TANK 561 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-150-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,514 GALLON STEEL WINE STORAGE TANK 562 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-151-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,418 GALLON STEEL WINE STORAGE TANK 563 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-152-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,179 GALLON STEEL WINE STORAGE TANK 564 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-153-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,258 GALLON STEEL WINE STORAGE TANK 565 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-154-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

47,987 GALLON STEEL WINE STORAGE TANK 566 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-155-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

57,606 GALLON STEEL WINE STORAGE TANK 567 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-156-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

58,694 GALLON STEEL WINE STORAGE TANK 568 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-157-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,470 GALLON STEEL WINE STORAGE TANK 589 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-158-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,358 GALLON STEEL WINE STORAGE TANK 590 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-159-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,501 GALLON STEEL WINE STORAGE TANK 591 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-160-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,015 GALLON STEEL WINE STORAGE TANK 592 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-161-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,384 GALLON STEEL WINE STORAGE TANK 593 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-162-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,296 GALLON STEEL WINE STORAGE TANK 594 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-163-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,201 GALLON STEEL WINE STORAGE TANK 595 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-164-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,303 GALLON STEEL WINE STORAGE TANK 596 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-165-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,440 GALLON STEEL WINE STORAGE TANK 597 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-166-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,435 GALLON STEEL WINE STORAGE TANK 598 WITH PRESSURE/VACUUM VALVE

DRAFT

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

DRAFT