



MAR 01 2013

Paul Bement  
Golden State Vintners/Franzia/McFarland  
31795 Whisler Road  
McFarland, CA 93250

**Re: Notice of Minor Title V Permit Modification  
District Facility # S-882  
Project # S-1130364**


Dear Mr. Bement:

Enclosed is the District's analysis of your application for minor Title V permit modification for the facility identified above. You proposed a Title V minor permit modification to incorporate recently issued Authorities to Construct S-882-134-0 and '-135-0 and Permits to Operate S-882-136-0 and '-137-0 into the Title V operating permit. The proposed permit units S-882-134-1 and '-135-1 are new distilled spirits storage tanks. The proposed permit units S-882-136-1 and '-137-1 are existing distilled spirits storage tanks which are being issued permits as a result of loss-of-exemption.

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued Authorities to Construct S-882-134-0 and '-135-0 and Permits to Operate S-882-136-0 and '-137-0, emission increases, application, and previous Title V permit. This project will be subject to a 45-day EPA commenting period prior to the District taking final action.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney at (559) 230-5900.

Sincerely,



David Warner  
Director of Permit Services

Enclosures

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



**MAR 01 2013**

Gerardo C. Rios, Chief  
Permits Office  
Air Division  
U.S. EPA - Region IX  
75 Hawthorne St  
San Francisco, CA 94105

**Re: Notice of Minor Title V Permit Modification  
District Facility # S-882  
Project # S-1130364**


Dear Mr. Rios:

Enclosed for you to review is an application for minor Title V permit modification for the facility identified above. Golden State Vintners/Franzia/McFarland is proposing a Title V minor permit modification to incorporate the recently issued Authorities to Construct S-882-134-0 and '-135-0 and Permits to Operate S-882-136-0 and '-137-0 into the Title V operating permit. The proposed permit units S-882-134-1 and '-135-1 are new distilled spirits storage tanks. The proposed permit units S-882-136-1 and '-137-1 are existing distilled spirits storage tanks which are being issued permits as a result of loss-of-exemption.

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued Authorities to Construct S-882-134-0 and '-135-0 and Permits to Operate S-882-136-0 and '-137-0, emission increases, application, and previous Title V permit. Please submit your written comments on this project within the 45-day comment period that begins on the date you receive this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney at (559) 230-5900.

Sincerely,

  
David Warner  
Director of Permit Services

Enclosures

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585

# TITLE V APPLICATION REVIEW

Minor Modification  
Project #: S-1130364

Engineer: Dennis Roberts  
Date: February 27, 2013

Facility Number: S-882  
Facility Name: Golden State Vintners/Franzia-McFarland  
Mailing Address: 31795 Whisler Road  
McFarland, CA 93250

Contact Name: Paul Bement  
Phone: (209) 253-4217

Responsible Official: Matthew Rogers  
Title: Plant Manager

---

## I. PROPOSAL

The Wine Group is proposing a Title V minor permit modification to incorporate the recently issued Authorities to Construct S-882-134-0 and '-135-0 and Permits to Operate S-882-136-0 and '-137-0 and into the Title V operating permit. The proposed permit units S-882-136-1 and '-137-1 are existing distilled spirits storage tanks which are being issued permits as a result of loss-of-exemption.

The purpose of this evaluation is to identify all applicable requirements, determine if the facility will comply with the applicable requirements and to provide the legal and factual basis for the proposed revisions.

## II. FACILITY LOCATION

31795 Whisler Road  
McFarland, CA 93250

## III. EQUIPMENT DESCRIPTION

**S-882-134-1:** 10,208 GALLON DISTILLED SPIRITS STORAGE TANK (TANK P11) WITH PRESSURE/VACUUM VALVE AND INSULATION

**S-882-135-1:** 5,468 GALLON DISTILLED SPIRITS STORAGE TANK (TANK P12) WITH PRESSURE/VACUUM VALVE AND INSULATION

**S-882-136-1:** 13,354 GALLON DISTILLED SPIRITS STORAGE TANK (TANK P5) WITH PRESSURE/VACUUM VALVE

**S-882-137-1:** 13,354 GALLON DISTILLED SPIRITS STORAGE TANK (TANK P6) WITH PRESSURE/VACUUM VALVE

#### **IV. SCOPE OF EPA AND PUBLIC REVIEW**

This change to a Title V permit is considered to be a minor modification and, as such, requires no public review.

#### **V. APPLICABLE REQUIREMENTS**

District Rule 2520, Federally Mandated Operating Permits (Adopted June 21, 2001)

#### **VI. DESCRIPTION OF PROPOSED MODIFICATIONS**

Golden State Vintners/Franzia-McFarland is proposing to permit 10 existing distilled spirits storage tanks.

##### **S-882-134-0 and '-135-0:**

- Condition 1 of the ATC was deleted since this condition is included as condition 42 of the facility-wide requirements S-882-0-1.
- Conditions 2 through 8 of the ATC appear as conditions 1 through 7 on the proposed permit.

##### **S-882-136-0 and '-137-0:**

- Condition 1 of the original permit to operate was deleted since this condition is included as condition 42 of the facility-wide requirements S-882-0-1.

#### **VII. COMPLIANCE**

In accordance with Rule 2520, 3.20, these modifications:

1. Do not violate requirements of any applicable federally enforceable local or federal requirement;

2. Do not relax monitoring, reporting, or recordkeeping requirements in the permit and are not significant changes in existing monitoring permit terms or conditions;
3. Do not require or change a case-by-case determination of an emission limitation or other standard, or a source-specific determination for temporary sources of ambient impacts, or a visibility or increment analysis;
4. Do not seek to establish or change a permit term or condition for which there is no corresponding underlying applicable requirement and that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject. Such terms and conditions include:
  - a. A federally enforceable emission cap assumed to avoid classification as a modification under any provisions of Title I of the Federal Clean Air Act; and
  - b. An alternative emissions limit approved pursuant to regulations promulgated under section 112(i)(5) of the Federal Clean Air Act; and
5. Are not Title I modifications as defined in District Rule 2520 or modifications as defined in section 111 or 112 of the Federal Clean Air Act; and
6. Do not seek to consolidate overlapping applicable requirements.

In accordance with Rule 2520, the application meets the procedural requirements of section 11.4 by including;

1. A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
2. The source's suggested draft permit; and
3. Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used.

## **VIII. ATTACHMENTS**

- A. Proposed Title V Operating Permit Nos. S-882-134-1 through '-137-1
- B. Authorities to Construct S-882-134-0 and '-135-0
- C. Current Permits to Operate S-882-136-0 and '-137-0
- D. Emissions Increases
- E. Application

# **ATTACHMENT A**

**Proposed Title V Operating Permit Nos.  
S-882-134-1 through '-137-1**

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** S-882-134-1

**EXPIRATION DATE:** 01/31/2017

**EQUIPMENT DESCRIPTION:**

10,208 GALLON DISTILLED SPIRITS STORAGE TANK (TANK P11) WITH PRESSURE/VACUUM VALVE AND INSULATION

## PERMIT UNIT REQUIREMENTS

---

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The annual average ethanol content of distilled spirits stored in this tank shall not exceed 98 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The maximum distilled spirits storage throughput in this tank shall not exceed 10,208 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The maximum distilled spirits storage throughput in this tank shall not exceed 102,200 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the volume percent ethanol in the batch, and the volume of spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
7. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** S-882-135-1

**EXPIRATION DATE:** 01/31/2017

**EQUIPMENT DESCRIPTION:**

5,468 GALLON DISTILLED SPIRITS STORAGE TANK (TANK P12) WITH PRESSURE/VACUUM VALVE AND INSULATION

## PERMIT UNIT REQUIREMENTS

---

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The annual average ethanol content of distilled spirits stored in this tank shall not exceed 98 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The maximum distilled spirits storage throughput in this tank shall not exceed 10,208 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The maximum distilled spirits storage throughput in this tank shall not exceed 102,200 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the volume percent ethanol in the batch, and the volume of spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
7. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley  
Air Pollution Control District

PERMIT UNIT: S-882-136-1

EXPIRATION DATE: 01/31/2017

**EQUIPMENT DESCRIPTION:**

13,354 GALLON DISTILLED SPIRITS STORAGE TANK (TANK P5) WITH PRESSURE/VACUUM VALVE

## PERMIT UNIT REQUIREMENTS

---

See facility-wide requirements for permit conditions applicable to this permit unit.

San Joaquin Valley  
Air Pollution Control District

**PERMIT UNIT:** S-882-137-1

**EXPIRATION DATE:** 01/31/2017

**EQUIPMENT DESCRIPTION:**

13,354 GALLON DISTILLED SPIRITS STORAGE TANK (TANK P6) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

See facility-wide requirements for permit conditions applicable to this permit unit.

# **ATTACHMENT B**

**Authorities to Construct  
S-882-134-0 and '-135-0**



## AUTHORITY TO CONSTRUCT

**PERMIT NO:** S-882-134-0

**ISSUANCE DATE:** 07/31/2012

**LEGAL OWNER OR OPERATOR:** GOLDEN STATE VINTNERS/FRANZIA-MCFARLAND

**MAILING ADDRESS:** ATTN: A/P 2827  
PO BOX 90  
TRACY, CA 95378-0090

**LOCATION:** 31795 WHISLER RD  
MCFARLAND, CA 93250

**EQUIPMENT DESCRIPTION:**  
10,208 GALLON DISTILLED SPIRITS STORAGE TANK (TANK P11) WITH PRESSURE/VACUUM VALVE AND INSULATION

### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201]
3. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201]
4. The annual average ethanol content of distilled spirits stored in this tank shall not exceed 98 percent by volume. [District Rule 2201]
5. The maximum distilled spirits storage throughput in this tank shall not exceed 10,208 gallons per day. [District Rule 2201]
6. The maximum distilled spirits storage throughput in this tank shall not exceed 102,200 gallons per year. [District Rule 2201]
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the maximum temperature of the stored distilled spirits, the volume percent ethanol in the batch, and the volume of spirits transferred, shall be maintained. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

*Martha Keast for*

DAVID WARNER, Director of Permit Services

S-882-134-0: Jul 31 2012 9:45AM - ROBERTED : Job Inspection NOT Required

8. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070]



## AUTHORITY TO CONSTRUCT

**PERMIT NO:** S-882-135-0

**ISSUANCE DATE:** 07/31/2012

**LEGAL OWNER OR OPERATOR:** GOLDEN STATE VINTNERS/FRANZIA-MCFARLAND

**MAILING ADDRESS:** ATTN: A/P 2827  
PO BOX 90  
TRACY, CA 95378-0090

**LOCATION:** 31795 WHISLER RD  
MCFARLAND, CA 93250

**EQUIPMENT DESCRIPTION:**

5,468 GALLON DISTILLED SPIRITS STORAGE TANK (TANK P12) WITH PRESSURE/VACUUM VALVE AND INSULATION

### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201]
3. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201]
4. The annual average ethanol content of distilled spirits stored in this tank shall not exceed 98 percent by volume. [District Rule 2201]
5. The maximum distilled spirits storage throughput in this tank shall not exceed 5,468 gallons per day. [District Rule 2201]
6. The maximum distilled spirits storage throughput in this tank shall not exceed 54,700 gallons per year. [District Rule 2201]
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the maximum temperature of the stored distilled spirits, the volume percent ethanol in the batch, and the volume of spirits transferred, shall be maintained. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

DAVID WARNER, Director of Permit Services

S-882-135-0; Jul 31 2012 9:45AM - ROBERTSO ; Joint Inspection NOT Required

8. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070]

# **ATTACHMENT C**

**Current Permits to Operate  
S-882-136-0 and '-137-0**

**San Joaquin Valley  
Air Pollution Control District**

**PERMIT UNIT: S-882-136-0**

**EXPIRATION DATE: 01/31/2017**

**EQUIPMENT DESCRIPTION:**

13,354 GALLON DISTILLED SPIRITS STORAGE TANK (TANK P5) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** S-882-137-0

**EXPIRATION DATE:** 01/31/2017

**EQUIPMENT DESCRIPTION:**

13,354 GALLON DISTILLED SPIRITS STORAGE TANK (TANK P6) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# **ATTACHMENT D**

## **Emissions Increases**

	SSIPE (lb/yr)				
	NOx	VOC	CO	SOx	PM10
S-882-134-1 and '-135-1	0	121	0	0	0
S-882-136-1 and '-137-1	0	0	0	0	0
<b>TOTAL</b>	<b>0</b>	<b>121</b>	<b>0</b>	<b>0</b>	<b>0</b>

# ATTACHMENT E

Application