



DEC 31 2013

Mr. Michael Perez
Pactiv LLC
2024 Norris Rd
Bakersfield, CA 93308

Re: Notice of Minor Title V Permit Modification
District Facility # S-892
Project # S-1132596

Dear Mr. Perez:

Enclosed is the District's analysis of your application for minor Title V permit modification for the facility identified above. You proposed a Title V minor permit modification to incorporate recently issued Authorities to Construct (ATCs) S-892-23-0, '-24-0, '-25-0 into the Title V operating permit. The ATCs authorize the installation of polyethylene and polypropylene receiving and storage; loadout and transfer; and scrap grinding operations. There is no VOC blowing agent involved with these processes.

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued Authorities to Construct (ATCs) S-892-23-0, '-24-0, '-25-0, emission increases, and your application. This project will be subject to a 45-day EPA commenting period prior to the District taking final action.

If you have any questions, please contact Mr. Leonard Scandura, Permit Services Manager, at (661) 392-5500.

Thank you for your cooperation in this matter.

Sincerely,



David Warner
Director of Permit Services

Enclosures

cc: Gerardo C. Rios, EPA (w/enclosure) via email

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

TITLE V APPLICATION REVIEW

Minor Modification
Project #: S-1132596

Engineer: Stephen Leonard
Date: December 30, 2013

Facility Number: S-892
Facility Name: Pactiv LLC
Mailing Address: 2024 Norris Road
Bakersfield, CA 93308

Contact Name: Jim Wakeman
Phone: 661-331-4062

Responsible Official: Mike Perez
Title: Plant Manager

I. PROPOSAL

Pactiv LLC is proposing a Title V minor permit modification to incorporate Authority to Construct (ATC) documents S-892-23-0, '-24-0, & '-25-0 from District project S-1130399 into the Title V operating permit.

The ATCs authorize the installation of polyethylene and polypropylene receiving and storage; loadout and transfer; and scrap grinding operations.

The purpose of this evaluation is to identify all applicable requirements, determine if the facility will comply with the applicable requirements and to provide the legal and factual basis for the proposed revisions.

II. FACILITY LOCATION

The Pactiv facility is located at 2024 Norris Road in Bakersfield.

III. EQUIPMENT DESCRIPTION

S-892-23-1: POLYETHYLENE AND/OR POLYPROPYLENE RESIN RECEIVING AND STORAGE OPERATION INCLUDING ONE 4300 CUBIC FOOT AND ONE 3000 CUBIC FOOT STORAGE SILOS WITH BIN VENT FILTERS

S-892-24-1: POLYPROPYLENE AND POLYETHYLENE LOADOUT AND TRANSFER OPERATION INCLUDING VACUUM BLOWERS SERVED BY AIR

DISCHARGE FABRIC FILTER COLLECTOR TRANSPORTING RESIN TO
DAY BIN STORAGE AND MIXING BINS AND PERMIT EXEMPT
INJECTION MOLDING MACHINES (NO PLASTICIZER OR BLOWING
AGENT PRESENT)

S-892-25-1: OFFLINE POLYPROPYLENE AND POLYETHYLENE SCRAP GRINDING
OPERATION CONSISTING OF TWO GRINDERS EACH SERVED BY
CYCLONE VENTED TO A FABRIC SOCK FILTER

IV. SCOPE OF EPA AND PUBLIC REVIEW

This change to a Title V permit is considered to be a minor modification and, as such, requires no public review.

V. APPLICABLE REQUIREMENTS

District Rule 2520, Federally Mandated Operating Permits (Adopted June 21, 2001)

VI. DESCRIPTION OF PROPOSED MODIFICATIONS

The ATCs were for new permit units. There are no modifications to existing permit units.

VII. COMPLIANCE

In accordance with Rule 2520, 3.20, these modifications:

1. Do not violate requirements of any applicable federally enforceable local or federal requirement;
2. Do not relax monitoring, reporting, or recordkeeping requirements in the permit and are not significant changes in existing monitoring permit terms or conditions;
3. Do not require or change a case-by-case determination of an emission limitation or other standard, or a source-specific determination for temporary sources of ambient impacts, or a visibility or increment analysis;
4. Do not seek to establish or change a permit term or condition for which there is no corresponding underlying applicable requirement and that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject. Such terms and conditions include;
 - a. A federally enforceable emission cap assumed to avoid classification as a modification under any provisions of Title I of the Federal Clean Air Act; and
 - b. An alternative emissions limit approved pursuant to regulations promulgated under section 112(i)(5) of the Federal Clean Air Act; and
5. Are not Title I modifications as defined in District Rule 2520 or modifications as defined in section 111 or 112 of the Federal Clean Air Act; and

6. Do not seek to consolidate overlapping applicable requirements.

In accordance with Rule 2520, the application meets the procedural requirements of section 11.4 by including;

1. A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
2. The source's suggested draft permit; and
3. Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used.

VIII. ATTACHMENTS

- A. Proposed Title V Operating Permit Units S-892-23-1, '-24-1, & '-25-1
- B. Authorities to Construct S-892-23-0, '-24-0, & '-25-0
- C. Emissions Increases
- D. Application

ATTACHMENT A

Proposed Title V Operating Permit Units S-892-23-1,
'-24-1, & '-25-1

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-892-23-1

EXPIRATION DATE: 01/31/2017

EQUIPMENT DESCRIPTION:

POLYETHYLENE AND/OR POLYPROPYLENE RESIN RECEIVING AND STORAGE OPERATION INCLUDING ONE 4300 CUBIC FOOT AND ONE 3000 CUBIC FOOT STORAGE SILOS WITH BIN VENT FILTERS

PERMIT UNIT REQUIREMENTS

1. The bin vent filter shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District Rule 2201] Federally Enforceable Through Title V Permit
2. Visible emissions from the bin vent filters shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The combined maximum quantity of polypropylene/polyethylene resin transferred into the storage silos shall not exceed either of the following limits: 57,535 lbs of resin per day or 21,000,000 lbs of resin per year. [District Rule 2201] Federally Enforceable Through Title V Permit
4. Emissions from each of the bin vent filters serving the storage silos shall not exceed 0.0002018 lb-PM10/1000 lb of resin transferred into each silo. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The bin vent filters shall be maintained and operated according to manufacturer's specifications. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The bin vent filters cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Material removed from the bin vent filters shall be disposed of in a manner preventing entrainment into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
8. A spare set of filters shall be maintained on the premises at all times. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Differential operating pressure shall be monitored on each day that the bin vent filters operate. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Records of all maintenance of each bin vent filter, including all change outs of filter media, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Operator shall maintain records of monthly amount of polypropylene/polyethylene resin transferred and total hours of operation per month. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Operator shall maintain records of daily scheduled hours of operation. [District Rule 2201] Federally Enforceable Through Title V Permit
13. Daily records shall be calculated by the following equation: (scheduled daily hours) x ((total polypropylene/polyethylene resin transferred in month) / (total hours of operation in month)). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-892-24-1

EXPIRATION DATE: 01/31/2017

EQUIPMENT DESCRIPTION:

POLYPROPYLENE AND POLYETHYLENE LOADOUT AND TRANSFER OPERATION INCLUDING VACUUM BLOWERS SERVED BY AIR DISCHARGE FABRIC FILTER COLLECTOR TRANSPORTING RESIN TO DAY BIN STORAGE AND MIXING BINS AND PERMIT EXEMPT INJECTION MOLDING MACHINES (NO PLASTICIZER OR BLOWING AGENT PRESENT)

PERMIT UNIT REQUIREMENTS

1. The bin vent filter shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District Rule 2201] Federally Enforceable Through Title V Permit
2. Visible emissions from the fabric filter shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
3. Emissions from the fabric filter serving the loadout and transfer operation shall not exceed 0.000706 lb-PM10/1000 lb of resin transferred out of each silo. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The combined maximum quantity of polypropylene/polyethylene resin transferred out of the storage silos shall not exceed either of the following limits: 57,535 lbs of resin per day or 21,000,000 lbs of resin per year. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The fabric filter shall be maintained and operated according to manufacturer's specifications. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The fabric filters cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Material removed from the fabric filter shall be disposed of in a manner preventing entrainment into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
8. A spare set of filters shall be maintained on the premises at all times. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Differential operating pressure shall be monitored on each day that the fabric filter operates. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Records of all maintenance of the fabric filter, including all change outs of filter media, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Operator shall maintain records of monthly amount of polypropylene/polyethylene resin transferred and total hours of operation per month. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Operator shall maintain records of daily scheduled hours of operation. [District Rule 2201] Federally Enforceable Through Title V Permit
13. Daily records shall be calculated by the following equation: (scheduled daily hours) x ((total polypropylene/polyethylene resin transferred in month) / (total hours of operation in month)). [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

14. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: S-892-25-1

EXPIRATION DATE: 01/31/2017

EQUIPMENT DESCRIPTION:

OFFLINE POLYPROPYLENE AND POLYETHYLENE SCRAP GRINDING OPERATION CONSISTING OF TWO GRINDERS EACH SERVED BY CYCLONE VENTED TO A FABRIC SOCK FILTER

PERMIT UNIT REQUIREMENTS

1. Visible emissions from each sock filter shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. Emissions from each of the sock filters serving the grinding operation shall not exceed 0.000585 lb-PM10/1000 lb of scrap processed. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The combined maximum quantity of polypropylene/polyethylene scrap processed shall not exceed either of the following limits: 1,726 lbs of scrap per day or 630,000 lbs of scrap per year. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The sock filters shall be maintained and operated according to manufacturer's specifications. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The sock filters cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Material removed from the sock filters shall be disposed of in a manner preventing entrainment into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
7. A spare set of filters shall be maintained on the premises at all times. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Records of all maintenance of each sock filter, including all change outs of filter media, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Operator shall maintain records of monthly amount of polypropylene/polyethylene scrap processed and total hours of operation per month. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Operator shall maintain records of daily scheduled hours of operation. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily records shall be calculated by the following equation: (scheduled daily hours) x ((total polypropylene/polyethylene scrap processed in month) / (total hours of operation in month)). [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

ATTACHMENT B

Authorities to Construct S-892-23-0, '-24-0, & '-25-0



AUTHORITY TO CONSTRUCT

PERMIT NO: S-892-23-0

ISSUANCE DATE: 05/16/2013

LEGAL OWNER OR OPERATOR: PACTIV LLC
MAILING ADDRESS: 2024 NORRIS RD
BAKERSFIELD, CA 93308-2297

LOCATION: 2024 NORRIS RD
BAKERSFIELD, CA 93308-2297

EQUIPMENT DESCRIPTION:
POLYETHYLENE AND/OR POLYPROPYLENE RESIN RECEIVING AND STORAGE OPERATION INCLUDING ONE 4300 CUBIC FOOT AND ONE 3000 CUBIC FOOT STORAGE SILOS WITH BIN VENT FILTERS (REVISED 7/8/13)

CONDITIONS

1. The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520. [District Rule 2520] Federally Enforceable Through Title V Permit
2. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
3. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
4. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District Rule 2201]
5. The differential pressure gauge reading range shall be established per manufacturer's recommendation at time of start up inspection. [District Rule 2201]
6. Visible emissions from the bin vent filters shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rules 2201 and 4101]
7. The combined maximum quantity of polypropylene/polyethylene resin transferred into the storage silos shall not exceed either of the following limits: 57,535 lbs of resin per day or 21,000,000 lbs of resin per year. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



DAVID WARNER, Director of Permit Services

S-892-23-0 : Jul 8 2013 9:05AM - GARCIAJ : Joint Inspection NOT Required



AUTHORITY TO CONSTRUCT

PERMIT NO: S-892-24-0

ISSUANCE DATE: 05/16/2013

LEGAL OWNER OR OPERATOR: PACTIV LLC
MAILING ADDRESS: 2024 NORRIS RD
BAKERSFIELD, CA 93308-2297

LOCATION: 2024 NORRIS RD
BAKERSFIELD, CA 93308-2297

EQUIPMENT DESCRIPTION:

POLYPROPYLENE AND POLYETHYLENE LOADOUT AND TRANSFER OPERATION INCLUDING VACUUM BLOWERS SERVED BY AIR DISCHARGE FABRIC FILTER COLLECTOR TRANSPORTING RESIN TO DAY BIN STORAGE AND MIXING BINS AND PERMIT EXEMPT INJECTION MOLDING MACHINES (NO PLASTICIZER OR BLOWING AGENT PRESENT) (REVISED 7/8/13)


CONDITIONS

1. The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520. [District Rule 2520] Federally Enforceable Through Title V Permit
2. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
3. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
4. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District Rule 2201]
5. The differential pressure gauge reading range shall be established per manufacturer's recommendation at time of start up inspection. [District Rule 2201]
6. Visible emissions from the fabric filter shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rules 2201 and 4101]
7. Emissions from the fabric filter serving the loadout and transfer operation shall not exceed 0.000706 lb-PM10/1000 lb of resin transferred out of each silo. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



DAVID WARNER, Director of Permit Services

S-892-24-0 : Jul 8 2013 9:06AM - GARCIAJ : Joint Inspection NOT Required



AUTHORITY TO CONSTRUCT

PERMIT NO: S-892-25-0

ISSUANCE DATE: 05/16/2013

LEGAL OWNER OR OPERATOR: PACTIV LLC
MAILING ADDRESS: 2024 NORRIS RD
BAKERSFIELD, CA 93308-2297

LOCATION: 2024 NORRIS RD
BAKERSFIELD, CA 93308-2297

EQUIPMENT DESCRIPTION:
OFFLINE POLYPROPYLENE AND POLYETHYLENE SCRAP GRINDING OPERATION CONSISTING OF TWO GRINDERS EACH SERVED BY CYCLONE VENTED TO A FABRIC SOCK FILTER (REVISED 7/8/13)

CONDITIONS

1. The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520. [District Rule 2520] Federally Enforceable Through Title V Permit
2. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
3. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
4. Visible emissions from each sock filter shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District Rules 2201 and 4101]
5. Emissions from each of the sock filters serving the grinding operation shall not exceed 0.000585 lb-PM10/1000 lb of scrap processed. [District Rule 2201]
6. The combined maximum quantity of polypropylene/polyethylene scrap processed shall not exceed either of the following limits: 1,726 lbs of scrap per day or 630,000 lbs of scrap per year. [District Rule 2201]
7. The sock filters shall be maintained and operated according to manufacturer's specifications. [District Rule 2201]
8. The sock filters cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District Rule 2201]
9. Material removed from the sock filters shall be disposed of in a manner preventing entrainment into the atmosphere. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

S-892-25-0 : Jul 8 2013 9:05AM - GARCIAJ : Joint Inspection NOT Required

ATTACHMENT C

Emissions Increases

Pactiv LLC
S-892
S-1132596

	SSIPE (lb/yr)				
	NO _x	VOC	CO	SO _x	PM10
S-892-23-1	0	0	0	0	4
S-892-24-1	0	0	0	0	15
S-892-25-1	0	0	0	0	1
TOTAL	0	0	0	0	20

Pactiv LLC
S-892
S-1132596

ATTACHMENT D

Application



June 7, 2013

Mr. Leonard Scandura
Permit Services Manager
San Joaquin Valley APCD
34946 Flyover Court
Bakersfield, CA 93308

RECEIVED

JUN 17 2013

SJVAPCD
Southern Region

RE: Pactiv LLC Title V Application for Certificate of Conformity (Facility S-892)
Project Number 1120399

Dear Mr. Leonard:

As discussed in a recent meeting with Steve Leonard and as required by District Rule 2520, Pactiv is submitting an application for a certificate of conformity and an EPA review of the authorities to construct ATCs issued as part of project 1120399. The ATCs include S-892-23-0, S-892-24-0 and S-892-25-0.

Pactiv is submitting the attached TVFORM-009 Compliance Certification and TVFORM-008 Permit Application for Minor Modification to formally request the certificate of conformity for project 1120399.

Please bill Pactiv LLC for any applicable application or review fees.

Thank you for your consideration in this issue. If you have any questions or you require further information, please call Jim Wakeman at (661) 331-4062.

Sincerely,

A handwritten signature in black ink, appearing to read "Mike Perez".

Mike Perez
Plant Manager

Cc: Mike Rehor (Pactiv)
Robert Reed (Pactiv)
Plant Environmental Files 2.1g

San Joaquin Valley Air Pollution Control District

www.valleyair.org


RECEIVED

JUN 17 2013

SJVAPCD
Southern Region

Permit Application For:

ADMINISTRATIVE AMENDMENT MINOR MODIFICATION SIGNIFICANT MODIFICATION

1. PERMIT TO BE ISSUED TO: Pactiv LLC	
2. MAILING ADDRESS: STREET/P.O. BOX: <u>2024 Norris Road</u> CITY: <u>Bakersfield</u> STATE: <u>CA</u> 9-DIGIT ZIP CODE: <u>93308-2297</u>	
3. LOCATION WHERE THE EQUIPMENT WILL BE OPERATED: STREET: <u>2024 Norris Rd</u> CITY: <u>Bakersfield</u> ¼ SECTION <u>NE10</u> TOWNSHIP <u>29S</u> RANGE <u>27E</u>	INSTALLATION DATE: June 2013
4. GENERAL NATURE OF BUSINESS: Polystyrene Foam Manufacturing	
5. DESCRIPTION OF EQUIPMENT OR MODIFICATION FOR WHICH APPLICATION IS MADE (include Permit #'s if known, and use additional sheets if necessary) ATCs - S-892-23-0, S-892-24-0 and S-892-25-0: Application for certificate of conformity for the 3 ATCs – EPA review	
6. TYPE OR PRINT NAME OF APPLICANT: Mike Perez	TITLE OF APPLICANT: PLANT MANAGER
7. SIGNATURE OF APPLICANT:  DATE: <u>6/7/13</u>	PHONE: (661) 392-4020 FAX: (661) 392-4060 EMAIL: mperez01@pactiv.com

For APCD Use Only:

DATE STAMP	FILING FEE RECEIVED : \$ _____ CHECK#: _____
	DATE PAID: _____
	PROJECT NO: <u>S-1132596</u> FACILITY ID: <u>S-892</u>

RECEIVED

JUN 17 2013

SJVAPCD
Southern Region

San Joaquin Valley Unified Air Pollution Control District

TITLE V MODIFICATION - COMPLIANCE CERTIFICATION FORM

I. TYPE OF PERMIT ACTION (Check appropriate box)

SIGNIFICANT PERMIT MODIFICATION
 MINOR PERMIT MODIFICATION

ADMINISTRATIVE
AMENDMENT

COMPANY NAME: Pactiv LLC	FACILITY ID: S - 892
1. Type of Organization: <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Sole Ownership <input type="checkbox"/> Government <input type="checkbox"/> Partnership <input type="checkbox"/> Utility	
2. Owner's Name: Pactiv LLC	
3. Agent to the Owner:	

II. COMPLIANCE CERTIFICATION (Read each statement carefully and initial all circles for confirmation):


 Based on information and belief formed after reasonable inquiry, the equipment identified in this application will continue to comply with the applicable federal requirement(s).

 Based on information and belief formed after reasonable inquiry, the equipment identified in this application will comply with applicable federal requirement(s) that will become effective during the permit term, on a timely basis.


 Corrected information will be provided to the District when I become aware that incorrect or incomplete information has been submitted.

 Based on information and belief formed after reasonable inquiry, information and statements in the submitted application package, including all accompanying reports, and required certifications are true accurate and complete.

I declare, under penalty of perjury under the laws of the state of California, that the foregoing is correct and true:



Signature of Responsible Official



Date

Mike Perez

Name of Responsible Official (please print)

Plant Manager

Title of Responsible Official (please print)