



# South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178  
(909) 396-2000 • www.aqmd.gov

August 28, 2008

Mr. Gerardo Rios  
Chief – Permits Office  
U. S. EPA, Region IX  
75 Hawthorne Street, Air 3  
San Francisco, CA 94105

Dear Mr. Rios:

Cytec Engineered Materials Inc. (I.D. 099773) has proposed to revise their Title V permit by changing permit conditions for two mixing systems and three mixer/reactor stations. This is a manufacturer of resin impregnated materials (SIC 2295) located at 1440 North Kraemer Blvd., Anaheim, CA 92806. This proposed permit revision is considered as a “minor permit revision” to their Title V permit. Attached for your review are the permit evaluation and draft permit for the proposed permit revision. With your receipt of the proposed Title V permit revision today, we will note that the EPA 45-day review period will begin on August 28<sup>th</sup>.

If you have any questions or need additional information regarding the proposed permit revision, please call Brian Yeh at (909) 396-2584.

Very truly yours,

A handwritten signature in black ink that reads 'Fred Lettice'.

Fred Lettice  
Senior Manager  
Coating, Printing, & Aerospace Operations

FL:BLY:cover letter

Attachments