

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-2321-640-1

EXPIRATION DATE: 08/31/2011

EQUIPMENT DESCRIPTION:

3,070 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK LT-4 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. For each batch of must fermented in this tank, the operator shall record the fermentation completion date, the total gallons of must fermented, uncontrolled fermentation emissions, and fermentation emissions reductions. The information shall be recorded by the tank Permit To Operate number and by wine type, stated as either red wine or white wine. [District Rule 4694, 6.4.1]
2. When this tank is used for wine storage, the operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694, 6.4.2]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-2321-641-1

EXPIRATION DATE: 08/31/2011

EQUIPMENT DESCRIPTION:

3,070 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK LT-5 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. For each batch of must fermented in this tank, the operator shall record the fermentation completion date, the total gallons of must fermented, uncontrolled fermentation emissions, and fermentation emissions reductions. The information shall be recorded by the tank Permit To Operate number and by wine type, stated as either red wine or white wine. [District Rule 4694, 6.4.1]
2. When this tank is used for wine storage, the operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694, 6.4.2]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-2321-642-1

EXPIRATION DATE: 08/31/2011

EQUIPMENT DESCRIPTION:

18,000 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK GANI WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. When storing wine, this tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694, 5.2.1]
2. When this tank is used for storing wine, the pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694, 5.2.1]
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694, 5.2.2]
4. For each batch of must fermented in this tank, the operator shall record the fermentation completion date, the total gallons of must fermented, uncontrolled fermentation emissions, and fermentation emission reductions. The information shall be recorded by the tank Permit To Operate number and by wine type, stated as either red wine or white wine. [District Rule 4694, 6.4.1]
5. When this tank is used for wine storage, the operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694, 6.4.2]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-2321-643-1

EXPIRATION DATE: 08/31/2011

EQUIPMENT DESCRIPTION:

9,247 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK ROTO

PERMIT UNIT REQUIREMENTS

1. When storing wine, this tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694, 5.2.1]
2. When this tank is used for storing wine, the pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694, 5.2.1]
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694, 5.2.2]
4. For each batch of must fermented in this tank, the operator shall record the fermentation completion date, the total gallons of must fermented, uncontrolled fermentation emissions, and fermentation emission reductions. The information shall be recorded by the tank Permit To Operate number and by wine type, stated as either red wine or white wine. [District Rule 4694, 6.4.1]
5. When this tank is used for wine storage, the operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694, 6.4.2]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-2321-644-1

EXPIRATION DATE: 08/31/2011

EQUIPMENT DESCRIPTION:

6,287 GALLON STAINLESS STEEL ENCLOSED TOP WINE STORAGE TANK 941 WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. The wine storage tank shall be equipped and operated with a pressure-vacuum relief valve, set to operate within 10% of the maximum allowable working pressure of the tank and permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve shall be installed and operated in accordance with the manufacturer's instructions. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The pressure-vacuum relief valve and wine storage tank shall remain in a gas-tight condition except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The temperature of each batch of wine placed, stored, or held in the tank shall not exceed 75 degrees F after 60 days following completion of fermentation. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Ethanol content of wine in this tank shall not exceed 14 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Tank throughput shall not exceed either of the following limits: 13,000 gallons in any one day or 1,650,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum temperature of each batch of wine placed, stored, or held in the tank shall be recorded weekly. [District Rule 4694] Federally Enforceable Through Title V Permit
8. Records of filling and emptying operations shall be kept for this tank including the date of the operation, a unique identifier for each batch, the volume percent ethanol in the batch and the volume of wine transferred. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The wine batch identifier and volume stored in the tank shall be recorded weekly. [District Rule 4694] Federally Enforceable Through Title V Permit
10. Daily and annual records of tank throughput shall be kept. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-2321-645-1

EXPIRATION DATE: 08/31/2011

EQUIPMENT DESCRIPTION:

12,067 GALLON STAINLESS STEEL ENCLOSED TOP WINE STORAGE TANK 942 WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. The wine storage tank shall be equipped and operated with a pressure-vacuum relief valve, set to operate within 10% of the maximum allowable working pressure of the tank and permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve shall be installed and operated in accordance with the manufacturer's instructions. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The pressure-vacuum relief valve and wine storage tank shall remain in a gas-tight condition except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The temperature of each batch of wine placed, stored, or held in the tank shall not exceed 75 degrees F after 60 days following completion of fermentation. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Ethanol content of wine in this tank shall not exceed 14 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Tank throughput shall not exceed either of the following limits: 26,000 gallons in any one day or 3,300,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum temperature of each batch of wine placed, stored, or held in the tank shall be recorded weekly. [District Rule 4694] Federally Enforceable Through Title V Permit
8. Records of filling and emptying operations shall be kept for this tank including the date of the operation, a unique identifier for each batch, the volume percent ethanol in the batch and the volume of wine transferred. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The wine batch identifier and volume stored in the tank shall be recorded weekly. [District Rule 4694] Federally Enforceable Through Title V Permit
10. Daily and annual records of tank throughput shall be kept. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-2321-646-1

EXPIRATION DATE: 08/31/2011

EQUIPMENT DESCRIPTION:

12,067 GALLON STAINLESS STEEL ENCLOSED TOP WINE STORAGE TANK 943 WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. The wine storage tank shall be equipped and operated with a pressure-vacuum relief valve, set to operate within 10% of the maximum allowable working pressure of the tank and permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve shall be installed and operated in accordance with the manufacturer's instructions. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The pressure-vacuum relief valve and wine storage tank shall remain in a gas-tight condition except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The temperature of each batch of wine placed, stored, or held in the tank shall not exceed 75 degrees F after 60 days following completion of fermentation. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Ethanol content of wine in this tank shall not exceed 14 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Tank throughput shall not exceed either of the following limits: 26,000 gallons in any one day or 3,300,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum temperature of each batch of wine placed, stored, or held in the tank shall be recorded weekly. [District Rule 4694] Federally Enforceable Through Title V Permit
8. Records of filling and emptying operations shall be kept for this tank including the date of the operation, a unique identifier for each batch, the volume percent ethanol in the batch and the volume of wine transferred. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The wine batch identifier and volume stored in the tank shall be recorded weekly. [District Rule 4694] Federally Enforceable Through Title V Permit
10. Daily and annual records of tank throughput shall be kept. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-2321-647-1

EXPIRATION DATE: 08/31/2011

EQUIPMENT DESCRIPTION:

12,067 GALLON STAINLESS STEEL ENCLOSED TOP WINE STORAGE TANK 944 WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. The wine storage tank shall be equipped and operated with a pressure-vacuum relief valve, set to operate within 10% of the maximum allowable working pressure of the tank and permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve shall be installed and operated in accordance with the manufacturer's instructions. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The pressure-vacuum relief valve and wine storage tank shall remain in a gas-tight condition except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The temperature of each batch of wine placed, stored, or held in the tank shall not exceed 75 degrees F after 60 days following completion of fermentation. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Ethanol content of wine in this tank shall not exceed 14 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Tank throughput shall not exceed either of the following limits: 26,000 gallons in any one day or 3,300,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum temperature of each batch of wine placed, stored, or held in the tank shall be recorded weekly. [District Rule 4694] Federally Enforceable Through Title V Permit
8. Records of filling and emptying operations shall be kept for this tank including the date of the operation, a unique identifier for each batch, the volume percent ethanol in the batch and the volume of wine transferred. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The wine batch identifier and volume stored in the tank shall be recorded weekly. [District Rule 4694] Federally Enforceable Through Title V Permit
10. Daily and annual records of tank throughput shall be kept. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-2321-648-1

EXPIRATION DATE: 08/31/2011

EQUIPMENT DESCRIPTION:

12,067 GALLON STAINLESS STEEL ENCLOSED TOP WINE STORAGE TANK 945 WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. The wine storage tank shall be equipped and operated with a pressure-vacuum relief valve, set to operate within 10% of the maximum allowable working pressure of the tank and permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve shall be installed and operated in accordance with the manufacturer's instructions. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The pressure-vacuum relief valve and wine storage tank shall remain in a gas-tight condition except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The temperature of each batch of wine placed, stored, or held in the tank shall not exceed 75 degrees F after 60 days following completion of fermentation. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Ethanol content of wine in this tank shall not exceed 14 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Tank throughput shall not exceed either of the following limits: 26,000 gallons in any one day or 3,300,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum temperature of each batch of wine placed, stored, or held in the tank shall be recorded weekly. [District Rule 4694] Federally Enforceable Through Title V Permit
8. Records of filling and emptying operations shall be kept for this tank including the date of the operation, a unique identifier for each batch, the volume percent ethanol in the batch and the volume of wine transferred. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The wine batch identifier and volume stored in the tank shall be recorded weekly. [District Rule 4694] Federally Enforceable Through Title V Permit
10. Daily and annual records of tank throughput shall be kept. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

Appendix B

Pre-Project Equipment Descriptions

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 97 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 111 WITH PRESSURE/VACUUM VALVE
N-2321 - 98 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 112 WITH PRESSURE/VACUUM VALVE
N-2321 - 99 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 113 WITH PRESSURE/VACUUM VALVE
N-2321 - 100 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 114 WITH PRESSURE/VACUUM VALVE
N-2321 - 101 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 115 WITH PRESSURE/VACUUM VALVE
N-2321 - 102 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 116 WITH PRESSURE/VACUUM VALVE
N-2321 - 103 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 117 WITH PRESSURE/VACUUM VALVE
N-2321 - 104 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 118 WITH PRESSURE/VACUUM VALVE
N-2321 - 105 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 119 WITH PRESSURE/VACUUM VALVE
N-2321 - 106 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 120 WITH PRESSURE/VACUUM VALVE
N-2321 - 107 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 121 WITH PRESSURE/VACUUM VALVE
N-2321 - 108 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 122 WITH PRESSURE/VACUUM VALVE
N-2321 - 109 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 123 WITH PRESSURE/VACUUM VALVE
N-2321 - 110 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 124 WITH PRESSURE/VACUUM VALVE
N-2321 - 111 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 125 WITH PRESSURE/VACUUM VALVE
N-2321 - 112 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 126 WITH PRESSURE/VACUUM VALVE
N-2321 - 113 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 127 WITH PRESSURE/VACUUM VALVE
N-2321 - 114 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 128 WITH PRESSURE/VACUUM VALVE
N-2321 - 115 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 129 WITH PRESSURE/VACUUM VALVE
N-2321 - 116 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 130 WITH PRESSURE/VACUUM VALVE
N-2321 - 117 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 131 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 118 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 132 WITH PRESSURE/VACUUM VALVE
N-2321 - 119 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 133 WITH PRESSURE/VACUUM VALVE
N-2321 - 120 - 1	6,969 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 134 WITH PRESSURE/VACUUM VALVE
N-2321 - 121 - 1	1,122 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 135 WITH PRESSURE/VACUUM VALVE
N-2321 - 123 - 1	1,122 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 137 WITH PRESSURE/VACUUM VALVE
N-2321 - 124 - 1	1,122 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 138 WITH PRESSURE/VACUUM VALVE
N-2321 - 125 - 1	1,122 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 139 WITH PRESSURE/VACUUM VALVE
N-2321 - 126 - 1	1,122 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 140 WITH PRESSURE/VACUUM VALVE
N-2321 - 127 - 1	165,616 GALLON STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 201 WITH PRESSURE/VACUUM VALVE
N-2321 - 128 - 1	165,616 GALLON STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 202 WITH PRESSURE/VACUUM VALVE
N-2321 - 129 - 1	165,616 GALLON STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 203 WITH PRESSURE/VACUUM VALVE
N-2321 - 130 - 1	166,340 GALLON STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 204 WITH PRESSURE/VACUUM VALVE
N-2321 - 131 - 1	166,340 GALLON STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 205 WITH PRESSURE/VACUUM VALVE
N-2321 - 132 - 1	5,063 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 300 WITH PRESSURE/VACUUM VALVE
N-2321 - 133 - 1	5,063 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 301 WITH PRESSURE/VACUUM VALVE
N-2321 - 134 - 1	5,063 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 302 WITH PRESSURE/VACUUM VALVE
N-2321 - 135 - 1	5,063 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 303 WITH PRESSURE/VACUUM VALVE
N-2321 - 136 - 1	5,063 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 304 WITH PRESSURE/VACUUM VALVE
N-2321 - 137 - 1	5,063 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 305 WITH PRESSURE/VACUUM VALVE
N-2321 - 138 - 1	5,063 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 306 WITH PRESSURE/VACUUM VALVE
N-2321 - 139 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 307 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 140 - 1	1,030 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 321 WITH PRESSURE/VACUUM VALVE
N-2321 - 141 - 1	3,240 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 320 WITH PRESSURE/VACUUM VALVE
N-2321 - 142 - 1	3,240 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 322 WITH PRESSURE/VACUUM VALVE
N-2321 - 143 - 1	3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 323 WITH PRESSURE/VACUUM VALVE
N-2321 - 144 - 1	3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 324 WITH PRESSURE/VACUUM VALVE
N-2321 - 145 - 1	3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 325 WITH PRESSURE/VACUUM VALVE
N-2321 - 146 - 1	3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 326 WITH PRESSURE/VACUUM VALVE
N-2321 - 147 - 1	3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 327 WITH PRESSURE/VACUUM VALVE
N-2321 - 148 - 1	3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 328 WITH PRESSURE/VACUUM VALVE
N-2321 - 149 - 1	3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 329 WITH PRESSURE/VACUUM VALVE
N-2321 - 150 - 1	3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 330 WITH PRESSURE/VACUUM VALVE
N-2321 - 151 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 401 WITH PRESSURE/VACUUM VALVE
N-2321 - 152 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 402 WITH PRESSURE/VACUUM VALVE
N-2321 - 153 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 403 WITH PRESSURE/VACUUM VALVE
N-2321 - 154 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 404 WITH PRESSURE/VACUUM VALVE
N-2321 - 155 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 405 WITH PRESSURE/VACUUM VALVE
N-2321 - 156 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 406 WITH PRESSURE/VACUUM VALVE
N-2321 - 157 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 407 WITH PRESSURE/VACUUM VALVE
N-2321 - 158 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 408 WITH PRESSURE/VACUUM VALVE
N-2321 - 159 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 409 WITH PRESSURE/VACUUM VALVE
N-2321 - 161 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 411 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 162 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 413 WITH PRESSURE/VACUUM VALVE
N-2321 - 164 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 415 WITH PRESSURE/VACUUM VALVE
N-2321 - 165 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 501 WITH PRESSURE/VACUUM VALVE
N-2321 - 166 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 502 WITH PRESSURE/VACUUM VALVE
N-2321 - 167 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 503 WITH PRESSURE/VACUUM VALVE
N-2321 - 168 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 504 WITH PRESSURE/VACUUM VALVE
N-2321 - 169 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 505 WITH PRESSURE/VACUUM VALVE
N-2321 - 170 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 506 WITH PRESSURE/VACUUM VALVE
N-2321 - 171 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 507 WITH PRESSURE/VACUUM VALVE
N-2321 - 172 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 508 WITH PRESSURE/VACUUM VALVE
N-2321 - 173 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 509 WITH PRESSURE/VACUUM VALVE
N-2321 - 174 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 510 WITH PRESSURE/VACUUM VALVE
N-2321 - 175 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 511 WITH PRESSURE/VACUUM VALVE
N-2321 - 176 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 512 WITH PRESSURE/VACUUM VALVE
N-2321 - 177 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 513 WITH PRESSURE/VACUUM VALVE
N-2321 - 178 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 514 WITH PRESSURE/VACUUM VALVE
N-2321 - 179 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 515 WITH PRESSURE/VACUUM VALVE
N-2321 - 180 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 516 WITH PRESSURE/VACUUM VALVE
N-2321 - 181 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 517 WITH PRESSURE/VACUUM VALVE
N-2321 - 182 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 518 WITH PRESSURE/VACUUM VALVE
N-2321 - 183 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 519 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 184 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 520 WITH PRESSURE/VACUUM VALVE
N-2321 - 185 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 521 WITH PRESSURE/VACUUM VALVE
N-2321 - 186 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 522 WITH PRESSURE/VACUUM VALVE
N-2321 - 187 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 523 WITH PRESSURE/VACUUM VALVE
N-2321 - 188 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 524 WITH PRESSURE/VACUUM VALVE
N-2321 - 189 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 525 WITH PRESSURE/VACUUM VALVE
N-2321 - 190 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 526 WITH PRESSURE/VACUUM VALVE
N-2321 - 191 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 527 WITH PRESSURE/VACUUM VALVE
N-2321 - 192 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 528 WITH PRESSURE/VACUUM VALVE
N-2321 - 193 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 529 WITH PRESSURE/VACUUM VALVE
N-2321 - 194 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 530 WITH PRESSURE/VACUUM VALVE
N-2321 - 195 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 531 WITH PRESSURE/VACUUM VALVE
N-2321 - 196 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 532 WITH PRESSURE/VACUUM VALVE
N-2321 - 197 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 549 WITH PRESSURE/VACUUM VALVE
N-2321 - 198 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 550 WITH PRESSURE/VACUUM VALVE
N-2321 - 199 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 551 WITH PRESSURE/VACUUM VALVE
N-2321 - 200 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 552 WITH PRESSURE/VACUUM VALVE
N-2321 - 201 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 553 WITH PRESSURE/VACUUM VALVE
N-2321 - 202 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 554 WITH PRESSURE/VACUUM VALVE
N-2321 - 203 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 555 WITH PRESSURE/VACUUM VALVE
N-2321 - 204 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 556 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 205 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 557 WITH PRESSURE/VACUUM VALVE
N-2321 - 206 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 558 WITH PRESSURE/VACUUM VALVE
N-2321 - 207 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 559 WITH PRESSURE/VACUUM VALVE
N-2321 - 208 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 560 WITH PRESSURE/VACUUM VALVE
N-2321 - 209 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 561 WITH PRESSURE/VACUUM VALVE
N-2321 - 210 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 562 WITH PRESSURE/VACUUM VALVE
N-2321 - 211 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 563 WITH PRESSURE/VACUUM VALVE
N-2321 - 212 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 564 WITH PRESSURE/VACUUM VALVE
N-2321 - 213 - 1	39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 565 WITH PRESSURE/VACUUM VALVE
N-2321 - 214 - 1	39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 566 WITH PRESSURE/VACUUM VALVE
N-2321 - 215 - 1	39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 567 WITH PRESSURE/VACUUM VALVE
N-2321 - 216 - 1	39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 568 WITH PRESSURE/VACUUM VALVE
N-2321 - 217 - 1	39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 569 WITH PRESSURE/VACUUM VALVE
N-2321 - 218 - 1	39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 570 WITH PRESSURE/VACUUM VALVE
N-2321 - 219 - 1	39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 571 WITH PRESSURE/VACUUM VALVE
N-2321 - 220 - 1	39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 572 WITH PRESSURE/VACUUM VALVE
N-2321 - 221 - 1	39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 573 WITH PRESSURE/VACUUM VALVE
N-2321 - 222 - 1	39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 574 WITH PRESSURE/VACUUM VALVE
N-2321 - 223 - 1	39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 575 WITH PRESSURE/VACUUM VALVE
N-2321 - 224 - 1	39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 576 WITH PRESSURE/VACUUM VALVE
N-2321 - 225 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 601 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 226 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 602 WITH PRESSURE/VACUUM VALVE
N-2321 - 227 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 603 WITH PRESSURE/VACUUM VALVE
N-2321 - 228 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 604 WITH PRESSURE/VACUUM VALVE
N-2321 - 229 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 605 WITH PRESSURE/VACUUM VALVE
N-2321 - 230 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 606 WITH PRESSURE/VACUUM VALVE
N-2321 - 231 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 607 WITH PRESSURE/VACUUM VALVE
N-2321 - 232 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 608 WITH PRESSURE/VACUUM VALVE
N-2321 - 233 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 609 WITH PRESSURE/VACUUM VALVE
N-2321 - 234 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 610 WITH PRESSURE/VACUUM VALVE
N-2321 - 235 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 701 WITH PRESSURE/VACUUM VALVE
N-2321 - 236 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 702 WITH PRESSURE/VACUUM VALVE
N-2321 - 237 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 703 WITH PRESSURE/VACUUM VALVE
N-2321 - 238 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 704 WITH PRESSURE/VACUUM VALVE
N-2321 - 239 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 705 WITH PRESSURE/VACUUM VALVE
N-2321 - 240 - 1	16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 706 WITH PRESSURE/VACUUM VALVE
N-2321 - 241 - 1	2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 707 WITH PRESSURE/VACUUM VALVE
N-2321 - 242 - 1	2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 708 WITH PRESSURE/VACUUM VALVE
N-2321 - 243 - 1	2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 709 WITH PRESSURE/VACUUM VALVE
N-2321 - 244 - 1	2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 710 WITH PRESSURE/VACUUM VALVE
N-2321 - 245 - 1	2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 711 WITH PRESSURE/VACUUM VALVE
N-2321 - 246 - 1	2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 712 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 247 - 1	2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 713 WITH PRESSURE/VACUUM VALVE
N-2321 - 248 - 1	2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 714 WITH PRESSURE/VACUUM VALVE
N-2321 - 249 - 1	2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 715 WITH PRESSURE/VACUUM VALVE
N-2321 - 250 - 1	2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 716 WITH PRESSURE/VACUUM VALVE
N-2321 - 251 - 1	6,934 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 717 WITH PRESSURE/VACUUM VALVE
N-2321 - 252 - 1	6,934 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 718 WITH PRESSURE/VACUUM VALVE
N-2321 - 253 - 1	6,934 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 719 WITH PRESSURE/VACUUM VALVE
N-2321 - 254 - 1	6,934 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 720 WITH PRESSURE/VACUUM VALVE
N-2321 - 255 - 1	6,934 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 721 WITH PRESSURE/VACUUM VALVE
N-2321 - 256 - 1	6,934 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 722 WITH PRESSURE/VACUUM VALVE
N-2321 - 257 - 1	53,546 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 731 WITH PRESSURE/VACUUM VALVE
N-2321 - 258 - 1	53,546 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 732 WITH PRESSURE/VACUUM VALVE
N-2321 - 259 - 1	53,546 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 733 WITH PRESSURE/VACUUM VALVE
N-2321 - 260 - 1	53,546 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 734 WITH PRESSURE/VACUUM VALVE
N-2321 - 261 - 1	53,546 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 735 WITH PRESSURE/VACUUM VALVE
N-2321 - 262 - 1	53,546 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 736 WITH PRESSURE/VACUUM VALVE
N-2321 - 263 - 1	53,546 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 737 WITH PRESSURE/VACUUM VALVE
N-2321 - 264 - 1	53,546 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 738 WITH PRESSURE/VACUUM VALVE
N-2321 - 265 - 1	53,546 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 739 WITH PRESSURE/VACUUM VALVE
N-2321 - 266 - 1	53,546 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 740 WITH PRESSURE/VACUUM VALVE
N-2321 - 267 - 1	53,546 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 741 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 268 - 1	53,546 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 742 WITH PRESSURE/VACUUM VALVE
N-2321 - 269 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 751 WITH PRESSURE/VACUUM VALVE
N-2321 - 270 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 752 WITH PRESSURE/VACUUM VALVE
N-2321 - 271 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 753 WITH PRESSURE/VACUUM VALVE
N-2321 - 272 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 754 WITH PRESSURE/VACUUM VALVE
N-2321 - 273 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 755 WITH PRESSURE/VACUUM VALVE
N-2321 - 274 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 756 WITH PRESSURE/VACUUM VALVE
N-2321 - 275 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 757 WITH PRESSURE/VACUUM VALVE
N-2321 - 276 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 758 WITH PRESSURE/VACUUM VALVE
N-2321 - 277 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 759 WITH PRESSURE/VACUUM VALVE
N-2321 - 278 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 760 WITH PRESSURE/VACUUM VALVE
N-2321 - 279 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 761 WITH PRESSURE/VACUUM VALVE
N-2321 - 280 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 762 WITH PRESSURE/VACUUM VALVE
N-2321 - 281 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 763 WITH PRESSURE/VACUUM VALVE
N-2321 - 282 - 1	40,697 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 764 WITH PRESSURE/VACUUM VALVE
N-2321 - 283 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 801 WITH PRESSURE/VACUUM VALVE
N-2321 - 284 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 802 WITH PRESSURE/VACUUM VALVE
N-2321 - 285 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 803 WITH PRESSURE/VACUUM VALVE
N-2321 - 286 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 804 WITH PRESSURE/VACUUM VALVE
N-2321 - 287 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 805 WITH PRESSURE/VACUUM VALVE
N-2321 - 288 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 806 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 289 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 807 WITH PRESSURE/VACUUM VALVE
N-2321 - 290 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 808 WITH PRESSURE/VACUUM VALVE
N-2321 - 291 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 809 WITH PRESSURE/VACUUM VALVE
N-2321 - 292 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 810 WITH PRESSURE/VACUUM VALVE
N-2321 - 293 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 811 WITH PRESSURE/VACUUM VALVE
N-2321 - 294 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 812 WITH PRESSURE/VACUUM VALVE
N-2321 - 295 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 813 WITH PRESSURE/VACUUM VALVE
N-2321 - 296 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 814 WITH PRESSURE/VACUUM VALVE
N-2321 - 297 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 815 WITH PRESSURE/VACUUM VALVE
N-2321 - 298 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 816 WITH PRESSURE/VACUUM VALVE
N-2321 - 299 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 817 WITH PRESSURE/VACUUM VALVE
N-2321 - 300 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 818 WITH PRESSURE/VACUUM VALVE
N-2321 - 301 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 819 WITH PRESSURE/VACUUM VALVE
N-2321 - 302 - 1	11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 820 WITH PRESSURE/VACUUM VALVE
N-2321 - 303 - 1	19,700 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 901 WITH PRESSURE/VACUUM VALVE
N-2321 - 304 - 1	19,700 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 902 WITH PRESSURE/VACUUM VALVE
N-2321 - 305 - 1	19,700 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 903 WITH PRESSURE/VACUUM VALVE
N-2321 - 306 - 1	19,700 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 904 WITH PRESSURE/VACUUM VALVE
N-2321 - 307 - 1	19,700 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 905 WITH PRESSURE/VACUUM VALVE
N-2321 - 308 - 1	19,700 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 906 WITH PRESSURE/VACUUM VALVE
N-2321 - 309 - 1	19,700 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 907 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 310 - 1	19,700 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 908 WITH PRESSURE/VACUUM VALVE
N-2321 - 311 - 1	19,700 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 909 WITH PRESSURE/VACUUM VALVE
N-2321 - 312 - 1	19,700 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 910 WITH PRESSURE/VACUUM VALVE
N-2321 - 313 - 1	19,700 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 911 WITH PRESSURE/VACUUM VALVE
N-2321 - 314 - 1	19,700 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 912 WITH PRESSURE/VACUUM VALVE
N-2321 - 315 - 1	25,968 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 921 WITH PRESSURE/VACUUM VALVE
N-2321 - 316 - 1	25,968 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 922 WITH PRESSURE/VACUUM VALVE
N-2321 - 317 - 1	25,968 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 923 WITH PRESSURE/VACUUM VALVE
N-2321 - 318 - 1	25,968 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 924 WITH PRESSURE/VACUUM VALVE
N-2321 - 319 - 1	25,968 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 925 WITH PRESSURE/VACUUM VALVE
N-2321 - 320 - 1	25,968 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 926 WITH PRESSURE/VACUUM VALVE
N-2321 - 321 - 1	25,968 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 927 WITH PRESSURE/VACUUM VALVE
N-2321 - 322 - 1	25,968 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 928 WITH PRESSURE/VACUUM VALVE
N-2321 - 323 - 1	25,968 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 929 WITH PRESSURE/VACUUM VALVE
N-2321 - 324 - 1	25,968 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 930 WITH PRESSURE/VACUUM VALVE
N-2321 - 325 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1101 WITH PRESSURE/VACUUM VALVE
N-2321 - 326 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1102 WITH PRESSURE/VACUUM VALVE
N-2321 - 327 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1103 WITH PRESSURE/VACUUM VALVE
N-2321 - 328 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1104 WITH PRESSURE/VACUUM VALVE
N-2321 - 329 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1105 WITH PRESSURE/VACUUM VALVE
N-2321 - 330 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1106 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 331 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1107 WITH PRESSURE/VACUUM VALVE
N-2321 - 332 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1108 WITH PRESSURE/VACUUM VALVE
N-2321 - 333 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1109 WITH PRESSURE/VACUUM VALVE
N-2321 - 334 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1110 WITH PRESSURE/VACUUM VALVE
N-2321 - 335 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1111 WITH PRESSURE/VACUUM VALVE
N-2321 - 336 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1112 WITH PRESSURE/VACUUM VALVE
N-2321 - 337 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1113 WITH PRESSURE/VACUUM VALVE
N-2321 - 338 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1114 WITH PRESSURE/VACUUM VALVE
N-2321 - 339 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1115 WITH PRESSURE/VACUUM VALVE
N-2321 - 340 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1116 WITH PRESSURE/VACUUM VALVE
N-2321 - 341 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1117 WITH PRESSURE/VACUUM VALVE
N-2321 - 342 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1118 WITH PRESSURE/VACUUM VALVE
N-2321 - 343 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1119 WITH PRESSURE/VACUUM VALVE
N-2321 - 344 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1120 WITH PRESSURE/VACUUM VALVE
N-2321 - 345 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1121 WITH PRESSURE/VACUUM VALVE
N-2321 - 346 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1122 WITH PRESSURE/VACUUM VALVE
N-2321 - 347 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1123 WITH PRESSURE/VACUUM VALVE
N-2321 - 348 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1124 WITH PRESSURE/VACUUM VALVE
N-2321 - 349 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1125 WITH PRESSURE/VACUUM VALVE
N-2321 - 350 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1126 WITH PRESSURE/VACUUM VALVE
N-2321 - 351 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1127 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 352 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1128 WITH PRESSURE/VACUUM VALVE
N-2321 - 353 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1129 WITH PRESSURE/VACUUM VALVE
N-2321 - 354 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1130 WITH PRESSURE/VACUUM VALVE
N-2321 - 355 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1131 WITH PRESSURE/VACUUM VALVE
N-2321 - 356 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1132 WITH PRESSURE/VACUUM VALVE
N-2321 - 357 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1133 WITH PRESSURE/VACUUM VALVE
N-2321 - 358 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1134 WITH PRESSURE/VACUUM VALVE
N-2321 - 359 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1135 WITH PRESSURE/VACUUM VALVE
N-2321 - 360 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1136 WITH PRESSURE/VACUUM VALVE
N-2321 - 361 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1137 WITH PRESSURE/VACUUM VALVE
N-2321 - 362 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1138 WITH PRESSURE/VACUUM VALVE
N-2321 - 363 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1139 WITH PRESSURE/VACUUM VALVE
N-2321 - 364 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1140 WITH PRESSURE/VACUUM VALVE
N-2321 - 365 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1141 WITH PRESSURE/VACUUM VALVE
N-2321 - 366 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1142 WITH PRESSURE/VACUUM VALVE
N-2321 - 367 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1143 WITH PRESSURE/VACUUM VALVE
N-2321 - 368 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1144 WITH PRESSURE/VACUUM VALVE
N-2321 - 369 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1145 WITH PRESSURE/VACUUM VALVE
N-2321 - 370 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1146 WITH PRESSURE/VACUUM VALVE
N-2321 - 371 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1147 WITH PRESSURE/VACUUM VALVE
N-2321 - 372 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1148 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 373 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1151 WITH PRESSURE/VACUUM VALVE
N-2321 - 374 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1152 WITH PRESSURE/VACUUM VALVE
N-2321 - 375 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1153 WITH PRESSURE/VACUUM VALVE
N-2321 - 376 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1154 WITH PRESSURE/VACUUM VALVE
N-2321 - 377 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1155 WITH PRESSURE/VACUUM VALVE
N-2321 - 378 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1156 WITH PRESSURE/VACUUM VALVE
N-2321 - 379 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1157 WITH PRESSURE/VACUUM VALVE
N-2321 - 380 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1158 WITH PRESSURE/VACUUM VALVE
N-2321 - 381 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1159 WITH PRESSURE/VACUUM VALVE
N-2321 - 382 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1160 WITH PRESSURE/VACUUM VALVE
N-2321 - 383 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1161 WITH PRESSURE/VACUUM VALVE
N-2321 - 384 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1162 WITH PRESSURE/VACUUM VALVE
N-2321 - 385 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1163 WITH PRESSURE/VACUUM VALVE
N-2321 - 386 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1164 WITH PRESSURE/VACUUM VALVE
N-2321 - 387 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1165 WITH PRESSURE/VACUUM VALVE
N-2321 - 388 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1166 WITH PRESSURE/VACUUM VALVE
N-2321 - 389 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1167 WITH PRESSURE/VACUUM VALVE
N-2321 - 390 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1168 WITH PRESSURE/VACUUM VALVE
N-2321 - 391 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1169 WITH PRESSURE/VACUUM VALVE
N-2321 - 392 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1170 WITH PRESSURE/VACUUM VALVE
N-2321 - 393 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1171 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 394 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1172 WITH PRESSURE/VACUUM VALVE
N-2321 - 395 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1173 WITH PRESSURE/VACUUM VALVE
N-2321 - 396 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1174 WITH PRESSURE/VACUUM VALVE
N-2321 - 397 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1175 WITH PRESSURE/VACUUM VALVE
N-2321 - 398 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1176 WITH PRESSURE/VACUUM VALVE
N-2321 - 399 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1177 WITH PRESSURE/VACUUM VALVE
N-2321 - 400 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1178 WITH PRESSURE/VACUUM VALVE
N-2321 - 401 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1179 WITH PRESSURE/VACUUM VALVE
N-2321 - 402 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1180 WITH PRESSURE/VACUUM VALVE
N-2321 - 403 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1181 WITH PRESSURE/VACUUM VALVE
N-2321 - 404 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1182 WITH PRESSURE/VACUUM VALVE
N-2321 - 405 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1183 WITH PRESSURE/VACUUM VALVE
N-2321 - 406 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1184 WITH PRESSURE/VACUUM VALVE
N-2321 - 407 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1185 WITH PRESSURE/VACUUM VALVE
N-2321 - 408 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1186 WITH PRESSURE/VACUUM VALVE
N-2321 - 409 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1187 WITH PRESSURE/VACUUM VALVE
N-2321 - 410 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1188 WITH PRESSURE/VACUUM VALVE
N-2321 - 411 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1189 WITH PRESSURE/VACUUM VALVE
N-2321 - 412 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1190 WITH PRESSURE/VACUUM VALVE
N-2321 - 413 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1191 WITH PRESSURE/VACUUM VALVE
N-2321 - 414 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1192 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 415 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1193 WITH PRESSURE/VACUUM VALVE
N-2321 - 416 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1194 WITH PRESSURE/VACUUM VALVE
N-2321 - 417 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1195 WITH PRESSURE/VACUUM VALVE
N-2321 - 418 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1196 WITH PRESSURE/VACUUM VALVE
N-2321 - 419 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1197 WITH PRESSURE/VACUUM VALVE
N-2321 - 420 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1198 WITH PRESSURE/VACUUM VALVE
N-2321 - 421 - 1	31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1201 WITH PRESSURE/VACUUM VALVE
N-2321 - 422 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1202 WITH PRESSURE/VACUUM VALVE
N-2321 - 423 - 1	31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1203 WITH PRESSURE/VACUUM VALVE
N-2321 - 424 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1204 WITH PRESSURE/VACUUM VALVE
N-2321 - 425 - 1	31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1205 WITH PRESSURE/VACUUM VALVE
N-2321 - 426 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1206 WITH PRESSURE/VACUUM VALVE
N-2321 - 427 - 1	31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1207 WITH PRESSURE/VACUUM VALVE
N-2321 - 428 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1208 WITH PRESSURE/VACUUM VALVE
N-2321 - 429 - 1	31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1209 WITH PRESSURE/VACUUM VALVE
N-2321 - 430 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1210 WITH PRESSURE/VACUUM VALVE
N-2321 - 431 - 1	31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1211 WITH PRESSURE/VACUUM VALVE
N-2321 - 432 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1212 WITH PRESSURE/VACUUM VALVE
N-2321 - 433 - 1	31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1213 WITH PRESSURE/VACUUM VALVE
N-2321 - 435 - 1	31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1215 WITH PRESSURE/VACUUM VALVE
N-2321 - 447 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1223 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 469 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1245 WITH PRESSURE/VACUUM VALVE
N-2321 - 470 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1246 WITH PRESSURE/VACUUM VALVE
N-2321 - 471 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1251 WITH PRESSURE/VACUUM VALVE
N-2321 - 472 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1252 WITH PRESSURE/VACUUM VALVE
N-2321 - 473 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1253 WITH PRESSURE/VACUUM VALVE
N-2321 - 474 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1254 WITH PRESSURE/VACUUM VALVE
N-2321 - 475 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1255 WITH PRESSURE/VACUUM VALVE
N-2321 - 476 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1256 WITH PRESSURE/VACUUM VALVE
N-2321 - 477 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1257 WITH PRESSURE/VACUUM VALVE
N-2321 - 478 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1258 WITH PRESSURE/VACUUM VALVE
N-2321 - 479 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1259 WITH PRESSURE/VACUUM VALVE
N-2321 - 480 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1260 WITH PRESSURE/VACUUM VALVE
N-2321 - 481 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1261 WITH PRESSURE/VACUUM VALVE
N-2321 - 482 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1262 WITH PRESSURE/VACUUM VALVE
N-2321 - 483 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1263 WITH PRESSURE/VACUUM VALVE
N-2321 - 484 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1264 WITH PRESSURE/VACUUM VALVE
N-2321 - 485 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1265 WITH PRESSURE/VACUUM VALVE
N-2321 - 486 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1266 WITH PRESSURE/VACUUM VALVE
N-2321 - 487 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1267 WITH PRESSURE/VACUUM VALVE
N-2321 - 488 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1268 WITH PRESSURE/VACUUM VALVE
N-2321 - 489 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1269 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 490 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1270 WITH PRESSURE/VACUUM VALVE
N-2321 - 491 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1271 WITH PRESSURE/VACUUM VALVE
N-2321 - 492 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1272 WITH PRESSURE/VACUUM VALVE
N-2321 - 493 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1273 WITH PRESSURE/VACUUM VALVE
N-2321 - 494 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1274 WITH PRESSURE/VACUUM VALVE
N-2321 - 495 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1275 WITH PRESSURE/VACUUM VALVE
N-2321 - 496 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1276 WITH PRESSURE/VACUUM VALVE
N-2321 - 497 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1277 WITH PRESSURE/VACUUM VALVE
N-2321 - 498 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1278 WITH PRESSURE/VACUUM VALVE
N-2321 - 499 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1279 WITH PRESSURE/VACUUM VALVE
N-2321 - 500 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1280 WITH PRESSURE/VACUUM VALVE
N-2321 - 501 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1281 WITH PRESSURE/VACUUM VALVE
N-2321 - 502 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1282 WITH PRESSURE/VACUUM VALVE
N-2321 - 503 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1283 WITH PRESSURE/VACUUM VALVE
N-2321 - 504 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1284 WITH PRESSURE/VACUUM VALVE
N-2321 - 505 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1285 WITH PRESSURE/VACUUM VALVE
N-2321 - 506 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1286 WITH PRESSURE/VACUUM VALVE
N-2321 - 507 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1301 WITH PRESSURE/VACUUM VALVE
N-2321 - 508 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1302 WITH PRESSURE/VACUUM VALVE
N-2321 - 509 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1303 WITH PRESSURE/VACUUM VALVE
N-2321 - 510 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1304 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 511 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1305 WITH PRESSURE/VACUUM VALVE
N-2321 - 512 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1306 WITH PRESSURE/VACUUM VALVE
N-2321 - 513 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1307 WITH PRESSURE/VACUUM VALVE
N-2321 - 514 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1308 WITH PRESSURE/VACUUM VALVE
N-2321 - 515 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1309 WITH PRESSURE/VACUUM VALVE
N-2321 - 516 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1310 WITH PRESSURE/VACUUM VALVE
N-2321 - 517 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1311 WITH PRESSURE/VACUUM VALVE
N-2321 - 518 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1312 WITH PRESSURE/VACUUM VALVE
N-2321 - 519 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1313 WITH PRESSURE/VACUUM VALVE
N-2321 - 520 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1314 WITH PRESSURE/VACUUM VALVE
N-2321 - 521 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1315 WITH PRESSURE/VACUUM VALVE
N-2321 - 522 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1316 WITH PRESSURE/VACUUM VALVE
N-2321 - 523 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1317 WITH PRESSURE/VACUUM VALVE
N-2321 - 524 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1318 WITH PRESSURE/VACUUM VALVE
N-2321 - 525 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1319 WITH PRESSURE/VACUUM VALVE
N-2321 - 526 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1320 WITH PRESSURE/VACUUM VALVE
N-2321 - 527 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1321 WITH PRESSURE/VACUUM VALVE
N-2321 - 528 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1322 WITH PRESSURE/VACUUM VALVE
N-2321 - 529 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1323 WITH PRESSURE/VACUUM VALVE
N-2321 - 530 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1324 WITH PRESSURE/VACUUM VALVE
N-2321 - 531 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1325 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 532 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1326 WITH PRESSURE/VACUUM VALVE
N-2321 - 533 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1327 WITH PRESSURE/VACUUM VALVE
N-2321 - 534 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1328 WITH PRESSURE/VACUUM VALVE
N-2321 - 535 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1329 WITH PRESSURE/VACUUM VALVE
N-2321 - 536 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1330 WITH PRESSURE/VACUUM VALVE
N-2321 - 537 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1331 WITH PRESSURE/VACUUM VALVE
N-2321 - 538 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1332 WITH PRESSURE/VACUUM VALVE
N-2321 - 539 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1401 WITH PRESSURE/VACUUM VALVE
N-2321 - 540 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1402 WITH PRESSURE/VACUUM VALVE
N-2321 - 541 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1403 WITH PRESSURE/VACUUM VALVE
N-2321 - 542 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1404 WITH PRESSURE/VACUUM VALVE
N-2321 - 543 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1405 WITH PRESSURE/VACUUM VALVE
N-2321 - 544 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1406 WITH PRESSURE/VACUUM VALVE
N-2321 - 545 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1407 WITH PRESSURE/VACUUM VALVE
N-2321 - 546 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1408 WITH PRESSURE/VACUUM VALVE
N-2321 - 547 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1409 WITH PRESSURE/VACUUM VALVE
N-2321 - 548 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1410 WITH PRESSURE/VACUUM VALVE
N-2321 - 549 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1411 WITH PRESSURE/VACUUM VALVE
N-2321 - 550 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1412 WITH PRESSURE/VACUUM VALVE
N-2321 - 551 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1413 WITH PRESSURE/VACUUM VALVE
N-2321 - 552 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1414 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 553 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1415 WITH PRESSURE/VACUUM VALVE
N-2321 - 554 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1416 WITH PRESSURE/VACUUM VALVE
N-2321 - 555 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1417 WITH PRESSURE/VACUUM VALVE
N-2321 - 556 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1418 WITH PRESSURE/VACUUM VALVE
N-2321 - 557 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1419 WITH PRESSURE/VACUUM VALVE
N-2321 - 558 - 1	108,774 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1420 WITH PRESSURE/VACUUM VALVE
N-2321 - 559 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1501 WITH PRESSURE/VACUUM VALVE
N-2321 - 560 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1502 WITH PRESSURE/VACUUM VALVE
N-2321 - 561 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1503 WITH PRESSURE/VACUUM VALVE
N-2321 - 562 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1504 WITH PRESSURE/VACUUM VALVE
N-2321 - 563 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1505 WITH PRESSURE/VACUUM VALVE
N-2321 - 564 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1506 WITH PRESSURE/VACUUM VALVE
N-2321 - 565 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1507 WITH PRESSURE/VACUUM VALVE
N-2321 - 566 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1508 WITH PRESSURE/VACUUM VALVE
N-2321 - 567 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1509 WITH PRESSURE/VACUUM VALVE
N-2321 - 568 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1510 WITH PRESSURE/VACUUM VALVE
N-2321 - 569 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1511 WITH PRESSURE/VACUUM VALVE
N-2321 - 570 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1512 WITH PRESSURE/VACUUM VALVE
N-2321 - 571 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1513 WITH PRESSURE/VACUUM VALVE
N-2321 - 572 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1514 WITH PRESSURE/VACUUM VALVE
N-2321 - 573 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1515 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 574 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1516 WITH PRESSURE/VACUUM VALVE
N-2321 - 575 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1517 WITH PRESSURE/VACUUM VALVE
N-2321 - 576 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1518 WITH PRESSURE/VACUUM VALVE
N-2321 - 577 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1519 WITH PRESSURE/VACUUM VALVE
N-2321 - 578 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1520 WITH PRESSURE/VACUUM VALVE
N-2321 - 579 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1521 WITH PRESSURE/VACUUM VALVE
N-2321 - 580 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1522 WITH PRESSURE/VACUUM VALVE
N-2321 - 581 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1523 WITH PRESSURE/VACUUM VALVE
N-2321 - 582 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1524 WITH PRESSURE/VACUUM VALVE
N-2321 - 583 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1525 WITH PRESSURE/VACUUM VALVE
N-2321 - 584 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1526 WITH PRESSURE/VACUUM VALVE
N-2321 - 585 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1527 WITH PRESSURE/VACUUM VALVE
N-2321 - 586 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1528 WITH PRESSURE/VACUUM VALVE
N-2321 - 587 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1529 WITH PRESSURE/VACUUM VALVE
N-2321 - 588 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1530 WITH PRESSURE/VACUUM VALVE
N-2321 - 589 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1531 WITH PRESSURE/VACUUM VALVE
N-2321 - 590 - 1	216,830 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1532 WITH PRESSURE/VACUUM VALVE
N-2321 - 591 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1601 WITH PRESSURE/VACUUM VALVE
N-2321 - 592 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1602 WITH PRESSURE/VACUUM VALVE
N-2321 - 593 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1603 WITH PRESSURE/VACUUM VALVE
N-2321 - 594 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1604 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 595 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1605 WITH PRESSURE/VACUUM VALVE
N-2321 - 596 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1606 WITH PRESSURE/VACUUM VALVE
N-2321 - 597 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1607 WITH PRESSURE/VACUUM VALVE
N-2321 - 598 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1608 WITH PRESSURE/VACUUM VALVE
N-2321 - 599 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1609 WITH PRESSURE/VACUUM VALVE
N-2321 - 600 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1610 WITH PRESSURE/VACUUM VALVE
N-2321 - 601 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1611 WITH PRESSURE/VACUUM VALVE
N-2321 - 602 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1612 WITH PRESSURE/VACUUM VALVE
N-2321 - 603 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1625 WITH PRESSURE/VACUUM VALVE
N-2321 - 604 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1626 WITH PRESSURE/VACUUM VALVE
N-2321 - 605 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1627 WITH PRESSURE/VACUUM VALVE
N-2321 - 606 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1628 WITH PRESSURE/VACUUM VALVE
N-2321 - 607 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1629 WITH PRESSURE/VACUUM VALVE
N-2321 - 608 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1630 WITH PRESSURE/VACUUM VALVE
N-2321 - 609 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1631 WITH PRESSURE/VACUUM VALVE
N-2321 - 610 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1632 WITH PRESSURE/VACUUM VALVE
N-2321 - 611 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1633 WITH PRESSURE/VACUUM VALVE
N-2321 - 612 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1634 WITH PRESSURE/VACUUM VALVE
N-2321 - 613 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1635 WITH PRESSURE/VACUUM VALVE
N-2321 - 614 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1636 WITH PRESSURE/VACUUM VALVE
N-2321 - 615 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1649 WITH PRESSURE/VACUUM VALVE

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 616 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1650 WITH PRESSURE/VACUUM VALVE
N-2321 - 617 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1651 WITH PRESSURE/VACUUM VALVE
N-2321 - 618 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1652 WITH PRESSURE/VACUUM VALVE
N-2321 - 619 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1653 WITH PRESSURE/VACUUM VALVE
N-2321 - 620 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1654 WITH PRESSURE/VACUUM VALVE
N-2321 - 621 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1655 WITH PRESSURE/VACUUM VALVE
N-2321 - 622 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1656 WITH PRESSURE/VACUUM VALVE
N-2321 - 623 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1657 WITH PRESSURE/VACUUM VALVE
N-2321 - 624 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1658 WITH PRESSURE/VACUUM VALVE
N-2321 - 625 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1659 WITH PRESSURE/VACUUM VALVE
N-2321 - 626 - 1	62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1660 WITH PRESSURE/VACUUM VALVE
N-2321 - 637 - 1	3,070 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK LT-1 WITH PRESSURE/VACUUM VALVE
N-2321 - 638 - 1	3,070 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK LT-2 WITH PRESSURE/VACUUM VALVE
N-2321 - 639 - 1	3,070 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK LT-3 WITH PRESSURE/VACUUM VALVE
N-2321 - 640 - 1	3,070 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK LT-4 WITH PRESSURE/VACUUM VALVE
N-2321 - 641 - 1	3,070 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK LT-5 WITH PRESSURE/VACUUM VALVE
N-2321 - 642 - 1	18,000 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK GANI WITH PRESSURE/VACUUM VALVE
N-2321 - 643 - 1	9,247 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK ROTO
N-2321 - 644 - 1	6,287 GALLON STAINLESS STEEL ENCLOSED TOP WINE STORAGE TANK 941 WITH PRESSURE/VACUUM VALVE AND INSULATION
N-2321 - 645 - 1	12,067 GALLON STAINLESS STEEL ENCLOSED TOP WINE STORAGE TANK 942 WITH PRESSURE/VACUUM VALVE AND INSULATION
N-2321 - 646 - 1	12,067 GALLON STAINLESS STEEL ENCLOSED TOP WINE STORAGE TANK 943 WITH PRESSURE/VACUUM VALVE AND INSULATION

PRE-PROJECT EQUIPMENT DESCRIPTIONS

PERMIT NO.	EQUIPMENT DESCRIPTION
N-2321 - 647 - 1	12,067 GALLON STAINLESS STEEL ENCLOSED TOP WINE STORAGE TANK 944 WITH PRESSURE/VACUUM VALVE AND INSULATION
N-2321 - 648 - 1	12,067 GALLON STAINLESS STEEL ENCLOSED TOP WINE STORAGE TANK 945 WITH PRESSURE/VACUUM VALVE AND INSULATION

Appendix C

ATC Equipment Descriptions

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 74 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION TANK F53: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 75 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION TANK F54: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 76 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION TANK F55: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 77 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION TANK F56: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 78 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION TANK F57: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 79 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION TANK F58: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 80 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION TANK F59: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 81 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION TANK F60: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 82 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION F61: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 83 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION TANK F62: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 84 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION TANK F63: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 85 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION TANK F64: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 86 - 2	MODIFICATION OF 39,000 GALLON CONCRETE OPEN TOP RED AND WHITE WINE FERMENTATION TANK F65: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 87 - 2	MODIFICATION OF 60,259 GALLON CONCRETE LINED WHITE WINE FERMENTATION AND WINE STORAGE TANK 101 WITH PRESSURE/VACUUM RELIEF VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 88 - 2	MODIFICATION OF 60,259 GALLON CONCRETE WHITE WINE FERMENTATION AND WINE STORAGE TANK 102 WITH PRESSURE/VACUUM RELIEF VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 89 - 2	MODIFICATION OF 60,259 GALLON CONCRETE WHITE WINE FERMENTATION AND WINE STORAGE TANK 103 WITH PRESSURE/VACUUM RELIEF VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 90 - 2	MODIFICATION OF 60,259 GALLON CONCRETE WHITE WINE FERMENTATION AND WINE STORAGE TANK 104 WITH PRESSURE/VACUUM RELIEF VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 91 - 2	MODIFICATION OF 60,259 GALLON CONCRETE WHITE WINE FERMENTATION AND WINE STORAGE TANK 105 WITH PRESSURE/VACUUM RELIEF VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 92 - 2	MODIFICATION OF 60,259 GALLON CONCRETE WHITE WINE FERMENTATION AND WINE STORAGE TANK 106 WITH PRESSURE/VACUUM RELIEF VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 93 - 2	MODIFICATION OF 60,259 GALLON CONCRETE WHITE WINE FERMENTATION AND WINE STORAGE TANK 107 WITH PRESSURE/VACUUM RELIEF VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 114 - 2	MODIFICATION OF 6,969 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 128 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 115 - 2	MODIFICATION OF 6,969 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 129 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 116 - 2	MODIFICATION OF 6,969 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 130 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 117 - 2	MODIFICATION OF 6,969 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 131 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 118 - 2	MODIFICATION OF 6,969 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 132 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 119 - 2	MODIFICATION OF 6,969 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 133 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 120 - 2	MODIFICATION OF 6,969 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 134 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 121 - 2	MODIFICATION OF 1,122 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 135 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 123 - 2	MODIFICATION OF 1,122 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 137 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 124 - 2	MODIFICATION OF 1,122 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 138 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 125 - 2	MODIFICATION OF 1,122 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 139 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 126 - 2	MODIFICATION OF 1,122 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 140 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 127 - 2	MODIFICATION OF 165,616 GALLON MILD STEEL LINED ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 201 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 128 - 2	MODIFICATION OF 165,616 GALLON MILD STEEL LINED ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 202 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 129 - 2	MODIFICATION OF 165,616 GALLON MILD STEEL LINED ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 203 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 130 - 2	MODIFICATION OF 166,340 GALLON MILD STEEL LINED ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 204 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 131 - 2	MODIFICATION OF 166,340 GALLON MILD STEEL LINED ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 205 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 132 - 2	MODIFICATION OF 5,063 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 300 WITH PRESSURE/VACUUM VALVE: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 133 - 2	MODIFICATION OF 5,063 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 301 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 134 - 2	MODIFICATION OF 5,063 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 302 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 135 - 2	MODIFICATION OF 5,063 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 303 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 136 - 2	MODIFICATION OF 5,063 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 304 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 137 - 2	MODIFICATION OF 5,063 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 305 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 138 - 2	MODIFICATION OF 5,063 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 306 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 139 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 307 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 140 - 2	MODIFICATION OF 1,030 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 321 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 141 - 2	MODIFICATION OF 3,240 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 320 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 142 - 2	MODIFICATION OF 3,240 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 322 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 143 - 2	MODIFICATION OF 3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 323 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 144 - 2	MODIFICATION OF 3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 324 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 145 - 2	MODIFICATION OF 3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 325 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 146 - 2	MODIFICATION OF 3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 326 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 147 - 2	MODIFICATION OF 3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 327 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 148 - 2	MODIFICATION OF 3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 328 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 149 - 2	MODIFICATION OF 3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 329 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 150 - 2	MODIFICATION OF 3,358 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 330 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 151 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 401 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 152 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 402 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 153 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 403 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 154 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 404 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 155 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 405 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 156 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 406 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 157 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 407 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 158 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 408 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 159 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 409 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 161 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 411 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 162 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 413 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 164 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 415 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 165 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 501 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 166 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 502 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 167 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 503 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 168 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 504 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 169 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 505 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 170 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 506 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 171 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 507 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 172 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 508 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 173 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 509 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 174 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 510 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 175 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 511 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 176 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 512 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 177 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 513 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 178 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 514 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 179 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 515 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 180 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 516 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 181 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 517 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 182 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 518 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 183 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 519 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 184 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 520 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 185 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 521 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 186 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 522 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 187 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 523 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 188 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 524 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 189 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 525 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 190 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 526 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 191 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 527 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 192 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 528 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 193 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 529 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 194 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 530 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 195 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 531 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 196 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 532 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 197 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 549 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 198 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 550 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 199 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 551 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 200 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 552 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 201 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 553 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 202 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 554 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 203 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 555 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 204 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 556 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 205 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 557 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 206 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 558 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 207 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 559 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 208 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 560 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 209 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 561 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 210 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 562 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 211 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 563 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 212 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 564 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 213 - 2	MODIFICATION OF 39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 565 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 214 - 2	MODIFICATION OF 39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 566 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 215 - 2	MODIFICATION OF 39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 567 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 216 - 2	MODIFICATION OF 39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 568 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 217 - 2	MODIFICATION OF 39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 569 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 218 - 2	MODIFICATION OF 39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 570 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 219 - 2	MODIFICATION OF 39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 571 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 220 - 2	MODIFICATION OF 39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 572 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 221 - 2	MODIFICATION OF 39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 573 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 222 - 2	MODIFICATION OF 39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 574 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 223 - 2	MODIFICATION OF 39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 575 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 224 - 2	MODIFICATION OF 39,798 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 576 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 225 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 601 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 226 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 602 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 227 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 603 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 228 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 604 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 229 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 605 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 230 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 606 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 231 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 607 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 232 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 608 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 233 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 609 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 234 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 610 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 235 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 701 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 236 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 702 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 237 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 703 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 238 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 704 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 239 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 705 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 240 - 2	MODIFICATION OF 16,118 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 706 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 241 - 2	MODIFICATION OF 2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 707 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 242 - 2	MODIFICATION OF 2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 708 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 243 - 2	MODIFICATION OF 2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 709 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 244 - 2	MODIFICATION OF 2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 710 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 245 - 2	MODIFICATION OF 2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 711 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 246 - 2	MODIFICATION OF 2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 712 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 247 - 2	MODIFICATION OF 2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 713 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 248 - 2	MODIFICATION OF 2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 714 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 249 - 2	MODIFICATION OF 2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 715 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 250 - 2	MODIFICATION OF 2,977 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 716 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 251 - 2	MODIFICATION OF 6,934 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 717 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 252 - 2	MODIFICATION OF 6,934 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 718 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 253 - 2	MODIFICATION OF 6,934 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 719 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 254 - 2	MODIFICATION OF 6,934 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 720 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 255 - 2	MODIFICATION OF 6,934 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 721 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 256 - 2	MODIFICATION OF 6,934 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 722 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 257 - 2	MODIFICATION OF 53,546 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 731 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 258 - 2	MODIFICATION OF 53,546 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 732 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 259 - 2	MODIFICATION OF 53,546 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 733 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 260 - 2	MODIFICATION OF 53,546 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 734 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 261 - 2	MODIFICATION OF 53,546 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 735 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 262 - 2	MODIFICATION OF 53,546 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 736 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 263 - 2	MODIFICATION OF 53,546 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 737 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 264 - 2	MODIFICATION OF 53,546 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 738 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 265 - 2	MODIFICATION OF 53,546 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 739 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 266 - 2	MODIFICATION OF 53,546 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 740 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 267 - 2	MODIFICATION OF 53,546 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 741 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 268 - 2	MODIFICATION OF 53,546 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 742 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 269 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 751 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 270 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 752 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 271 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 753 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 272 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 754 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 273 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 755 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 274 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 756 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 275 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 757 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 276 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 758 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 277 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 759 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 278 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 760 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 279 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 761 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 280 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 762 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 281 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 763 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 282 - 2	MODIFICATION OF 40,697 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 764 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 283 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 801 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 284 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 802 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 285 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 803 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 286 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 804 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 287 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 805 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 288 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 806 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 289 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 807 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 290 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 808 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 291 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 809 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 292 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 810 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 293 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 811 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 294 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 812 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 295 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 813 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 296 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 814 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 297 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 815 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 298 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 816 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 299 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 817 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 300 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 818 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 301 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 819 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 302 - 2	MODIFICATION OF 11,150 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 820 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 303 - 2	MODIFICATION OF 19,700 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 901 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 304 - 2	MODIFICATION OF 19,700 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 902 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 305 - 2	MODIFICATION OF 19,700 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 903 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 306 - 2	MODIFICATION OF 19,700 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 904 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 307 - 2	MODIFICATION OF 19,700 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 905 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 308 - 2	MODIFICATION OF 19,700 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 906 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 309 - 2	MODIFICATION OF 19,700 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 907 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 310 - 2	MODIFICATION OF 19,700 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 908 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 311 - 2	MODIFICATION OF 19,700 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 909 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 312 - 2	MODIFICATION OF 19,700 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 910 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 313 - 2	MODIFICATION OF 19,700 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 911 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 314 - 2	MODIFICATION OF 19,700 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 912 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 315 - 2	MODIFICATION OF 25,968 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 921 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 316 - 2	MODIFICATION OF 25,968 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 922 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 317 - 2	MODIFICATION OF 25,968 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 923 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 318 - 2	MODIFICATION OF 25,968 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 924 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 319 - 2	MODIFICATION OF 25,968 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 925 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 320 - 2	MODIFICATION OF 25,968 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 926 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 321 - 2	MODIFICATION OF 25,968 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 927 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 322 - 2	MODIFICATION OF 25,968 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 928 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 323 - 2	MODIFICATION OF 25,968 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 929 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 324 - 2	MODIFICATION OF: 25,968 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 930 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 325 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1101 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 326 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1102 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 327 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1103 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 328 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1104 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 329 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1105 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 330 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1106 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 331 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1107 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 332 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1108 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 333 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1109 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 334 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1110 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 335 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1111 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 336 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1112 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 337 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1113 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 338 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1114 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 339 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1115 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 340 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1116 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 341 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1117 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 342 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1118 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 343 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1119 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 344 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1120 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 345 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1121 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 346 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1122 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 347 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1123 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 348 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1124 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 349 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1125 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 350 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1126 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 351 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1127 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 352 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1128 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 353 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1129 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 354 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1130 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 355 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1131 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 356 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1132 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 357 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1133 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 358 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1134 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 359 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1135 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 360 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1136 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 361 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1137 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 362 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1138 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 363 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1139 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 364 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1140 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 365 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1141 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 366 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1142 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 367 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1143 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 368 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1144 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 369 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1145 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 370 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1146 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 371 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1147 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 372 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1148 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 373 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1151 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 374 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1152 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 375 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1153 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 376 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1154 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 377 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1155 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 378 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1156 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 379 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1157 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 380 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1158 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 381 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1159 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 382 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1160 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 383 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1161 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 384 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1162 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 385 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1163 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 386 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1164 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 387 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1165 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 388 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1166 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 389 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1167 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 390 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1168 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 391 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1169 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 392 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1170 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 393 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1171 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 394 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1172 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 395 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1173 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 396 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1174 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 397 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1175 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 398 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1176 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 399 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1177 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 400 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1178 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 401 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1179 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 402 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1180 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 403 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1181 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 404 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1182 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 405 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1183 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 406 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1184 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 407 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1185 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 408 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1186 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 409 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1187 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 410 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1188 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 411 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1189 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 412 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1190 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 413 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1191 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 414 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1192 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 415 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1193 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 416 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1194 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 417 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1195 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 418 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1196 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 419 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1197 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 420 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1198 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 421 - 2	MODIFICATION OF 31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1201 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 422 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1202 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 423 - 2	MODIFICATION OF 31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1203 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 424 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1204 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 425 - 2	MODIFICATION OF 31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1205 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 426 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1206 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 427 - 2	MODIFICATION OF 31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1207 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 428 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1208 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 429 - 2	MODIFICATION OF 31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1209 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 430 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1210 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 431 - 2	MODIFICATION OF 31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1211 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 432 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1212 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 433 - 2	MODIFICATION OF 31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1213 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 435 - 2	MODIFICATION OF 31,538 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1215 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 447 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1223 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 448 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1224 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 449 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1225 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 450 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1226 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 451 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1227 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 452 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1228 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 453 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1229 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 454 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1230 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 455 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1231 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 456 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1232 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 457 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1233 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 458 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1234 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 459 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1235 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 460 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1236 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 461 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1237 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 462 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1238 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 463 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1239 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 464 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1240 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 465 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1241 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 466 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1242 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 467 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1243 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 468 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1244 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 469 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1245 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 470 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1246 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 471 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1251 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 472 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1252 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 473 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1253 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 474 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1254 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 475 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1255 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 476 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1256 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 477 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1257 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 478 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1258 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 479 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1259 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 480 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1260 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 481 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1261 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 482 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1262 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 483 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1263 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 484 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1264 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 485 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1265 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 486 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1266 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 487 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1267 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 488 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1268 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 489 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1269 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 490 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1270 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 491 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1271 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 492 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1272 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 493 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1273 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 494 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1274 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 495 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1275 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 496 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1276 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 497 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1277 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 498 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1278 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 499 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1279 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 500 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1280 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 501 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1281 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 502 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1282 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 503 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1283 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 504 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1284 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 505 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1285 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 506 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1286 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 507 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1301 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 508 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1302 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 509 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1303 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Appl. No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 510 - 2	1304 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 511 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321 - 512 - 2	1305 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 512 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321 - 513 - 2	1306 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 513 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321 - 514 - 2	1307 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 514 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321 - 515 - 2	1308 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 515 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321 - 516 - 2	1309 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 516 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321 - 517 - 2	1310 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 517 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321 - 518 - 2	1311 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 518 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321 - 519 - 2	1312 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 519 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321 - 520 - 2	1313 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 520 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321 - 521 - 2	1314 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 521 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321 - 522 - 2	1315 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 522 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.

1316 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Applic	ation No.	ATC EQUIPMENT DESCRIPTION
N-2321	523 - 2	1317 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE STORAGE TANK OPERATIONS.
N-2321	524 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321	525 - 2	1318 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE STORAGE TANK OPERATIONS.
N-2321	526 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321	527 - 2	1320 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE STORAGE TANK OPERATIONS.
N-2321	527 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321	528 - 2	1321 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE STORAGE TANK OPERATIONS.
N-2321	528 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321	529 - 2	1322 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE STORAGE TANK OPERATIONS.
N-2321	530 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321	531 - 2	1324 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE STORAGE TANK OPERATIONS.
N-2321	531 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321	532 - 2	1325 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE STORAGE TANK OPERATIONS.
N-2321	532 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321	533 - 2	1327 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE STORAGE TANK OPERATIONS.
N-2321	534 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321	534 - 2	1328 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE STORAGE TANK OPERATIONS.
N-2321	535 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK OPERATIONS.
N-2321	535 - 2	1329 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE STORAGE TANK OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 536 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1330 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 537 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1331 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 538 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1332 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 539 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1401 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 540 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1402 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 541 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1403 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 542 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1404 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 543 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1405 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 544 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1406 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 545 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1407 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 546 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1408 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 547 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1409 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 548 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1410 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 549 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1411 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 550 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1412 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 551 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1413 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 552 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1414 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 553 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1415 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 554 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1416 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 555 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1417 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 556 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1418 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 557 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1419 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 558 - 2	MODIFICATION OF 108,774 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1420 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 559 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1501 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 560 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1502 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 561 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1503 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 562 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1504 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 563 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1505 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 564 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1506 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 565 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1507 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 566 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1508 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 567 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1509 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 568 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1510 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 569 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1511 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 570 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1512 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 571 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1513 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 572 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1514 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 573 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1515 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 574 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1516 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 575 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1517 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 576 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1518 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 577 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1519 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 578 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1520 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 579 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1521 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 580 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1522 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 581 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1523 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 582 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1524 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 583 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1525 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 584 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1526 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 585 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1527 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 586 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1528 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 587 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1529 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.

ATC EQUIPMENT DESCRIPTIONS

Application No.	ATC EQUIPMENT DESCRIPTION
N-2321 - 588 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1530 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 589 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1531 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 590 - 2	MODIFICATION OF 216,830 GALLON STAINLESS STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK 1532 WITH PRESSURE/VACUUM VALVE AND INSULATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 591 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1601 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 592 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1602 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 593 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1603 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 594 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1604 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 595 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1605 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 596 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1606 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 597 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1607 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 598 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1608 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 599 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1609 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.
N-2321 - 600 - 2	MODIFICATION OF 62,554 GALLON STAINLESS STEEL ENCLOSED TOP RED AND WHITE WINE FERMENTATION AND WINE STORAGE TANK 1610 WITH PRESSURE/VACUUM VALVE AND REFRIGERATION: ADD SPECIFIC LIMITING CONDITION FOR WINE PRODUCTION OPERATIONS.