

Exhibit 19

MSDS – EC2007A



SAFETY DATA SHEET

PRODUCT

BREAXIT® EC2007A

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : BREAXIT® EC2007A

APPLICATION : DEMULSIFIER

COMPANY IDENTIFICATION :
Nalco Company
1601 W. Diehl Road
Naperville, Illinois
60563-1198

EMERGENCY TELEPHONE NUMBER(S) : (800) 424-9300 (24 Hours) CHEMTREC

NFPA 704M/HMIS RATING

HEALTH : 2 / 2 FLAMMABILITY : 3 / 3 INSTABILITY : 0 / 0 OTHER :

0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme * = Chronic Health Hazard

2. COMPOSITION/INFORMATION ON INGREDIENTS

Our hazard evaluation has identified the following chemical substance(s) as hazardous. Consult Section 15 for the nature of the hazard(s).

Hazardous Substance(s)	CAS NO	% (w/w)
Heavy Aromatic Naphtha	64742-94-5	5.0 - 10.0
Heavy Catalytic Reformed Naphtha	64741-68-0	30.0 - 60.0
Cumene	98-82-8	1.0 - 5.0
Methanol	67-56-1	5.0 - 10.0
Xylene	1330-20-7	5.0 - 10.0
Ethylbenzene	100-41-4	0.1 - 1.0
Trimethylbenzene	25551-13-7	10.0 - 30.0
Naphthalene	91-20-3	0.1 - 1.0

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER

Flammable. Irritating to respiratory system and skin. Harmful in contact with skin and if swallowed. Contains methanol. Methanol may cause central nervous system effects or permanent vision damage if inhaled, swallowed or absorbed through the skin in large amounts.

Keep away from heat. Keep away from sources of ignition - No smoking. Keep container tightly closed. Do not get in eyes, on skin, on clothing. Do not take internally. Avoid breathing vapor. Use with adequate ventilation. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of soap and water.

Wear suitable protective clothing.

Flammable Liquid; may release vapors that form flammable mixtures at or above the flash point. Vapors can travel to a source of ignition and flash back. Empty product containers may contain product residue. Do not pressurize, cut,

Nalco Company 1601 W. Diehl Road • Naperville, Illinois 60563-1198 • (630)305-1000

For additional copies of an MSDS visit www.nalco.com and request access.



SAFETY DATA SHEET

PRODUCT

BREAXIT® EC2007A

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

heat, weld, or expose containers to flame or other sources of ignition. May evolve oxides of carbon (COx) under fire conditions.

PRIMARY ROUTES OF EXPOSURE :

Eye, Skin, Inhalation

HUMAN HEALTH HAZARDS - ACUTE :

EYE CONTACT :

Can cause mild irritation.

SKIN CONTACT :

Can cause moderate irritation. Harmful if absorbed through skin. Methanol may be absorbed through the skin and cause central nervous system effects which may result in permanent visual changes including blindness.

INGESTION :

Not a likely route of exposure. There may be irritation to the gastro-intestinal tract. May cause nausea and vomiting. Can cause chemical pneumonia if aspirated into lungs following ingestion. Can cause central nervous system depression. Harmful if swallowed. Can cause blindness.

INHALATION :

Irritating to the eyes, nose, throat and lungs.

SYMPTOMS OF EXPOSURE :

Acute :

Inhalation of high concentrations of organic solvents can cause nausea, dizziness, vomiting, stupor or unconsciousness.

Chronic :

Frequent or prolonged contact with product may defat and dry the skin, leading to discomfort and dermatitis.

AGGRAVATION OF EXISTING CONDITIONS :

Skin contact may aggravate an existing dermatitis condition.

HUMAN HEALTH HAZARDS - CHRONIC :

This product contains ethylbenzene. The International Agency for Research on Cancer (IARC) has evaluated ethylbenzene and determined it to be possibly carcinogenic to humans (Group 2B, based on sufficient evidence in experimental animals and inadequate evidence in humans). This product contains naphthalene. The International Agency for Research on Cancer (IARC) has evaluated naphthalene and determined it to be possibly carcinogenic to humans (Group 2B, based on sufficient evidence in experimental animals and inadequate evidence in humans).

4. FIRST AID MEASURES

EYE CONTACT :

Immediately flush eye with water for at least 15 minutes while holding eyelids open. Get medical attention.

SKIN CONTACT :

Immediately wash with plenty of soap and water. If symptoms develop, seek medical advice.



SAFETY DATA SHEET

PRODUCT

BREAXIT® EC2007A

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

INGESTION :

Do not induce vomiting; contains petroleum distillates and/or aromatic solvents. If conscious, washout mouth and give water to drink. Get medical attention.

INHALATION :

Remove to fresh air, treat symptomatically. If symptoms develop, seek medical advice.

NOTE TO PHYSICIAN :

Based on the individual reactions of the patient, the physician's judgement should be used to control symptoms and clinical condition.

5. FIRE FIGHTING MEASURES

FLASH POINT : 48 °F / 8.9 °C (PMCC)

EXTINGUISHING MEDIA :

Alcohol foam, Carbon dioxide, Foam, Dry powder, Other extinguishing agent suitable for Class B fires, For large fires, use water spray or fog, thoroughly drenching the burning material.

Water mist may be used to cool closed containers.

UNSUITABLE EXTINGUISHING MEDIA :

Do not use water unless flooding amounts are available.

FIRE AND EXPLOSION HAZARD :

Flammable Liquid; may release vapors that form flammable mixtures at or above the flash point. Vapors can travel to a source of ignition and flash back. Empty product containers may contain product residue. Do not pressurize, cut, heat, weld, or expose containers to flame or other sources of ignition. May evolve oxides of carbon (COx) under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTING :

In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS :

Restrict access to area as appropriate until clean-up operations are complete. Ensure clean-up is conducted by trained personnel only. Ventilate spill area if possible. Do not touch spilled material. Remove sources of ignition. Stop or reduce any leaks if it is safe to do so. Have emergency equipment (for fires, spills, leaks, etc.) readily available. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Notify appropriate government, occupational health and safety and environmental authorities.

METHODS FOR CLEANING UP :

SMALL SPILLS: Soak up spill with absorbent material. Place residues in a suitable, covered, properly labeled container. Wash affected area. **LARGE SPILLS:** Contain liquid using absorbent material, by digging trenches or by diking. Reclaim into recovery or salvage drums or tank truck for proper disposal. Clean contaminated surfaces with water or aqueous cleaning agents. Contact an approved waste hauler for disposal of contaminated recovered material. Dispose of material in compliance with regulations indicated in Section 13 (Disposal Considerations).



SAFETY DATA SHEET

PRODUCT

BREAXIT® EC2007A

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

ENVIRONMENTAL PRECAUTIONS :

Prevent material from entering sewers or waterways.

7. HANDLING AND STORAGE

HANDLING :

Use with adequate ventilation. Keep the containers closed when not in use. Do not use in locations where vapor is likely to travel to welding flames or arcs or to other hot surfaces. Vapors are much heavier than air, this can result in uneven distribution. Do not take internally. Do not breathe vapors/gases/dust. Do not get in eyes, on skin, on clothing. Have emergency equipment (for fires, spills, leaks, etc.) readily available.

STORAGE CONDITIONS :

Store away from heat and sources of ignition. Store separately from oxidizers. Store the containers tightly closed. Connections must be grounded to avoid electrical charges. Have appropriate fire extinguishers available in and near the storage area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS :

Available exposure limits for the substance(s) are shown below.

Substance(s)	Category:	ppm	mg/m3	Non-Standard Unit
Cumene	ACGIH/TWA	50		
	OSHA Z1/PEL	50	245	
	OSHA Z1/Skin*			
Methanol	ACGIH/TWA	200		
	ACGIH/STEL	250		
	ACGIH/Skin*			
	OSHA Z1/PEL	200	260	
Xylene	ACGIH/TWA	100		
	ACGIH/STEL	150		
	OSHA Z1/PEL	100	435	
Ethylbenzene	ACGIH/TWA	100		
	ACGIH/STEL	125		
	OSHA Z1/PEL	100	435	
Trimethylbenzene	ACGIH/TWA	25		
Naphthalene	ACGIH/TWA	10		
	ACGIH/STEL	15		
	ACGIH/Skin*			
	OSHA Z1/PEL	10	50	

* Can be absorbed through the skin.

ENGINEERING MEASURES :

Use general ventilation with local exhaust ventilation.



SAFETY DATA SHEET

PRODUCT

BREAXIT® EC2007A

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

RESPIRATORY PROTECTION :

If significant mists, vapors or aerosols are generated an approved respirator is recommended. An organic vapor cartridge with dust/mist prefilter or supplied air may be used. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

HAND PROTECTION :

Polyvinyl alcohol gloves Viton# gloves

SKIN PROTECTION :

Wear impervious apron and boots.

EYE PROTECTION :

Wear chemical splash goggles.

HYGIENE RECOMMENDATIONS :

Keep an eye wash fountain available. Keep a safety shower available. If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse.

HUMAN EXPOSURE CHARACTERIZATION :

Based on our recommended product application and personal protective equipment, the potential human exposure is: Low

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid
APPEARANCE	Clear Amber
ODOR	Hydrocarbon
SPECIFIC GRAVITY	0.9 @ 60 °F / 15.6 °C
DENSITY	7.48 lb/gal
SOLUBILITY IN WATER	

Note: These physical properties are typical values for this product and are subject to change.

10. STABILITY AND REACTIVITY

STABILITY :

Stable under normal conditions.

HAZARDOUS POLYMERIZATION :

Hazardous polymerization will not occur.

CONDITIONS TO AVOID :

Heat and sources of ignition including static discharges.

**SAFETY DATA SHEET**

PRODUCT

BREAXIT® EC2007A

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

MATERIALS TO AVOID :

Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.

HAZARDOUS DECOMPOSITION PRODUCTS :

Under fire conditions: Oxides of carbon

11. TOXICOLOGICAL INFORMATION

No toxicity studies have been conducted on this product.

SENSITIZATION :

This product is not expected to be a sensitizer.

CARCINOGENICITY :

This product contains ethylbenzene. The International Agency for Research on Cancer (IARC) has evaluated ethylbenzene and determined it to be possibly carcinogenic to humans (Group 2B, based on sufficient evidence in experimental animals and inadequate evidence in humans). This product contains naphthalene. The International Agency for Research on Cancer (IARC) has evaluated naphthalene and determined it to be possibly carcinogenic to humans (Group 2B, based on sufficient evidence in experimental animals and inadequate evidence in humans).

HUMAN HAZARD CHARACTERIZATION :

Based on our hazard characterization, the potential human hazard is: High

12. ECOLOGICAL INFORMATION**ECOTOXICOLOGICAL EFFECTS :**

No toxicity studies have been conducted on this product.

ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Low

If released into the environment, see CERCLA/SUPERFUND in Section 15.

13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Hazardous Waste: D001, D018

Hazardous wastes must be transported by a licensed hazardous waste transporter and disposed of or treated in a properly licensed hazardous waste treatment, storage, disposal or recycling facility. Consult local, state, and federal regulations for specific requirements.

**SAFETY DATA SHEET**

PRODUCT

BREAXIT® EC2007A

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper Shipping Name / Hazard Class may vary by packaging, properties, and mode of transportation. Typical Proper Shipping Names for this product are as follows.

LAND TRANSPORT :

Proper Shipping Name :	FLAMMABLE LIQUID, N.O.S.
Technical Name(s) :	METHANOL
UN/ID No :	UN 1993
Hazard Class - Primary :	3
Packing Group :	II
Flash Point :	8.9 °C / 48 °F
Reportable Quantity (per package) :	1,430 lbs
RQ Component :	XYLENE

AIR TRANSPORT (ICAO/IATA) :

Proper Shipping Name :	FLAMMABLE LIQUID, N.O.S.
Technical Name(s) :	METHANOL
UN/ID No :	UN 1993
Hazard Class - Primary :	3
Packing Group :	II
Reportable Quantity (per package) :	1,430 lbs
RQ Component :	XYLENE

MARINE TRANSPORT (IMDG/IMO) :

Proper Shipping Name :	FLAMMABLE LIQUID, N.O.S.
Technical Name(s) :	METHANOL
UN/ID No :	UN 1993
Hazard Class - Primary :	3
Packing Group :	II

15. REGULATORY INFORMATION

This section contains additional information that may have relevance to regulatory compliance. The information in this section is for reference only. It is not exhaustive, and should not be relied upon to take the place of an individualized compliance or hazard assessment. Nalco accepts no liability for the use of this information.

NATIONAL REGULATIONS, USA :

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200 :

Based on our hazard evaluation, the following substance(s) in this product is/are hazardous and the reason(s) is/are shown below.

Heavy Aromatic Naphtha : Combustible., Irritant

Nalco Company 1601 W. Diehl Road • Naperville, Illinois 60563-1198 • (630)305-1000

For additional copies of an MSDS visit www.nalco.com and request access.

**SAFETY DATA SHEET**

PRODUCT

BREAXIT® EC2007A

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

Heavy Catalytic Reformed Naphtha : Irritant, Combustible.
Cumene : Irritant
Methanol : Flammable, Toxic, Target Organ Effect - Eye
Xylene : Flammable, Irritant
Ethylbenzene : Flammable, Irritant, Cancer suspect agent (refer to Section 3)
Trimethylbenzene : Irritant
Naphthalene : Skin irritant, Combustible., Cancer suspect agent (refer to Section 3)

CERCLA/SUPERFUND, 40 CFR 302 :

This product contains the following Reportable Quantity (RQ) Substance. Also listed is the RQ for the product. If a reportable quantity of product is released, it requires notification to the NATIONAL RESPONSE CENTER, WASHINGTON, D.C. (1-800-424-8802).

RQ Substance

Xylene

RQ

1,430 lbs

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (TITLE III) - SECTIONS 302, 311, 312, AND 313 :

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355) :

This product does not contain substances listed in Appendix A and B as an Extremely Hazardous Substance.

SECTIONS 311 AND 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370) :

Our hazard evaluation has found this product to be hazardous. The product should be reported under the following indicated EPA hazard categories:

X	Immediate (Acute) Health Hazard
X	Delayed (Chronic) Health Hazard
X	Fire Hazard
-	Sudden Release of Pressure Hazard
-	Reactive Hazard

Under SARA 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are: 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372) :

This product contains the following substance(s), (with CAS # and % range) which appear(s) on the List of Toxic Chemicals

<u>Hazardous Substance(s)</u>	<u>CAS NO</u>	<u>% (w/w)</u>
Cumene	98-82-8	1.0 - 5.0
Methanol	67-56-1	5.0 - 10.0
Xylene	1330-20-7	5.0 - 10.0
Ethylbenzene	100-41-4	0.1 - 1.0
1,2,4-Trimethylbenzene	95-63-6	0.1 - 1.0
Naphthalene	91-20-3	0.1 - 1.0

**SAFETY DATA SHEET**

PRODUCT

BREAXIT® EC2007A

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

TOXIC SUBSTANCES CONTROL ACT (TSCA) :

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15 / formerly Sec. 307, 40 CFR 116.4 / formerly Sec. 311 :

This product contains the following substances listed in the regulation. Additional components may be unintentionally present at trace levels.

Substance(s)	Citations
<ul style="list-style-type: none">EthylbenzeneNaphthalene	Sec. 307, Sec. 311
<ul style="list-style-type: none">Xylene	Sec. 311

CLEAN AIR ACT, Sec. 112 (Hazardous Air Pollutants, as amended by 40 CFR 63), Sec. 602 (40 CFR 82, Class I and II Ozone Depleting Substances) :

This product contains the following substances listed in the regulation. Additional components may be unintentionally present at trace levels.

Substance(s)	Citations
<ul style="list-style-type: none">CumeneMethanolXyleneEthylbenzene	Sec. 111, Sec. 112
<ul style="list-style-type: none">Naphthalene	Sec. 112

CALIFORNIA PROPOSITION 65 :

This product contains the following substances which require warning under California Proposition 65. Additional components may be unintentionally present at trace levels.

Substance(s)	Concentration	EFFECTS
<ul style="list-style-type: none">Naphthalene	<= %	Causes Cancer

MICHIGAN CRITICAL MATERIALS :

This product contains the following substances listed in the regulation. Additional components may be unintentionally present at trace levels.

Xylene
Ethylbenzene
Naphthalene**STATE RIGHT TO KNOW LAWS :**

The following substances are disclosed for compliance with State Right to Know Laws:

**SAFETY DATA SHEET****PRODUCT****BREAXIT® EC2007A****EMERGENCY TELEPHONE NUMBER(S)****(800) 424-9300 (24 Hours) CHEMTREC**

Cumene	98-82-8
Methanol	67-56-1
Xylene	1330-20-7
Ethylbenzene	100-41-4
Trimethylbenzene	25551-13-7
1,2,4-Trimethylbenzene	95-63-6
Naphthalene	91-20-3

INTERNATIONAL CHEMICAL CONTROL LAWS :**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) :**

This product contains substance(s) which are found on the Non-Domestic Substances List (NDSL), or are not in compliance with other Canadian Acts.

EUROPE

The substances in this preparation have been reviewed for compliance with the EINECS or ELINCS inventories.

JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

16. OTHER INFORMATION

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to insure safe workplace operations. Please consult your local sales representative for any further information.

REFERENCES

Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices, American Conference of Governmental Industrial Hygienists, OH., (Ariel Insight™ CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.



SAFETY DATA SHEET

PRODUCT

BREAXIT® EC2007A

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

Title 29 Code of Federal Regulations, Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA), (Ariel Insight™ CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH,
(TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Ariel Insight™ (An integrated guide to industrial chemicals covered under major regulatory and advisory programs), North American Module, Western European Module, Chemical Inventories Module and the Generics Module (Ariel Insight™ CD-ROM Version), Ariel Research Corp., Bethesda, MD.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Prepared By : Product Safety Department

Date issued : 03/03/2011

Version Number : 1.9