

OPPORTUNITY FOR COMMENT

The Administrative Record for this permitting action remains available for public inspection during normal business hours at:

EPA Region III
Ground Water & Enforcement Branch
Office of Drinking Water and Source Water Protection (3WP22)
1650 Arch Street
Philadelphia, Pennsylvania 19103

All information submitted by the applicant, unless deemed confidential, is available to the public in the Administrative Record. The Administrative Record includes the permit application, the draft permit, statement of basis and all related correspondence. A copy of the permit application, draft permit and statement of basis for this permitting action is available for review at the:

DuBois Public Library
31 S. Brady Street
DuBois, Pennsylvania 15801

EPA solicits public comment on the proposal to issue a final UIC permit for this injection well. A public hearing has been tentatively scheduled for Monday, December 10, 2012, at 7:00 PM at the:

Brady Township Community Center
71 Community Street
Luthersburg, Pennsylvania 15848

Requests to hold this hearing must be received in the office listed above by December 4, 2012. When requesting a public hearing, please state the nature of the issues proposed to be raised. EPA expressly reserves the right to cancel this hearing unless a significant degree of public interest, specific to this permitting action, is evidenced by the above date. The public comment period for this permitting action will remain open until December 10, 2012.

NOTE: Comment period has been extended to December 31, 2012

Interested persons may obtain further information, including copies of the draft permit and statement of basis, by contacting Stephen Platt at the address listed above, at the following email address, platt.steve@epa.gov, or phone number, 215-814-5464.

Highland Township, Pennsylvania

Seneca Resources Corporation

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION 3
Water Protection Division, Office of Drinking Water and Source Water Protection
Ground Water & Enforcement Branch (3WP22)
1650 Arch Street
Philadelphia, Pennsylvania 19103

Public Comments will be accepted until December 11, 2012

NOTE: Comment period has been extended until December 31, 2012**DESCRIPTION:**

The U.S. Environmental Protection Agency has developed a draft final Underground Injection Control (UIC) permit PAS2D025BELK for Seneca Resources Corporation (Seneca) under the authority of the UIC regulations at 40 CFR Parts 124, 144, 146, and 147. The permit is necessary for the construction and operation of one private

posted
Nov. 7,
2012

Class II-D injection well #38268 to dispose of produced fluids produced in association with oil or gas production operations.

OPPORTUNITY FOR COMMENT

The Administrative Record for this permitting action remains available for public inspection during normal business hours at:

EPA Region III
Ground Water & Enforcement Branch
Office of Drinking Water and Source Water Protection (3WP22)
1650 Arch Street
Philadelphia, Pennsylvania 19103

All information submitted by the applicant, unless deemed confidential, is available to the public in the Administrative Record. The Administrative Record includes the permit application, the draft permit, statement of basis and all related correspondence. A copy of the permit application, draft permit and statement of basis for this permitting action is available for review at the:

Friends Memorial Library
230 Chase Street
Kane, Pennsylvania 16735

EPA solicits public comment on the proposal to issue a final UIC permit for this injection well. A public hearing has been tentatively scheduled for Tuesday, December 11, 2012, at 7:00 PM at:

Highland Township Fire Hall
Pennsylvania Avenue
James City, Pennsylvania 16734

Requests to hold this hearing must be received in the office listed above by December 5, 2012. When requesting a public hearing, please state the nature of the issues proposed to be raised. EPA expressly reserves the right to cancel this hearing unless a significant degree of public interest, specific to this permitting action, is evidenced by the above date. The public comment period for this permitting action will remain open until December 11, 2012.

NOTE: Comment period has been extended until December 31, 2012

Interested persons may obtain further information, including copies of the draft permit and statement of basis, by contacting Roger Reinhart at the address listed above, at the following email address, reinhart.roger@epa.gov, or phone number, 215-814-5462.

**PERRYMAN GENERATING STATION, MD
900 CHELSEA ROAD
PERRYMAN, MD 21130**

**ADMINISTRATIVE COMPLAINT AGAINST CONSTELLATION
POWER SOURCE GENERATION, INC.**

**U.S. ENVIRONMENTAL PROTECTION AGENCY--REGION III
Hazardous Site Cleanup Division (3HS61)
1650 Arch Street
Philadelphia, Pennsylvania 19103**

Comments will be accepted until December 28, 2012

DOCKET NO.CWA-03-2013-0015

**Highland Township, Pennsylvania
Seneca Resources Corporation
U.S. Environmental Protection Agency, Region 3
Water Protection Division, Office of Drinking Water & Source Water Protection
Ground Water & Enforcement Branch (3WP22)
1650 Arch Street
Philadelphia, Pennsylvania 19103**

Public Comments will be accepted until December 11, 2012

The U.S. Environmental Protection Agency has developed a draft final Underground Injection Control (UIC) permit PAS2D025BELK for Seneca Resources Corporation (Seneca) under the authority of the UIC regulations at 40 CFR Parts 124, 144, 146, and 147. The permit is necessary for the construction and operation of one private Class II-D injection well #38268 to dispose of produced fluids produced in association with oil or gas production operations.

Description: Seneca submitted a UIC permit application to EPA on June 25, 2012. After review and resolution of application deficiencies, EPA was able to develop a draft final permit. Seneca plans to use well #38268 as an injection well to dispose of fluids produced in association with Seneca's oil and gas production. Injection will occur into the Elk 3 Sand formation. The injection well is located in Highland Township, Elk County, PA. A permit is required to meet the provisions of the EPA administered UIC Program in Pennsylvania.

Opportunity for Comment: The Administrative Record for this permitting action remains available for public inspection during normal business hours at:

EPA Region III
Ground Water & Enforcement Branch
Office of Drinking Water and Source Water Protection (3WP22)
1650 Arch Street
Philadelphia, Pennsylvania 19103

All information submitted by the applicant, unless deemed confidential, is available to the public in the Administrative Record. The Administrative Record includes the permit application, the draft permit, statement of basis and all related correspondence. A copy of the permit application, draft permit and statement of basis for this permitting action is available for review at the:

Friends Memorial Library
230 Chase Street
Kane, Pennsylvania 16735

EPA solicits public comment on the proposal to issue a final UIC permit for this injection well. A public hearing has been tentatively scheduled for **Tuesday, December 11, 2012, at 7:00 PM** at:

Highland Township Fire Hall
Pennsylvania Avenue
James City, Pennsylvania 16734

ARD FO

ARD FO

RESS. SHOP-RIGHT

Visa Am

5406 CID Code:

Exp. Date:

201e - US EPA Regi

t. City Philadelphia

Classified Display

Classified Display

KANE REPUBLICAN
200 N FRALEY
KANE, PA 16735
8148376000

TERMINAL ID.: 13400001
MERCHANT #: 000000011663195

UI *****5406 EXP:*/** KEVED CHIP
MAIL ORDER SALE
BATCH: 000024 INU: 000006
Nov 07, 12 14:04
RRN: 000095031438 AUTH: 028932
AUS: 2
U-CODE: H

TOTAL \$302.60

SIGNATURE NOT REQUIRED

MERCHANT COPY

MERCHANT COPY



Clarissa Poole WPD Public Notice Purchase Card Acquisitions

Sidney Ozer to: Clarissa Poole
Cc: Rosalind Moore, Denise-T Page

01/07/2013 10:32 AM

From: Sidney Ozer/R3/USEPA/US
To: Clarissa Poole/R3/USEPA/US@EPA
Cc: Rosalind Moore/R3/USEPA/US@EPA, Denise-T Page/R3/USEPA/US@EPA

Re: Clarissa Poole WPD Public Notice Purchase Card Acquisitions

Hi.


Ros was kind enough to let us know the following two vendors are calling about payment. However, records at EPA Cinn FMD indicate that both vendors have been paid via your VISA purchase card.

Clarissa, please cut and paste the purchase card allocations along with your Govt VISA purchase card #/expiry/CVV# and send notes to both newspapers via fax (not via E-mail) indicating that payments have been made in full.

145002	11/08/1	Kane Republican	Purch	302.6	Paid	<u>1303LL00</u>	2415	:
4	2	5192 Books Periodicals And Newspapers		0		<u>02</u>		
144904	11/02/12	Mclean Publishing Co	Purch	381.1	Paid	<u>1303LL00</u>	2	
1		5968 Direct Marketing-Continuity-Subscription Merchants			1	<u>03</u>		

Take care,

Sidney



Kane Republican Public notice is paid
Clarissa Poole to: Rosalind Moore

11/01/2012 09:07 AM

From: Clarissa Poole/R3/USEPA/US
To: Rosalind Moore/R3/USEPA/US@EPA

Clarissa Poole
WPD Records Manager
Office of Program Support (3WP60)
U.S.EPA, Region 3
215-814-5758/fax-215-814-2301
poole.clarissa@epa.gov



Re: Seneca Public Notice
 Kane Republican Classifieds
 to:
 Rosalind Moore
 10/31/2012 11:44 AM
 Hide Details
 From: Kane Republican Classifieds <krclassifieds@verizon.net>
 To: Rosalind Moore/R3/USEPA/US@EPA

Seneca Public Notice

History: This message has been forwarded.

Thank you - we'll publish November 5th.

 stjancic
 Kane Republican Classifieds
 krclassifieds@verizon.net
 814-837-6000

On Oct 31, 2012, at 11:40 AM, Moore.Rosalind@epamail.epa.gov wrote:

Yes, December 11th is correct. Thanks

Rosalind Moore
 US EPA Region 3
 Water Protection Division (3WP22)
 1650 Arch Street
 Philadelphia, PA 19103-2029
 phone= 215-814-3252
 fax= 215-814-2318
 e-mail= moore.rosalind@epa.gov

<graycol.gif> Kane Republican Classifieds ---10/31/2012 10:49:58 AM---Rosalind, We can publish on Monday, November 5th. I understand that the date

From: Kane Republican Classifieds <krclassifieds@verizon.net>
 To: Rosalind Moore/R3/USEPA/US@EPA
 Date: 10/31/2012 10:49 AM
 Subject: Re: Seneca Public Notice

Rosalind,

We can publish on Monday, November 5th. I understand that the date in the notice of December 11th is correct, then?

Jane Bostjancic
Kane Republican Classifieds
krclassifieds@verizon.net
814-837-6000

On Oct 31, 2012, at 10:43 AM, Moore.Rosalind@epamail.epa.gov wrote:

Jane -

Below is the public notice for Seneca. We would like to have this published on November 5th. Please let me know if you need more information from me. Thanks for your attention in this matter.

(See attached file: Seneca public Notice.doc)

Rosalind Moore
US EPA Region 3
Water Protection Division (3WP22)
1650 Arch Street
Philadelphia, PA 19103-2029
phone= 215-814-3252
fax= 215-814-2318
e-mail= moore.rosalind@epa.gov

<graycol.gif>Kane Republican Classifieds ---10/24/2012 01:48:48 PM---Thank you for the text doc. Cost to run the one day will be \$302.60 which includes the \$5.00 proof

From: Kane Republican Classifieds <krclassifieds@verizon.net>
To: Rosalind Moore/R3/USEPA/US@EPA
Date: 10/24/2012 01:48 PM
Subject: Re: Public Notice

Thank you for the text doc. Cost to run the one day will be \$302.60 which includes the \$5.00 proof of publication charge. I will make the necessary corrections when you resend the notice. You can talk to Cindy our office manager regarding the invoice & proof of pub. Thanks!

Jane

Jane Bostjancic
Kane Republican Classifieds
krclassifieds@verizon.net
814-837-6000

On Oct 24, 2012, at 1:31 PM, Moore.Rosalind@epamail.epa.gov wrote:

Jane - Please see below the public notice in word. Let me know if this is ok. Thanks

(See attached file: Seneca Resources PN office.doc)

Rosalind Moore

BANKCARD ORDER FORM
ORIGINATOR INFORMATION:

Name: Roger Reinhart
Date: October 31, 2012
Mailcode: 3WP22
Extension: 5462
Date Item Required: November 5, 2012

VENDOR INFORMATION:

Does vendor accept government VISA? Y (If no, you must fill out a PR.)

Name: Kane Republican
Contact: Jane Bostjancic
Phone #: 1-814-837-6000
Website: krclassifieds@verizon.net

ORDER INFORMATION:

Quantity	Supplies/Services	Item #	Size/Color	Est. Price
	Paid ad for UIC permitting notice, 3"X5" column \$297.60 +\$5.00 = \$302.60			\$ 302.60
	Please submit tear sheet to Roger Reinhart @ <u>reinhart.roger@epa.gov</u>			
	Ad needs to be published by November 5th			
			SHIPPING	
___ Additional Items Attached			TOTAL	\$ 302.60

JUSTIFICATION: Required to public notice proposed UIC Class II disposal well permit for Seneca Resources Corporation.

ACCOUNT NUMBER: 13 E1 03L4201B08

ACCOUNT NAME: DI - PA - UIC

*** Not applicable if being charged under Division's regular account.**

SIGNATURES/APPROVALS:

Originator: Roger Reinhart *Roger Reinhart*
 Supervisor: Karen D. Johnson *Karen D. Johnson*
 Deputy Director: John Armstead
 Other: Jon Capacasa

FOR DEPUTY DIRECTOR'S OFFICE USE:

DATE ORDERED:	ORDER #:	DCN #:	OBJ. CLASS:
COMMENTS:		DATE ENTERED INTO EAGLS	

**Highland Township, Pennsylvania
Seneca Resources Corporation
U.S. Environmental Protection Agency, Region 3
Water Protection Division, Office of Drinking Water & Source Water Protection
Ground Water & Enforcement Branch (3WP22)
1650 Arch Street
Philadelphia, Pennsylvania 19103**

Public Comments will be accepted until December 11, 2012

The U.S. Environmental Protection Agency has developed a draft final Underground Injection Control (UIC) permit PAS2D025BELK for Seneca Resources Corporation (Seneca) under the authority of the UIC regulations at 40 CFR Parts 124, 144, 146, and 147. The permit is necessary for the construction and operation of one private Class II-D injection well #38268 to dispose of produced fluids produced in association with oil or gas production operations.

Description: Seneca submitted a UIC permit application to EPA on June 25, 2012. After review and resolution of application deficiencies, EPA was able to develop a draft final permit. Seneca plans to use well #38268 as an injection well to dispose of fluids produced in association with Seneca's oil and gas production. Injection will occur into the Elk 3 Sand formation. The injection well is located in Highland Township, Elk County, PA. A permit is required to meet the provisions of the EPA administered UIC Program in Pennsylvania.

Opportunity for Comment: The Administrative Record for this permitting action remains available for public inspection during normal business hours at:

EPA Region III
Ground Water & Enforcement Branch
Office of Drinking Water and Source Water Protection (3WP22)
1650 Arch Street
Philadelphia, Pennsylvania 19103

All information submitted by the applicant, unless deemed confidential, is available to the public in the Administrative Record. The Administrative Record includes the permit application, the draft permit, statement of basis and all related correspondence. A copy of the permit application, draft permit and statement of basis for this permitting action is available for review at the:

Friends Memorial Library
230 Chase Street
Kane, Pennsylvania 16735

EPA solicits public comment on the proposal to issue a final UIC permit for this injection well. A public hearing has been tentatively scheduled for **Tuesday, December 11, 2012, at 7:00 PM** at:

Highland Township Fire Hall
Pennsylvania Avenue
James City, Pennsylvania 16734

Requests to hold this hearing must be received in the office listed above by **December 5, 2012**. When requesting a public hearing, please state the nature of the issues proposed to be raised. EPA expressly reserves the right to cancel this hearing unless a significant degree of public interest, specific to this permitting action, is evidenced by the above date. The public comment period for this permitting action will remain open until **December 11, 2012**.

Interested persons may obtain further information, including copies of the draft permit and statement of basis, by contacting Roger Reinhart at the address listed above, at the following email address, reinhart.roger@epa.gov, or phone number, 215-814-5462.