# Disclaimer

This is an updated PDF document that allows you to type your information directly into the form, print it, and save the completed form.

Note: This form can be viewed and saved only using Adobe Acrobat Reader version 7.0 or higher, or if you have the full Adobe Professional version.

#### Instructions:

- 1. Type in your information
- 2. Save file (if desired)
- 3. Print the completed form
- 4. Sign and date the printed copy
- 5. Mail it to the directed contact.

Form Approved 1/14/99 OMB Number 2040-0086

FORM

2A NPDES

## NPDES FORM 2A APPLICATION OVERVIEW

#### **APPLICATION OVERVIEW**

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

#### BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

#### SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd.
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
  - All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
  - 2. Any other industrial user that:
    - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
    - Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
    - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

## ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

Concord WWTP MA0100668

Form Approved 1/14/99 OMB Number 2040-0086

### BASIC APPLICATION INFORMATION

		TOR IN ORMATION		
PAR	RT A. BASIC APPI	ICATION INFORMATION FOR	ALL APPLICANTS:	al V
All ti	reatment works mus	t complete questions A.1 through	A.8 of this Basic Application Information pa	cket.
A.1.	Facility Information	ı.		THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAM
	Facility name	Concord Wastewater Treatmen	t Plant	
	Mailing Address	509 Bedford Street Concord, M	MA 01742	man and merchal water of merchanisms. Yes
	Contact person	Mike Thompson	a Hin Zr 1	studyou street
	Title	Chief Operator	1 177 2 18	no want contra magnetic and a second
	Telephone number	(978) 371-7174	(8)	at an following
	Facility Address (not P.O. Box)	509 Bedford Street Concord, M.	A 01742	The real of continuous to
A.2.	Applicant Informati	on. If the applicant is different from t	the above, provide the following:	
	Applicant name	Town of Concord	and the second of	and and a second second and a
	Mailing Address	135 Keyes Road Concord, MA	01742	f. projecti system po posoci i o
	Contact person	Christopher Whelan		-488 ( ) ( ) ( ) ( )
	Title	Town Manager	"Modific Ledisporting oce	minimum of the second
	Telephone number	(978) 318-3250	a provide to the second	color force variety service.
		owner or operator (or both) of the	treatment works?	
	owner	operator		
	facility	respondence regarding this permit sh applicant	ould be directed to the facility or the applicant.	
A.3.		ntal Permits. Provide the permit nu	mber of any existing environmental permits tha	t have been issued to the treatment
	NPDES MA01006	668	PSD	-10-10-10-10-10-10-10-10-10-10-10-10-10-
	UIC		Other	c proper paralege au 1920 ;
	RCRA	300	Other	principal and private length
A.4.	Collection System I each entity and, if kn etc.).	<b>nformation.</b> Provide information on own, provide information on the type	municipalities and areas served by the facility. of collection system (combined vs. separate) a	Provide the name and population of nd its ownership (municipal, private,
	Name	Population Served	Type of Collection System	Ownership
	Concord, MA	~6500	Seperate	Town of Concord
	Total pop	ulation served ~6500		

FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 Concord WWTP MA0100668 A.5. Indian Country. a. Is the treatment works located in Indian Country? b. Does the treatment works discharge to a receiving water that is either in Indian Country or that is upstream from (and eventually flows through) Indian Country? Yes A.6. Flow. Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to handle). Also provide the average daily flow rate and maximum daily flow rate for each of the last three years. Each year's data must be based on a 12-month time period with the 12th month of "this year" occurring no more than three months prior to this application submittal. 1.20 mad a. Design flow rate Two Years Ago Last Year This Year b. Annual average daily flow rate 0.95 1.00 mgd 1.16 c. Maximum daily flow rate 2.45 2.35 2.09 mgd A.7. Collection System. Indicate the type(s) of collection system(s) used by the treatment plant. Check all that apply. Also estimate the percent contribution (by miles) of each. 100.00 % Separate sanitary sewer Combined storm and sanitary sewer A.8. Discharges and Other Disposal Methods. a. Does the treatment works discharge effluent to waters of the U.S.? If yes, list how many of each of the following types of discharge points the treatment works uses: i. Discharges of treated effluent ii. Discharges of untreated or partially treated effluent iii. Combined sewer overflow points iv. Constructed emergency overflows (prior to the headworks) Does the treatment works discharge effluent to basins, ponds, or other surface impoundments that do not have outlets for discharge to waters of the U.S.? If yes, provide the following for each surface impoundment: Annual average daily volume discharged to surface impoundment(s) Is discharge continuous or intermittent? c. Does the treatment works land-apply treated wastewater? If yes, provide the following for each land application site: Location: Number of acres: Annual average daily volume applied to site: Mgd Is land application continuous or intermittent? d. Does the treatment works discharge or transport treated or untreated wastewater to another treatment works?

Concord WWTP MA0100668

Form Approved 1/14/99 OMB Number 2040-0086

	If transport is by a party other than the applicant, provide:					
_	Transporter name:					
	Mailing Address:	38				
	Contact person:					
	Title					-
	Telephone number:					
	relephone number.				+	-
	For each treatment works that receives this discharge, provide the following	og:				
		ıg.				
	Name:					
	Mailing Address:					
				1, 199	100	(Ta)
		III Wales				
	Contact person:					
	Title:	7-72		H (		. Ulasa
	Telephone number:	1.50				
	If known, provide the NPDES permit number of the treatment works that re				19.	174
	Provide the average daily flow rate from the treatment works into the recei	ving facility.				_ mg
	Does the treatment works discharge or dispose of its wastewater in a man A.8.a through A.8.d above (e.g., underground percolation, well injection)?	ner not included in	ut-	Yes	1	No
	If yes, provide the following for each disposal method:					
	Description of method (including location and size of site(s) if applicable):					
	Annual daily volume disposed of by this method:					

FACILITY NAME AND PERMIT NUMBER:	
Concord WWTP MA0100668	

Form Approved 1/14/99 OMB Number 2040-0086

#### **WASTEWATER DISCHARGES:**

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

	scription of Outfall	•			
a.	Outfall number	001			
b.	Location	Concord, MA			01742
		(City or town, if applicable) Middlesex			(Zip Code) MA
		(County) 42,471			(State) 71.339
		(Latitude)			(Longitude)
C.	Distance from shor	e (if applicable)	6.00	ft.	
d.	Depth below surface	ce (if applicable)	1.00	ft.	
e.	Average daily flow	rate	1.02	mgd	
f.	Does this outfall ha periodic discharge	ive either an intermittent or a	Yes	✓	No (go to A.9.g.)
	If yes, provide the f	following information:			
	Number of times pe	er year discharge occurs:			
	Average duration of	f each discharge:			
	Average flow per d	ischarge:			mgd
					iiigu
a.	Months in which dis	scharge occurs:	Yes	1	and the second
g. <b>0. De</b>		scharge occurs: with a diffuser?	Yes	<b>√</b>	No
	Months in which dis	scharge occurs: with a diffuser? ing Waters.	Yes	1	and the second
0. De	Months in which dis	with a diffuser?  wing Waters.  water Concord River	Yes	1	and the second
0. De a.	Months in which distributed in	with a diffuser?  wing Waters.  water Concord River	SuAsCo	<b>√</b>	and the second
0. De a.	Months in which dis- Is outfall equipped scription of Receiv Name of receiving Name of watershee United States Soil	with a diffuser?  ing Waters.  water Concord River  d (if known)	SuAsCo	√ asin	and the second
<b>0. De</b> a. b.	Months in which dis- Is outfall equipped scription of Receive Name of receiving Name of watershed United States Soil Name of State Mar	with a diffuser?  with a diffuser?  water Concord River  d (if known)  Conservation Service 14-digit water	SuAsCo shed code (if known): Concord B	100000000000000000000000000000000000000	and the second
a. b.	Months in which distributed States Soil of Name of State Mark United States Geol	with a diffuser?  ing Waters.  water Concord River  d (if known)  Conservation Service 14-digit water  nagement/River Basin (if known):  ogical Survey 8-digit hydrologic catal	SuAsCo shed code (if known): Concord B	):	No

FACILITY NAME AND Concord WWTP MAC		UMBER:								Approved 1/14/99 B Number 2040-0086
A.11. Description of 1	reatment.					"KO	TAMBO	11 1800	(Ab)	JANA SIEAS
a. What levels	of treatment Primary	are prov	rided? (	/	nat apply. econdary		THE MOST A			
	Advanced		n 14 <u></u>	0	ther. Describe:	CoMag p	rocess for to	tal phospho	orus re	eduction.
b. Indicate the	following ren	noval rat	es (as a	applicable)	trestruction and					
Design BOD	removal or	Design	CBOD	removal		94.	.00		%	
Design SS re	emoval		3	23.750		95.	.00	with a mi	%	
Design P ren	noval						Y Lance		0/	
Design N ren								T T T	76	
Other							a Continued I		%	
	a					waling -	**************************************		%	
			for the	effluent fro	m this outfall? If dis	sinfection varie	es by season,	please desc	ribe.	
Continuous					The second second	The same of the same	7			700000000000000000000000000000000000000
If disinfection	is by chloring	nation, is	dechlo	orination us	ed for this outfall?		Y	'es		No
d. Does the trea	tment plant	have po	st aera	tion?			Y	'es	1	No
discharged. Do collected throug of 40 CFR Part 1	not include the analysis 36 and other	dicated e informa conduct er appro	effluent ation o ted usi	t testing re in combine ng 40 CFR QA/QC re	equired by the per ed sewer overflow Part 136 method puirements for st	rmitting authors vs in this sect ls. In addition andard methors	ority for each tion. All infor n, this data m	outfall thro mation repo ust comply	rted m	a for the following hich effluent is just be based on or A/QC requirement
discharged. Do collected throug of 40 CFR Part 1	not include the analysis 36 and other	dicated e informa conduct er appro	effluent ation o ted usi	t testing re in combine ng 40 CFR QA/QC re	equired by the per ed sewer overflow Part 136 method puirements for st	rmitting authors vs in this sect ls. In addition andard methors	ority for each tion. All infor n, this data m	outfall thro mation repo ust comply	rted m	a for the following hich effluent is just be based on a A/QC requirement
parameters. Pro discharged. Do collected throug of 40 CFR Part 1 At a minimum, e	not include the include the analysis 36 and othe ffluent test	dicated e informa conduct er appro	effluent ation o ted usi priate must l	t testing re in combine ng 40 CFF QA/QC re be based	equired by the per ed sewer overflow Part 136 method puirements for st	rmitting authors vs in this sect ls. In addition andard methors	ority <u>for each</u> tion. All inforn, this data m ds for analyt nust be no m	outfall thro mation repo ust comply	orted m with Q essed ur and	a for the following hich effluent is lust be based on o A/QC requiremen by 40 CFR Part 13 one-half years ap
parameters. Pro discharqed. Do collected throug of 40 CFR Part 1 At a minimum, e	not include the include the analysis 36 and othe ffluent test	dicated e informa conduct er appro	effluent ation o ted usi priate must	t testing re in combine ng 40 CFF QA/QC re be based	equired by the perd sewer overflow Part 136 method quirements for ston at least three s	rmitting authors vs in this sect ls. In addition andard methors	ority for each tion. All infor this data m	outfall thro mation repo ust comply es not addr ore than for	orted m with Q essed ur and	a for the following hich effluent is ust be based on out the large of
parameters. Pro discharged. Do collected throug of 40 CFR Part 1 At a minimum, e Outfall number: PARAME	not include the include the analysis 36 and othe ffluent test	dicated e informa conduct er appro	effluent ation o ted usi priate must	t testing re in combine ng 40 CFF QA/QC red be based of	equired by the period sewer overflow Part 136 method quirements for str on at least three s  DAILY VALUE  Units	rmitting authors in this sectile. In addition and ard methors and r	ority for each tion. All infor this data m	outfall thro mation repo ust comply es not addr ore than fou	orted m with Q essed ur and	a for the following hich effluent is ust be based on out the based on the large of
parameters. Pro discharged. Do collected throug of 40 CFR Part 1 At a minimum, e Outfall number: PARAME	not include the include the analysis 36 and othe ffluent test	dicated e informa conduct er appro	effluent ation o ted usi priate must	t testing re in combine ng 40 CFF QA/QC red be based of	paulined by the perd sewer overflow Part 136 method quirements for str on at least three s  DAILY VALUE  Units  s.u.	rmitting authors in this sectile. In addition and ard methors and r	ority for each tion. All infor this data m	outfall thro mation repo ust comply es not addr ore than fou	orted m with Q essed ur and	a for the following hich effluent is ust be based on out the based on the large of
parameters. Pro discharged. Do collected throug of 40 CFR Part 1 At a minimum, e Outfall number: PARAME	not include the include the analysis 36 and othe ffluent test	dicated e informa conduct er appro	effluent ation o ted usi priate must	t testing re in combine ng 40 CFF QA/QC red be based of	equired by the period sewer overflow Part 136 method quirements for str on at least three s  DAILY VALUE  Units	rmitting authors in this sectile. In addition and ard methors and r	ority for each tion. All infor this data m	outfall thro mation repo ust comply es not addr ore than for  RAGE DAIL  Units	orted m with Q essed ur and	a for the following hich effluent is ust be based on clayQC requirement by 40 CFR Part 13 one-half years ap
parameters. Pro discharged. Do collected throug of 40 CFR Part 1 At a minimum, e Outfall number: PARAME	not include the include the analysis 36 and othe ffluent test	dicated e informa conduct er appro	effluent ation o ted usin priate must	t testing ren combiners of the combiners	paulined by the perd sewer overflow Part 136 method quirements for str on at least three s  DAILY VALUE  Units  s.u. s.u.	rmitting authors in this sectile. In addition and ard methors amples and r	ority for each tion. All infor n, this data m ds for analyt nust be no m  AVE	outfall thro mation repo ust comply es not addr ore than for  RAGE DAIL  Units	orted m with Q essed ur and	a for the following hich effluent is lust be based on a A/QC requirement by 40 CFR Part 13 one-half years ap
parameters. Pro discharged. Do collected throug of 40 CFR Part 1 At a minimum, e  Outfall number:  PARAME  H (Minimum) H (Maximum) ow Rate emperature (Winter) emperature (Summer)	not include hanalysis 36 and othe ffluent test  OO1	dicated e e informa conduct er appro ing data	6.06 7.66 18.00	t testing ren combinent of the combinent	padired by the perd sewer overflow Part 136 method quirements for strong at least three s  DAILY VALUE  Units  s.u.  s.u.  MGD  deg. C  deg C	rmitting authors in this sectiles. In addition and ard methods amples and research	ority for each tion. All infor the data m the data m the data for analyt must be no m  AVE	outfall thro mation repo ust comply es not addr ore than for  ERAGE DAIL Units	y VALI	a for the following hich effluent is lust be based on or A/QC requirement by 40 CFR Part 13 one-half years apple.  Number of Sample.
parameters. Pro discharged. Do collected throug of 40 CFR Part 1 At a minimum, e  Outfall number:  PARAME  H (Minimum) H (Maximum)  Ow Rate emperature (Winter) emperature (Summer)  * For pH please re	not include h analysis 36 and othe ffluent test  O01  TER	mum and	6.06 1.56 18.00 23.00	t testing ren combinent of the combinent	paquired by the perd sewer overflow Part 136 method quirements for str on at least three s  DAILY VALUE  Units  s.u.  s.u.  MGD  deg. C  deg C	vs in this sectiles. In addition and ard methods amples and resembles and resembles. In 2 1.02 11.00 21.00	AVE	exage DAIL Units  CC C	y VALI	n for the following hich effluent is lust be based on a A/QC requirement by 40 CFR Part 13 one-half years appropriate the control of Sample 15.00
parameters. Pro discharged. Do collected throug of 40 CFR Part 1 At a minimum, e  Outfall number:  PARAME  (Minimum) (Maximum)  Ow Rate  Emperature (Winter)  Compensations of the compensation of the compens	not include h analysis 36 and othe ffluent test  O01  TER	mum and	6.06 1.56 18.00 23.00 I a max	t testing ren combinent of the combinent	paquired by the perd sewer overflow Part 136 method quirements for str on at least three s  DAILY VALUE  Units  s.u.  s.u.  MGD  deg. C  deg C	rmitting authors in this sectiles. In addition and ard methors amples and research value 1.02	AVE	exage DAIL Units  CD	y VALI  366  90.	a for the following hich effluent is nust be based on a A/QC requirement by 40 CFR Part 13 one-half years as UE  Number of Sample
parameters. Pro	not include h analysis 36 and othe ffluent test  O01  TER	mum and	6.06 1.56 18.00 23.00 I a max	t testing ren combined to combine the combine of th	padired by the perd sewer overflow Part 136 method quirements for strong at least three s  DAILY VALUE  Units  s.u.  s.u.  MGD  deg. C  deg C  value  AVERAG	vs in this sectiles. In addition and ard methods amples and research 1.02  1.02  11.00  21.00	AVE	exage DAIL Units  CANALYTI METHO	y VALI  366  90.	a for the following hich effluent is lust be based on a A/QC requirement by 40 CFR Part 13 one-half years appropriate the following states of the foll
parameters. Prodischarged. Do collected throug of 40 CFR Part 1 At a minimum, e Outfall number:  PARAME  (Minimum)  (Maximum)  Ow Rate  Imperature (Winter)  Tor pH please report of the product of the p	eport a minin	mum and	6.06 7.66 1.56 18.00 23.00 I a max AXIMU DISCH	MAXIMUM Value  timum daily MARGE  Units	DAILY VALUE  Units  s.u.  MGD  deg. C  deg C  value  AVERAG	rmitting authors in this sectile. In addition and ard methors amples and resembles and	AVE  AVE  CHARGE	exage DAIL Units  CANALYTI METHO	y VALI  366  90.	n for the following hich effluent is lust be based on a A/QC requirement by 40 CFR Part 13 one-half years appropriate the control of Sample 15.00
parameters. Prodischarged. Do collected throug of 40 CFR Part 1 At a minimum, e Outfall number:  PARAME  I (Minimum)  I (Maximum)  Ow Rate  Imperature (Winter)  * For pH please re POLLUTANT	vide the inc not include he analysis 36 and othe ffluent test  001  TER  POPULATION OF TERM  NONCONVI	mum and	6.06 7.66 1.56 18.00 23.00 I a max AXIMU DISCH	MAXIMUM Value  timum daily MARGE  Units	DAILY VALUE  Units  s.u.  MGD  deg. C  deg C  value  AVERAG	rmitting authors in this sectile. In addition and ard methors amples and resembles and	AVE  AVE  CHARGE	exage DAIL Units  CANALYTI METHO	y VAL	n for the following hich effluent is lust be based on a A/QC requirement by 40 CFR Part 13 one-half years appropriate the control of Sample 15.00
olischarged. Do collected throug of 40 CFR Part 1 At a minimum, e  Outfall number:  PARAME  H (Minimum) H (Maximum) ow Rate emperature (Winter) emperature (Summer) * For pH please re	vide the inc not include h analysis 36 and othe ffluent test	mum and M.	6.06 7.66 1.56 18.00 23.00 I a max AXIMU DISCH	MAXIMUM  Value  MARGE  Units	padired by the perd sewer overflow Part 136 method quirements for strong at least three s  DAILY VALUE  Units  s.u.  s.u.  MGD  deg. C  deg C  value  AVERAC	rmitting authors in this sectile. In addition and ard methors amples and resembles and	AVE  AVE  MC  CHARGE  Number of Samples	outfall thro mation repo ust comply es not addr ore than for  ERAGE DAIL Units  GD G. C ANALYTI METHO	y VAL	a for the following hich effluent is lust be based on cal/QC requirement by 40 CFR Part 13 one-half years ap UE  Number of Sample:  5.00  ML / MDL
parameters. Pro discharged. Do collected throug of 40 CFR Part 1 At a minimum, e  Outfall number:  PARAME  H (Minimum) H (Maximum) ow Rate emperature (Winter) emperature (Summer) * For pH please re POLLUTANT  ONVENTIONAL AND	wide the include not include the include the include the include in analysis 36 and other filter test 001  TER  NONCONVI  BOD-5	mum and M.	6.06 7.66 1.56 18.00 23.00 I a max AXIMU DISCH	MAXIMUM  Value  MARGE  Units	DAILY VALUE  Units  s.u.  s.u.  MGD  deg C  value  AVERAC	rmitting authors in this sectile. In addition and ard methors amples and resembles and	AVE  AVE  MC  CHARGE  Number of Samples	outfall thro mation repo ust comply es not addr ore than for  RAGE DAIL Units  CO	y VAL	a for the following hich effluent is lust be based on a A/QC requirement by 40 CFR Part 13 one-half years apple.  UE  Number of Sample  5.00  00  ML / MDL

END OF PART A.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE

Concord WWTP MA0100668

Form Approved 1/14/99 OMB Number 2040-0086

BA	SIC APPLICATION INFORMATION
PAR	TB. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).
All a	pplicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).
B.1.	Inflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration.  198,075.00 gpd
	Briefly explain any steps underway or planned to minimize inflow and infiltration.
	Flow monitoring, CCTV inpsections, joint testing and sealing, manhole rehabilitation, public education
B.2.	<b>Topographic Map.</b> Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.)
	a. The area surrounding the treatment plant, including all unit processes.
	b. The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
	c. Each well where wastewater from the treatment plant is injected underground.
	d. Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
	e. Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
	f. If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.
B.3.	<b>Process Flow Diagram or Schematic.</b> Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g, chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.
B.4.	Operation/Maintenance Performed by Contractor(s).
	Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor?
	If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary).
	Name: Woodard & Curran, Inc.
	Mailing Address: 41 Hutchins Drive Portland, ME 04102
	Telephone Number: (800) 426-4262
	Responsibilities of Contractor: Full operations and maintenance.
B.5.	Scheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.)
	a. List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.
	NA NA
	b. Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.
	Yes No

10-0-2340-2474-1419-1	Y NAME AND PE		:					pproved 1/14/99 umber 2040-0086
С	If the answer to E	3.5.b is "Yes," b	riefly describe, in	ncluding new ma	ximum daily inflo	w rate (if applica	able).	BASIC APP
d.	Provide dates impapplicable. For inapplicable. Indic	TIDI OVETTIETILS DI	anneu moebeno	ientiv of local S	ll dates of comple ate, or Federal a	etion for the impl gencies, indicate	ementation steps liste e planned or actual co	ed below, as empletion dates, as
			Schedul	le	Actual Completi	ion		
	Implementation S	Stage	MM / DE	)/YYYY	MM / DD / YYYY	<u>Y</u>		
	- Begin construct	tion	/_					
	- End construction	n	/_	<i>J</i>		_		
	<ul> <li>Begin discharge</li> </ul>	Э	_/_			_		
	<ul> <li>Attain operation</li> </ul>	nal level	/		_/_/	<u></u>		
e.	Have appropriate	normita/alcarar		-# FI UO				
C.	Have appropriate Describe briefly:						?Yes _	No
	bescribe briefly.	INA		TO LINE WO	District Congression	all the spin and	- or hip will be	
pol Ou	ndard methods for lutant scans and metall Number: 001 OLLUTANT	analytes not ad	dressed by 40 (	CFR Part 136. A	t a minimum, efflu l.	uent testing data	appropriate QA/QC rea must be based on a	least three
	OLLOTANT	DISC	CHARGE	AVER	AGE DAILY DISC	CHARGE		Unique south
trium(cut)	orginal or elegand	Conc.	Units	Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML / MDL
CONVEN	TIONAL AND NON	ICONVENTION	AL COMPOUNI	DS.				
AMMONIA	(as N)	1.82	mg/l	0.76	mg/l	18.00	SM 4500-NH3 C	01.0
CHLORIN RESIDUA	E (TOTAL L, TRC)		NA		NA		NA	3 - 22 - 13 1 2 2 2
DISSOLVI	ED OXYGEN	12.10	mg/l	9.50	mg/l	53.00	SM 4500-O G	1.0 mg/l
TOTAL KJ NITROGE		4.50	mg/l	3.10	mg/l	4.00	EPA 351.2	
VITRATE	PLUS NITRITE							0.5 mg/l
VITROGE  OIL and G		11.20	mg/l	8.10	mg/l	4.00	SM 4500-NO3 F	0.5 mg/l
	ORUS (Total)		BRL		BRL		EPA 1664	5.0 mg/l
184,600 18,600	SSOLVED	0.39	mg/l	0.18	mg/l	95.00	Hach Mthd 8190	0.02 mg/l
SOLIDS (1		610.00	mg/l	529.00	mg/l	10.00	SM 2540 C	10 mg/l
OTHER								

END OF PART B.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

FACILITY NAME AND	PERMIT NUMBER:		Form Approved 1/14/ OMB Number 2040-	
Concord WWTP MA0	100668		ONB Number 2040-	0086
BASIC APPLIC	ATION INFORMAT	ION	and other substants offered 7 and 7 of a E. R or repulsive size to	
PART C. CERTIFICA	ATION			O Cale in
applicants must comple have completed and are	te all applicable sections of F	orm 2A, as explained in the A certification statement, application	ermine who is an officer for the purposes of this certification application Overview. Indicate below which parts of Form 2 ants confirm that they have reviewed Form 2A and have co	2A you
Indicate which parts o	f Form 2A you have comple	eted and are submitting:		
_ ✓ Basic Appli	ication Information packet	Supplemental Application	Information packet:	
		Part D (Expande	d Effluent Testing Data)	ė.
		Part E (Toxicity T	esting: Biomonitoring Data)	
A .		Part F (Industrial	User Discharges and RCRA/CERCLA Wastes)	
űa.		Part G (Combine	d Sewer Systems)	
ALL APPLICANTS MU	ST COMPLETE THE FOLLO	OWING CERTIFICATION.	Tradic principals. People pals alternation (eogles). The art	- 0
designed to assure that who manage the system	qualified personnel properly n or those persons directly re nd complete. I am aware that	gather and evaluate the information gather and evaluate the information gathering the information gather gather gathering gather gathering gat	d under my direction or supervision in accordance with a sy mation submitted. Based on my inquiry of the person or pe formation, the information is, to the best of my knowledge a s for submitting false information, including the possibility o	ersons and
Name and official title	Christopher Whelan, To	own Manager	KLUKETERED IN THE ROLL OF IN DEPOSITE OF	
Signature	A.C., and a supply of the two of			
Telephone number	(978) 318-3250			
Date signed	158	an had good of the doc		
	rmitting authority, you must so		ecessary to assess wastewater treatment practices at the tr	reatment

SEND COMPLETED FORMS TO:

#### SUPPLEMENTAL APPLICATION INFORMATION

#### PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number: 001 (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT			JM DAIL HARGE	Y	A'	VERAGI	E DAILY	DISCHA	ARGE		
9 11	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
METALS (TOTAL RECOVERABLE)	, CYANIDE	, PHENO	LS, AND	HARDNE	SS.						
ANTIMONY	BRL	mg/l	<.5	lbs/day	BRL	mg/l	.025	lbs/day	4	EPA 200.7	.00306 mg/
ARSENIC	BRL	mg/l	<.08	lbs/day	BRL	mg/l	<.04	lbs/day	4	"	.00501 mg/
BERYLLIUM	BRL	mg/l	<.33	lbs/day	BRL	mg/l	<.008	77	2111	"	.001004 mg/
CADMIUM	<.004	11	<.008	- 11	<.002	**	<.008	- 11	19	EPA 200.8	**
CHROMIUM	.003	. 11	.025	11	.002	**	<.02	11	8	"	11
COPPER	.04	11	.33	"	.01	"	.08	**	19	EPA 200.8	.001 mg/
LEAD	<.004	11	.008	"	<.0002	**	<.002	77	19	"	11
MERCURY	BRL	17	<.002	"	BRL	11	<.002	"	4	EPA 245.1	.0002 mg/
NICKEL	.023	11	.19	"	.005	11	.04	11	19	EPA 200.8	.001 mg/
SELENIUM	BRL	99	<.4	=	BRL	**	<.04	11	4	EPA 200.7	.00505 mg/
SILVER	BRL	77	<.06	**	BRL	11	<.02	"	4	11	.002007 mg/
THALLIUM	BRL	77	<.02	11	BRL	11	<.04	11	4	- 11	.005002 mg/
ZINC	.045	mg/l	0.38	11	.02	11	.17	11	19	EPA 200.8	.005 mg/
CYANIDE	BRL	99	<.08	77	BRL	97	<.08	- 11	4	EPA 335.4	.01 mg/l
TOTAL PHENOLIC COMPOUNDS	0.6	mg/l	5	**	0.2	11	1.7	99	4	EPA 420.4	.032 mg/
HARDNESS (AS CaCO <sub>3</sub> )	107	17	892	ì	85	11	709	11	19	EPA 200.7	0.3 mg/l
Use this space (or a separate sheet)	to provide in	formation	on other	metals re	quested b	y the per	mit writer.		127	hindr of	360    (2.17.17.17.1

Concord WWTP MA0100668

Outfall number: 001							The same than the same		the United	States.)	
POLLUTANT			IM DAIL` HARGE	1	A۱	MA CAS	DAILY	DISCHA	ARGE		- Company of the Company
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
VOLATILE ORGANIC COMPOUNDS.				THE R.						NAME AND DESCRIPTIONS	
ACROLEIN	BRL	ug/l	<.8	lbs/day	BRL	ug/l	<.17	lbs/day	3	EPA 624	20-100 ug/l
ACRYLONITRILE	**	11	"	"	11	99	"	99	11	W.	11
BENZENE	BRL	11	<0.25	lbs/day	BRL	ug/l	<.04	89	11	N The second sec	5-30 ug/
BROMOFORM	11	11	11	11	**	11	11		11	"	11
CARBON TETRACHLORIDE	11	11	11	11	11	**	11	**	11	"	11
CLOROBENZENE	11	- 11	11	11	11	11	11	11	11	II.	11
CHLORODIBROMO-METHANE	11	***	"	**	11	**	11	**	om JR	"	11
CHLOROETHANE	11	11	"	***	11	***	11	"	Ri Ima	"	•
2-CHLORO-ETHYLVINYL ETHER	BRL	ug/l	<.8	11	BRL	**	<.17	11	3	EPA 624	20-100 ug/
CHLOROFORM	110	. 11	<.25	11	11	11	<.04	11	. "	11	5- 30 ug/
DICHLOROBROMO-METHANE	11	11	711	11	11	"	11	"	11 20	11	11
1,1-DICHLOROETHANE	111	91	11	**	11	99	11	11	"	99	11
1,2-DICHLOROETHANE	11	11	11	11	11	11	11	11	. 11	11	11
TRANS-1,2-DICHLORO-ETHYLENE	11	**	"	11	. 11	11	11	"	"	11	"
1,1-DICHLOROETHYLENE	BRL	ug/l	<.25	lbs/day"	BRL	ug/l	<.04	lbs/day	3	EPA 624	5-30 ug/
1,2-DICHLOROPROPANE	11	11	11	11	11	11	11	"	"	11	11
1,3-DICHLORO-PROPYLENE	11	**	11	11	11	11	11	11	"	11	"
ETHYLBENZENE	11	11	11	11	"	"	**	"	""	11	11
METHYL BROMIDE	10	11		10	***	11	**	***	"	11	- 11
METHYL CHLORIDE	BRL	ug/l	<.25	lbs/day	BRL	ug/l	<.03	lbs/day	3	"	4-30 ug/
METHYLENE CHLORIDE	BRL	ug/l	"	"	. "	."	<.04	, "I	"	"	5-30 ug/
1,1,2,2-TETRACHLORO-ETHANE	11	11	11	11		111	11	08		11	11
TETRACHLORO-ETHYLENE	11	11	11	11	. 11	11	11	99	. 11	11	11
TOLUENE	11	11	**	11	11	11	11	11	11	11	- 11

Form Approved 1/14/99 OMB Number 2040-0086

Outfall number: 001	(Comp	lete on	ce for each	ch outfall	dischar	ging effl	uent to w	aters of	the United	States.)	T and the Rettyre
POLLUTANT	1	MAXIMU	JM DAIL HARGE	Υ	A'	VERAGI	E DAILY	DISCHA	ARGE	Mississi kan	A3294 - 1 - 1 - 1
and the second of the second o	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
1,1,1-TRICHLOROETHANE	BRL	ug/l	<.25	lbs/day	BRL	ug/l	<.04	ls/day	3	EPA 624	5-30 ug/
1,1,2-TRICHLOROETHANE	11	11	- 11	. 11	- 11	11	11	- 11	. 11	11	11
TRICHLORETHYLENE	11	11	- 11	- 11	-11	"		11	11	11	11
VINYL CHLORIDE	11	11	- 11	. 11	11	. 11	- 11	99	11	11	11
Use this space (or a separate shee	t) to provide in	formatio	n on other	volatile o	rganic cor	mpounds	requeste	d by the p	ermit writer.		3
									100		Dec of the
ACID-EXTRACTABLE COMPOUN	IDS						1		1 1 1		
P-CHLORO-M-CRESOL	BRL	ug/l	<.08	lbs/day	BRL	ug/l	<.04	lbs/day	4	EPA 625	5-10 ug/l
2-CHLOROPHENOL	11	10	11	11	11	11	11	11	11	11	"
2,4-DICHLOROPHENOL	11	87	11	11	11	11	11	11	"	"	11
2,4-DIMETHYLPHENOL	11	11	11	"	11	11	11	11	**	11	11
4,6-DINITRO-O-CRESOL	**	11	11	"	11	11	11	11	11	11 1 1 10	- n
2,4-DINITROPHENOL	11	**	11	11	11	11	***	"	"	n in	11
2-NITROPHENOL	11	"	11	**	11	**	11	11	11	11	11
4-NITROPHENOL	11	11	11	11	11	11	11	11	11	11	11
PENTACHLOROPHENOL	11	"	11	"	. 11	"	11	11	"	11	11
PHENOL	11	11	11	11	11	11	**	11	11	11 15 15 15	11
2,4,6-TRICHLOROPHENOL	11	11	"	11	11	"	**	**	11	99	11
Use this space (or a separate sheet	) to provide in	formation	on other	acid-extra	actable co	mpounds	requeste	d by the p	permit writer.	The state of	lack rode
BASE-NEUTRAL COMPOUNDS.				0-48	للبي		pung li		ru 88	II I-m	
ACENAPHTHENE	BRL	ug/l	<.08	lbs/day	BRL	ug/l	<.04	lbs/day	4	EPA 625	5-10 µa/l
ACENAPHTHYLENE	11	11	**	11	"	"	11	11	"	"	"
ANTHRACENE	"	11	11	11	11	17	11	"	11	11	The state of
BENZIDINE	"	11	11	11	11	11	11	"	"	11	11
BENZO(A)ANTHRACENE	11	11	11	11	11	"	11	"	"	11	11
BENZO(A)PYRENE	10	11	11	11	11	11	11	11	11	"	n n

Concord WWTP MA0100668

(Complete once for each outfall discharging effluent to waters of the United States.) Outfall number: 001 AVERAGE DAILY DISCHARGE POLLUTANT MAXIMUM DAILY DISCHARGE ANALYTICAL Conc. Units Units Mass Units Number ML/ MDL Units | Mass Conc. METHOD of Samples EPA 625 5-10 ug/l BRL ug/l <.08 lbs/day BRL ug/l < .04 4 3,4 BENZO-FLUORANTHENE lbs/day 99 BENZO(GHI)PERYLENE 99 99 99 99 BENZO(K)FLUORANTHENE . . BIS (2-CHLOROETHOXY) . -. . -. . 77 . METHANE 11 99 99 11 BIS (2-CHLOROETHYL)-ETHER 99 11 11 99 00 99 10 ug/l 88 11 BIS (2-CHLOROISO-PROPYL) <.08 <.08 ETHER EPA 625 5-10 ug/l 12 4 19 .16 lb/day BIS (2-ETHYLHEXYL) PHTHALATE ug/l ug/l .10 lbs/day 4-BROMOPHENYL PHENYL ETHER BRL <.08 lbs/day BRL 4 ug/l ug/l <.04 lbs/day . \*\* \*\* 99 . . 00 BUTYL BENZYL PHTHALATE 11 99 . 99 99 99 99 99 99 99 99 2-CHLORONAPHTHALENE 11 11 99 89 11 99 4-CHLORPHENYL PHENYL ETHER 11 \*\* 99 99 99 . . . 88 11 CHRYSENE . .. 11 . . . . . . . 11 DI-N-BUTYL PHTHALATE 99 99 99 11 \*\* 99 99 DI-N-OCTYL PHTHALATE . 99 11 99 -. . . 98 DIBENZO(A,H) ANTHRACENE \*\* \*\* 99 . . . . . . . 99 1.2-DICHLOROBENZENE -11 99 99 99 . 11 .. . 1,3-DICHLOROBENZENE epa 625 5-10 ug/l 4 1,4-DICHLOROBENZENE BRL <.08 lbs/day BRL ug/l ug/l <.04 LBS/DAY 80 . 11 . . . 3,3-DICHLOROBENZIDINE 99 00 99 99 99 \*\* 99 \*\* 99 11 DIETHYL PHTHALATE 99 99 11 .. . 11 DIMETHYL PHTHALATE . . 11 99 11 99 \*\* 99 2.4-DINITROTOLUENE 99 99 99 99 99 99 99 99 . 11 99 2,6-DINITROTOLUENE 99 99 11 99 . \*\* 99 99 77 11 1,2-DIPHENYLHYDRAZINE

Concord WWTP MA0100668

Form Approved 1/14/99 OMB Number 2040-0086

POLLUTANT	MAXIMUM DAILY DISCHARGE Conc. Units   Mass. Units					VERAGI	DAILY	DISCHA	ARGE		
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
FLUORANTHENE	BRL	ug/l	<.08	lbs/day	BRL	ug/l	<.04	lbs/day	4	EPA 625	5-10 ug/
FLUORENE	11	***	"	**	11	11	11	11	11	11	n maj en '
HEXACHLOROBENZENE	11	11	11	**	**	**	11	11	- 11	11	11
HEXACHLOROBUTADIENE	11	11	11	11	**	11	11	11	11	II.	11
HEXACHLOROCYCLO- PENTADIENE	11	11	**	11	11	11	**	"	11	11	11
HEXACHLOROETHANE	11	11	11	11	11	11	- 11	- 11	11	integrate qui p	An armet on the
NDENO(1,2,3-CD)PYRENE	"	17	11	11	11	"	11	11	11	11	by the La
SOPHORONE	11	11	11	11	11	11	11	11	"	11	of strong
NAPHTHALENE	11	11	11		11	11	11	**	ш	"	minustra (3
NITROBENZENE	11	17	**	11	11	11	11	11	- 11		11
N-NITROSODI-N-PROPYLAMINE	11	11.	11	11	11	11	17	11	"	11	und tag" H
N-NITROSODI- METHYLAMINE	11	. 11	11	77	11	11	11	11	"	"	
N-NITROSODI-PHENYLAMINE	11	***	"	11	11	11	11	11	11	11	"
PHENANTHRENE	89	11	11	11	11	"	11	11	11	11	/ algument assures
PYRENE	11	11	11	11	"	11	11	11	11	11	Complete H Learner
,2,4-TRICHLOROBENZENE	11	**	11	"	11	11	"	11	"	11	11
Jse this space (or a separate sheet) to	provide in	formation	on other	base-neu	tral compo	ounds red	quested by	y the pern	nit writer.	The state of the state of	
											Hill Comple

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

Concord WWTP MA0100668

Form Approved 1/14/99 OMB Number 2040-0086

#### SUPPLEMENTAL APPLICATION INFORMATION

#### PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity
  test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results
  of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E.
   f no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to

E.1. Required Tests.  Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years. chronic✓_ acute  E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. column per test (where each species constitutes a test). Copy this page if more than three tests are being reported.  Test number: Test number: Test number: a. Test information.  Test species & test method number see attached spreadsheet  Age at initiation of test  Outfall number  Dates sample collected	form to
chronic	
column per test (where each species constitutes a test). Copy this page if more than three tests are being reported.  Test number: Test number: Test number:  a. Test information.  Test species & test method number see attached spreadsheet  Age at initiation of test  Outfall number	
a. Test information.  Test species & test method number see attached spreadsheet  Age at initiation of test  Outfall number	Allow one
Test species & test method number see attached spreadsheet  Age at initiation of test  Outfall number	
Age at initiation of test  Outfall number	and and
Outfall number	
	131
Dates sample collected .	
Date test started	эли
Duration	
b. Give toxicity test methods followed.	
Manual title	
Edition number and year of publication	
Page number(s)	
c. Give the sample collection method(s) used. For multiple grab samples, indicate the number of grab samples used.	3749
24-Hour composite	
Grab	
d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each)	
Before disinfection	
After disinfection	
After dechlorination	

## FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 Concord WWTP MA0100668 Test number: Test number: Test number:\_ e. Describe the point in the treatment process at which the sample was collected. Sample was collected: see attached spreadsheets f. For each test, include whether the test was intended to assess chronic toxicity, acute toxicity, or both. Chronic toxicity Acute toxicity g. Provide the type of test performed. Static Static-renewal Flow-through h. Source of dilution water. If laboratory water, specify type; if receiving water, specify source. Laboratory water Receiving water i. Type of dilution water. It salt water, specify "natural" or type of artificial sea salts or brine used. Fresh water Salt water j. Give the percentage effluent used for all concentrations in the test series. k. Parameters measured during the test. (State whether parameter meets test method specifications) pH Salinity Temperature Ammonia Dissolved oxygen I. Test Results. Acute: Percent survival in 100% % % % effluent LC<sub>50</sub>

%

%

95% C.I.

Control percent survival

Other (describe)

%

%

%

%

FACILITY NAME AND PERMIT NUMBER: Concord WWTP MA0100668		He day train	Form Approved 1/14/99 OMB Number 2040-0086		
Chronic:	96-3 TVD	Language Control			
NOEC	%	%	%		
IC <sub>25</sub>	%	%	%		
Control percent survival	%	%	%		
Other (describe)					
m. Quality Control/Quality Assurance.					
Is reference toxicant data available?					
Was reference toxicant test within acceptable bounds?					
What date was reference toxicant test run (MM/DD/YYYY)?			HARPA COLUMN 1 O		
Other (describe)	And a Michael College on Free	n ) I son viceta otkov volozovalili i			
Yes ✓ No If yes, described by the submitted Biomonitoring To cause of toxicity, within the past four and summary of the results.  Date submitted:(I Summary of results: (see instructions)  Please see attached spreadsheet for	Fest Information. If you have one-half years, provide the dat	submitted biomonitoring test information was submitted to the	on, or information regarding the e permitting authority and a		
- 19490 000 4.4401104 0010401100110	ra sammary or last 4.5 yea	15 TCSUILS.			
Name of the state					
REFER TO THE APPLICATION	END OF PA		R PARTS OF FORM		

2A YOU MUST COMPLETE.

EPA Form 3510-2A (Rev. 1-99). Replaces EPA forms 7550-6 & 7550-22.

Concord WWTP MA0100668

Form Approved 1/14/99 OMB Number 2040-0086

## SUPPLEMENTAL APPLICATION INFORMATION PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. GENERAL INFORMATION: F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? Yes ♥ No F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. 0.00 Number of non-categorical SIUs. b. Number of CIUs. 0.00 SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. NA Name: Mailing Address: F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s): Raw material(s): F.6. Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. \_\_\_continuous or \_\_\_ intermittent) \_ gpd b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. gpd \_\_\_continuous or \_\_\_\_intermittent) F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following: a. Local limits Yes No b. Categorical pretreatment standards \_ \_Yes If subject to categorical pretreatment standards, which category and subcategory?

FACILITY NAME AND PERMIT NUMBER: Concord WWTP MA0100668					Form Approved 1/14/99 OMB Number 2040-0086			
	Problems at the Treatment Works Attributed to Waste Discharged I upsets, interference) at the treatment works in the past three years?				e SIU. Has the S	IU caused or cor	ntributed to any probler	ms (e.g.,
	YesNo	If yes, descri	be each episod	le.	NA STORAC	osio visti	DESTRUCTION	4 113/2
							(a)	
RCRA	A HAZARDOUS WAS	TE RECEIVED	BY TRUCK,	RAIL, OR DEDIC	ATED PIPELIN	IE:		
	RCRA Waste. Does the pipe?Yes _✓_N		receive or has it	t in the past three y	ears received RC	RA hazardous w	vaste by truck, rail, or d	dedicated
.10.	Waste Transport. Meth	od by which RCR	RA waste is rece	eived (check all tha	t apply):			
	Truck	Rail	Dedic	cated Pipe				
	Waste Description. Giv			r and amount (volu mount	me or mass, spec	ify units). <u>Units</u>		
			. JA (* 12		. MENT AND SECTION	A NOCOCO		
	ALLOW DE AUTOMOS	yerson a transition		encountrates de ve	Water Burg of	ILI depute of no		
					1		or realismost at our scanner	
				EDIATIONICOD	RECTIVE	Silver Service		
CTI	CLA (SUPERFUND) VON WASTEWATER, A Remediation Waste. DYes (complete F.1:	oes the treatment	EMEDIAL AC	TIVITY WASTE	WATER:	eceive waste from	m remedial activities?	
.12.	ON WASTEWATER, A Remediation Waste. D	oes the treatment 3 through F.15.) d the requested in	emedial AC works currently	y (or has it been noNo. 3 - F.15.) for each o	WATER:  tified that it will) recurrent and future	site.		to origina
.12.	ON WASTEWATER, A Remediation Waste. DYes (complete F.1: Provide a list of sites and Waste Origin. Describe	oes the treatment 3 through F.15.) d the requested in	emedial AC works currently	y (or has it been noNo. 3 - F.15.) for each o	WATER:  tified that it will) recurrent and future	site.		to origina
*.12.	ON WASTEWATER, A Remediation Waste. DYes (complete F.1: Provide a list of sites and Waste Origin. Describe	oes the treatment 3 through F.15.) d the requested in	emedial AC works currently	y (or has it been noNo. 3 - F.15.) for each o	WATER:  tified that it will) recurrent and future	site.		to origina
.12. 13.	ON WASTEWATER, A Remediation Waste. DYes (complete F.1: Provide a list of sites and Waste Origin. Describe	oes the treatment the treatment that the requested in the the site and type ardous constituen	ewerld works currently afformation (F.13) of facility at what that are rece	y (or has it been noNo. 3 - F.15.) for each on the CERCLA/F	WATER:  otified that it will) resurrent and future  CCRA/or other rem	site. nedial waste origi	inates (or is expected t	
.12. 13.	ON WASTEWATER, A Remediation Waste. Dr. Yes (complete F.1: Provide a list of sites and Waste Origin. Describe in the next five years).  Pollutants. List the haz.	oes the treatment the treatment that the requested in the the site and type ardous constituen	ewerld works currently afformation (F.13) of facility at what that are rece	y (or has it been noNo. 3 - F.15.) for each on the CERCLA/F	WATER:  otified that it will) resurrent and future  CCRA/or other rem	site. nedial waste origi	inates (or is expected t	
.12.	ON WASTEWATER, A Remediation Waste. DYes (complete F.1: Provide a list of sites and Waste Origin. Describe in the next five years).  Pollutants. List the hazk known. (Attach additional	oes the treatment the threatment through F.15.) define the site and type ardous constituent al sheets if necess	ewerth works currently aformation (F.13 of facility at what the street was that are recessary).	y (or has it been no No. 3 - F.15.) for each of hich the CERCLA/F	water:  current and future  CRA/or other rem  ded to be received	site. nedial waste origi	inates (or is expected t	
.12.	ON WASTEWATER, A Remediation Waste. Dr. Yes (complete F.1: Provide a list of sites and Waste Origin. Describe in the next five years).  Pollutants. List the haz known. (Attach additional Waste Treatment. a. Is this waste treated	oes the treatment the threatment through F.15.) define the site and type ardous constituent al sheets if necess	ewerth works currently aformation (F.13 of facility at what the street was that are recessary).	y (or has it been no No. 3 - F.15.) for each of hich the CERCLA/F	water:  current and future  CRA/or other rem  ded to be received	site. nedial waste origi	inates (or is expected t	
.12.	Pollutants. List the hazk known. (Attach additional  Waste Treatment. a. Is this waste treated YesNo	oes the treatment to the treatment to the requested in the site and type ardous constituent all sheets if necessions (or will it be treated)	ewer that are recessary).	y (or has it been no No. 3 - F.15.) for each of the CERCLA/F.	water:  current and future  CRA/or other rem  ded to be received  works?	site. nedial waste origi	inates (or is expected t	
	ON WASTEWATER, A Remediation Waste. Dr. Yes (complete F.1: Provide a list of sites and Waste Origin. Describe in the next five years).  Pollutants. List the haz known. (Attach additional Waste Treatment. a. Is this waste treated	oes the treatment to the treatment to the requested in the site and type ardous constituent all sheets if necessions (or will it be treated)	ewer that are recessary).	y (or has it been no No. 3 - F.15.) for each of the CERCLA/F.	water:  current and future  CRA/or other rem  ded to be received  works?	site. nedial waste origi	inates (or is expected t	
	Pollutants. List the hazknown. (Attach additional  Waste Treatment.  a. Is this waste treated Yes, describe the treated Yes, describe the treated Yes, describe the treated	ardous constituent sheets if necessity (or will it be treated for which it be treated for which it is the site and type ardous constituent at sheets if necessity (or will it be treated for which it is the site and type ardous constituent at sheets if necessity (or will it be treated for which it is the site and type ardous constituent at sheets if necessity (or will it be treated for which it is the site and type ardous constituent at sheets if necessity (or will it be treated for which it is the site and type are sheets if necessity (or will it be treated for which it is the site and type are sheets if necessity (or will it be treated for which it is the site and type are sheets if necessity (or will it be treated for which it is the site and type are sheets if necessity (or will it be treated for which it is the site and type are sheets if necessity (or will it be treated for which it is the site and type are sheets if necessity (or will it be treated for which it is the site and type are sheets if necessity (or will it be treated for which it is the site and type are sheets if necessity (or will it be treated for which it is the site and type are sheets if necessity (or will it be treated for which it is the site and type are sheets).	ewer the two the two that are recessary).	y (or has it been no No. 3 - F.15.) for each of hich the CERCLA/F.	water:  current and future  CRA/or other rem  ded to be received  works?	site. nedial waste origi	inates (or is expected t	
512.	Pollutants. List the hazk known. (Attach additional  Waste Treatment. a. Is this waste treated YesNo	and other Ri the site and type  ardous constituent al sheets if necess  (or will it be treate reatment (provide	ewer the two the two that are recessary).	y (or has it been no No. 3 - F.15.) for each of the CERCLA/F.  which the CERCLA/F.  which the certain the certain the treatment out the removal effort or intermittent?	water:  current and future  CRA/or other rem  ded to be received  works?	site.  nedial waste original control of the control	inates (or is expected t	

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

EPA Form 3510-2A (Rev. 1-99). Replaces EPA forms 7550-6 & 7550-22.

Concord WWTP MA0100668

Form Approved 1/14/99 OMB Number 2040-0086

## SUPPLEMENTAL APPLICATION INFORMATION

#### PART G. COMBINED SEWER SYSTEMS

If the treatment works has a combined sewer system, complete Part G.

- G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information)
  - a. All CSO discharge points.
  - b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
  - c. Waters that support threatened and endangered species potentially affected by CSOs.
- G.2. System Diagram. Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:
  - a. Locations of major sewer trunk lines, both combined and separate sanitary.
  - b. Locations of points where separate sanitary sewers feed into the combined sewer system.
  - c. Locations of in-line and off-line storage structures.
  - d. Locations of flow-regulating devices.
  - e. Locations of pump stations.

C.	Locations of pump stati	ons.	- 4		
cso o	UTFALLS:				
Comple	te questions G.3 throug	h G.6 once for each CSO discharge point.		<b>以上,有多数</b>	
G.3. De	scription of Outfall.				
a.	Outfall number	TO PERMINE WHILE OT			
b.	Location		Ħ		
		(City or town, if applicable)		· (Zip Code)	
		(O-1111)			
		(County)		(State)	
		(Latitude)		(Longitude)	
				to and to allow the	
C.	Distance from shore (if	applicable)	ft.		
d.	Depth below surface (if	applicable)	ft.		
e.	Which of the following v	vere monitored during the last year for this CS	SO?		
	Rainfall	CSO pollutant concentrations	CSO frequen	cv	
	CSO flow volume	Receiving water quality	•	2.4.2	
f.	now many storm events	s were monitored during the last year?	-		
G.4. CS	O Events.				
a.	Give the number of CS	D events in the last year.			
ų.		_ actual or approx.)			
b.					
	hours (	_ actual or approx.)			

FACILITY NAME AND PERMIT NUMBER	:		Form Approved 1/14/99 OMB Number 2040-0086
Concord WWTP MA0100668			
c. Give the average volume per CS	O event.		
million gallons (	actual or	approx.)	
d. Give the minimum rainfall that ca	used a CSO ev	ent in the last year.	PART G. DILLIGHT & RESIDENCE SYSTEMS
inches of rainfall			attended and the second of the second or secon
G.5. Description of Receiving Waters.			
Name of receiving water:			
b. Name of watershed/river/stream	system:	refew phones and	oral peralte is successful in the second of
c. Name of State Management/River United States Geological Survey	er Basin:		gerngga an a sa as 's grown ways arrows a suggest the
Officed States Geological Survey	o-digit riyarolog	gic cataloging unit cot	GE (II KIIOWII).
G.6. CSO Operations.			
Describe any known water quality im permanent or intermittent shell fish b quality standard).	ed closings, fish	n kills, fish advisories,	by this CSO (e.g., permanent or intermittent beach closings, other recreational loss, or violation of any applicable State water
		END OF PA	RT G.

Additional information, if provided, will appear on the following pages.

manda (Compare of the compare of the Compare Combardate and Table