

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-028

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	905 LE 32
Project Number:	NA	Client Sample Number:	28
Sample Date:	7/21/2009	Chain of Custody Number:	89212

Comments:

Definitions/ Qualifiers:	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-----------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	50	10	PS09G24B	7/24/2009	7/28/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	50	10	PS09G24B	7/24/2009	7/28/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	50	10	PS09G24B	7/24/2009	7/28/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	50	10	PS09G24B	7/24/2009	7/28/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	50	10	PS09G24B	7/24/2009	7/28/2009	BDA
Aroclor-1254	<b>150</b>	µg/100 cm <sup>2</sup>	50	10	PS09G24B	7/24/2009	7/28/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	50	10	PS09G24B	7/24/2009	7/28/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	50	10	PS09G24B	7/24/2009	7/28/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	50	10	PS09G24B	7/24/2009	7/28/2009	BDA

D0791

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-029

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	817 LE 34
Project Number:	NA	Client Sample Number:	29
Sample Date:	7/21/2009	Chain of Custody Number:	89212

Comments:

Definitions/Qualifiers: A: Spike recovery or precision unusable due to dilution. J: The concentration is an estimated value. X: Matrix Interference has resulted in a raised reporting limit or distorted result.  
 B: The analyte was detected in the associated method blank. U: The analyte was not detected at or above the reporting limit. W: Results reported on a wet-weight basis.  
 E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated. \*: Value reported is outside QA limits

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1254	16	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA

D0792

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-030

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	870 LE 3
Project Number:	NA	Client Sample Number:	30
Sample Date:	7/21/2009	Chain of Custody Number:	89212

Comments:

<b>Definitions/ Qualifiers:</b>	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1254	15	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA

D0793

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-031

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	858 LE 15
Project Number:	NA	Client Sample Number:	31
Sample Date:	7/21/2009	Chain of Custody Number:	89213

**Comments:**

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1254	12	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA

D0794

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-032

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	926 LE 16
Project Number:	NA	Client Sample Number:	32
Sample Date:	7/21/2009	Chain of Custody Number:	89213

Comments:

<b>Definitions/ Qualifiers:</b>	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1254	<b>38</b>	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA

D0795

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-033

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	105 RE 16
Project Number:	NA	Client Sample Number:	33
Sample Date:	7/21/2009	Chain of Custody Number:	89213

Comments:

**Definitions/Qualifiers:**

A: Spike recovery or precision unusable due to dilution.	J: The concentration is an estimated value.	X: Matrix Interference has resulted in a raised reporting limit or distorted result.
B: The analyte was detected in the associated method blank.	U: The analyte was not detected at or above the reporting limit.	W: Results reported on a wet-weight basis.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.		*: Value reported is outside QA limits

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA

D0796

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-034

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	1188 LE 49
Project Number:	NA	Client Sample Number:	34
Sample Date:	7/21/2009	Chain of Custody Number:	89213

Comments:

<b>Definitions/ Qualifiers:</b>	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1254	<b>6.0</b>	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA

D0797

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-035

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	272 LE 41
Project Number:	NA	Client Sample Number:	35
Sample Date:	7/21/2009	Chain of Custody Number:	89213

Comments:

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1254	11	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA

D0798



## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-036

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	246 LE 29
Project Number:	NA	Client Sample Number:	36
Sample Date:	7/21/2009	Chain of Custody Number:	89213

Comments:

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA

D0799

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-037

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	246 LE 30
Project Number:	NA	Client Sample Number:	37
Sample Date:	7/21/2009	Chain of Custody Number:	89213

Comments:

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA

D0800

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-038

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	839 LE 39
Project Number:	NA	Client Sample Number:	38
Sample Date:	7/21/2009	Chain of Custody Number:	89213

Comments:

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA

D0801

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-039

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	337 RE 7
Project Number:	NA	Client Sample Number:	39
Sample Date:	7/21/2009	Chain of Custody Number:	89213

**Comments:**

<b>Definitions/ Qualifiers:</b>	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA

D0802

## Analytical Laboratory Report

Client Identification: **Stinson Morrison Hecker LLP**      Sample Matrix: **Wipe**  
Fibertec Project Number: **35163**      Sample Number: **35163-040**

### Client Sample Information

Project Identification: **SIM-Ottumwa PCB Site**      Client Sample Description: **FIELD BLANK 3**  
Project Number: **NA**      Client Sample Number: **40**  
Sample Date: **7/21/2009**      Chain of Custody Number: **89213**

**Comments:**

**Definitions/Qualifiers:**  
 A: Spike recovery or precision unusable due to dilution.      J: The concentration is an estimated value.      X: Matrix Interference has resulted in a raised reporting limit or distorted result.  
 B: The analyte was detected in the associated method blank.      U: The analyte was not detected at or above the reporting limit.      W: Results reported on a wet-weight basis.  
 E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.      \*: Value reported is outside QA limits

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G24B	7/24/2009	7/26/2009	BDA

D0803

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-041

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	208 T 30
Project Number:	NA	Client Sample Number:	41
Sample Date:	7/21/2009	Chain of Custody Number:	89214

Comments:

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	<b>30</b>	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0804

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-042

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	505 RE 64
Project Number:	NA	Client Sample Number:	42
Sample Date:	7/21/2009	Chain of Custody Number:	89214

Comments:

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0805

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-043

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	1102 LE 40
Project Number:	NA	Client Sample Number:	43
Sample Date:	7/21/2009	Chain of Custody Number:	89214

**Comments:**

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	<b>8.9</b>	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0806



## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-044

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	011 RE 14
Project Number:	NA	Client Sample Number:	44
Sample Date:	7/21/2009	Chain of Custody Number:	89214

**Comments:**

<b>Definitions/Qualifiers:</b>	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--------------------------------	---	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0807

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-045

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	1226 RE 62
Project Number:	NA	Client Sample Number:	45
Sample Date:	7/21/2009	Chain of Custody Number:	89214

Comments:

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0808

## Analytical Laboratory Report

Client Identification: **Stinson Morrison Hecker LLP**      Sample Matrix: **Wipe**  
Fibertec Project Number: **35163**      Sample Number: **35163-046**

### Client Sample Information

Project Identification: **SIM-Ottumwa PCB Site**      Client Sample Description: **1292 LE 18**  
Project Number: **NA**      Client Sample Number: **46**  
Sample Date: **7/21/2009**      Chain of Custody Number: **89214**

**Comments:**

**Definitions/Qualifiers:**  
 A: Spike recovery or precision unusable due to dilution.      J: The concentration is an estimated value.      X: Matrix Interference has resulted in a raised reporting limit or distorted result.  
 B: The analyte was detected in the associated method blank.      U: The analyte was not detected at or above the reporting limit.      W: Results reported on a wet-weight basis.  
 E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.      \*: Value reported is outside QA limits

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0809