

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-047

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	426 LE 7
Project Number:	NA	Client Sample Number:	47
Sample Date:	7/21/2009	Chain of Custody Number:	89214

Comments:

Definitions/Qualifiers:	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0810

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-048

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	450 T 6
Project Number:	NA	Client Sample Number:	48
Sample Date:	7/21/2009	Chain of Custody Number:	89214

Comments:

Definitions/Qualifiers: A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0811

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-049

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	634 T 36
Project Number:	NA	Client Sample Number:	49
Sample Date:	7/21/2009	Chain of Custody Number:	89214

Comments:

Definitions/ Qualifiers:	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0812

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-050

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	634 T 37
Project Number:	NA	Client Sample Number:	50
Sample Date:	7/21/2009	Chain of Custody Number:	89214

Comments:

Definitions/ Qualifiers:	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0813

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-051

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	772 B 33
Project Number:	NA	Client Sample Number:	51
Sample Date:	7/21/2009	Chain of Custody Number:	89215

Comments:

Definitions/Qualifiers:	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0814

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-052

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	FIELD BLANK 4
Project Number:	NA	Client Sample Number:	52
Sample Date:	7/21/2009	Chain of Custody Number:	89215

Comments:

Definitions/ Qualifiers:	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0815

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-053

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	674 T 44
Project Number:	NA	Client Sample Number:	53
Sample Date:	7/21/2009	Chain of Custody Number:	89215

Comments:

Definitions/Qualifiers: A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0816

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-054

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	739 T END 64
Project Number:	NA	Client Sample Number:	54
Sample Date:	7/21/2009	Chain of Custody Number:	89215

Comments:

Definitions/ Qualifiers:	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0817

Analytical Laboratory Report

Client Identification: **Stinson Morrison Hecker LLP** Sample Matrix: **Wipe**
Fibertec Project Number: **35163** Sample Number: **35163-055**

Client Sample Information

Project Identification: **SIM-Ottumwa PCB Site** Client Sample Description: **782 L 16**
Project Number: **NA** Client Sample Number: **55**
Sample Date: **7/21/2009** Chain of Custody Number: **89215**

Comments:

Definitions/Qualifiers: A: Spike recovery or precision unusable due to dilution. J: The concentration is an estimated value. X: Matrix Interference has resulted in a raised reporting limit or distorted result.
B: The analyte was detected in the associated method blank. U: The analyte was not detected at or above the reporting limit. W: Results reported on a wet-weight basis.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated. *: Value reported is outside QA limits

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1221	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1232	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1242	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1248	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1254	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1260	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1262	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA
Aroclor-1268	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/27/2009	BDA

D0818

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-056

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	689 END 51
Project Number:	NA	Client Sample Number:	56
Sample Date:	7/21/2009	Chain of Custody Number:	89215

Comments:

Definitions/Qualifiers: A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA

D0819

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-057

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	709 T 23
Project Number:	NA	Client Sample Number:	57
Sample Date:	7/21/2009	Chain of Custody Number:	89215

Comments:

Definitions/Qualifiers: A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
---	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1221	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1232	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1242	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1248	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1254	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1260	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1262	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1268	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA

D0820

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-058

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	719 L 3
Project Number:	NA	Client Sample Number:	58
Sample Date:	7/21/2009	Chain of Custody Number:	89215

Comments:

Definitions/ Qualifiers:	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA

D0821

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-059

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	729 T 6
Project Number:	NA	Client Sample Number:	59
Sample Date:	7/21/2009	Chain of Custody Number:	89215

Comments:

Definitions/Qualifiers: A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA

D0822

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-060

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	807 RE 52
Project Number:	NA	Client Sample Number:	60
Sample Date:	7/21/2009	Chain of Custody Number:	89215

Comments:

Definitions/Qualifiers: A: Spike recovery or precision unusable due to dilution. J: The concentration is an estimated value. X: Matrix Interference has resulted in a raised reporting limit or distorted result.
 B: The analyte was detected in the associated method blank. U: The analyte was not detected at or above the reporting limit. W: Results reported on a wet-weight basis.
 E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated. *: Value reported is outside QA limits

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1221	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1232	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1242	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1248	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1254	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1260	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1262	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA
Aroclor-1268	U	µg/100 cm ²	5.0	1	PS09G27B	7/27/2009	7/28/2009	BDA

D0823

Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35163	Sample Number:	35163-061

Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	792 RE 13
Project Number:	NA	Client Sample Number:	61
Sample Date:	7/21/2009	Chain of Custody Number:	89216

Comments:

Definitions/Qualifiers: A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm ²	5.0	1	PS09G27C	7/27/2009	7/28/2009	BDA
Aroclor-1221	U	µg/100 cm ²	5.0	1	PS09G27C	7/27/2009	7/28/2009	BDA
Aroclor-1232	U	µg/100 cm ²	5.0	1	PS09G27C	7/27/2009	7/28/2009	BDA
Aroclor-1242	U	µg/100 cm ²	5.0	1	PS09G27C	7/27/2009	7/28/2009	BDA
Aroclor-1248	U	µg/100 cm ²	5.0	1	PS09G27C	7/27/2009	7/28/2009	BDA
Aroclor-1254	U	µg/100 cm ²	5.0	1	PS09G27C	7/27/2009	7/28/2009	BDA
Aroclor-1260	U	µg/100 cm ²	5.0	1	PS09G27C	7/27/2009	7/28/2009	BDA
Aroclor-1262	U	µg/100 cm ²	5.0	1	PS09G27C	7/27/2009	7/28/2009	BDA
Aroclor-1268	U	µg/100 cm ²	5.0	1	PS09G27C	7/27/2009	7/28/2009	BDA

D0824