

To: Dave Newsad <dnewsad@slrconsulting.com>
From: Ida McDonnell/R1/USEPA/US
Date: 01/20/2011 03:55PM
Subject: RE: e-mail/phone discussion follow up

You should have one e-mail with three modeling "data" files and the other three e-mails have exhibits A-E containing two word files, one xls file and 6 pdf files

Ida E. McDonnell, Manager
Air Permits, Toxics and Indoor Air Unit
EPA-New England, Region 1
5 Post Office Sq. Suite 100
Mail Code OEP05-2
Boston, MA 02109-3912
Phone 617-918-1653
Fax 617-918-0653

Dave Newsad ---01/20/2011 03:49:55 PM—I received the four mails, is that everything? -----Original Message-----

From: Dave Newsad <dnewsad@slrconsulting.com>
To: Ida McDonnell/R1/USEPA/US@EPA
Date: 01/20/2011 03:49 PM
Subject: RE: e-mail/phone discussion follow up

I received the four mails, is that everything?

-----Original Message-----

From: McDonnell.Ida@epamail.epa.gov [<mailto:McDonnell.Ida@epamail.epa.gov>]
Sent: Thursday, January 20, 2011 12:46 PM
To: Dave Newsad
Subject: RE: e-mail/phone discussion follow up

I just sent it in four e-mails - let me know if you receive them.

Ida E. McDonnell, Manager
Air Permits, Toxics and Indoor Air Unit
EPA-New England, Region 1
5 Post Office Sq. Suite 100
Mail Code OEP05-2
Boston, MA 02109-3912
Phone 617-918-1653
Fax 617-918-0653

|----->
| From: |
|----->

>-----
| Dave Newsad <dnewsad@slrconsulting.com> |
|----->

|----->
| To: |
|----->

>-----
| Ida McDonnell/R1/USEPA/US@EPA |
|----->

|----->
| Date: |
|----->

>-----
| 01/20/2011 03:33 PM |
|----->

|----->
| Subject: |
|----->

>-----
| RE: e-mail/phone discussion follow up |
|----->

Ida I did not receive the e-mail referenced below last night?

-----Original Message-----

From: McDonnell.Ida@epamail.epa.gov [
<mailto:McDonnell.Ida@epamail.epa.gov>]
Sent: Wednesday, January 19, 2011 10:15 AM
To: Dave Newsad
Subject: Re: e-mail/phone discussion follow up

Dave,

I sent the material in two separate e-mails - one for each memo.
Because one of my e-mails is very large it will not be delivered until
after 9:30 p.m. this evening. I apologize for any inconvenience.

Ida E. McDonnell, Manager
Air Permits, Toxics and Indoor Air Unit
EPA-New England, Region 1
5 Post Office Sq. Suite 100
Mail Code OEP05-2
Boston, MA 02109-3912
Phone 617-918-1653
Fax 617-918-0653

|----->
| From: |
|----->

>-----
-----|

| Dave Newsad <dnewsad@slrconsulting.com>
|

>-----
-----|

|----->
| To: |
|----->

>-----
-----|

| Ida McDonnell/R1/USEPA/US@EPA
|

>-----
-----|

|----->
| Date: |
|----->

>-----
-----|

|01/19/2011 11:37 AM
|

>-----
-----|

|----->
| Subject: |
|----->

>-----
-----|

|e-mail/phone discussion follow up
|

>-----
-----|

Ida, sending to confirm my information request for data related to the Cape Wind project.

Specifically I would like to obtain copies of the files embedded/attached to the two following dispersion modeling memos currently posted on the NSR application page:

<http://www.epa.gov/region1/communities/pdf/CapeWind/2010June3ModelingMemo.pdf>

<http://www.epa.gov/region1/communities/pdf/CapeWind/CapeWindModelingReview.pdf>

Thanks.

=====
David Newsad
Principal Scientist
SLR International Corp

Address: 22118 20th Ave SE Suite G202 Bothell, WA 98021
Office: (425) 402-8800
Fax: (425) 402-8488
Email: dnewsad@slrconsulting.com
Website: www.slrconsulting.com
=====

Confidentiality Notice:

This email and any files transmitted with it are confidential and may be privileged. It is intended solely for the use of the individual or the entity to which it is addressed. If you are not the named addressee or have received this in

error, please contact the sender and delete the material immediately. Any unauthorized disclosure or copying is strictly prohibited. Emails and any information transmitted thereunder may be intercepted, corrupted or delayed. As a result, SLR does not accept any responsibility for any errors or omissions howsoever caused. While all reasonable endeavors are taken by SLR to screen all emails for known viruses, SLR cannot guarantee that any transmission will be virus free.

P Reduce. Reuse. Recycle. Please consider the environment before printing this e-mail.