

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers	
Sample ID: IRE2681-24 (D40-O - Product) - cont.					Sampled: 05/30/08					
Reporting Units: mg/l										
<i>Surrogate: 2,4,6-Tribromophenol (40-125%)</i>				0.5 %						Z
<i>Surrogate: Nitrobenzene-d5 (40-120%)</i>				16 %						Z
<i>Surrogate: 2-Fluorobiphenyl (45-120%)</i>				21 %						Z
<i>Surrogate: Terphenyl-d14 (45-135%)</i>				46 %						Z

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 81 of 227>

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-25 (D37-O - Product)					Sampled: 05/30/08			RL3	
Reporting Units: mg/l									
Acenaphthene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Acenaphthylene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Aniline	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Anthracene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Benzidine	EPA 8270C	8F06124	25	ND	50	NA	6/6/2008	6/11/2008	
Benzoic acid	EPA 8270C	8F06124	25	ND	50	NA	6/6/2008	6/11/2008	
Benzo(a)anthracene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Benzo(b)fluoranthene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Benzo(k)fluoranthene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Benzo(g,h,i)perylene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Benzo(a)pyrene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Benzyl alcohol	EPA 8270C	8F06124	5.0	ND	50	NA	6/6/2008	6/11/2008	
Bis(2-chloroethoxy)methane	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Bis(2-chloroethyl)ether	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Bis(2-chloroisopropyl)ether	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	C
Bis(2-ethylhexyl)phthalate	EPA 8270C	8F06124	12	ND	50	NA	6/6/2008	6/11/2008	
4-Bromophenyl phenyl ether	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Butyl benzyl phthalate	EPA 8270C	8F06124	5.0	ND	50	NA	6/6/2008	6/11/2008	
4-Chloroaniline	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
2-Chloronaphthalene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
4-Chloro-3-methylphenol	EPA 8270C	8F06124	5.0	ND	50	NA	6/6/2008	6/11/2008	
2-Chlorophenol	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
4-Chlorophenyl phenyl ether	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Chrysene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Dibenz(a,h)anthracene	EPA 8270C	8F06124	5.0	ND	50	NA	6/6/2008	6/11/2008	
Dibenzofuran	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Di-n-butyl phthalate	EPA 8270C	8F06124	5.0	ND	50	NA	6/6/2008	6/11/2008	
1,3-Dichlorobenzene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
1,4-Dichlorobenzene	EPA 8270C	8F06124	2.5	ND	50	7.5	6/6/2008	6/11/2008	
1,2-Dichlorobenzene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
3,3-Dichlorobenzidine	EPA 8270C	8F06124	10	ND	50	NA	6/6/2008	6/11/2008	
2,4-Dichlorophenol	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Diethyl phthalate	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
2,4-Dimethylphenol	EPA 8270C	8F06124	5.0	ND	50	NA	6/6/2008	6/11/2008	
Dimethyl phthalate	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-25 (D37-O - Product) - cont.						Sampled: 05/30/08			RL3
Reporting Units: mg/l									
4,6-Dinitro-2-methylphenol	EPA 8270C	8F06124	10	ND	50	NA	6/6/2008	6/11/2008	
2,4-Dinitrophenol	EPA 8270C	8F06124	25	ND	50	NA	6/6/2008	6/11/2008	
2,4-Dinitrotoluene	EPA 8270C	8F06124	2.5	ND	50	0.13	6/6/2008	6/11/2008	
2,6-Dinitrotoluene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Di-n-octyl phthalate	EPA 8270C	8F06124	10	ND	50	NA	6/6/2008	6/11/2008	
Fluoranthene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Fluorene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Hexachlorobenzene	EPA 8270C	8F06124	2.5	ND	50	0.13	6/6/2008	6/11/2008	
Hexachlorobutadiene	EPA 8270C	8F06124	2.5	ND	50	0.5	6/6/2008	6/11/2008	
Hexachlorocyclopentadiene	EPA 8270C	8F06124	10	ND	50	NA	6/6/2008	6/11/2008	
Hexachloroethane	EPA 8270C	8F06124	2.5	ND	50	3.0	6/6/2008	6/11/2008	
Indeno(1,2,3-cd)pyrene	EPA 8270C	8F06124	5.0	ND	50	NA	6/6/2008	6/11/2008	
Isophorone	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
2-Methylnaphthalene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
2-Methylphenol	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
4-Methylphenol	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Naphthalene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
2-Nitroaniline	EPA 8270C	8F06124	5.0	ND	50	NA	6/6/2008	6/11/2008	
3-Nitroaniline	EPA 8270C	8F06124	5.0	ND	50	NA	6/6/2008	6/11/2008	
4-Nitroaniline	EPA 8270C	8F06124	25	ND	50	NA	6/6/2008	6/11/2008	
Nitrobenzene	EPA 8270C	8F06124	10	ND	50	2.0	6/6/2008	6/11/2008	
2-Nitrophenol	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
4-Nitrophenol	EPA 8270C	8F06124	25	ND	50	NA	6/6/2008	6/11/2008	
N-Nitrosodiphenylamine	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
N-Nitroso-di-n-propylamine	EPA 8270C	8F06124	5.0	ND	50	NA	6/6/2008	6/11/2008	
Pentachlorophenol	EPA 8270C	8F06124	10	ND	50	100.0	6/6/2008	6/11/2008	
Phenanthrene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Phenol	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
Pyrene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
1,2,4-Trichlorobenzene	EPA 8270C	8F06124	2.5	ND	50	NA	6/6/2008	6/11/2008	
2,4,5-Trichlorophenol	EPA 8270C	8F06124	5.0	ND	50	400.0	6/6/2008	6/11/2008	
2,4,6-Trichlorophenol	EPA 8270C	8F06124	5.0	ND	50	2.0	6/6/2008	6/11/2008	
1,2-Diphenylhydrazine/Azobe	EPA 8270C	8F06124	5.0	ND	50	NA	6/6/2008	6/11/2008	
Surrogate: 2-Fluorophenol (35-120%)				50 %					Z3
Surrogate: Phenol-d6 (45-120%)				12 %					Z3

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-25 (D37-O - Product) - cont.						Sampled: 05/30/08			RL3
Reporting Units: mg/l									
Surrogate: 2,4,6-Tribromophenol (40-125%)				*					Z3
Surrogate: Nitrobenzene-d5 (40-120%)				77 %					Z3
Surrogate: 2-Fluorobiphenyl (45-120%)				70 %					Z3
Surrogate: Terphenyl-d14 (45-135%)				72 %					Z3

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 84 of 227>

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-26 (D30-B - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
Acenaphthene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Acenaphthylene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Aniline	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Anthracene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Benzidine	EPA 8270C	8F06124	10	ND	20	NA	6/6/2008	6/14/2008	
Benzoic acid	EPA 8270C	8F06124	10	18	20	NA	6/6/2008	6/14/2008	
Benzo(a)anthracene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Benzo(b)fluoranthene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Benzo(k)fluoranthene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Benzo(g,h,i)perylene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Benzo(a)pyrene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Benzyl alcohol	EPA 8270C	8F06124	2.0	ND	20	NA	6/6/2008	6/14/2008	
Bis(2-chloroethoxy)methane	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Bis(2-chloroethyl)ether	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Bis(2-chloroisopropyl)ether	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Bis(2-ethylhexyl)phthalate	EPA 8270C	8F06124	5.0	ND	20	NA	6/6/2008	6/14/2008	
4-Bromophenyl phenyl ether	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Butyl benzyl phthalate	EPA 8270C	8F06124	2.0	ND	20	NA	6/6/2008	6/14/2008	
4-Chloroaniline	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
2-Chloronaphthalene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
4-Chloro-3-methylphenol	EPA 8270C	8F06124	2.0	ND	20	NA	6/6/2008	6/14/2008	
2-Chlorophenol	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
4-Chlorophenyl phenyl ether	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Chrysene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Dibenz(a,h)anthracene	EPA 8270C	8F06124	2.0	ND	20	NA	6/6/2008	6/14/2008	
Dibenzofuran	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Di-n-butyl phthalate	EPA 8270C	8F06124	2.0	ND	20	NA	6/6/2008	6/14/2008	
1,3-Dichlorobenzene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
1,4-Dichlorobenzene	EPA 8270C	8F06124	1.0	ND	20	7.5	6/6/2008	6/14/2008	
1,2-Dichlorobenzene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
3,3-Dichlorobenzidine	EPA 8270C	8F06124	4.0	ND	20	NA	6/6/2008	6/14/2008	
2,4-Dichlorophenol	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Diethyl phthalate	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
2,4-Dimethylphenol	EPA 8270C	8F06124	2.0	ND	20	NA	6/6/2008	6/14/2008	
Dimethyl phthalate	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-26 (D30-B - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
4,6-Dinitro-2-methylphenol	EPA 8270C	8F06124	4.0	ND	20	NA	6/6/2008	6/14/2008	
2,4-Dinitrophenol	EPA 8270C	8F06124	10	ND	20	NA	6/6/2008	6/14/2008	
2,4-Dinitrotoluene	EPA 8270C	8F06124	1.0	ND	20	0.13	6/6/2008	6/14/2008	
2,6-Dinitrotoluene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Di-n-octyl phthalate	EPA 8270C	8F06124	4.0	ND	20	NA	6/6/2008	6/14/2008	
Fluoranthene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Fluorene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Hexachlorobenzene	EPA 8270C	8F06124	1.0	ND	20	0.13	6/6/2008	6/14/2008	
Hexachlorobutadiene	EPA 8270C	8F06124	1.0	ND	20	0.5	6/6/2008	6/14/2008	
Hexachlorocyclopentadiene	EPA 8270C	8F06124	4.0	ND	20	NA	6/6/2008	6/14/2008	
Hexachloroethane	EPA 8270C	8F06124	1.0	ND	20	3.0	6/6/2008	6/14/2008	
Indeno(1,2,3-cd)pyrene	EPA 8270C	8F06124	2.0	ND	20	NA	6/6/2008	6/14/2008	
Isophorone	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
2-Methylnaphthalene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
2-Methylphenol	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
4-Methylphenol	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Naphthalene	EPA 8270C	8F06124	1.0	1.7	20	NA	6/6/2008	6/14/2008	
2-Nitroaniline	EPA 8270C	8F06124	2.0	ND	20	NA	6/6/2008	6/14/2008	
3-Nitroaniline	EPA 8270C	8F06124	2.0	ND	20	NA	6/6/2008	6/14/2008	
4-Nitroaniline	EPA 8270C	8F06124	10	ND	20	NA	6/6/2008	6/14/2008	
Nitrobenzene	EPA 8270C	8F06124	4.0	ND	20	2.0	6/6/2008	6/14/2008	
2-Nitrophenol	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
4-Nitrophenol	EPA 8270C	8F06124	10	ND	20	NA	6/6/2008	6/14/2008	
N-Nitrosodiphenylamine	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
N-Nitroso-di-n-propylamine	EPA 8270C	8F06124	2.0	ND	20	NA	6/6/2008	6/14/2008	
Pentachlorophenol	EPA 8270C	8F06124	4.0	ND	20	100.0	6/6/2008	6/14/2008	
Phenanthrene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Phenol	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
Pyrene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
1,2,4-Trichlorobenzene	EPA 8270C	8F06124	1.0	ND	20	NA	6/6/2008	6/14/2008	
2,4,5-Trichlorophenol	EPA 8270C	8F06124	2.0	ND	20	400.0	6/6/2008	6/14/2008	
2,4,6-Trichlorophenol	EPA 8270C	8F06124	2.0	ND	20	2.0	6/6/2008	6/14/2008	
1,2-Diphenylhydrazine/Azobe	EPA 8270C	8F06124	2.0	ND	20	NA	6/6/2008	6/14/2008	
Surrogate: 2-Fluorophenol (35-120%)				51 %					Z3
Surrogate: Phenol-d6 (45-120%)				15 %					Z3

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-26 (D30-B - Product) - cont.				Sampled: 05/30/08					
Reporting Units: mg/l									
<i>Surrogate: 2,4,6-Tribromophenol (40-125%)</i>				30 %		Z3			
<i>Surrogate: Nitrobenzene-d5 (40-120%)</i>				90 %		Z3			
<i>Surrogate: 2-Fluorobiphenyl (45-120%)</i>				90 %		Z3			
<i>Surrogate: Terphenyl-d14 (45-135%)</i>				82 %		Z3			

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 87 of 227>

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-01 (BULK - Product)						Sampled: 05/29/08			
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/5/2008	
Bromobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Bromochloromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Bromodichloromethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Bromoform	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Bromomethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
2-Butanone (MEK)	8260B-TCLP	8F04026	0.10	ND	1	200.0	6/3/2008	6/5/2008	
n-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
tert-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
sec-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Carbon tetrachloride	8260B-TCLP	8F04026	0.050	ND	1	0.5	6/3/2008	6/5/2008	
Chlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	100.0	6/3/2008	6/5/2008	
Chloroethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Chloroform	8260B-TCLP	8F04026	0.020	ND	1	6.0	6/3/2008	6/5/2008	
Chloromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
4-Chlorotoluene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
2-Chlorotoluene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Dibromochloromethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Dibromomethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	7.5	6/3/2008	6/5/2008	
Dichlorodifluoromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
1,1-Dichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,1-Dichloroethene	8260B-TCLP	8F04026	0.050	ND	1	0.7	6/3/2008	6/5/2008	
1,3-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
2,2-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,2-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,1-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-01 (BULK - Product) - cont.						Sampled: 05/29/08			
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,2-Dichloroethane	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/5/2008	
Hexachlorobutadiene	8260B-TCLP	8F04026	0.050	ND	1	0.5	6/3/2008	6/5/2008	
Isopropylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	L
p-Isopropyltoluene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Methylene chloride	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Naphthalene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
n-Propylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Styrene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
1,1,1,2,2-Tetrachloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Tetrachloroethene	8260B-TCLP	8F04026	0.020	ND	1	0.7	6/3/2008	6/5/2008	
Toluene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Trichloroethene	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/5/2008	
Trichlorofluoromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F04026	0.10	ND	1	NA	6/3/2008	6/5/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F04026	0.020	0.058	1	NA	6/3/2008	6/5/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Vinyl chloride	8260B-TCLP	8F04026	0.050	ND	1	0.2	6/3/2008	6/5/2008	
m,p-Xylenes	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
o-Xylene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				88 %					
Surrogate: Dibromofluoromethane (80-120%)				79 %					Z
Surrogate: Toluene-d8 (80-120%)				103 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-02 (D60-NH - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/5/2008	
Bromobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Bromochloromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Bromodichloromethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Bromoform	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Bromomethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
2-Butanone (MEK)	8260B-TCLP	8F04026	0.10	ND	1	200.0	6/3/2008	6/5/2008	
n-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
tert-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
sec-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Carbon tetrachloride	8260B-TCLP	8F04026	0.050	ND	1	0.5	6/3/2008	6/5/2008	
Chlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	100.0	6/3/2008	6/5/2008	
Chloroethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Chloroform	8260B-TCLP	8F04026	0.020	ND	1	6.0	6/3/2008	6/5/2008	
Chloromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
4-Chlorotoluene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
2-Chlorotoluene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Dibromochloromethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Dibromomethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	7.5	6/3/2008	6/5/2008	
Dichlorodifluoromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
1,1-Dichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,1-Dichloroethene	8260B-TCLP	8F04026	0.050	ND	1	0.7	6/3/2008	6/5/2008	
1,3-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
2,2-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,2-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,1-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-02 (D60-NH - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,2-Dichloroethane	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/5/2008	
Hexachlorobutadiene	8260B-TCLP	8F04026	0.050	ND	1	0.5	6/3/2008	6/5/2008	
Isopropylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	L
p-Isopropyltoluene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Methylene chloride	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
Naphthalene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
n-Propylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Styrene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
1,1,1,2,2-Tetrachloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Tetrachloroethene	8260B-TCLP	8F04026	0.020	ND	1	0.7	6/3/2008	6/5/2008	
Toluene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Trichloroethene	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/5/2008	
Trichlorofluoromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/5/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F04026	0.10	ND	1	NA	6/3/2008	6/5/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
Vinyl chloride	8260B-TCLP	8F04026	0.050	ND	1	0.2	6/3/2008	6/5/2008	
m,p-Xylenes	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
o-Xylene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/5/2008	
<i>Surrogate: 4-Bromofluorobenzene (80-120%)</i>				95 %					
<i>Surrogate: Dibromofluoromethane (80-120%)</i>				100 %					
<i>Surrogate: Toluene-d8 (80-120%)</i>				102 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-03 (D67-NH - Product)						Sampled: 05/30/08		RL1	
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F04026	0.080	ND	4	0.5	6/3/2008	6/5/2008	
Bromobenzene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
Bromochloromethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
Bromodichloromethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
Bromoform	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
Bromomethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
2-Butanone (MEK)	8260B-TCLP	8F04026	0.40	ND	4	200.0	6/3/2008	6/5/2008	
n-Butylbenzene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
tert-Butylbenzene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
sec-Butylbenzene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
Carbon tetrachloride	8260B-TCLP	8F04026	0.20	ND	4	0.5	6/3/2008	6/5/2008	
Chlorobenzene	8260B-TCLP	8F04026	0.080	ND	4	100.0	6/3/2008	6/5/2008	
Chloroethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
Chloroform	8260B-TCLP	8F04026	0.080	ND	4	6.0	6/3/2008	6/5/2008	
Chloromethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
4-Chlorotoluene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
2-Chlorotoluene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
Dibromochloromethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
Dibromomethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F04026	0.080	ND	4	7.5	6/3/2008	6/5/2008	
Dichlorodifluoromethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
1,1-Dichloroethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
1,1-Dichloroethene	8260B-TCLP	8F04026	0.20	ND	4	0.7	6/3/2008	6/5/2008	
1,3-Dichloropropane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
2,2-Dichloropropane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
1,2-Dichloropropane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
1,1-Dichloropropene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	

TestAmerica Irvine

Joseph Doak For Trupty Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-03 (D67-NH - Product) - cont.						Sampled: 05/30/08			RL1
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
1,2-Dichloroethane	8260B-TCLP	8F04026	0.080	ND	4	0.5	6/3/2008	6/5/2008	
Hexachlorobutadiene	8260B-TCLP	8F04026	0.20	ND	4	0.5	6/3/2008	6/5/2008	
Isopropylbenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	L
p-Isopropyltoluene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
Methylene chloride	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
Naphthalene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
n-Propylbenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
Styrene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
Tetrachloroethene	8260B-TCLP	8F04026	0.080	ND	4	0.7	6/3/2008	6/5/2008	
Toluene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
Trichloroethene	8260B-TCLP	8F04026	0.080	ND	4	0.5	6/3/2008	6/5/2008	
Trichlorofluoromethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/5/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F04026	0.40	ND	4	NA	6/3/2008	6/5/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
Vinyl chloride	8260B-TCLP	8F04026	0.20	ND	4	0.2	6/3/2008	6/5/2008	
m,p-Xylenes	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
o-Xylene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/5/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				86 %					
Surrogate: Dibromofluoromethane (80-120%)				89 %					
Surrogate: Toluene-d8 (80-120%)				101 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-04 (D73-NH - Product)						Sampled: 05/30/08			RL1
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F04026	0.20	ND	10	0.5	6/3/2008	6/11/2008	
Bromobenzene	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
Bromochloromethane	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
Bromodichloromethane	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
Bromoform	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
Bromomethane	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
2-Butanone (MEK)	8260B-TCLP	8F04026	1.0	ND	10	200.0	6/3/2008	6/11/2008	
n-Butylbenzene	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
tert-Butylbenzene	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
sec-Butylbenzene	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
Carbon tetrachloride	8260B-TCLP	8F04026	0.50	ND	10	0.5	6/3/2008	6/11/2008	
Chlorobenzene	8260B-TCLP	8F04026	0.20	ND	10	100.0	6/3/2008	6/11/2008	
Chloroethane	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
Chloroform	8260B-TCLP	8F04026	0.20	ND	10	6.0	6/3/2008	6/11/2008	
Chloromethane	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
4-Chlorotoluene	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
2-Chlorotoluene	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
Dibromochloromethane	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
Dibromomethane	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F04026	0.20	ND	10	7.5	6/3/2008	6/11/2008	
Dichlorodifluoromethane	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
1,1-Dichloroethane	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
1,1-Dichloroethene	8260B-TCLP	8F04026	0.50	ND	10	0.7	6/3/2008	6/11/2008	
1,3-Dichloropropane	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
2,2-Dichloropropane	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
1,2-Dichloropropane	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
1,1-Dichloropropene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-04 (D73-NH - Product) - cont.						Sampled: 05/30/08		RL1	
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
1,2-Dichloroethane	8260B-TCLP	8F04026	0.20	ND	10	0.5	6/3/2008	6/11/2008	
Hexachlorobutadiene	8260B-TCLP	8F04026	0.50	ND	10	0.5	6/3/2008	6/11/2008	
Isopropylbenzene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	L
p-Isopropyltoluene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
Methylene chloride	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
Naphthalene	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
n-Propylbenzene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
Styrene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
Tetrachloroethene	8260B-TCLP	8F04026	0.20	ND	10	0.7	6/3/2008	6/11/2008	
Toluene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	C
1,2,4-Trichlorobenzene	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
Trichloroethene	8260B-TCLP	8F04026	0.20	ND	10	0.5	6/3/2008	6/11/2008	
Trichlorofluoromethane	8260B-TCLP	8F04026	0.50	ND	10	NA	6/3/2008	6/11/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F04026	1.0	ND	10	NA	6/3/2008	6/11/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
Vinyl chloride	8260B-TCLP	8F04026	0.50	ND	10	0.2	6/3/2008	6/11/2008	
m,p-Xylenes	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
o-Xylene	8260B-TCLP	8F04026	0.20	ND	10	NA	6/3/2008	6/11/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				88 %					
Surrogate: Dibromofluoromethane (80-120%)				86 %					
Surrogate: Toluene-d8 (80-120%)				92 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-05 (D72-NH - Product)						Sampled: 05/30/08			P1
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/9/2008	
Bromobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Bromochloromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Bromodichloromethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Bromoform	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Bromomethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
2-Butanone (MEK)	8260B-TCLP	8F04026	0.10	ND	1	200.0	6/3/2008	6/9/2008	
n-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
tert-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
sec-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Carbon tetrachloride	8260B-TCLP	8F04026	0.050	ND	1	0.5	6/3/2008	6/9/2008	
Chlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	100.0	6/3/2008	6/9/2008	
Chloroethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Chloroform	8260B-TCLP	8F04026	0.020	ND	1	6.0	6/3/2008	6/9/2008	
Chloromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
4-Chlorotoluene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
2-Chlorotoluene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Dibromochloromethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Dibromomethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	7.5	6/3/2008	6/9/2008	
Dichlorodifluoromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,1-Dichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,1-Dichloroethene	8260B-TCLP	8F04026	0.050	ND	1	0.7	6/3/2008	6/9/2008	
1,3-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
2,2-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,1-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-05 (D72-NH - Product) - cont.							Sampled: 05/30/08		P1
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dichloroethane	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/9/2008	
Hexachlorobutadiene	8260B-TCLP	8F04026	0.050	ND	1	0.5	6/3/2008	6/9/2008	
Isopropylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
p-Isopropyltoluene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Methylene chloride	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Naphthalene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
n-Propylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Styrene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,1,1,2,2-Tetrachloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Tetrachloroethene	8260B-TCLP	8F04026	0.020	ND	1	0.7	6/3/2008	6/9/2008	
Toluene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Trichloroethene	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/9/2008	
Trichlorofluoromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F04026	0.10	ND	1	NA	6/3/2008	6/9/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Vinyl chloride	8260B-TCLP	8F04026	0.050	ND	1	0.2	6/3/2008	6/9/2008	
m,p-Xylenes	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
o-Xylene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				91 %					
Surrogate: Dibromofluoromethane (80-120%)				82 %					
Surrogate: Toluene-d8 (80-120%)				96 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-06 (D27-B - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/9/2008	
Bromobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Bromochloromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Bromodichloromethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Bromoform	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Bromomethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
2-Butanone (MEK)	8260B-TCLP	8F04026	0.10	ND	1	200.0	6/3/2008	6/9/2008	
n-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
tert-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
sec-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Carbon tetrachloride	8260B-TCLP	8F04026	0.050	ND	1	0.5	6/3/2008	6/9/2008	
Chlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	100.0	6/3/2008	6/9/2008	
Chloroethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Chloroform	8260B-TCLP	8F04026	0.020	ND	1	6.0	6/3/2008	6/9/2008	
Chloromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
4-Chlorotoluene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
2-Chlorotoluene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Dibromochloromethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Dibromomethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	7.5	6/3/2008	6/9/2008	
Dichlorodifluoromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,1-Dichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,1-Dichloroethene	8260B-TCLP	8F04026	0.050	ND	1	0.7	6/3/2008	6/9/2008	
1,3-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
2,2-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,1-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-06 (D27-B - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dichloroethane	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/9/2008	
Hexachlorobutadiene	8260B-TCLP	8F04026	0.050	ND	1	0.5	6/3/2008	6/9/2008	
Isopropylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
p-Isopropyltoluene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Methylene chloride	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Naphthalene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
n-Propylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Styrene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Tetrachloroethene	8260B-TCLP	8F04026	0.020	ND	1	0.7	6/3/2008	6/9/2008	
Toluene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Trichloroethene	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/9/2008	
Trichlorofluoromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F04026	0.10	ND	1	NA	6/3/2008	6/9/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Vinyl chloride	8260B-TCLP	8F04026	0.050	ND	1	0.2	6/3/2008	6/9/2008	
m,p-Xylenes	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
o-Xylene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				90 %					
Surrogate: Dibromofluoromethane (80-120%)				87 %					
Surrogate: Toluene-d8 (80-120%)				98 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-07 (D28-B - Product)						Sampled: 05/30/08			P, pHa
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/9/2008	
Bromobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Bromochloromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Bromodichloromethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Bromoform	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Bromomethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
2-Butanone (MEK)	8260B-TCLP	8F04026	0.10	ND	1	200.0	6/3/2008	6/9/2008	
n-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
tert-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
sec-Butylbenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Carbon tetrachloride	8260B-TCLP	8F04026	0.050	ND	1	0.5	6/3/2008	6/9/2008	
Chlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	100.0	6/3/2008	6/9/2008	
Chloroethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Chloroform	8260B-TCLP	8F04026	0.020	ND	1	6.0	6/3/2008	6/9/2008	
Chloromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
4-Chlorotoluene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
2-Chlorotoluene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Dibromochloromethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Dibromomethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F04026	0.020	ND	1	7.5	6/3/2008	6/9/2008	
Dichlorodifluoromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,1-Dichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,1-Dichloroethene	8260B-TCLP	8F04026	0.050	ND	1	0.7	6/3/2008	6/9/2008	
1,3-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
2,2-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dichloropropane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,1-Dichloropropene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-07 (D28-B - Product) - cont.						Sampled: 05/30/08			P, pHa
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2-Dichloroethane	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/9/2008	
Hexachlorobutadiene	8260B-TCLP	8F04026	0.050	ND	1	0.5	6/3/2008	6/9/2008	
Isopropylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
p-Isopropyltoluene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Methylene chloride	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
Naphthalene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
n-Propylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Styrene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Tetrachloroethene	8260B-TCLP	8F04026	0.020	ND	1	0.7	6/3/2008	6/9/2008	
Toluene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Trichloroethene	8260B-TCLP	8F04026	0.020	ND	1	0.5	6/3/2008	6/9/2008	
Trichlorofluoromethane	8260B-TCLP	8F04026	0.050	ND	1	NA	6/3/2008	6/9/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F04026	0.10	ND	1	NA	6/3/2008	6/9/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
Vinyl chloride	8260B-TCLP	8F04026	0.050	ND	1	0.2	6/3/2008	6/9/2008	
m,p-Xylenes	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
o-Xylene	8260B-TCLP	8F04026	0.020	ND	1	NA	6/3/2008	6/9/2008	
<i>Surrogate: 4-Bromofluorobenzene (80-120%)</i>				92 %					
<i>Surrogate: Dibromofluoromethane (80-120%)</i>				93 %					
<i>Surrogate: Toluene-d8 (80-120%)</i>				97 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-08 (D29-B - Product)						Sampled: 05/30/08			P, pH
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F04026	0.080	ND	4	0.5	6/3/2008	6/9/2008	
Bromobenzene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
Bromochloromethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
Bromodichloromethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
Bromoform	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
Bromomethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
2-Butanone (MEK)	8260B-TCLP	8F04026	0.40	ND	4	200.0	6/3/2008	6/9/2008	
n-Butylbenzene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
tert-Butylbenzene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
sec-Butylbenzene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
Carbon tetrachloride	8260B-TCLP	8F04026	0.20	ND	4	0.5	6/3/2008	6/9/2008	
Chlorobenzene	8260B-TCLP	8F04026	0.080	ND	4	100.0	6/3/2008	6/9/2008	
Chloroethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
Chloroform	8260B-TCLP	8F04026	0.080	ND	4	6.0	6/3/2008	6/9/2008	
Chloromethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
4-Chlorotoluene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
2-Chlorotoluene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
Dibromochloromethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
Dibromomethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F04026	0.080	ND	4	7.5	6/3/2008	6/9/2008	
Dichlorodifluoromethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
1,1-Dichloroethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
1,1-Dichloroethene	8260B-TCLP	8F04026	0.20	ND	4	0.7	6/3/2008	6/9/2008	
1,3-Dichloropropane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
2,2-Dichloropropane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
1,2-Dichloropropane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
1,1-Dichloropropene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-08 (D29-B - Product) - cont.						Sampled: 05/30/08			P, pH
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
1,2-Dichloroethane	8260B-TCLP	8F04026	0.080	ND	4	0.5	6/3/2008	6/9/2008	
Hexachlorobutadiene	8260B-TCLP	8F04026	0.20	ND	4	0.5	6/3/2008	6/9/2008	
Isopropylbenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
p-Isopropyltoluene	8260B-TCLP	8F04026	0.080	0.20	4	NA	6/3/2008	6/9/2008	
Methylene chloride	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
Naphthalene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
n-Propylbenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
Styrene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
Tetrachloroethene	8260B-TCLP	8F04026	0.080	ND	4	0.7	6/3/2008	6/9/2008	
Toluene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
Trichloroethene	8260B-TCLP	8F04026	0.080	ND	4	0.5	6/3/2008	6/9/2008	
Trichlorofluoromethane	8260B-TCLP	8F04026	0.20	ND	4	NA	6/3/2008	6/9/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F04026	0.40	ND	4	NA	6/3/2008	6/9/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
Vinyl chloride	8260B-TCLP	8F04026	0.20	ND	4	0.2	6/3/2008	6/9/2008	
m,p-Xylenes	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
o-Xylene	8260B-TCLP	8F04026	0.080	ND	4	NA	6/3/2008	6/9/2008	
<i>Surrogate: 4-Bromofluorobenzene (80-120%)</i>				92 %					
<i>Surrogate: Dibromofluoromethane (80-120%)</i>				84 %					
<i>Surrogate: Toluene-d8 (80-120%)</i>				105 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-09 (D49-B - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Bromobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromochloromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromodichloromethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Bromoform	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromomethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
2-Butanone (MEK)	8260B-TCLP	8F06015	0.10	ND	1	200.0	6/4/2008	6/9/2008	
n-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
tert-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
sec-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Carbon tetrachloride	8260B-TCLP	8F06015	0.050	ND	1	0.5	6/4/2008	6/9/2008	
Chlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	100.0	6/4/2008	6/9/2008	
Chloroethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Chloroform	8260B-TCLP	8F06015	0.020	ND	1	6.0	6/4/2008	6/9/2008	
Chloromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
4-Chlorotoluene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
2-Chlorotoluene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Dibromochloromethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Dibromomethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	7.5	6/4/2008	6/9/2008	
Dichlorodifluoromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloroethene	8260B-TCLP	8F06015	0.050	ND	1	0.7	6/4/2008	6/9/2008	
1,3-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
2,2-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-09 (D49-B - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichloroethane	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Hexachlorobutadiene	8260B-TCLP	8F06015	0.050	ND	1	0.5	6/4/2008	6/9/2008	
Isopropylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	M1
p-Isopropyltoluene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Methylene chloride	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Naphthalene	8260B-TCLP	8F06015	0.050	0.052	1	NA	6/4/2008	6/9/2008	
n-Propylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	M1
Styrene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Tetrachloroethene	8260B-TCLP	8F06015	0.020	ND	1	0.7	6/4/2008	6/9/2008	
Toluene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Trichloroethene	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Trichlorofluoromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F06015	0.10	ND	1	NA	6/4/2008	6/9/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Vinyl chloride	8260B-TCLP	8F06015	0.050	ND	1	0.2	6/4/2008	6/9/2008	
m,p-Xylenes	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
o-Xylene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				93 %					
Surrogate: Dibromofluoromethane (80-120%)				89 %					
Surrogate: Toluene-d8 (80-120%)				96 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-10 (D50-B - Product)							Sampled: 05/30/08		
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Bromobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromochloromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromodichloromethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Bromoform	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromomethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
2-Butanone (MEK)	8260B-TCLP	8F06015	0.10	ND	1	200.0	6/4/2008	6/9/2008	
n-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
tert-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
sec-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Carbon tetrachloride	8260B-TCLP	8F06015	0.050	ND	1	0.5	6/4/2008	6/9/2008	
Chlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	100.0	6/4/2008	6/9/2008	
Chloroethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Chloroform	8260B-TCLP	8F06015	0.020	ND	1	6.0	6/4/2008	6/9/2008	
Chloromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
4-Chlorotoluene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
2-Chlorotoluene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Dibromochloromethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Dibromomethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	7.5	6/4/2008	6/9/2008	
Dichlorodifluoromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloroethene	8260B-TCLP	8F06015	0.050	ND	1	0.7	6/4/2008	6/9/2008	
1,3-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
2,2-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-10 (D50-B - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichloroethane	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Hexachlorobutadiene	8260B-TCLP	8F06015	0.050	ND	1	0.5	6/4/2008	6/9/2008	
Isopropylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
p-Isopropyltoluene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Methylene chloride	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Naphthalene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
n-Propylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Styrene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Tetrachloroethene	8260B-TCLP	8F06015	0.020	ND	1	0.7	6/4/2008	6/9/2008	
Toluene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Trichloroethene	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Trichlorofluoromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F06015	0.10	ND	1	NA	6/4/2008	6/9/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Vinyl chloride	8260B-TCLP	8F06015	0.050	ND	1	0.2	6/4/2008	6/9/2008	
m,p-Xylenes	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
o-Xylene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				90 %					
Surrogate: Dibromofluoromethane (80-120%)				92 %					
Surrogate: Toluene-d8 (80-120%)				98 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-11 (D56-B - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Bromobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromochloromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromodichloromethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Bromoform	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromomethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
2-Butanone (MEK)	8260B-TCLP	8F06015	0.10	ND	1	200.0	6/4/2008	6/9/2008	
n-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
tert-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
sec-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Carbon tetrachloride	8260B-TCLP	8F06015	0.050	ND	1	0.5	6/4/2008	6/9/2008	
Chlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	100.0	6/4/2008	6/9/2008	
Chloroethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Chloroform	8260B-TCLP	8F06015	0.020	ND	1	6.0	6/4/2008	6/9/2008	
Chloromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
4-Chlorotoluene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
2-Chlorotoluene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Dibromochloromethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Dibromomethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	7.5	6/4/2008	6/9/2008	
Dichlorodifluoromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloroethene	8260B-TCLP	8F06015	0.050	ND	1	0.7	6/4/2008	6/9/2008	
1,3-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
2,2-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-11 (D56-B - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichloroethane	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Hexachlorobutadiene	8260B-TCLP	8F06015	0.050	ND	1	0.5	6/4/2008	6/9/2008	
Isopropylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
p-Isopropyltoluene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Methylene chloride	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Naphthalene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
n-Propylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Styrene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Tetrachloroethene	8260B-TCLP	8F06015	0.020	ND	1	0.7	6/4/2008	6/9/2008	
Toluene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Trichloroethene	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Trichlorofluoromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F06015	0.10	ND	1	NA	6/4/2008	6/9/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Vinyl chloride	8260B-TCLP	8F06015	0.050	ND	1	0.2	6/4/2008	6/9/2008	
m,p-Xylenes	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
o-Xylene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				89 %					
Surrogate: Dibromofluoromethane (80-120%)				93 %					
Surrogate: Toluene-d8 (80-120%)				97 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-12 (D51-A - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Bromobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromochloromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromodichloromethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Bromoform	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromomethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
2-Butanone (MEK)	8260B-TCLP	8F06015	0.10	ND	1	200.0	6/4/2008	6/9/2008	
n-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
tert-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
sec-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Carbon tetrachloride	8260B-TCLP	8F06015	0.050	ND	1	0.5	6/4/2008	6/9/2008	
Chlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	100.0	6/4/2008	6/9/2008	
Chloroethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Chloroform	8260B-TCLP	8F06015	0.020	ND	1	6.0	6/4/2008	6/9/2008	
Chloromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
4-Chlorotoluene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
2-Chlorotoluene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Dibromochloromethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Dibromomethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	7.5	6/4/2008	6/9/2008	
Dichlorodifluoromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloroethene	8260B-TCLP	8F06015	0.050	ND	1	0.7	6/4/2008	6/9/2008	
1,3-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
2,2-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-12 (D51-A - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichloroethane	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Hexachlorobutadiene	8260B-TCLP	8F06015	0.050	ND	1	0.5	6/4/2008	6/9/2008	
Isopropylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
p-Isopropyltoluene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Methylene chloride	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Naphthalene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
n-Propylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Styrene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Tetrachloroethene	8260B-TCLP	8F06015	0.020	ND	1	0.7	6/4/2008	6/9/2008	
Toluene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Trichloroethene	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Trichlorofluoromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F06015	0.10	ND	1	NA	6/4/2008	6/9/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Vinyl chloride	8260B-TCLP	8F06015	0.050	ND	1	0.2	6/4/2008	6/9/2008	
m,p-Xylenes	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
o-Xylene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
<i>Surrogate: 4-Bromofluorobenzene (80-120%)</i>				89 %					
<i>Surrogate: Dibromofluoromethane (80-120%)</i>				85 %					
<i>Surrogate: Toluene-d8 (80-120%)</i>				97 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-13 (D4-A - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Bromobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromochloromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromodichloromethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Bromoform	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Bromomethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
2-Butanone (MEK)	8260B-TCLP	8F06015	0.10	ND	1	200.0	6/4/2008	6/9/2008	
n-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
tert-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
sec-Butylbenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Carbon tetrachloride	8260B-TCLP	8F06015	0.050	ND	1	0.5	6/4/2008	6/9/2008	
Chlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	100.0	6/4/2008	6/9/2008	
Chloroethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Chloroform	8260B-TCLP	8F06015	0.020	ND	1	6.0	6/4/2008	6/9/2008	
Chloromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
4-Chlorotoluene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
2-Chlorotoluene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Dibromochloromethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Dibromomethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F06015	0.020	ND	1	7.5	6/4/2008	6/9/2008	
Dichlorodifluoromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloroethene	8260B-TCLP	8F06015	0.050	ND	1	0.7	6/4/2008	6/9/2008	
1,3-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
2,2-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichloropropane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1-Dichloropropene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-13 (D4-A - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2-Dichloroethane	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Hexachlorobutadiene	8260B-TCLP	8F06015	0.050	ND	1	0.5	6/4/2008	6/9/2008	
Isopropylbenzene	8260B-TCLP	8F06015	0.020	0.090	1	NA	6/4/2008	6/9/2008	
p-Isopropyltoluene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Methylene chloride	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
Naphthalene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
n-Propylbenzene	8260B-TCLP	8F06015	0.020	0.27	1	NA	6/4/2008	6/9/2008	
Styrene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Tetrachloroethene	8260B-TCLP	8F06015	0.020	ND	1	0.7	6/4/2008	6/9/2008	
Toluene	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
Trichloroethene	8260B-TCLP	8F06015	0.020	ND	1	0.5	6/4/2008	6/9/2008	
Trichlorofluoromethane	8260B-TCLP	8F06015	0.050	ND	1	NA	6/4/2008	6/9/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F06015	0.10	ND	1	NA	6/4/2008	6/9/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F06015	0.020	1.2	1	NA	6/4/2008	6/9/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F06015	0.020	0.42	1	NA	6/4/2008	6/9/2008	
Vinyl chloride	8260B-TCLP	8F06015	0.050	ND	1	0.2	6/4/2008	6/9/2008	
m,p-Xylenes	8260B-TCLP	8F06015	0.020	ND	1	NA	6/4/2008	6/9/2008	
o-Xylene	8260B-TCLP	8F06015	0.020	0.071	1	NA	6/4/2008	6/9/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				88 %					
Surrogate: Dibromofluoromethane (80-120%)				87 %					
Surrogate: Toluene-d8 (80-120%)				102 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-14 (D5-A - Product)						Sampled: 05/30/08		RL3	
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F06015	2.0	ND	100	0.5	6/4/2008	6/9/2008	
Bromobenzene	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
Bromochloromethane	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
Bromodichloromethane	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
Bromoform	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
Bromomethane	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
2-Butanone (MEK)	8260B-TCLP	8F06015	10	ND	100	200.0	6/4/2008	6/9/2008	
n-Butylbenzene	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
tert-Butylbenzene	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
sec-Butylbenzene	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
Carbon tetrachloride	8260B-TCLP	8F06015	5.0	ND	100	0.5	6/4/2008	6/9/2008	
Chlorobenzene	8260B-TCLP	8F06015	2.0	ND	100	100.0	6/4/2008	6/9/2008	
Chloroethane	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
Chloroform	8260B-TCLP	8F06015	2.0	3.2	100	6.0	6/4/2008	6/9/2008	
Chloromethane	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
4-Chlorotoluene	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
2-Chlorotoluene	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
Dibromochloromethane	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
Dibromomethane	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F06015	2.0	ND	100	7.5	6/4/2008	6/9/2008	
Dichlorodifluoromethane	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
1,1-Dichloroethane	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
1,1-Dichloroethene	8260B-TCLP	8F06015	5.0	ND	100	0.7	6/4/2008	6/9/2008	
1,3-Dichloropropane	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
2,2-Dichloropropane	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
1,2-Dichloropropane	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
1,1-Dichloropropene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-14 (D5-A - Product) - cont.						Sampled: 05/30/08			RL3
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
1,2-Dichloroethane	8260B-TCLP	8F06015	2.0	ND	100	0.5	6/4/2008	6/9/2008	
Hexachlorobutadiene	8260B-TCLP	8F06015	5.0	ND	100	0.5	6/4/2008	6/9/2008	
Isopropylbenzene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
p-Isopropyltoluene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
Methylene chloride	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
Naphthalene	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
n-Propylbenzene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
Styrene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
Tetrachloroethene	8260B-TCLP	8F06015	2.0	ND	100	0.7	6/4/2008	6/9/2008	
Toluene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
Trichloroethene	8260B-TCLP	8F06015	2.0	ND	100	0.5	6/4/2008	6/9/2008	
Trichlorofluoromethane	8260B-TCLP	8F06015	5.0	ND	100	NA	6/4/2008	6/9/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F06015	10	ND	100	NA	6/4/2008	6/9/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
Vinyl chloride	8260B-TCLP	8F06015	5.0	ND	100	0.2	6/4/2008	6/9/2008	
m,p-Xylenes	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
o-Xylene	8260B-TCLP	8F06015	2.0	ND	100	NA	6/4/2008	6/9/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				92 %					
Surrogate: Dibromofluoromethane (80-120%)				87 %					
Surrogate: Toluene-d8 (80-120%)				98 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.