

CORRECTED TABLE OF ATTACHMENTS

[The following Corrected Table of Attachments has been revised to reflect the combination of several filings of attachments into a single filing of the Permit Issuer Response Brief with all attachments. Attachments are referenced by Attachment Number from the EAB E-Docket and by Administrative Record (AR) numbers.]

<u>Attachment</u>	<u>AR No.</u>	<u>Attachment Name</u>
1	26.b	AR # 26.b. Final Permit NPDES NN0000019. September 30, 2019.
2	6.d	AR # 6.2. Amendments to 40 C.F.R. Parts 122, 125, 79 FR 48300. August 15, 2014.
3	2.f.i	AR # 2.f.i. Revised application for NPDES Permit. February 15, 2013 (Cover Letter Only).
4	20.d	AR # 20.d. Revised Draft Permit released for Public Comment. April 30, 2019.
5	26.d	AR # 26.d. Final Response to Comments. September 30, 2019.
6	15.a	AR # 15.a. APS Request for 401 Certification. March 27, 2019.
7	23	AR # 23. 401 Certification. September 30, 2019.
8	26.b	AR # 26.b. Schematic Rendering of outfalls and flow patterns (from Permit).
9	6.1.d.	AR # 6.1.d. ELGs for Steam Electric Regulations, updated November 2015.
10	6.f.	AR # 6.f. Existing Facilities Rule 316(b) adopted May 2014.

<u>Attachment</u>	<u>AR No.</u>	<u>Attachment Name</u>
11	7.i.	AR # 7.i. USFWS Biological Opinion FCPP. April 8, 2015.
12	26.c	AR # 26.c. Final Permit Fact Sheet. September 30, 2019.
13	20.1.a	AR # 20.1.a. Comments from Petitioners on Draft Permit April 30, 2019.
14	15.b.	AR # 15.b. EPA Letter and Decision Doc Approving Navajo Nation Water Quality Standards. March 26, 2009.
15	6.3	AR # 6.3. Discharge Monitoring Reports (Web Link).
16	6.1.a.	AR # 6.1.a. Reasonable Potential Analysis, April 22, 2019.
17	8.a.	AR # 8.a. Letter from N. Brown (APS) to R. Williamson(OSM). April 3, 2013.
18	8.e	AR # 8.e. Groundwater Quality Data Submittal. March 25, 2013. WO Tables.
19	24.a	AR # 24.a. Aerial Photograph One of the FCPP.
20	24.b.	AR # 24.b. Aerial Photograph Two of the FCPP.
21	28.a.	AR # 28.a. 1993 Four Corners Power Plant NPDES Permit.
22	28.b.	AR # 28.b. 2001 Four Corners Power Plant NPDES Permit.
23	8.1.a.3	AR # 8.1.a.3. APS 2018 data. MW-15 Boron and Groundwater Elevation.
24	8.1.a.5	AR # 8.1.a.5. APS 2018 data. Seeps-Boron Concentrations.

<u>Attachment</u>	<u>AR No.</u>	<u>Attachment Name</u>
25	20.c.	AR # 20.c. Proposed Permit Public Notice Fact Sheet. April 30, 2019.
26	8.d.	AR # 8.d. FCPP Groundwater Data Timeline.
27	1.1.g	AR # 1.1.g. Letter from Saliba (APS) to Yoshikawa (EPA), November 29, 2006.
28	29	AR # 29. Memo Perciasepe (EPA) to Florida, December 13, 1993.
29	8.1.a	AR # 8.1.a. Email Allmon (APS) to Sheth (EPA), April 19, 2018.
30	6.2.a	AR # 6.2.a. Email Allmon (APS) to Minor (EPA), Sept 27, 2019.
31	11.a	AR # 11.a. Pumping Plan Email, June 5, 2018.
32	11.b	AR # 11.b. Pumping Plan Email, June 5, 2019.
33	20.1.b	AR # 20.1.b. APS Comment on Proposed Permit, June 27, 2019.
34	No AR	Certified Index to Administrative Record for Four Corners Power Plant NPDES Permit.
35	No AR	47 Fed. Reg. 52,290, 52,291, 52,305 (Nov. 19, 1982) (deleting definition of cooling ponds).
36	No AR	<i>Dine Citizens Against Ruining Our Environment, et al., v. United States Bureau of Indian Affairs</i> , Order Denying Petition for Hearing En Banc, No. 17-17320 (Ninth Cir., December 11, 2019).
37	No AR	45 Fed. Reg. at 33290, 33412 (May 19, 1980) (Initial adoption of Part 124 regulations) (excerpted).

CERTIFICATE OF SERVICE

I hereby certify that a copy of the foregoing Corrected Table of Attachments in the Permit Issuer (EPA) Response Brief in the matter of Arizona Public Service, NPDES Appeal No. 19-06, were served on the following persons in the manner indicated:

By Electronic Filing:

Ms. Eurika Durr
Clerk of the Board
U.S. Environmental Protection Agency
Environmental Appeals Board
1201 Constitution Avenue, NW
U.S. EPA East Building, Room 3334
Washington, DC 20004

John Barth
Attorney at Law
P.O. Box 409
Hygiene, Colorado 80533

Kerry McGrath
Hunton Andrews Kurth LLP
2200 Pennsylvania Avenue, NW
Washington, DC 20037
(202)955-1519

Dated: December 23, 2019

/S/Thomas M. Hagler
Thomas M. Hagler