



1 of 4 DOCUMENTS

NEW HAMPSHIRE REVISED STATUTES ANNOTATED Copyright © 2012 by Matthew Bender & Company, Inc., a member of the LexisNexis Group. All rights reserved.

\*\*\* Statutes current through Chapter 290 of the 2012 session \*\*\* \*\*\* Annotations current through cases decided November 15, 2012 \*\*\*

> TITLE L Water Management And Protection CHAPTER 485-A Water Pollution and Waste Disposal Classification of Waters

#### GO TO NEW HAMPSHIRE STATUTES ARCHIVE DIRECTORY

RSA 485-A:8 (2012)

#### 485-A:8 Standards for Classification of Surface Waters of the State.

It shall be the overall goal that all surface waters attain and maintain specified standards of water quality to achieve the purposes of the legislative classification. For purposes of classification there shall be 2 classes or grades of surface waters as follows:

I. Class A waters shall be of the highest quality and shall contain not more than either a geometric mean based on at least 3 samples obtained over a 60-day period of 47 Escherichia coli per 100 milliliters, or greater than 153 Escherichia coli per 100 milliliters in any one sample; and for designated beach areas shall contain not more than a geometric mean based on at least 3 samples obtained over a 60-day period of 47 Escherichia coli per 100 milliliters, or 88 Escherichia coli per 100 milliliters in any one sample; unless naturally occurring. There shall be no discharge of any sewage or wastes into waters of this classification. The waters of this classification shall be considered as being potentially acceptable for water supply uses after adequate treatment.

**II.** Class B waters shall be of the second highest quality and shall have no objectionable physical characteristics, shall contain a dissolved oxygen content of at least 75 percent of saturation, and shall contain not more than either a geometric mean based on at least 3 samples obtained over a 60-day period of 126 Escherichia coli per 100 milliliters, or greater than 406 Escherichia coli per 100 milliliters in any one sample; and for designated beach areas shall contain not more than a geometric mean based on at least 3 samples obtained over a 60-day period of 47 Escherichia coli per 100 milliliters, or 88 Escherichia coli per 100 milliliters in any one sample; unless naturally occurring. There shall be no disposal of sewage or waste into said waters except those which have received adequate treatment to prevent the lowering of the biological, physical,

RSA 485-A:8

chemical or bacteriological characteristics below those given above, nor shall such disposal of sewage or waste be inimical to aquatic life or to the maintenance of aquatic life in said receiving waters. The pH range for said waters shall be 6.5 to 8.0 except when due to natural causes. Any stream temperature increase associated with the discharge of treated sewage, waste or cooling water, water diversions, or releases shall not be such as to appreciably interfere with the uses assigned to this class. The waters of this classification shall be considered as being acceptable for fishing, swimming and other recreational purposes and, after adequate treatment, for use as water supplies. Where it is demonstrated to the satisfaction of the department that the class B criteria cannot reasonably be met in certain surface waters at all times as a result of combined sewer overflow events, temporary partial use areas shall be established by rules adopted under RSA 485-A:6, XI-c, which meet, as a minimum, the standards specified in paragraph III.

**III.** The waters in temporary partial use areas established under paragraph II shall be free from slick, odors, turbidity, sludge deposits, and surface-floating solids of unreasonable kind or quantity, shall contain not less than 5 parts per million of dissolved oxygen; shall have a hydrogen ion concentration within the range of pH 6.0 to 9.0 except when due to natural causes; and shall be free from chemicals and other materials and conditions inimical to aquatic life or the maintenance of aquatic life. These criteria shall apply during combined sewer overflow discharges and up to 3 days following cessation of said discharge. At all other times the standards and uses specified in paragraph II shall apply.

**IV.** Notwithstanding anything contained in this chapter, the department in submitting classifications relating to interstate waters to the New England Interstate Water Pollution Control Commission for review and approval, as provided for under the terms of Article V of the compact whereby the interstate commission was created by RSA 484, shall submit such classifications in accordance with the standards of water quality as currently adopted by said interstate water pollution control commission provided, however, that the standards for any classification thus submitted for review and approval shall not be less than, nor exceed the standards of the classification duly adopted by the General Court as provided for in RSA 485-A:9 or 10.

V. Tidal waters utilized for swimming purposes shall contain not more than either a geometric mean based on at least 3 samples obtained over a 60-day period of 35 enterococci per 100 milliliters, or 104 enterococci per 100 milliliters in any one sample, unless naturally occurring. Those tidal waters used for growing or taking of shellfish for human consumption shall, in addition to the foregoing requirements, be in accordance with the criteria recommended under the National Shellfish Program Manual of Operation, United States Department of Food and Drug Administration.

VI. Notwithstanding anything contained in this chapter, the commissioner shall have the authority to adopt such stream classification criteria as may be issued from time to time by the federal Environmental Protection Agency or its successor agency insofar as said criteria may relate to the water uses specified in RSA 485-A:8, I and II, provided, however, that the criteria thus issued shall not result in standards that are less than nor exceed the standards of the classification duly enacted by the general court as provided for in RSA 485-A:9 or 485-A:10.

RSA 485-A:8

VII. All tests and sampling for the purposes of examination of waters shall be performed and carried out in a reasonable manner and whenever practicable, in accordance with the commonly accepted scientific method as selected by the department. The waters in each classification shall satisfy all the provisions of all lower classifications. The minimum treatment for the lowest classification shall be as follows:

(a) For sewage, secondary treatment and disinfection as necessary to comply with water quality standards.

(b) For industrial wastes and combined sewer overflows, such treatment as the department shall determine. Appeal from any such determination shall be in the manner provided for in RSA 21-0:14.

VIII. In prescribing minimum treatment provisions for thermal wastes discharged to interstate waters, the department shall adhere to the water quality requirements and recommendations of the New Hampshire fish and game department, the New England Interstate Water Pollution Control Commission, or the United States Environmental Protection Agency, whichever requirements and recommendations provide the most effective level of thermal pollution control.

**IX.** Subject to the provisions of RSA 485-A:13, I(a), the fish and game department may use rotenone or similar compounds in the conduct of its program to reclaim the public waters of the state for game fishing.

**HISTORY:** 1989, 339:1. 1991, 371:3-5, eff. Aug. 31, 1991. 1996, 228:77, 106, 110, eff. July 1, 1996. 1998, 63:1, eff. July 11, 1998.

#### NOTES: Revision note.

Substituted " RSA 485-A:8, I, II, and III" for " RSA 485-A:3, I, II, and III" in the first sentence of par. VI to correct an error in the reference.

#### Amendments

#### --1998.

Deleted the last sentence in par. II and the third sentence in par. III.

#### --1996.

Substituted "department" for "division" in the sixth sentence of par. II, preceding "in submitting" in par. IV, in the first sentence of the introductory paragraph of par. VII, in the first sentence of par. VII(b) and in par. VIII, "commissioner" for "division" following "chapter, the" in par. VI and " RSA 21-0:14" for " RSA 21-0:7, IV" in the second sentence of par. VII(b).

#### --1991.

Added the first sentence of the introductory paragraph.

Paragraph I: Rewrote the first sentence and substituted "adequate treatment" for "disinfection" following "after" in third sentence.

Paragraph II: Rewrote the first sentence, inserted "biological" preceding "physical" and substituted "aquatic" for "fish" preceding "life" in two places RSA 485-A:8

in the second sentence, inserted "water diversions, or releases" following "cooling water" in the fourth sentence, substituted "fishing, swimming" for "bathing" following "acceptable for" in the fifth sentence, and added the sixth and seventh sentences.

Paragraphs III, V, and VII: Rewritten to the extent that a detailed comparison would be impracticable.

Paragraph VI: Substituted "I and II" for "I, II, and III" following " RSA 485-A:8" and "485-A:10" for "10" following " RSA 485-A:9".

#### Pleasant Lake in Deerfield, New Hampshire; Classification Changed to Class A.

2010, 44:1, eff. May 18, 2010, provided: "On and after the effective date of this act, the surface waters of Pleasant Lake in Deerfield and its tributaries in New Hampshire shall be classified in accordance with the provisions of RSA 485-A:8, as Class A waters."

#### Cross References.

Shellfish certificate fees, see RSA 143:22-a.

#### NOTES TO DECISIONS

Debt limitation

#### Debt limitation

Legislature has recognized imperative necessity for prevention of water pollution under this section by providing that cost shall not be subject to ordinary limitations upon public debt. State v. Goffstown, 100 N.H. 131, 121 A.2d 317, 1956 N.H. LEXIS 13 (1956). (Decided under prior law.)

#### RESEARCH REFERENCES

#### New Hampshire Bar Journal

Mechanics of the State certification provisions under the Federal Water Pollution Control Act, 18 N.H.B.J. 142 (Dec. 1976).

HIERARCHY NOTES: Tit. L Note Tit. L, Ch. 485-A Note



2 of 4 DOCUMENTS

RSA 485-A:9

NEW HAMPSHIRE REVISED STATUTES ANNOTATED Copyright © 2012 by Matthew Bender & Company, Inc., a member of the LexisNexis Group. All rights reserved.

\*\*\* Statutes current through Chapter 290 of the 2012 session \*\*\* \*\*\* Annotations current through cases decided November 15, 2012 \*\*\*

> TITLE L Water Management And Protection CHAPTER 485-A Water Pollution and Waste Disposal Classification of Waters

#### GO TO NEW HAMPSHIRE STATUTES ARCHIVE DIRECTORY

RSA 485-A:9 (2012)

#### 485-A:9 Classification Procedure.

The department shall follow the procedures provided in this section and recommend to the legislature a classification for all streams, lakes, ponds, and tidal waters or section of such water.

I. A notice setting forth the contemplated classification of any stream, lake, pond, tidal water or section of such water, shall be published for 3 successive weeks in a newspaper circulated within the county or counties in which the surface water in question is situated. The last notice shall be published at least 7 days before the hearing date. The notice shall stipulate the time and place where a public hearing on the contemplated classification shall be held.

**II.** A public hearing shall be conducted by the department, at which hearing all interested parties shall be heard relative to their views on classification of the area or areas in question.

**III.** Following the hearings the department shall review the pertinent evidence and data presented.

**IV.** After such hearing and review of evidence the department shall determine which classification is for the best interest of the public giving consideration to the health, industrial, economic, geographical and social factors involved.

HISTORY: 1989, 339:1, eff. Jan. 1, 1990. 1996, 228:106, eff. July 1, 1996.

#### NOTES: Amendments

--1996.

Substituted "department" for "division" in the introductory paragraph and in pars. II-IV.

#### NOTES TO DECISIONS

1. Public benefit 2. Reasonableness

Page 5

RSA 485-A:9

Page 6

#### 1. Public benefit

Classification of a stream for the purpose of fixing the limit of pollutability is not unreasonable where its waters are used for bathing and recreation by the public, although some individuals may also be especially benefited. Shirley v. New Hampshire Water Pollution Comm'n, 100 N.H. 294, 124 A.2d 189, 1956 N.H. LEXIS 55 (1956). (Decided under prior law.)

#### 2. Reasonableness

Fact that tax rate would be increased does not demonstrate that commission's order is unreasonable or confiscatory. State v. Goffstown, 100 N.H. 131, 121 A.2d 317, 1956 N.H. LEXIS 13 (1956). (Decided under prior law.)

HIERARCHY NOTES: Tit. L Note Tit. L, Ch. 485-A Note



#### 3 of 4 DOCUMENTS

NEW HAMPSHIRE REVISED STATUTES ANNOTATED Copyright © 2012 by Matthew Bender & Company, Inc., a member of the LexisNexis Group. All rights reserved.

\*\*\* Statutes current through Chapter 290 of the 2012 session \*\*\* \*\*\* Annotations current through cases decided November 15, 2012 \*\*\*

> TITLE L Water Management And Protection CHAPTER 485-A Water Pollution and Waste Disposal Classification of Waters

GO TO NEW HAMPSHIRE STATUTES ARCHIVE DIRECTORY

RSA 485-A:10 (2012)

#### 485-A:10 Reclassification Procedure.

After adoption of a classification for any surface water or section of such water by the legislature, the department may, by its own motion, or upon the petition of not less than 100 persons, legal inhabitants of the county or counties in which the surface water in question is situated, reinvestigate the conditions of pollution in said surface water or section of such water by following the procedure above outlined, and may at any time make recommendation to the legislature for reclassification.

RSA 485-A:10

HISTORY: 1989, 339:1, eff. Jan. 1, 1990. 1996, 228:106, eff. July 1, 1996.

#### NOTES: Amendments

--1996.

Substituted "department" for "division".

NOTES TO DECISIONS Relief from orders

#### Relief from orders

This section provides a method of relief from order of water pollution commission if order works a hardship. Plymouth Village Fire Dist. v. Water Pollution Comm'n, 103 N.H. 169, 167 A.2d 677, 1961 N.H. LEXIS 8 (1961); State v. Goffstown, 100 N.H. 131, 121 A.2d 317, 1956 N.H. LEXIS 13 (1956); Shirley v. New Hampshire Water Pollution Comm'n, 100 N.H. 294, 124 A.2d 189, 1956 N.H. LEXIS 55 (1956). (Decided under prior law.)

HIERARCHY NOTES: Tit. L Note Tit. L, Ch. 485-A Note



#### 4 of 4 DOCUMENTS

NEW HAMPSHIRE REVISED STATUTES ANNOTATED Copyright © 2012 by Matthew Bender & Company, Inc., a member of the LexisNexis Group. All rights reserved.

\*\*\* Statutes current through Chapter 290 of the 2012 session \*\*\* \*\*\* Annotations current through cases decided November 15, 2012 \*\*\*

> TITLE L Water Management And Protection CHAPTER 485-A Water Pollution and Waste Disposal Classification of Waters

GO TO NEW HAMPSHIRE STATUTES ARCHIVE DIRECTORY

RSA 485-A:11 (2012)

485-A:11 Public Waters Classified.

RSA 485-A:11

All lakes and ponds defined as public waters of the state by RSA 271:20 shall be classified by the passage of this section as not less than Class B, as set forth in RSA 485-A:8 relating to standards for classification of surface waters of the state.

HISTORY: 1989, 339:1, eff. Jan. 1, 1990. 1999, 232:2, eff. Jan. 1, 2000.

#### NOTES: Amendments

--1999.

Deleted "and 21" following " RSA 271:20".

HIERARCHY NOTES: Tit. L Note Tit. L, Ch. 485-A Note

NEW HAMPSHIRE CODE OF ADMINISTRATIVE RULES

#### TABLE OF CONTENTS

#### CHAPTER Env-Wq 1700 SURFACE WATER QUALITY REGULATIONS

#### PART Env-Wq 1701 INTRODUCTION Env-Wq 1701.01 Purpose

Env-Wq 1701.02 Applicability

#### PART Env-Wq 1702 DEFINITIONS

Env-Wq 1702.01 Acute Toxicity

- Env-Wq 1702.02 Antidegradation
- Env-Wq 1702.03 Assimilative Capacity
- Env-Wq 1702.04 Benthic Community
- Env-Wq 1702.05 Benthic Deposit
- Env-Wq 1702.06 Best Management Practices
- Env-Wq 1702.07 Biological Integrity
- Env-Wq 1702.08 Biota
- Env-Wq 1702.09 CFR
- Env-Wq 1702.10 Chronic Toxicity
- Env-Wq 1702.11 Class A and B Waters
- Env-Wq 1702.12 Clean Water Act (CWA)
- Env-Wq 1702.13 Community
- Env-Wq 1702.14 Criterion
- Env-Wq 1702.15 Cultural Eutrophication
- Env-Wq 1702.16 Department
- Env-Wq 1702.17 Designated Uses
- Env-Wq 1702.18 Discharge
- Env-Wq 1702.19 Dissolved Oxygen (D.O.)
- Env-Wq 1702.20 Effluent Limitation(s)
- Env-Wq 1702.21 Environmental Protection Agency (EPA)
- Env-Wq 1702.22 Epilimnion
- Env-Wq 1702.23 Existing Uses
- Env-Wq 1702.24 High Quality Surface Waters
- Env-Wq 1702.25 Industrial Waste
- Env-Wq 1702.26 Maintain and Protect
- Env-Wq 1702.27 Mixing Zone
- Env-Wq 1702.28 Most Sensitive Use
- Env-Wq 1702.29 Naturally Occurring Conditions
- Env-Wq 1702.30 Nephelometric Turbidity Unit (NTU)
- Env-Wq 1702.31 Noncontact Cooling Water
- Env-Wq 1702.32 Nonpoint Source
- Env-Wq 1702.33 No Observed Effect Concentration (NOEC)
- Env-Wq 1702.34 Nuisance Species
- Env-Wq 1702.35 Other Wastes
- Env-Wq 1702.36 Outstanding Resource Water (ORW)
- Env-Wq 1702.37 pH
- Env-Wq 1702.38 Point Source
- Env-Wq 1702.39 Pollutant
- Env-Wq 1702.40 Pollution
- Env-Wq 1702.41 Population
- Env-Wq 1702.42 Publicly Owned Treatment Works (POTW)

| Env-Wq 1702.43                       |   |
|--------------------------------------|---|
| Env-Wq 1702.44                       |   |
| Env-Wq 1702.45                       | Sewage  |
| Env-Wq 1702.46                       | Surface Waters  |
| Env-Wq 1702.47                       | Tainting Substance  |
| Env-Wq 1702.48                       | Tidal Waters  |
| Env-Wq 1702.49                       | Toxicity Test   |
|                                      | Toxic Unit Chronic (TU <sub>c</sub> )                                       |
| Env-Wq 1702.51                       |   |
|                                      | Water Quality Standards   |
| Env-Wq 1702.53                       |   |
| Env-Wq 1702.54                       |   |
|                                      |   |
| -                                    | ATER QUALITY STANDARDS  |
|                                      | Water Use Classifications   |
|                                      | Wetlands Criteria   |
| -                                    | General Water Quality Criteria  |
| -                                    | Class-Specific Criteria   |
|                                      | Combined Sewer Overflows  |
| Env-Wq 1703.06                       |   |
|                                      | Dissolved Oxygen  |
|                                      | Benthic Deposits  |
| Env-Wq 1703.09                       |   |
| Env-Wq 1703.10                       |   |
| Env-Wq 1703.11                       | •   |
| -                                    | Slicks, Odors, and Surface Floating Solids                                  |
| Env-Wq 1703.13                       | -   |
| Env-Wq 1703.14                       |   |
| Env-Wq 1703.15                       | Gross Beta Radioactivity  |
| Env-Wq 1703.16                       |   |
| Env-Wq 1703.17                       | Radium-226  |
| Env-Wq 1703.18                       | pH  |
| Env-Wq 1703.19                       | Biological and Aquatic Community Integrity                                  |
| Env-Wq 1703.20                       | Human Health Criteria for Toxic Substances                                  |
| Env-Wq 1703.21                       | Water Quality Criteria for Toxic Substances                                 |
| Env-Wq 1703.22                       | Notes for Table 1703.1  |
| Env-Wq 1703.23                       | Conversion Factors for Metals   |
| Env-Wq 1703.24                       | Freshwater Aquatic Life Criteria for Metals                                 |
| Env-Wq 1703.25                       | Freshwater Aquatic Life Criteria for Ammonia                                |
|                                      | Saltwater Acute Aquatic Life Criteria for Ammonia at a Salinity of 10g/kg   |
|                                      | Saltwater Acute Aquatic Life Criteria for Ammonia at a Salinity of 20g/kg   |
| 1                                    | Saltwater Acute Aquatic Life Criteria for Ammonia at a Salinity of 30g/kg   |
| -                                    | Saltwater Chronic Aquatic Life Criteria for Ammonia at a Salinity of 10g/kg |
|                                      | Saltwater Chronic Aquatic Life Criteria for Ammonia at a Salinity of 20g/kg |
|                                      | Saltwater Chronic Aquatic Life Criteria for Ammonia at a Salinity of 30g/kg |
|                                      | Aquatic Life Criteria for Pentachlorophenol                                 |
|                                      |   |
| PART Env-Wq 1704 A<br>Env-Wq 1704 01 | LTERNATIVE SITE SPECIFIC CRITERIA   |

Env-Wq 1704.01 Purpose

Env-Wq 1704.02 Procedures

Env-Wq 1704.03 Modifications

NEW HAMPSHIRE CODE OF ADMINISTRATIVE RULES

PART Env-Wq 1705 FLOW STANDARDS Env-Wq 1705.01 Assimilative Capacity Env-Wq 1705.02 Low Flow Conditions

PART Env-Wq 1706 SAMPLING AND ANALYSIS Env-Wq 1706.01 Procedure

PART Env-Wq 1707 MIXING ZONES Env-Wq 1707.01 Designation Env-Wq 1707.02 Minimum Criteria Env-Wq 1707.03 Technical Standards

PART Env-Wq 1708 ANTIDEGRADATION
Env-Wq 1708.01 Purpose
Env-Wq 1708.02 Applicability
Env-Wq 1708.03 Submittal of Data
Env-Wq 1708.04 Protection of Existing Uses
Env-Wq 1708.05 Protection of Water Quality in ORW
Env-Wq 1708.06 Protection of Class A Waters
Env-Wq 1708.07 Protection of Water Quality in High Quality Waters
Env-Wq 1708.08 Assessing Waterbodies
Env-Wq 1708.09 Significant or Insignificant Determination
Env-Wq 1708.10 Alternatives Analysis; Demonstration of Net Economic or Social Benefits
Env-Wq 1708.11 Public Participation and Intergovernmental Coordination
Env-Wq 1708.12 Transfer of Water

PART Env-Wq 1709 REMOVAL OF DESIGNATED USES Env-Wq 1709.01 Requirements

### CHAPTER Env-Wq 1700 SURFACE WATER QUALITY REGULATIONS

Statutory Authority: RSA 485-A:6, I and RSA 485-A:8, VI

#### **REVISION NOTE #1:**

Document #7151, effective 12-10-99, readopted with amendments and renumbered the former Chapter Env-Ws 430 as Env-Ws 1700, containing Part Env-Ws 1701 through Part Env-Ws 1709. Document #7151 made extensive changes to the wording, format, structure, and numbering of rules in the former Chapter Env-Ws 430. Document #7151 superseded all prior filings for rules in the former Chapter Env-Ws 430. The prior filings for former Chapter Env-Ws 430 included the following documents:

#1881, eff 12-7-81 #2707, eff 5-15-84; EXPIRED 5-15-90 #4896, eff 8-3-90 #6301, INTERIM, eff 8-2-96 #6351, eff 10-5-96

#### **REVISION NOTE #2:**

Document #9162, effective 5-21-08, readopted with amendments and renumbered former Chapter Env-Ws 1700 as Chapter Env-Wq 1700. Former Chapter Env-Ws 1700 contained Part Env-Ws 1701 through Part Env-Ws 1709. The redesignation from subtitle Env-Ws to subtitle Env-Wq was done pursuant to a rules reorganization plan for Department rules approved by the Director of the Office of Legislative Services on 9-7-05. Document #9162 replaces all prior filings for rules in the former Chapter Env-Ws 1700. The prior filings include the following documents:

Former Part Env-Ws 1701 through Part Env-Ws 1709:

#7151, eff 12-10-99 #9034, INTERIM, eff 12-10-07

Former Part Env-Ws 1710 Emergency Water Transfer:

#7669, EMERGENCY, eff 3-29-02, EXPIRED 9-25-02

#### PART Env-Wq 1701 INTRODUCTION

Env-Wq 1701.01 <u>Purpose</u>. The purpose of these rules is to establish water quality standards for the state's surface water uses as set forth in RSA 485-A:8, I, II, III and V. These standards are intended to protect public health and welfare, enhance the quality of water and serve the purposes of the Clean Water Act and RSA 485-A. These standards provide for the protection and propagation of fish, shellfish, and wildlife, and provide for such uses as recreational activities in and on the surface waters, public water supplies, agricultural and industrial uses, and navigation in accord with RSA 485-A:8, I and II.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1701.02 Applicability.

(a) These rules shall apply to all surface waters.

(b) These rules shall apply to any person who causes point or nonpoint source discharge(s) of pollutants to surface waters, or who undertakes hydrologic modifications, such as dam construction or water withdrawals, or who undertakes any other activity that affects the beneficial uses or the level of water quality of surface waters.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### PART Env-Wq 1702 DEFINITIONS

Env-Wq 1702.01 "Acute toxicity" means an adverse effect such as mortality or debilitation caused by an exposure of 96 hours or less to a toxic substance.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.02 "Antidegradation" means a provision of the water quality standards that maintains and protects existing water quality and uses.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.03 "Assimilative capacity" means the amount of a pollutant or pollutants that can safely be released to a waterbody without causing violations of applicable water quality criteria or negatively impacting uses.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.04 "Benthic community" mean the community of plants and animals that live on, over, or in the substrate of the surface water.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.05 "Benthic deposit" means any sludge, sediment or other organic or inorganic accumulations on the bottom of the surface water.

Env-Wq 1702.06 "Best management practices" means those practices which are determined, after problem assessment and examination of all alternative practices and technological, economic and institutional considerations, to be the most effective practicable means of preventing or reducing the amount of pollution generated by point or nonpoint sources to a level compatible with water quality goals.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.07 "Biological integrity" means the ability of an aquatic ecosystem to support and maintain a balanced, integrated, adaptive community of organisms having a species composition, diversity, and functional organization comparable to that of similar natural habitats of a region.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.08 "Biota" means species of plants or animals occurring in surface waters.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.09 "CFR" means the Code of Federal Regulations published by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.10 "Chronic toxicity" means an adverse effect such as reduced reproductive success or growth, or poor survival of sensitive life stages, which occurs as a result of prolonged exposure to a toxic substance.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.11 "Class A and B waters" means those surface waters that are legislatively classified as Class A or B waters pursuant to RSA 485-A:8, I, II and III.

Env-Wq 1702.12 "Clean Water Act (CWA)" means the federal Clean Water Act, Pub. L. 92-500, as amended by Pub. L. 95-217, Pub. L. 95-576, Pub. L. 96-483, Pub. L. 97-117, Pub. L. 100-4, 33 U.S.C. 1251 et seq.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.13 "Community" means one or more populations co-occurring in surface waters.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.14 "Criterion" means:

(a) A designated concentration of a pollutant;

(b) A narrative statement concerning that pollutant that when not exceeded, will protect an organism, a population, a community, or a prescribed water use; or

(c) A numeric value or narrative statement related to other characteristics of the surface waters, such as flow and biological community integrity.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.15 "Cultural eutrophication" means the human-induced addition of wastes containing nutrients to surface waters which results in excessive plant growth and/or a decrease in dissolved oxygen.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.16 "Department" means the department of environmental services.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.17 "Designated uses" means those uses specified in water quality standards for each waterbody or segment whether or not such uses are presently occurring.

#### Env-Wq 1702.18 "Discharge" means:

(a) The addition, introduction, leaking, spilling, or emitting of a pollutant to surface waters, either directly or indirectly through the groundwater, whether done intentionally, unintentionally, negligently or otherwise; or

(b) The placing of a pollutant in a location where the pollutant is likely to enter surface waters.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.19 "Dissolved oxygen (D.O.)" means the oxygen dissolved as a gas in sewage, water or other liquid expressed in milligrams per liter (mg/l), parts per million (ppm), or percent saturation.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.20 "Effluent limitation(s)" means any restriction(s) imposed by the department pursuant to RSA 485-A on quantities, discharge rates, characteristics, and concentrations of pollutants which are discharged to surface waters.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.21 "Environmental Protection Agency (EPA)" means the United States Environmental Protection Agency.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.22 "Epilimnion" means the upper, well-circulated warm layer of a thermally stratified lake, pond, impoundment or reservoir.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.23 "Existing uses" means those uses, other than assimilation or waste transport, which actually occurred in the waterbody on or after November 28, 1975, whether or not they are included in the water quality standards.

Env-Wq 1702.24 "High quality surface waters" means all surface waters whose water quality is better than required by any aquatic life and/or human health water quality criteria contained in these rules or other criteria assigned to the surface water, or whose qualities and characteristics make them critical to the propagation or survival of important living natural resources.

> Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.25 "Industrial waste" means "industrial waste" as defined in RSA 485-A:2, VI, namely "any liquid, gaseous or solid waste substance resulting from any process of industry, manufacturing trade or business or from development of any natural resources."

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.26 "Maintain and protect" means to preserve the existing and designated uses of surface waters.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.27 "Mixing zone" means a defined area or volume of the surface water surrounding or adjacent to a wastewater discharge where the surface water, as a result of the discharge, might not meet all applicable water quality standards.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.28 "Most sensitive use" means the use which is most susceptible to degradation by a specific pollutant, combination of pollutants, or activity, such as:

- (a) Drinking;
- (b) Swimming;
- (c) Boating;
- (d) Fish and aquatic life propagation;
- (e) Fish consumption by higher level consumers including man; or

(f) Irrigation.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.29 "Naturally occurring conditions" means conditions which exist in the absence of human influences.

<u>S Source.</u> (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.30 "Nephelometric turbidity unit (NTU)" means a standard used to measure the optical property that causes light to be scattered and absorbed rather than transmitted in straight lines through water, as measured by a nephelometer.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.31 "Noncontact cooling water" means water used for cooling which does not come into direct contact with any raw material, intermediate product, waste product or finished product and to which no pollutants, other than heat, have been added.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.32 "Nonpoint source" means any source other than a point source as defined in Env-Wq 1702.38.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.33 "No observed effect concentration (NOEC)" means the highest measured continuous concentration, in percent, of an effluent at which no adverse effects are observed on the aquatic test organisms.

Env-Wq 1702.34 "Nuisance species" means any species of flora or fauna living in or near the water whose noxious characteristics or presence in sufficient number or mass prevent or interfere with a designated use of those surface waters.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.35 "Other wastes" means "other wastes" as defined in RSA 485-A:2, VIII, namely, "garbage, municipal refuse, decayed wood, sawdust, shavings, bark, lime, ashes, offal, oil, tar, chemicals and other substances other than sewage or industrial wastes, and any other substance harmful to human, animal, fish or aquatic life."

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.36 "Outstanding Resource Water (ORW)" means surface waters of exceptional recreational or ecological significance.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.37 "pH" means a measure of the hydrogen ion concentration in a solution, expressed as the logarithm to the base 10, of the reciprocal of the hydrogen ion concentration in gram moles per liter.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.38 "Point source" means a discernible, confined, and discrete conveyance from which pollutants are or might be discharged, excluding return flows from irrigated agriculture or agricultural stormwater runoff, and including but not limited to a:

- (a) Pipe;
- (b) Ditch;
- (c) Channel;
- (d) Tunnel;
- (e) Conduit;
- (f) Well;
- (g) Discrete fissure;
- (h) Container;

- (i) Rolling stock;
- (j) Concentrated animal feeding operation; or
- (k) Vessel or other floating craft.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.39 "Pollutant" means "pollutant" as defined in 40 CFR 122.2.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.40 "Pollution" means the man-made or man-induced alteration of the chemical, physical, biological, or radiological integrity of water.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.41 "Population" means a group of individuals of one biological species co-occurring in time and space.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.42 "Publicly owned treatment works (POTW)" means any device or system used in the treatment of municipal sewage and/or industrial wastewater which is owned by the state, or a political subdivision of the state.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.43 "Radionuclide" means a radioactive atomic nucleus specified by its atomic number, atomic mass and energy state.

Env-Wq 1702.44 "7Q10" means the lowest average flow which occurs for 7 consecutive days on an annual basis with a recurrence interval of once in 10 years on average, expressed in terms of volume per time period.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.45 "Sewage" means "sewage" as defined in RSA 485-A:2, X, namely, "the water carried waste products from buildings, public or private, together with such groundwater infiltration and surface water as may be present."

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.46 "Surface waters" means "surface waters of the state" as defined in RSA 485-A:2, XIV and waters of the United States as defined in 40 CFR 122.2.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.47 "Tainting substance" means any material that can impart objectionable taste, odor, or color to the flesh of fish or other edible aquatic organisms.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.48 "Tidal waters" means those portions of the Atlantic Ocean within the jurisdiction of the state, and other surface waters subject to the rise and fall of the tide.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.49 "Toxicity test" means a test to determine the toxicity of a chemical or an effluent that involves exposing test organisms in a laboratory setting to one or more concentrations of the chemical or dilutions of the effluent in accordance with standard laboratory procedures.

Env-Wq 1702.50 "Toxic unit chronic  $(TU_c)$ " means the reciprocal of the effluent dilution that causes no unacceptable effect to the test organisms by the end of the chronic exposure period. The  $TU_c$  can be calculated by dividing 100 by the chronic NOEC value.

> Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.51 "Waste" means "waste" as defined in RSA 485-A:2, XVI, namely "industrial waste and other wastes."

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.52 "Water quality standards" means the combination of designated uses of surface waters, and the water quality criteria for such surface waters based upon such uses.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.53 "Wetland" means "wetland" as defined in RSA 482-A:2, X, namely "an area that is inundated or saturated by surface or groundwater at a frequency and duration sufficient to support, and that under normal conditions does support, a prevalence of vegetation typically adapted for life in saturated soil conditions." Wetlands include, but are not limited to, swamps, marshes, bogs and similar areas as delineated in accordance with Env-Wt 100 et seq.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1702.54 "Zone of passage" means an area bordering a mixing zone and which is free from pollutants and which allows for unobstructed movement of aquatic organisms.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### PART Env-Wq 1703 WATER QUALITY STANDARDS

Env-Wq 1703.01 Water Use Classifications.

(a) State surface waters shall be divided into class A and class B, pursuant to RSA 485-A:8, I, II and III. Each class shall identify the most sensitive use which it is intended to protect.

(b) All surface waters shall be restored to meet the water quality criteria for their designated classification including existing and designated uses, and to maintain the chemical, physical, and biological integrity of surface waters.

(c) All surface waters shall provide, wherever attainable, for the protection and propagation of fish, shellfish and wildlife, and for recreation in and on the surface waters.

(d) Unless the flows are caused by naturally occurring conditions, surface water quantity shall be maintained at levels adequate to protect existing and designated uses.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.02 <u>Wetlands Criteria</u>.

(a) Subject to (b), below, wetlands shall be subject to the criteria listed in this part.

(b) Wherever the naturally occurring conditions of the wetlands are different from the criteria listed in these rules, the naturally occurring conditions shall be the applicable water quality criteria.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.03 General Water Quality Criteria.

(a) The presence of pollutants in the surface waters shall not justify further introduction of pollutants from point or nonpoint sources, alone or in any combination.

(b) State surface waters shall retain their legislated classification even if they fail to meet any or all of the general, class-specific, or toxic criteria contained in this part.

(c) The following physical, chemical and biological criteria shall apply to all surface waters:

(1) All surface waters shall be free from substances in kind or quantity which:

a. Settle to form harmful deposits;

b. Float as foam, debris, scum or other visible substances;

c. Produce odor, color, taste or turbidity which is not naturally occurring and would render it unsuitable for its designated uses;

d. Result in the dominance of nuisance species; or

e. Interfere with recreational activities;

(2) The level of radioactive materials in all surface waters shall not be in concentrations or combinations that would:

a. Be harmful to human, animal or aquatic life or the most sensitive designated use;

b. Result in radionuclides in aquatic life exceeding the recommended limits for consumption by humans; or

c. Exceed limits specified in EPA's national drinking water regulations or Env-Ws 300 or successor rules in subtitle Env-Dw, whichever are more stringent; and

(3) Tainting substances shall not be present in concentrations that individually or in combination are detectable by taste and odor tests performed on the edible portions of aquatic organisms.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.04 <u>Class-Specific Criteria</u>. In addition to the general water quality criteria specified in Env-Wq 1703.03, the class criteria specified in Env-Wq 1703.05 through Env-Wq 1703.32 shall apply to all surface waters. The surface waters in each classification shall satisfy all the provisions of the lower classifications.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.05 Combined Sewer Overflows.

(a) To demonstrate that the class B criteria cannot reasonably be met in surface waters as a result of the combined sewer overflows, the applicant for a water discharge permit under RSA 485-A:13 shall conduct and submit a use attainability analysis (UAA) in accord with 40 CFR Part 131 to the department.

(b) If, after public notice and comment, the department determines, based on the information provided in (a), above, that the UAA supports the establishment of less stringent criteria, it shall recommend a change in the classification of the waterbody to the legislature.

(c) Exceedances of class B criteria and uses shall be limited to those identified in the Combined Sewer Overflow Facilities Plan after full implementation of the control measures.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.06 Bacteria.

(a) Uses and criteria associated with bacteria shall be as set forth in RSA 485-A:8, I, II, and V.

(b) Subject to (c), below, the bacteria criteria shall be applied at the end of a wastewater treatment facility's discharge pipe.

(c) For combined sewer overflows that discharge into non-tidal waters, a bacteria criteria of 1,000 Escherichia coli per 100 milliliters shall be applied at the end of the combined sewer overflow's discharge pipe.

#### Env-Wq 1703.07 Dissolved Oxygen.

(a) Class A waters shall have a dissolved oxygen content of at least 75% saturation, based on a daily average, and an instantaneous minimum of at least 6 mg/l at any place or time except as naturally occurs.

(b) Except as naturally occurs, or in waters identified in RSA 485-A:8, III, or subject to (c), below, class B waters shall have a dissolved oxygen content of at least 75% of saturation, based on a daily average, and an instantaneous minimum dissolved oxygen concentration of at least 5 mg/l.

(c) For the period from October 1st to May 14th, in areas identified by the fish and game department as cold water fish spawning areas of species whose early life stages are not directly exposed to the water, the 7 day mean dissolved oxygen concentration shall be at least 9.5 mg/l and the instantaneous minimum dissolved oxygen concentration shall be at least 8 mg/l. This period shall be extended to June 30 for a particular waterbody if the fish and game department determines it is necessary to protect spring spawners or late hatches of fall spawners, or both.

(d) Unless naturally occurring or subject to (a), above, surface waters within the top 25 percent of depth of thermally unstratified lakes, ponds, impoundments and reservoirs or within the epilimnion shall contain a dissolved oxygen content of at least 75 percent saturation, based on a daily average and an instantaneous minimum dissolved oxygen content of at least 5 mg/l. Unless naturally occurring, the dissolved oxygen content below those depths shall be consistent with that necessary to maintain and protect existing and designated uses.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.08 Benthic Deposits.

(a) Class A waters shall contain no benthic deposits, unless naturally occurring.

(b) Class B waters shall contain no benthic deposits that have a detrimental impact on the benthic community, unless naturally occurring.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.09 Oil and Grease.

(a) Class A waters shall contain no oil or grease, unless naturally occurring.

(b) Class B waters shall contain no oil or grease in such concentrations that would impair any existing or designated uses.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.10 Color.

(a) Class A waters shall contain no color, unless naturally occurring.

(b) Class B waters shall contain no color in such concentrations that would impair any existing or designated uses, unless naturally occurring.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.11 Turbidity.

(a) Class A waters shall contain no turbidity, unless naturally occurring.

(b) Class B waters shall not exceed naturally occurring conditions by more than 10 NTUs.

(c) Waters identified in RSA 485-A:8, III shall contain no turbidity of unreasonable kind or quality.

(d) For purposes of state enforcement actions, if a discharge causes or contributes to an increase in turbidity of 10 NTUs or more above the turbidity of the receiving water upstream of the discharge or otherwise outside of the visible discharge, a violation of the turbidity standard shall be deemed to have occurred.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.12 Slicks, Odors, and Surface Floating Solids.

(a) Class A waters shall contain no slicks, odors, or surface floating solids unless naturally occurring.

(b) Class B waters shall contain no slicks, odors, or surface floating solids that would impair any existing or designated use, unless naturally occurring.

(c) Waters identified in RSA 485-A:8, III shall be free from slicks, odors, and surface floating solids of unreasonable kind or quantity.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.13 Temperature.

(a) There shall be no change in temperature in class A waters, unless naturally occurring.

(b) Temperature in class B waters shall be in accordance with RSA 485-A:8, II, and VIII.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.14 Nutrients.

(a) Class A waters shall contain no phosphorus or nitrogen unless naturally occurring.

(b) Class B waters shall contain no phosphorus or nitrogen in such concentrations that would impair any existing or designated uses, unless naturally occurring.

(c) Existing discharges containing either phosphorus or nitrogen which encourage cultural eutrophication shall be treated to remove phosphorus or nitrogen to ensure attainment and maintenance of water quality standards.

(d) There shall be no new or increased discharge of phosphorus into lakes or ponds.

(e) There shall be no new or increased discharge(s) containing phosphorus or nitrogen to tributaries of lakes or ponds that would contribute to cultural eutrophication or growth of weeds or algae in such lakes and ponds.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.15 <u>Gross Beta Radioactivity</u>. Class A and B waters shall not contain gross beta radioactivity in excess of 1,000 picocuries per liter.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.16 <u>Strontium-90</u>. Class A and B waters shall not contain strontium-90 in excess of 10 picocuries per liter.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.17 <u>Radium-226</u>. Class A and B waters shall contain no radium-226 in excess of 3 picocuries per liter.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.18 pH.

- (a) The pH of Class A waters shall be as naturally occurs.
- (b) The pH of Class B waters shall be 6.5 to 8.0, unless due to natural causes.
- (c) The pH of waters identified in RSA 485-A:8, III shall be 6.0 to 9.0, unless due to natural causes.

#### Env-Wq 1703.19 Biological and Aquatic Community Integrity.

(a) The surface waters shall support and maintain a balanced, integrated, and adaptive community of organisms having a species composition, diversity, and functional organization comparable to that of similar natural habitats of a region.

(b) Differences from naturally occurring conditions shall be limited to non-detrimental differences in community structure and function.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### Env-Wq 1703.20 Human Health Criteria for Toxic Substances.

(a) The department shall use a risk factor of one in 1,000,000 when determining human health criteria for all new discharges. The department shall also use a one in 1,000,000 risk factor in determining human health criteria for all existing discharges unless it can be demonstrated by the applicant for a water discharge permit under RSA 485-A:13 that the criteria obtained using the one in 1,000,000 risk factor cannot be achieved because it is either technologically impossible or economically unfeasible. However, in no case shall the department allow a risk factor greater than one in 100,000.

(b) For the protection of human health, class A and B waters shall not contain dioxin (2, 3, 7, 8 - TCDD) in excess of 0.001 ng/l, unless allowed under part Env-Wq 1707.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### Env-Wq 1703.21 <u>Water Quality Criteria for Toxic Substances</u>.

(a) Unless naturally occurring or allowed under part Env-Wq 1707, all surface waters shall be free from toxic substances or chemical constituents in concentrations or combinations that:

(1) Injure or are inimical to plants, animals, humans or aquatic life; or

(2) Persist in the environment or accumulate in aquatic organisms to levels that result in harmful concentrations in edible portions of fish, shellfish, other aquatic life, or wildlife which might consume aquatic life.

(b) Unless allowed in part Env-Wq 1707 or naturally occurring, concentrations of toxic substances in all surface waters shall not exceed the recommended safe exposure levels of the most sensitive surface water use shown in Table 1703.1, subject to the notes as explained in Env-Wq 1703.22, as follows:

|                                   | 1  | Drotaction a            | f Aquetia I :f         | 20  | Drotaction of          | Uuman Usalth                          |
|-----------------------------------|--|-------------------------|------------------------|---|------------------------|---------------------------------------|
|                                   | Protection of Aquatic Life<br>Concentration in micrograms per liter (ug/l) |                         |                        | Protection of Human Health<br>Units per Liter |                        |                                       |
|                                   | Fresh  | Fresh                   | Marine                 | Marine  | Water                  | Fish                                  |
| Chemical                          | Acute  | Chronic                 | Acute                  | Chronic                                       | & Fish                 | Consumption                           |
| Chemical                          | Criteria   | Criteria                | Criteria               | Criteria                                      |                        | •                                     |
| Accomptheme                       |  | 520                     | 970                    | 710   | Ingestion              | Only<br>20 ug <sup>j</sup>            |
| Acenaphthene                      | 1,700  |                         |                        |   | 20 ug <sup>j</sup>     |                                       |
| Acrolein                          | 68   | 21                      | 55                     |   | 320 ug                 | 780 ug                                |
| Acrylonitrile                     | 7,550  | 2,600                   | <br>1. 0k              |   | 0.059 ug <sup>c</sup>  | 0.66 ug <sup>c</sup>                  |
| Aldrin                            | 3.0 <sup>k</sup>   |                         | 1.3 <sup>k</sup>       |   | 0.13 ng <sup>c</sup>   | 0.14 ng <sup>c</sup>                  |
| Alkalinity                        |  | 20,000                  |                        |   |                        |                                       |
| Aluminum                          | 750  | 87                      |                        |   |                        |                                       |
| Ammonia <sup>a</sup>              |  |                         |                        |   |                        |                                       |
| Aniline                           | 28   | 14                      | 77                     | 37  |                        |                                       |
| Anthracene                        |  |                         | tic Hydrocarl          | bons)   | 9,600 ug               | 110,000 ug                            |
| Antimony                          | 9,000  | 1,600                   |                        |   | 14 ug <sup>1</sup>     | 4300 ug                               |
| Arsenic                           | 340 <sup>d,i</sup>   | 150 <sup>d,i</sup>      | 69 <sup>d,i</sup>      | 36 <sup>d,i</sup>                             | 18 ng <sup>b,c</sup>   | 140 ng <sup>b,c</sup>                 |
| Ashestes                          |  |                         |                        |   | 7,000,000              |                                       |
| Asbestos                          |  |                         |                        |   | fibres <sup>c</sup>    |                                       |
| Barium                            |  |                         |                        |   | $1.0 \text{ mg}^1$     |                                       |
| Benzene                           | 5,300  |                         | 5,100                  | 700   | 1.2 ug <sup>c</sup>    | 71 ug <sup>c</sup>                    |
| Benzidine                         | 2,500  |                         |                        |   | 0.12 ng <sup>c</sup>   | 0.54 ng <sup>c</sup>                  |
| Benzo(a) Anthracene               |  | clear Aroma             | tic Hydrocarl          | oons)   | 0.0044 ug <sup>c</sup> | 0.049 ug <sup>c</sup>                 |
| Benzo(a) Pyrene                   |  |                         | tic Hydrocart          |   | 0.0044 ug <sup>c</sup> | 0.049 ug <sup>c</sup>                 |
| Benzo(b) Fluoranthene             | (see Polynuc   |                         | 0.0044 ug <sup>c</sup> | 0.049 ug <sup>c</sup>                         |                        |                                       |
| Benzo(g,h,i) Perylene             | (see Polynuc   |                         |                        |   |                        |                                       |
| Benzo(k) Fluoranthene             |  |                         | tic Hydrocart          |   | 0.0044 ug <sup>c</sup> | 0.049 ug <sup>c</sup>                 |
| Beryllium                         | 130  | 5.3                     |                        |   | 1                      |                                       |
| BHC                               | 100 <sup>e</sup>   |                         | 0.34 <sup>e</sup>      |   | (see individual        | compounds)                            |
| alpha-BHC                         | (see BHC)  |                         | 0.54                   |   | 3.9 ng <sup>c</sup>    | 13 ng <sup>c</sup>                    |
| beta-BHC                          | (see BHC)  |                         | 14 ng <sup>c</sup>     | $\frac{13 \text{ ng}}{46 \text{ ng}^{c}}$     |                        |                                       |
| delta-BHC                         | (see BHC)  |                         |                        |   | 0.0123 ug              | 0.0414 ug                             |
|                                   |  | 09                      | .16 <sup>k</sup>       |   | 19 ng <sup>c</sup>     |                                       |
| gamma-BHC (Lindane)               | 0.95   | .08                     |                        |   |                        | $63 \text{ ng}^{c}$                   |
| technical-BHC                     |  |                         |                        |   | 0.0123 ug              | 0.0414 ug<br>1.4 <sup>c</sup>         |
| Bis (2-Chloroethyl) Ether         | (see Chloroa   | alkyl ethers)           |                        |   | 0.031 <sup>c</sup>     | 1.4                                   |
| Bis (2-<br>Ethylhexy)Phthalate    | (see Phthala   | te esters)              |                        |   | 1.8 ug <sup>c</sup>    | 5.9 ug <sup>c</sup>                   |
| Bromoform                         | (see Halome  | ethanes)                |                        |   | 4.3 ug <sup>c</sup>    | 360 ug <sup>c</sup>                   |
| 4-Bromophenyl phenyl ether        | (see Haloeth   | iers)                   |                        |   |                        |                                       |
| Butyl benzyl phthalate            | (see Phthala   | te estare)              |                        |   | 3000 ug                | 5200 ug                               |
| Cadmium <sup>i</sup>              | 0.95 <sup>f,d</sup>  | 0.80 <sup>f,d</sup>     | 42 <sup>d</sup>        | 9.3 <sup>d</sup>                              | 5000 ug                | 5200 ug                               |
| Carbon Tetrachloride              | 35,200   | 0.00                    | 50,000                 | 7.3   | 0.25 ug <sup>c</sup>   | <br>4.4 ug <sup>c</sup>               |
|                                   | 2.4 <sup>k</sup>   | 0.0043 <sup>k</sup>     | 0.09 <sup>k</sup>      | 0.004 <sup>k</sup>                            |                        |                                       |
| Chlordane<br>Chloringtod hanganga | 2.4<br>250 <sup>e</sup>  | $\frac{0.0043}{50^{e}}$ | 160 <sup>e</sup>       |   | 2.1 ng <sup>c</sup>    | $2.2 \text{ ng}^{c}$                  |
| Chlorinated benzenes              |  |                         |                        | 129 <sup>e</sup>                              | (see individual        | · · · · · · · · · · · · · · · · · · · |
| Chlorobenzene                     | (See Chlorin   |                         |                        |   | 20 ug <sup>1</sup>     | 20 ug <sup>J</sup>                    |
| Chlorides                         | 860,000  | 230,000                 |                        |   |                        |                                       |
| Chlorinated napthalenes           | $1,600^{\rm e}$  |                         | 7.5 <sup>e</sup>       |   | (see individual        | compounds)                            |

 TABLE 1703.1

 Water Quality Criteria For Toxic Substances

| Chlorine                               | 19  | 11                                    | 13                   | 7.5   | 1   |   |
|--|---|---------------------------------------|----------------------|---|---|---|
| Chloroalkyl ethers                     | 238,000 <sup>e</sup>  |                                       |                      |   | (see individual compounds)                    |   |
| Chloroethyl ether (Bis-2)              | (see Chloroalkyl ethers)  |                                       |                      |   | 0.031 ug <sup>c</sup>                         | 1.4 ug <sup>c</sup>                               |
| Chloroethyl vinyl ether-2              | (see Chloroa  | alkyl ethers)                         |                      |   |   |   |
| Chlorodibromomethane                   | (see Halome   |                                       |                      |   | 0.41 ug <sup>c</sup>                          | 34 ug <sup>c</sup>                                |
| Chloroethoxy methane (Bis-2)           | (see Chloroa  | alkyl ethers)                         |                      |   |   |   |
| Chloroform                             | 28,900  | 1,240                                 | (see Halome          | thanes)   | 5.7 ug <sup>c</sup>                           | 470 ug <sup>c</sup>                               |
| Chloroisopropyl ether<br>(Bis-2)       | (see Chloroa  | 1                                     |                      |   | 1,400 ug                                      | 170,000 ug  |
| p-Chloro-m-cresol                      | 30  |                                       |                      |   | 3,000 ug <sup>j</sup>                         | 3,000 ug <sup>j</sup>                             |
| Chloromethyl ether (Bis)               | (see Chloroa  | alkyl ethers)                         |                      |   | 0.13 ng <sup>c</sup>                          | 0.78 ng <sup>c</sup>                              |
| Chloronaphthalene 2                    | (see Chlorin  |                                       | lanas)               |   | 1,700 ug                                      | 4,300 ug  |
| Chlorophenol 2                         | 4,380   | 2,000                                 |                      |   | 0.1 ug <sup>j</sup>                           | 0.1 ug <sup>j</sup>                               |
| *                                      | 4,380   | 2,000                                 |                      |   | Ű,  |   |
| Chlorophenol 3                         |   |                                       |                      |   | $0.1 \text{ ug}^{\text{J}}$                   | 0.1 ug <sup>j</sup><br>0.1 ug <sup>j</sup>        |
| Chlorophenol 4                         |   |                                       | 29,700               |   | 0.1 ug <sup>j</sup>                           | 0.1 ug  |
| Chlorophenoxy<br>herbicides (2,4,5-TP) |   |                                       |                      |   | 10 ug   |   |
| Chlorophenoxy<br>herbicides (2,4-D)    |   |                                       |                      |   | 100 ug <sup>1</sup>                           |   |
| Chlorophenyl phenyl ether 4            | (see Haloeth  | ners)                                 |                      |   |   |   |
| Chlorpyrifos                           | 0.083   | 0.041                                 | 0.011                | 0.0056  |   |   |
| Chloro-4 Methyl-3<br>Phenol            | 30  |                                       |                      |   | 3,000 ug <sup>j</sup>                         | 3,000 ug <sup>j</sup>                             |
| Chromium +6                            | 16 <sup>d,i</sup>   | 11 <sup>d,i</sup>                     | 1,100 <sup>d,i</sup> | 50 <sup>d,i</sup>                               | 1   |   |
| Chromium+3                             | 183 <sup>f,d,i</sup>  | 24 <sup>f,d,i</sup>                   | 10,300               |   |   |   |
| Chrysene                               |   |                                       | tic Hydrocarb        |   | 0.0044 ug <sup>c</sup>                        | 0.049 ug <sup>c</sup>                             |
| Copper <sup>i</sup>                    | 3.6 <sup>f,d</sup>  | 2.7 <sup>f,d</sup>                    | 4.8 <sup>d</sup>     | 3.1 <sup>d</sup>                                | 1,000 ug <sup>j</sup>                         | 1,000 ug <sup>j</sup>                             |
| Cyanide                                | 22 <sup>m</sup>   | 5.2 <sup>m</sup>                      | 1.0 <sup>m</sup>     | 1.0 <sup>m</sup>                                | 700 ug <sup>1</sup>                           | 220,000 ug  |
| DDE(4,4')                              | 1,050   |                                       | 1.0                  |   | 0.59 ng <sup>c</sup>                          | 0.59 ng <sup>c</sup>                              |
| DDD(4,4')                              | 0.06  |                                       | 3.6                  |   | 0.83 ng <sup>c</sup>                          | $0.37 \text{ ng}^{\circ}$                         |
| DDD(4,4')                              | 1.1 <sup>k</sup>  | 0.001 <sup>k</sup>                    | 0.13 <sup>k</sup>    | 0.001 <sup>k</sup>                              | 0.59 ng <sup>c</sup>                          | $\frac{0.04 \text{ Hg}}{0.59 \text{ ng}^{\circ}}$ |
| Demeton                                |   | 0.001                                 |                      | 0.001   |   |   |
| Dibenzo(a,h)Anthracene                 |   |                                       | tic Hydrocarb        |   | 0.0044 ug <sup>c</sup>                        | 0.049 ug <sup>c</sup>                             |
| Dibutyl Phthalate                      | (see Phthala  |                                       | 0113)                | 2.7 mg  | 12 mg   |   |
| Dichlorobenzenes                       | 1,120 <sup>e</sup>  | 763 <sup>e</sup>                      | 1,970 <sup>e</sup>   |   | (see individual                               |   |
| Dichlorobenzene(1,2)                   |   |                                       | 1,770                |   | $2,700 \text{ ug}^1$                          | 17,000 ug   |
| Dichlorobenzene(1,3)                   | (see Dichlorobenzenes)<br>(see Dichlorobenzenes)                  |                                       |                      |   | 400 ug  | 2600 ug   |
| Dichlorobenzene(1,4)                   | (see Dichlor  | ,                                     |                      |   | $\frac{400 \text{ ug}}{400 \text{ ug}^{1}}$   | 2600 ug   |
| Dichlorobenzidine(3,3)                 | (see Dicilioi   | obelizenes)                           |                      |   | 0.04 ug <sup>c</sup>                          | 0.077 ug <sup>c</sup>                             |
| Dichlorobromomethane                   | (see Halome   |                                       |                      |   | $\frac{0.04 \text{ ug}}{0.56 \text{ ug}^{c}}$ |   |
| Dichlorodifluoromethane                |   | · · · · ·                             |                      | <u>46 ug<sup>c</sup></u><br>570 mg <sup>c</sup> |   |   |
|  | (see Halome   | , , , , , , , , , , , , , , , , , , , | 112 000              |   | 6.9 mg <sup>c</sup><br>0.38 ug <sup>c</sup>   | <u> </u>  |
| Dichloroethane(1,2)                    | 118,000   | 20,000                                | 113,000              |   |   |   |
| Dichloroethylenes                      | $11,600^{\text{e}}$   |                                       | 224,000 <sup>e</sup> |   | (see individual                               |   |
| Dichloroethylene(1,1)                  | (see Dichloroethylenes) 0.057 ug <sup>c</sup> 3.2 ug <sup>c</sup> |                                       |                      |   |   |   |
| Dichloroethylene(1,2-<br>Trans)        | (see Dichloroethylenes)   |                                       |                      |   | 700 ug <sup>1</sup>                           | 140,000 ug  |
| Dichlorophenol(2,3)                    |   |                                       |                      |   | 0.04 ug <sup>j</sup>                          | 0.04 ug <sup>j</sup>                              |
| Dichlorophenol(2,4)                    | 2,020   | 365                                   |                      |   | 93 ug   | 790 ug  |

| Dichlorophenol(2,5)                   |                           |                               |                         |                        | 0.5 ug <sup>j</sup>                                      | 0.5 ug <sup>j</sup>                          |
|---------------------------------------|---------------------------|-------------------------------|-------------------------|------------------------|--|--|
| Dichlorophenol(2,6)                   |                           |                               |                         |                        | 0.2 ug <sup>j</sup>                                      | 0.2 ug <sup>j</sup>                          |
| Dichlorophenol(3,4)                   |                           |                               |                         |                        | 0.3 ug <sup>j</sup>                                      | 0.3 ug <sup>j</sup>                          |
| Dichloropropanes                      | 23,000 <sup>e</sup>       | 5,700 <sup>e</sup>            | $10,300^{\rm e}$        | 3,040 <sup>e</sup>     | (see individual  |  |
| Dichloropropane(1,2)                  | (see Dichlor              | opropanes)                    | ,                       |                        | 0.52 ug <sup>c</sup>                                     | 39 ug <sup>c</sup>                           |
| Dichloropropenes                      | 6,060 <sup>e</sup>        | 244 <sup>e</sup>              | 790 <sup>e</sup>        |                        | (see individual  |  |
| Dichloropropene(1,3)                  | (see Dichlor              | opropenes)                    |                         | 1                      | 10 ug 1700 ug  |  |
| Dieldrin                              | 0.24                      | 0.056                         | $0.71^{k}$              | 0.0019 <sup>k</sup>    | 0.14 ng <sup>c</sup>                                     | 0.14 ng <sup>c</sup>                         |
| Diethyl Phthalate                     |                           |                               |                         |                        | 23 mg  | 120 mg                                       |
| Dimethyl Phenol(2,4)                  | 1,300                     | 530                           | 270                     | 110                    | 400 ug <sup>j</sup>                                      | 400 ug <sup>j</sup>                          |
| Dimethyl Phthalate                    | (see Phthala              |                               |                         |                        | 313 mg   | 2.9 g  |
| Di-n-butyl Phthalate                  | (see Phthala              | ,                             |                         |                        | 2.7 mg   | 12 mg  |
| Dinitrotoluenes                       | 330 <sup>e</sup>          | 230 <sup>e</sup>              | 590 <sup>e</sup>        | 370 <sup>e</sup>       | (see individual  |  |
| Dinitrotoluene(2,4)                   | (see Dinitro              |                               |                         |                        | 0.11 ug <sup>c</sup>                                     | 9.1 ug <sup>c</sup>                          |
| Dinitrotoluene(2,6)                   | (see Dinitro              |                               |                         |                        |  |  |
| Dinitro-o-cresol (2,4)                | (see Nitroph              | ,                             |                         |                        | 13.4 ug  | 765 ug                                       |
| Dinitro-o-cresol (4,6)                | (see Nitroph              |                               |                         |                        | 13.4 ug  | 765 ug                                       |
| Dinitrophenols                        | (see Nitroph              |                               |                         |                        | 70 ug  | 14,000 ug                                    |
| Dinitrophenol(2,4)                    | (see Nitroph              |                               |                         |                        | 70 ug  | 14,000 ug                                    |
| Di-n-octyl phthalate                  | (see Phthala              | ,                             |                         |                        |  |  |
| Diphenylhydrazine(1,2)                | 270                       |                               |                         |                        | 0.04 ug <sup>c</sup>                                     | 0.54 ug <sup>c</sup>                         |
| Di-2-ethylhexyl phthalate             | (see Phthala              | te esters)                    |                         |                        | 1.8 ug <sup>c</sup>                                      | 5.9 ug <sup>c</sup>                          |
| alpha-Endosulfan                      | $0.22^k$                  | 0.056 <sup>k</sup>            | 0.034 <sup>k</sup>      | 0.0087 <sup>k</sup>    | 110 ug   | 240 ug                                       |
| beta-Endosulfan                       | 0.22<br>0.22 <sup>k</sup> | 0.056 <sup>k</sup>            | 0.034 <sup>k</sup>      | 0.0087 <sup>k</sup>    | 110 ug   | 240 ug                                       |
| Endosulfan Sulfate                    | 0.22                      |                               | 0.054                   |                        | 110 ug   | 240 ug                                       |
| Endrin                                | 0.086                     | 0.036                         | 0.037 <sup>k</sup>      | 0.0023 <sup>k</sup>    | 0.76 ug  | 0.81 ug                                      |
| Endrin Aldehyde                       | 0.000                     | 0.030                         | 0.037                   |                        | 0.76 ug  | 0.81 ug                                      |
| Ethylbenzene                          | 32,000                    |                               | 430                     |                        | 3,100 ug <sup>1</sup>                                    | 29,000 ug                                    |
| Fluorene                              |                           |                               | tic Hydrocarb           |                        | 1,300 ug   | 14,000 ug                                    |
| Guthion                               | (see Folylluo             |                               |                         | 0.01                   | 1,500 ug   | 14,000 ug                                    |
| Haloethers                            | 360 <sup>e</sup>          | 122 <sup>e</sup>              |                         |                        |  |  |
| Halomethanes                          | 11,000 <sup>e</sup>       |                               | <br>12,000 <sup>e</sup> | <br>6,400 <sup>e</sup> | (see individual compounds)<br>(see individual compounds) |  |
| Haromethanes                          | $0.52^{k}$                | <br>0.0038 <sup>k</sup>       | $0.053^{k}$             | 0.0036 <sup>k</sup>    |  |  |
|                                       | 0.52<br>$0.52^{k}$        | 0.0038<br>0.0038 <sup>k</sup> | 0.053 <sup>k</sup>      | 0.0036 <sup>k</sup>    | $0.21 \text{ ng}^{c}$                                    | 0.21 ng <sup>c</sup><br>0.11 ng <sup>c</sup> |
| Heptachlor Epoxide                    |                           |                               |                         | 0.0050                 | $0.10 \text{ ng}^{c}$                                    |  |
| Hexachloroethane<br>Hexachlorobenzene | 980                       | 540                           | 940                     |                        | $1.9 \text{ ug}^{c}$                                     | $8.9 \text{ ug}^{c}$                         |
|                                       |                           | ated benzene                  |                         |                        | $0.75 \text{ ng}^{c}$                                    | $0.77 \text{ ng}^{\circ}$                    |
| Hexachlorobutadiene                   | 90                        | 9.3                           | 32                      |                        | 0.44 ug <sup>c</sup>                                     | 50 ug <sup>c</sup>                           |
| Hexachlorocyclo-hexane-               | (see BHC)                 |                               |                         |                        | 0.0123 ug  | 0.0414 ug                                    |
| (Technical)                           |                           | [                             |                         | 1                      |  |  |
| Hexachlorocyclopentadie               | 7.0                       | 5.2                           | 7.0                     |                        | 1.0 <sup>j</sup>   | 1.0 <sup>j</sup>                             |
| ne                                    | ( D 1                     | 1 4                           | · <b>TT</b> 1 1         |                        | 0.0044 °   | 0.040 6                                      |
| Ideno(1,2,3-cd)Pyrene                 | (see Polynue              | 1                             | 0.0044 ug <sup>c</sup>  | 0.049 ug <sup>c</sup>  |  |  |
| Iron                                  |                           | 1,000                         |                         |                        | 0.3 mg   |  |
| Isophorone                            | 117,000                   |                               | 12,900                  |                        | 36 ug <sup>c</sup>                                       | 2,600 ug <sup>c</sup>                        |
| Lead                                  | 14 <sup>f,d</sup>         | 0.54 <sup>f,d</sup>           | 210 <sup>d</sup>        | 8.1 <sup>d</sup>       |  |  |
| Malathion                             | 0.1                       | 0.1                           |                         | 0.1                    |  |  |
| Manganese                             |                           |                               |                         |                        | 50 ug  | 100 ug                                       |
| Mercury                               | 1.4 <sup>d,i,g</sup>      | 0.77 <sup>d,i,g</sup>         | $1.8^{d,i,g}$           | 0.94 <sup>d,i,g</sup>  | 0.05 ug  | 0.051 ug                                     |
| Methoxychlor                          |                           | 0.03                          |                         | 0.03                   | 100 ug <sup>1</sup>                                      |  |
| Methyl Bromide                        | (see Halome               | ethanes)                      |                         |                        | 48 ug  | 4,000 ug                                     |

| Methyl Chloride           | (see Halome                | thanes)             |                        |                   |   |                        |
|---------------------------|----------------------------|---------------------|------------------------|-------------------|---|------------------------|
| Methylene Chloride        | (see Halomethanes)         |                     |                        |                   | 4.7 ug <sup>c</sup>                     | 1,600 ug <sup>c</sup>  |
| 2 Methyl-4,6-             | (see Nitrophenols)         |                     |                        |                   | 13.4 ug                                 | 765 ug                 |
| Dinitrophenol             |                            |                     |                        |                   | 1011 08                                 | ,                      |
| 2-Methyl-4-chlorophenol   |                            |                     |                        |                   | 1,800 ug <sup>j</sup>                   | 1,800 ug <sup>j</sup>  |
| 3-Methyl-4-chlorophenol   | 30                         |                     |                        |                   | 3,000 ug <sup>j</sup>                   | 3,000 ug <sup>j</sup>  |
| 3-Methyl-6-chlorophenol   |                            |                     |                        |                   | 20 ug <sup>j</sup>                      | 20 ug <sup>j</sup>     |
| Mirex                     |                            | 0.001               |                        | 0.001             | 20 ug                                   | 20 ug                  |
| Naphthalene               | 2,300                      | 620                 | 2,350                  | 0.001             |   |                        |
| Nickel <sup>i</sup>       | 144.9 <sup>f,d</sup>       | 16.1 <sup>f,d</sup> | 74 <sup>d</sup>        | 8.2 <sup>d</sup>  | 610 ug                                  | 4,600 ug               |
| Nitrates                  |                            |                     |                        |                   | 10 mg                                   | Č Č                    |
| Nitrobenzene              | 27,000                     |                     | 6,680                  |                   | 17 ug                                   | <br>30 ug <sup>j</sup> |
|                           | 27,000<br>230 <sup>e</sup> | 150 <sup>e</sup>    | 4,850 <sup>e</sup>     |                   | (see individua                          |                        |
| Nitrophenols              |                            |                     | 4,830                  |                   |   |                        |
| Nitrophenol 2             | (see Nitroph               |                     |                        |                   |   |                        |
| Nitrophenol 4             | (see Nitroph               | lenois)             | 2 200 000 <sup>e</sup> |                   |   |                        |
| Nitrosamines              | 5,850 <sup>e</sup>         |                     | 3,300,000 <sup>e</sup> |                   | 0.8 ng                                  | 1.24 ug                |
| Nitrosodibutylamine N     | (see Nitrosa               | ,                   |                        |                   | 6.4 ng                                  | 587 ng                 |
| Nitrosodiethylamine N     | (see Nitrosa               | /                   |                        |                   | 0.8 ng                                  | 1,240 ng               |
| Nitrosodimethylamine N    | (see Nitrosa               | /                   |                        |                   | 0.69 ng <sup>c</sup>                    | 8.1 ug <sup>c</sup>    |
| Nitrosodi-n-propylamine   | (see Nitrosa               | mines)              |                        |                   | 0.005 ug <sup>c</sup>                   | 1.4 ug <sup>c</sup>    |
| N                         |                            |                     |                        |                   |   |                        |
| Nitrosodiphenylamine N    | (see Nitrosa               | /                   |                        |                   | 5.0 ug <sup>c</sup>                     | 16 ug <sup>c</sup>     |
| Nitrosopyrrolidine N      | (see Nitrosa               | mines)              |                        |                   | 16 ng                                   | 91,900 ng              |
| Parathion                 | 0.065                      | 0.013               |                        |                   |   |                        |
| PCB                       | 2.0 <sup>e</sup>           | 0.014 <sup>e</sup>  | 10.0 <sup>e</sup>      | 0.03 <sup>e</sup> | 0.17 ng <sup>c,n</sup>                  | 0.17 ng <sup>c,n</sup> |
| PCB-1242                  | (see PCB)                  |                     | (see PCB)              | (see PCB)         |   |                        |
| PCB-1254                  | (see PCB)                  |                     |                        |                   | (see PCB)                               | (see PCB)              |
| PCB-1221                  | (see PCB)                  |                     | (see PCB)              | (see PCB)         |   |                        |
| PCB-1248                  | (see PCB)                  |                     | (see PCB)              | (see PCB)         |   |                        |
| PCB-1260                  | (see PCB)                  |                     | (see PCB)              | (see PCB)         |   |                        |
| PCB-1016                  | (see PCB)                  |                     |                        |                   | (see PCB)                               | (see PCB)              |
| Pentachlorinated Ethanes  | 7,240                      | 1,100               | 390                    | 281               |   |                        |
| Pentachlorobenzene        | (see Chlorin               |                     | es)                    |                   | 3.5 ug                                  | 4.1 ug                 |
| Pentachlorophenol         | 5.28 <sup>h</sup>          | 4.05 <sup>h</sup>   | 13                     | 7.9               | 0.28ug <sup>c</sup>                     | 8.2ug <sup>c</sup>     |
| Phenanthrene              |                            |                     | tic Hydrocarb          |                   | 0.2048                                  | 0.248                  |
| Phenol                    | 10,200                     | 2,560               | 5,800                  |                   | 300 ug <sup>j</sup>                     | 300 ug <sup>j</sup>    |
| Phthalate Esters          | 940 <sup>e</sup>           | <u>2,300</u>        | 2,944 <sup>e</sup>     | 3.4 <sup>e</sup>  |   |                        |
| Polychlorinated           |                            | 5                   | 2,911                  | 5.1               |   |                        |
| Biphenyls                 | (see PCB's)                |                     |                        |                   |   |                        |
| Polynuclear Aromatic      |                            |                     |                        |                   |   |                        |
| Hydrocarbons              |                            |                     | 300 <sup>e</sup>       |                   | (see individua                          | l compounds)           |
| Pyrene                    | (see Polynu                | plear Aroma         | 960 ug                 | 11,000 ug         |   |                        |
| Selenium                  | (see I orynu               | 5                   | 290 <sup>d,i</sup>     | 71 <sup>d,i</sup> | 170 ug <sup>1</sup>                     | 11,000 ug              |
| Silver                    | $0.32^{f,i,g}$             |                     | 1.9 <sup>d,i,k</sup>   | / 1               | 105 ug <sup>p</sup>                     | 65 mg <sup>p</sup>     |
| Sulfide-Hydrogen Sulfide  |                            |                     |                        | 2.0               | Ŭ                                       |                        |
|                           | 2.0 2.0                    |                     |                        |                   |   |                        |
| Tetrachlorobenzene        | (see Chlorinated benzenes) |                     |                        |                   | 2.3 ug                                  | 2.9 ug                 |
| 1,2,4,5                   |                            |                     |                        |                   | e e                                     | ę                      |
| Tetrachloroethane 1,1,2,2 |                            | 2,400               | 9,020                  |                   | 0.17 ug <sup>c</sup>                    | 11 ug <sup>c</sup>     |
| ΣΤ ( 11 · 1               | (see Tetrach               | ioroethanes)        |                        |                   | ( · · · · · · · · · · · · · · · · · · · | 1 1 \                  |
| Tetrachloroethanes        | 9,320 <sup>e</sup>         |                     |                        |                   | (see individu                           | al compounds)          |

| Tetrachloroethylene       | 5,280               | 840                 | 10,200          | 450             | 0.80 ug <sup>c</sup>  | 8.85 ug <sup>c</sup>  |
|---------------------------|---------------------|---------------------|-----------------|-----------------|-----------------------|-----------------------|
| Tetrachlorophenol 2,3,5,6 |                     |                     | 440             |                 |                       |                       |
| Tetrachlorophenol 2,3,4,6 |                     |                     |                 |                 | 1.0 ug <sup>j</sup>   | 1.0 ug <sup>j</sup>   |
| Thallium                  | 1,400               | 40                  | 2,130           |                 | 1.7 ug                | 6.3 ug                |
| Toluene                   |                     |                     |                 |                 | $6.8 \text{ mg}^1$    | 200 mg                |
| Toxaphene                 | 0.73                | 0.0002              | 0.21            | 0.0002          | 0.73 ng <sup>c</sup>  | 0.75 ng <sup>c</sup>  |
| Tributyltin TBT           | 0.46                | 0.063               | 0.37            | 0.01            |                       |                       |
| Trichlorinated Ethanes    | $18,000^{e}$        |                     |                 |                 | (see individual       | compounds)            |
| Trichlorbenzene 1,2,4     | (see Chlorin        | ated benzend        | es)             |                 | 260 ug <sup>1</sup>   | 940 ug                |
| Trichloroethane 1,1,1     |                     |                     | 31,200          |                 | 1                     |                       |
| Trichloroethane 1,1,2     |                     | 9,400               |                 |                 | 0.60 ug <sup>c</sup>  | 42 ug <sup>c</sup>    |
| Trichloroethylene         | 45,000              | 21,900              | 2,000           |                 | 2.7 ug <sup>c</sup>   | 81 ug <sup>c</sup>    |
| Trichlorofluoromethane    | (see Halome         | (see Halomethanes)  |                 |                 | 10 mg                 | 860 mg                |
| Trichlorophenol 2,4,5     |                     |                     |                 |                 | 1.0 ug <sup>j</sup>   | 1.0 ug <sup>j</sup>   |
| Trichlorophenol 2,4,6     |                     | 970                 |                 |                 | 2.0 ug <sup>j</sup>   | 2.0 ug <sup>j</sup>   |
| Vinyl Chloride            |                     |                     |                 |                 | 2.0 ug <sup>c</sup>   | 525 ug <sup>c</sup>   |
| Zinc <sup>i</sup>         | 36.2 <sup>f,d</sup> | 36.5 <sup>f,d</sup> | 90 <sup>d</sup> | 81 <sup>d</sup> | 5,000 ug <sup>j</sup> | 5,000 ug <sup>j</sup> |

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.22 Notes For Table 1703.1. The following shall apply to Table 1703.1:

(a) The letter "a" shall indicate that the freshwater and saltwater aquatic life criteria for ammonia are shown in Env-Wq 1703.25 through Env-Wq 1703.31.

(b) The letter "b" shall indicate that the criteria refer to the inorganic form only.

(c) The letter "c" shall indicate that these criteria for the protection of human health are based on carcinogenicity. The human health criteria without this footnote are based on systemic toxicity.

(d) The letter "d" shall indicate that criteria for these metals are expressed as a function of the water effect ratio (WER) as defined in 40 CFR 131.36(c). The values displayed in Table 1703.1 correspond to a WER of 1.0. To determine metals criteria for different WER's, the procedures described in the EPA publication "Interim Guidance on Determination and Use of Water-Effect Ratios for Metals" (EPA-823-B-94-001) shall be used. For copper, the "Streamlined Water-Effect Ratio procedure for Discharges of Copper" (EPA-822-R-01-005) or the Biotic Ligand Model (freshwater only) (EPA-822-R-07-001) may also be used.

(e) The letter "e" shall indicate that the following classes of compounds have 2 or more isomers and the sum of the concentrations of each isomer shall meet the appropriate aquatic life criteria:

(1) BHC;

(2) Chlorinated benzenes;

- (3) Chlorinated naphthalenes;
- (4) Chloroalkyl ethers;
- (5) Dichlorobenzenes;
- (6) Dichloroethylenes;

- (7) Dichloropropanes;
- (8) Dichloropropenes;
- (9) Dinitrotoluenes;
- (10) Haloethers;
- (11) Halomethanes;
- (12) Nitrophenols;
- (13) Nitrosamines;
- (14) PCB;
- (15) Phthalate esters;
- (16) Polynuclear aromatic hydrocarbons;
- (17) Tetrachloroethanes; and
- (18) Trichlorinated ethanes.

(f) The letter "f" shall indicate that the freshwater aquatic criteria for these metals are expressed as a function of the total hardness, as mg/l CaCO<sub>3</sub> of the surface water. The values displayed in Table 1703.1 correspond to a total hardness of 25 mg/l. To calculate aquatic life criteria for other hardness values between 25 mg/l and 400mg/l, expressed as calcium carbonate, the equations shown in Env-Wq 1703.24 shall be used. For hardness less than 25 mg/l, a hardness of 25 mg/l shall be used in the equations. For hardness values greater than 400 mg/l, a hardness of 400 mg/l shall be used in the equations.

(g) The letter "g" shall indicate that, if the fresh or marine chronic criteria for total mercury exceeds 0.77 ug/l more than once in a 3-year period in the ambient water, the edible portion of aquatic species of concern shall be analyzed to determine whether the concentration of methyl mercury exceeds the FDA action level of 1.0 mg/kg.

(h) The letter "h" shall indicate that the freshwater aquatic life criteria for pentachlorophenol are expressed as a function of pH. Values displayed in Table 1703.1 correspond to a pH value of 6.5. For other pH values, the formulas shown in Env-Wq 1703.32 shall be used.

(i) The letter "i" shall indicate that the values presented for aquatic life protection are dissolved metals and were based on values shown in Table 1703.2. To calculate dissolved fresh water criteria for hardness dependent metals at hardness(s) greater than 25 mg/l, Table 1703.3 shall be used to calculate the total recoverable metal and Table 1703.2 shall be used to convert the total recoverable metal to a dissolved metal.

(j) The letter "j" shall indicate that these human health criteria prevent taste and odor effects in fish and other aquatic life as prohibited in Env-Wq 1703.03(c)(3).

(k) The letter "k" shall indicate that these criteria are based on EPA's 304(a) criteria in the 1980 documents listed below and were derived to be used as instantaneous maximum values, or to be applied after division by 2, to obtain a value comparable to an acute criterion derived using the 1985 Guidelines, when assessment is done using an averaging period:

(1) Aldrin/Dieldrin, document number 440/5-80-019;

- (2) Chlordane, document number 440/5-80-027;
- (3) DDT, document number 440/5-80-038;
- (4) Endosulfan, document number 440/5-80-046;
- (5) Endrin, document number 440/5-80-047;
- (6) Heptachlor, document number 440/5-80-052;
- (7) Hexachlorocyclohexane, document number 440/5-80-054; or
- (8) Silver, document number 440/5-80-071.

(1) The letter "1" shall indicate that a more stringent drinking water maximum contaminant level (MCL) has been issued by EPA and the department shall use the MCL if it is more limiting of the 2 criteria. The MCL for chromium is for total chromium (Cr+6 plus Cr+3).

(m) The letter "m" shall indicate that this criteria is expressed as micrograms of free cyanide per liter.

(n) The letter "n" shall indicate that this criteria applies to total PCBs or the sum of all of its congener or isomer analyses.

(o) The letter "o" shall indicate that the freshwater acute criteria for selenium shall be calculated using the values for the fraction  $f_1$  of selenite and  $f_2$  of selenate measured in the receiving water. To calculate the acute criteria, in ug/l, the number 1 shall be divided by the sum of the fractions  $f_1$  divided by 185.9 and  $f_2$  divided by 12.83, as follows:

Acute Criteria = 
$$\frac{1}{\frac{f_1}{185.9} + \frac{f_2}{12.83}}$$

(p) The letter "p" shall indicate that these human health criteria for silver shall be for the protection of humans from argyria.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### Env-Wq 1703.23 Conversion Factors For Metals.

(a) Dissolved metal shall be determined by multiplying total recoverable metal by the conversion factor listed in Table 1703.2 for that metal, shown in equation form as follows:

Dissolved Metal = Total Recoverable Metal x Conversion Factor

(b) Total recoverable metals shall be determined by dividing dissolved metals by the conversion factor listed. The conversion factors in Table 1703.2 shall also be used as translators to go from the dissolved metals criteria listed in Table 1703.1 to permit limits expressed as total recoverable metals by dividing dissolved metal by the conversion factor, shown in equation form as follows:

#### Total Recoverable Metal = Dissolved Metal / Conversion Factor

(c) If the hardness of the receiving water is different than 25 mg/l, then Table 1703.2 shall also be used to calculate the total recoverable metal for freshwater.

(d) Table 1703.2 shall be as follows:

|               |   | verable metals to Dissolved me          |       |
|---------------|---|---|-------|
|               | FRESH<br>Conversio                      | MARINE<br>Conversion Factors            |       |
|               | Acute                                   | Acute & Chronic                         |       |
| Arsenic       | 1.0                                     | 1.0                                     | 1.0   |
| Cadmium       | 1.136672 - [(Ln<br>Hardness)(0.041838)] | 1.101672 - [(Ln<br>Hardness)(0.041838)] | 0.994 |
| Chromium (+3) | 0.316                                   | 0.860                                   | -     |
| Chromium (+6) | 0.982                                   | 0.962                                   | 0.993 |
| Copper        | 0.960                                   | 0.960                                   | 0.83  |
| Lead          | 1.46203 - [(Ln<br>Hardness)(0.145712)]  | 1.46203 - [(Ln<br>Hardness)(0.145712)]  | 0.951 |
| Mercury       | 0.85                                    | 0.85                                    | 0.85  |
| Nickel        | 0.998                                   | 0.997                                   | 0.990 |
| Selenium      | -                                       | -                                       | 0.998 |
| Silver        | 0.85                                    | -                                       | 0.85  |
| Zinc          | 0.978                                   | 0.986                                   | 0.946 |

 TABLE 1703.2

 Factors to Convert Total Recoverable Metals to Dissolved Metals

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.24 Freshwater Aquatic Life Criteria For Metals.

(a) To calculate freshwater aquatic life criteria for total recoverable metals, the following equations shall be used in conjunction with the coefficients shown in Table 1703.3:

(1) To calculate the acute criteria, in ug/l, for the metals shown Table 1703.3, the exponent "e" shall be raised to the power "x" where "x" is equal to the parenthetical expression " $m_a$ " multiplied by the natural logarithm of the hardness and to which quotient the value " $b_a$ " shall be added, as follows:

Acute Criteria =  $e^x$  where x = (m<sub>a</sub> [ ln (hardness) ] + b<sub>a</sub> )

(2) To calculate the chronic criteria, in ug/l, for the metals shown in Table 1703.3, the exponent "e" shall be raised to the power "x" where "x" is equal to the parenthetical expression " $m_c$ " multiplied by the natural logarithm of the hardness and to which quotient the value " $b_c$ " shall be added, as follows:

Chronic Criteria =  $e^x$  where x = (m<sub>c</sub> [ ln (hardness) ] + b<sub>c</sub>

**TABLE 1703.3** 

|            | m <sub>a</sub> | b <sub>a</sub> | m <sub>c</sub> | b <sub>c</sub> |
|------------|----------------|----------------|----------------|----------------|
| Cadmium    | 1.0166         | -3.924         | 0.7409         | -4.719         |
| Copper     | 0.9422         | -1.700         | 0.8545         | -1.702         |
| Chromium+3 | 0.8190         | 3.7256         | 0.8190         | .6848          |
| Lead       | 1.273          | -1.460         | 1.273          | -4.705         |
| Nickel     | 0.8460         | 2.255          | 0.8460         | 0.0584         |
| Silver     | 1.72           | -6.59          |                |                |
| Zinc       | 0.8473         | 0.884          | 0.8473         | 0.884          |

Coefficients in Equations used to calculate Total Recoverable Aquatic Life Criteria for Metals

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### Env-Wq 1703.25 Freshwater Aquatic Life Criteria For Ammonia.

(a) Subject to (b) and (c) below, Table 1703.4A shall be used to calculate freshwater acute aquatic life criteria, in milligrams of nitrogen per liter, for ammonia.

(b) The acute water quality criteria for ammonia in Table 1703.4A where salmonids may be present was calculated by dividing 0.275 by the sum of one plus 10 raised to the power of 7.204 minus the pH, and adding the resulting value to the value found by dividing 39.0 by the sum of one plus 10 raised to the power of the pH minus 7.204, as shown in the following equation, which equation may also be used to calculate criteria at unlisted pH values:

Acute Criteria (Salmonids Present) = {  $[0.275/(1+10^{7.204-pH})] + [39.0/(1+10^{pH-7.204})]$ 

(c) The acute water quality criteria for ammonia in Table 1703.4A where salmonids are absent was calculated by dividing 0.411 by the sum of one plus 10 raised to the power of 7.204 minus the pH, and adding the resulting value to the value found by dividing 58.4 by the sum of one plus 10 raised to the power of the pH minus 7.204, as shown in the following equation, which equation may also be used to calculate criteria at unlisted pH values:

Acute Criteria (Salmonids Absent) = {  $[0.411/(1+10^{7.204-pH})] + [58.4/(1+10^{pH-7.204})]$ 

**TABLE 1703.4A** 

| Freshwater Acute Aquatic Life Criteria For Ammonia (milligrams N /liter |
|---|
|---|

| рН  | Acute Criteria<br>(Salmonids present) | Acute Criteria<br>(Salmonids absent) |
|-----|---------------------------------------|--------------------------------------|
| 6.5 | 32.6                                  | 48.8                                 |
| 6.6 | 31.3                                  | 46.8                                 |
| 6.7 | 29.8                                  | 44.6                                 |
| 6.8 | 28.1                                  | 42.0                                 |
| 6.9 | 26.2                                  | 39.1                                 |
| 7.0 | 24.1                                  | 36.1                                 |
| 7.1 | 22.0                                  | 32.8                                 |
| 7.2 | 19.7                                  | 29.5                                 |
| 7.3 | 17.5                                  | 26.2                                 |
| 7.4 | 15.4                                  | 23.0                                 |

| 7.5 | 13.3  | 19.9 |
|-----|-------|------|
| 7.6 | 11.4  | 17.0 |
| 7.7 | 9.65  | 14.4 |
| 7.8 | 8.11  | 12.1 |
| 7.9 | 6.77  | 10.1 |
| 8.0 | 5.62  | 8.40 |
| 8.1 | 4.64  | 6.95 |
| 8.2 | 3.83  | 5.72 |
| 8.3 | 3.15  | 4.71 |
| 8.4 | 2.59  | 3.88 |
| 8.5 | 2.14  | 3.20 |
| 8.6 | 1.77  | 2.65 |
| 8.7 | 1.47  | 2.20 |
| 8.8 | 1.23  | 1.84 |
| 8.9 | 1.04  | 1.56 |
| 9.0 | 0.885 | 1.32 |

(d) Subject to (e) through (h), below, Table 1703.4B and Table 1703.4C shall be used to calculate freshwater chronic aquatic life criteria, in milligrams of nitrogen per liter, for ammonia. The use of Table 1703.4C requires documentation acceptable to the department of the absence of fish early life stages.

(e) The chronic water quality criteria for ammonia in Table 1703.4B where early life stages of fish are present was calculated by adding the value found by dividing 0.0577 by the sum of one plus 10 raised to the power of 7.688 minus the pH to the value found by dividing 2.487 by one plus 10 raised to the power of pH minus 7.688, and multiplying the resulting value by the lesser of 2.85 or the value resulting from multiplying 1.45 by 10 raised to the power of 0.028 times 25 minus the temperature, as shown in the following equation, which may also be used to calculate criteria at unlisted pH and temperature values:

Chronic Criteria (Early life stages of fish Present):

Criteria =  $[0.0577 / (1+10^{7.688-\text{pH}}) + 2.487 / (1+10^{\text{pH-7.688}})] \times \text{MIN} [2.85, 1.45 \times 10^{0.028 \times (25-T)}]$ 

Where MIN indicates the lesser of the two values separated by a comma.

(f) The chronic water quality criteria for ammonia in Table 1703.4C where early life stages of fish are absent was calculated by adding the value found by dividing 0.0577 by the sum of one plus 10 raised to the power of 7.688 minus the pH to the value found by dividing 2.487 by one plus 10 raised to the power of pH minus 7.688, and multiplying the resulting value by the value resulting from multiplying 1.45 by 10 raised to the power of 0.028 times 25 minus the greater of temperature or 7, as shown in the following equation, which may also be used to calculate criteria at unlisted pH and temperature values:

Chronic Criteria (Early life stages of fish Absent):

Criteria =  $[0.0577 / (1+10^{7.688-\text{pH}}) + 2.487 / (1+10^{\text{pH-7.688}})] \times 1.45 \times 10^{0.028 \times (25-\text{MAX}(T, 7))}]$ 

Where MAX indicates the greater of the two values separated by a comma.

|     | Fre   | schwater ( | <sup>T</sup> hronic A | nuatic L ife | Criteria    | For Amm | onia, milli | grams N/I | iter  |       |
|-----|-------|------------|-----------------------|--------------|-------------|---------|-------------|-----------|-------|-------|
|     | I IC  |            |                       |              | Stages of I |         |             |           | Itel  |       |
|     |       |            |                       |              | emperature  |         |             |           |       |       |
| pН  | 0     | 14         | 16                    | 18           | 20          | 22      | 24          | 26        | 28    | 30    |
| 6.5 | 6.67  | 6.67       | 6.06                  | 5.33         | 4.68        | 4.12    | 3.62        | 3.18      | 2.80  | 2.46  |
| 6.6 | 6.57  | 6.57       | 5.97                  | 5.25         | 4.61        | 4.05    | 3.56        | 3.13      | 2.75  | 2.42  |
| 6.7 | 6.44  | 6.44       | 5.86                  | 5.15         | 4.52        | 3.98    | 3.50        | 3.07      | 2.70  | 2.37  |
| 6.8 | 6.29  | 6.29       | 5.72                  | 5.03         | 4.42        | 3.89    | 3.42        | 3.00      | 2.64  | 2.32  |
| 6.9 | 6.12  | 6.12       | 5.56                  | 4.89         | 4.30        | 3.78    | 3.32        | 2.92      | 2.57  | 2.25  |
| 7.0 | 5.91  | 5.91       | 5.37                  | 4.72         | 4.15        | 3.65    | 3.21        | 2.82      | 2.48  | 2.18  |
| 7.1 | 5.67  | 5.67       | 5.15                  | 4.53         | 3.98        | 3.50    | 3.08        | 2.70      | 2.38  | 2.09  |
| 7.2 | 5.39  | 5.39       | 4.90                  | 4.31         | 3.78        | 3.33    | 2.92        | 2.57      | 2.26  | 1.99  |
| 7.3 | 5.08  | 5.08       | 4.61                  | 4.06         | 3.57        | 3.13    | 2.76        | 2.42      | 2.13  | 1.87  |
| 7.4 | 4.73  | 4.73       | 4.30                  | 3.78         | 3.32        | 2.92    | 2.57        | 2.26      | 1.98  | 1.74  |
| 7.5 | 4.36  | 4.36       | 3.97                  | 3.49         | 3.06        | 2.69    | 2.37        | 2.08      | 1.83  | 1.61  |
| 7.6 | 3.98  | 3.98       | 3.61                  | 3.18         | 2.79        | 2.45    | 2.16        | 1.90      | 1.67  | 1.47  |
| 7.7 | 3.58  | 3.58       | 3.25                  | 2.86         | 2.51        | 2.21    | 1.94        | 1.71      | 1.50  | 1.32  |
| 7.8 | 3.18  | 3.18       | 2.89                  | 2.54         | 2.23        | 1.96    | 1.73        | 1.52      | 1.33  | 1.17  |
| 7.9 | 2.80  | 2.80       | 2.54                  | 2.24         | 1.96        | 1.73    | 1.52        | 1.33      | 1.17  | 1.03  |
| 8.0 | 2.43  | 2.43       | 2.21                  | 1.94         | 1.71        | 1.50    | 1.32        | 1.16      | 1.02  | 0.897 |
| 8.1 | 2.10  | 2.10       | 1.91                  | 1.68         | 1.47        | 1.29    | 1.14        | 1.00      | 0.879 | 0.773 |
| 8.2 | 1.79  | 1.79       | 1.63                  | 1.43         | 1.26        | 1.11    | 0.973       | 0.855     | 0.752 | 0.661 |
| 8.3 | 1.52  | 1.52       | 1.39                  | 1.22         | 1.07        | 0.941   | 0.827       | 0.727     | 0.639 | 0.562 |
| 8.4 | 1.29  | 1.29       | 1.17                  | 1.03         | 0.906       | 0.796   | 0.700       | 0.615     | 0.541 | 0.475 |
| 8.5 | 1.09  | 1.09       | 0.990                 | 0.870        | 0.765       | 0.672   | 0.591       | 0.520     | 0.457 | 0.401 |
| 8.6 | 0.920 | 0.920      | 0.836                 | 0.735        | 0.646       | 0.568   | 0.499       | 0.439     | 0.386 | 0.339 |
| 8.7 | 0.778 | 0.778      | 0.707                 | 0.622        | 0.547       | 0.480   | 0.422       | 0.371     | 0.326 | 0.287 |
| 8.8 | 0.661 | 0.661      | 0.601                 | 0.528        | 0.464       | 0.408   | 0.359       | 0.315     | 0.277 | 0.244 |
| 8.9 | 0.565 | 0.565      | 0.513                 | 0.451        | 0.397       | 0.349   | 0.306       | 0.269     | 0.237 | 0.208 |
| 9.0 | 0.486 | 0.486      | 0.442                 | 0.389        | 0.342       | 0.300   | 0.264       | 0.232     | 0.204 | 0.179 |

TABLE 1703.4B Freshwater Chronic Aquatic Life Criteria For Ammonia

### TABLE 1703.4C Freshwater Chronic Aquatic Life Criteria For Ammonia

|     | Freshwater Chronic Aquatic Life Criteria For Ammonia, milligrams N/liter<br>Early Life Stages of Fish Absent |      |      |      |      |      |      |      |      |      |  |  |  |
|-----|--|------|------|------|------|------|------|------|------|------|--|--|--|
|     | Temperature, Degrees C   |      |      |      |      |      |      |      |      |      |  |  |  |
| pН  | 0-7  | 8    | 9    | 10   | 11   | 12   | 13   | 14   | 15*  | 16*  |  |  |  |
| 6.5 | 10.8   | 10.1 | 9.51 | 8.92 | 8.36 | 7.84 | 7.35 | 6.89 | 6.46 | 6.06 |  |  |  |
| 6.6 | 10.7   | 9.99 | 9.37 | 8.79 | 8.24 | 7.72 | 7.24 | 6.79 | 6.36 | 5.97 |  |  |  |
| 6.7 | 10.5   | 9.81 | 9.20 | 8.62 | 8.08 | 7.58 | 7.11 | 6.66 | 6.25 | 5.86 |  |  |  |
| 6.8 | 10.2   | 9.58 | 8.98 | 8.42 | 7.90 | 7.40 | 6.94 | 6.51 | 6.10 | 5.72 |  |  |  |
| 6.9 | 9.93   | 9.31 | 8.73 | 8.19 | 7.68 | 7.20 | 6.75 | 6.33 | 5.93 | 5.56 |  |  |  |
| 7.0 | 9.60   | 9.00 | 8.43 | 7.91 | 7.41 | 6.95 | 6.52 | 6.11 | 5.73 | 5.37 |  |  |  |
| 7.1 | 9.20   | 8.63 | 8.09 | 7.58 | 7.11 | 6.67 | 6.25 | 5.86 | 5.49 | 5.15 |  |  |  |
| 7.2 | 8.75   | 8.20 | 7.69 | 7.21 | 6.76 | 6.34 | 5.94 | 5.57 | 5.22 | 4.90 |  |  |  |
| 7.3 | 8.24   | 7.73 | 7.25 | 6.79 | 6.37 | 5.97 | 5.60 | 5.25 | 4.92 | 4.61 |  |  |  |

| 7.4 | 7.69  | 7.21  | 6.76  | 6.33  | 5.94  | 5.57  | 5.22  | 4.89  | 4.59  | 4.30  |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 7.5 | 7.09  | 6.64  | 6.23  | 5.84  | 5.48  | 5.13  | 4.81  | 4.51  | 4.23  | 3.97  |
| 7.6 | 6.46  | 6.05  | 5.67  | 5.32  | 4.99  | 4.68  | 4.38  | 4.11  | 3.85  | 3.61  |
| 7.7 | 5.81  | 5.45  | 5.11  | 4.79  | 4.49  | 4.21  | 3.95  | 3.70  | 3.47  | 3.25  |
| 7.8 | 5.17  | 4.84  | 4.54  | 4.26  | 3.99  | 3.74  | 3.51  | 3.29  | 3.09  | 2.89  |
| 7.9 | 4.54  | 4.26  | 3.99  | 3.74  | 3.51  | 3.29  | 3.09  | 2.89  | 2.71  | 2.54  |
| 8.0 | 3.95  | 3.70  | 3.47  | 3.26  | 3.05  | 2.86  | 2.68  | 2.52  | 2.36  | 2.21  |
| 8.1 | 3.41  | 3.19  | 2.99  | 2.81  | 2.63  | 2.47  | 2.31  | 2.17  | 2.03  | 1.91  |
| 8.2 | 2.91  | 2.73  | 2.56  | 2.40  | 2.25  | 2.11  | 1.98  | 1.85  | 1.74  | 1.63  |
| 8.3 | 2.47  | 2.32  | 2.18  | 2.04  | 1.91  | 1.79  | 1.68  | 1.58  | 1.48  | 1.39  |
| 8.4 | 2.09  | 1.96  | 1.84  | 1.73  | 1.62  | 1.52  | 1.42  | 1.33  | 1.25  | 1.17  |
| 8.5 | 1.77  | 1.66  | 1.55  | 1.46  | 1.37  | 1.28  | 1.20  | 1.13  | 1.06  | 0.990 |
| 8.6 | 1.49  | 1.40  | 1.31  | 1.23  | 1.15  | 1.08  | 1.01  | 0.951 | 0.892 | 0.836 |
| 8.7 | 1.26  | 1.18  | 1.11  | 1.04  | 0.976 | 0.915 | 0.858 | 0.805 | 0.754 | 0.707 |
| 8.8 | 1.07  | 1.01  | 0.944 | 0.885 | 0.829 | 0.778 | 0.729 | 0.684 | 0.641 | 0.601 |
| 8.9 | 0.917 | 0.860 | 0.806 | 0.756 | 0.709 | 0.664 | 0.623 | 0.584 | 0.548 | 0.513 |
| 9.0 | 0.790 | 0.740 | 0.694 | 0.651 | 0.610 | 0.572 | 0.536 | 0.503 | 0.471 | 0.442 |

(g) The asterisk, \*, shall indicate that at 15 Degrees C and above, the criteria for early life stages of fish absent are the same as the criteria for early life stages of fish present.

(h) In addition to (e) and (f), above, the highest 4-day average within a 30-day period shall not exceed 2.5 times the chronic criteria.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.26 <u>Saltwater Acute Aquatic Life Criteria for Ammonia at a Salinity of 10 g/kg</u>. To calculate aquatic life acute saltwater criteria for ammonia, in mg of  $NH_3$  per liter, for a salinity of 10 g/kg, the values shown in Table 1703.5 shall be used.

| рН  |     | TEMPERATURE (°C) |     |     |     |     |      |      |  |  |  |  |
|-----|-----|------------------|-----|-----|-----|-----|------|------|--|--|--|--|
| hu  | 0   | 5                | 10  | 15  | 20  | 25  | 30   | 35   |  |  |  |  |
| 7.0 | 270 | 191              | 131 | 92  | 62  | 44  | 29   | 21   |  |  |  |  |
| 7.2 | 175 | 121              | 83  | 58  | 40  | 27  | 19   | 13   |  |  |  |  |
| 7.4 | 110 | 77               | 52  | 35  | 25  | 17  | 12   | 8.3  |  |  |  |  |
| 7.6 | 69  | 48               | 33  | 23  | 16  | 11  | 7.7  | 5.6  |  |  |  |  |
| 7.8 | 44  | 31               | 21  | 15  | 10  | 7.1 | 5.0  | 3.5  |  |  |  |  |
| 8.0 | 27  | 19               | 13  | 9.4 | 6.4 | 4.6 | 3.1  | 2.3  |  |  |  |  |
| 8.2 | 18  | 12               | 8.5 | 5.8 | 4.2 | 2.9 | 2.1  | 1.5  |  |  |  |  |
| 8.4 | 11  | 7.9              | 5.4 | 3.7 | 2.7 | 1.9 | 1.4  | 1.0  |  |  |  |  |
| 8.6 | 7.3 | 5.0              | 3.5 | 2.5 | 1.8 | 1.3 | 0.98 | 0.75 |  |  |  |  |

 TABLE 1703.5

 Acute Saltwater Aquatic Life Criteria (Salinity of 10 g/kg)

| 8.8 | 4.6 | 3.3 | 2.3 | 1.7 | 1.2  | 0.92 | 0.71 | 0.56 |
|-----|-----|-----|-----|-----|------|------|------|------|
| 9.0 | 2.9 | 2.1 | 1.5 | 1.1 | 0.85 | 0.67 | 0.52 | 0.44 |

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.27 <u>Saltwater Acute Aquatic Life Criteria for Ammonia at a Salinity of 20 g/kg</u>. To calculate aquatic life acute saltwater criteria for ammonia, in mg of  $NH_3$  per liter, for a salinity of 20 g/kg, the values shown in Table 1703.6 shall be used.

 TABLE 1703.6

 Acute Saltwater Aquatic Life Criteria (Salinity of 20 g/kg)

| "II |     |     |     | TEMPERA | TURE (°C) |      |      |      |
|-----|-----|-----|-----|---------|-----------|------|------|------|
| рН  | 0   | 5   | 10  | 15      | 20        | 25   | 30   | 35   |
| 7.0 | 291 | 200 | 137 | 96      | 64        | 44   | 31   | 21   |
| 7.2 | 183 | 125 | 87  | 60      | 42        | 29   | 20   | 14   |
| 7.4 | 116 | 79  | 54  | 37      | 27        | 18   | 12   | 8.7  |
| 7.6 | 73  | 50  | 35  | 23      | 17        | 11   | 7.9  | 5.6  |
| 7.8 | 46  | 31  | 23  | 15      | 11        | 7.5  | 5.2  | 3.5  |
| 8.0 | 29  | 20  | 14  | 9.8     | 6.7       | 4.8  | 3.3  | 2.3  |
| 8.2 | 19  | 13  | 8.9 | 6.2     | 4.4       | 3.1  | 2.1  | 1.6  |
| 8.4 | 12  | 8.1 | 5.6 | 4.0     | 2.9       | 2.0  | 1.5  | 1.1  |
| 8.6 | 7.5 | 5.2 | 3.7 | 2.7     | 1.9       | 1.4  | 1.0  | 0.77 |
| 8.8 | 4.8 | 3.3 | 2.5 | 1.7     | 1.3       | 0.94 | 0.73 | 0.56 |
| 9.0 | 3.1 | 2.3 | 1.6 | 1.2     | 0.87      | 0.69 | 0.54 | 0.44 |

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.28 <u>Saltwater Acute Aquatic Life Criteria for Ammonia at a Salinity of 30 g/kg</u>. To calculate aquatic life acute saltwater criteria for ammonia, in mg of  $NH_3$  per liter, for a salinity of 30 g/kg, the values shown in Table 1703.7 shall be used.

|     |      | TEMPERATURE (°C) |     |     |     |     |     |     |  |  |  |  |  |
|-----|------|------------------|-----|-----|-----|-----|-----|-----|--|--|--|--|--|
| pН  | 0    | 5                | 10  | 15  | 20  | 25  | 30  | 35  |  |  |  |  |  |
| 7.0 | 312  | 208              | 148 | 102 | 71  | 48  | 33  | 23  |  |  |  |  |  |
| 7.2 | 196  | 135              | 94  | 64  | 44  | 31  | 21  | 15  |  |  |  |  |  |
| 7.4 | 125  | 85               | 58  | 40  | 27  | 19  | 13  | 9.4 |  |  |  |  |  |
| 7.6 | 79   | 54               | 37  | 25  | 21  | 12  | 8.5 | 6.0 |  |  |  |  |  |
| 7.8 | 50   | 33               | 23  | 16  | 11  | 7.9 | 5.4 | 3.7 |  |  |  |  |  |
| 8.0 | 31   | 21               | 15  | 10  | 7.3 | 5.0 | 3.5 | 2.5 |  |  |  |  |  |
| 8.2 | 20   | 14               | 9.6 | 6.7 | 4.6 | 3.3 | 2.3 | 1.7 |  |  |  |  |  |
| 8.4 | 12.7 | 8.7              | 6.0 | 4.2 | 2.9 | 2.1 | 1.6 | 1.1 |  |  |  |  |  |

 TABLE 1703.7

 Acute Saltwater Aquatic Life Criteria (Salinity of 30 g/kg)

| 8.6 | 8.1 | 5.6 | 4.0 | 2.7 | 2.0  | 1.4  | 1.1  | 0.81 |
|-----|-----|-----|-----|-----|------|------|------|------|
| 8.8 | 5.2 | 3.5 | 2.5 | 1.8 | 1.3  | 1.0  | 0.75 | 0.58 |
| 9.0 | 3.3 | 2.3 | 1.7 | 1.2 | 0.94 | 0.71 | 0.56 | 0.46 |

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.29 <u>Saltwater Chronic Aquatic Life Criteria for Ammonia at a Salinity of 10 g/kg</u>. To calculate aquatic life chronic saltwater criteria, in mg of  $NH_3$  per liter, for ammonia, for a salinity of 10 g/kg, the values shown in Tables 1703.8 shall be used.

**TEMPERATURE (°C)** pН 0 5 10 15 20 25 30 35 29 7.0 41 20 14 9.4 6.6 4.4 3.1 26 8.7 5.9 2.0 7.2 18 12 4.1 2.8 7.4 17 12 7.8 5.3 3.7 2.6 1.2 1.8 7.6 10 7.2 5.0 3.4 2.4 1.7 1.2 0.84 7.8 4.7 2.2 1.5 0.53 6.6 3.1 1.1 0.75 2.9 4.1 2.0 1.40 0.97 0.69 0.34 8.0 0.47 8.2 2.7 1.8 1.3 0.87 0.62 0.44 0.31 0.23 0.56 0.29 8.4 1.7 1.2 0.81 0.41 0.21 0.16 8.6 1.1 0.75 0.53 0.37 0.27 0.20 0.15 0.11 0.69 0.50 0.34 0.25 0.18 0.14 0.08 8.8 0.11 9.0 0.44 0.31 0.23 0.17 0.13 0.10 0.08 0.07

TABLE 1703.8 Chronic Saltwater Aquatic Life Criteria (Salinity of 10 g/kg)

> Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.30 <u>Saltwater Chronic Aquatic Life Criteria for Ammonia at a Salinity of 20 g/kg</u>. To calculate aquatic life chronic saltwater criteria, in mg of NH<sub>3</sub> per liter, for ammonia, for a salinity of 20 g/kg, the values shown in Table 1703.9 shall be used.

| PH  | TEMPERATURE (°C) |     |     |     |     |      |      |      |
|-----|------------------|-----|-----|-----|-----|------|------|------|
| ГП  | 0                | 5   | 10  | 15  | 20  | 25   | 30   | 35   |
| 7.0 | 44               | 30  | 21  | 14  | 9.7 | 6.6  | 4.7  | 3.1  |
| 7.2 | 27               | 19  | 13  | 9.0 | 6.2 | 4.4  | 3.0  | 2.1  |
| 7.4 | 18               | 12  | 8.1 | 5.6 | 4.1 | 2.7  | 1.9  | 1.3  |
| 7.6 | 11               | 7.5 | 5.3 | 3.4 | 2.5 | 1.7  | 1.2  | 0.84 |
| 7.8 | 6.9              | 4.7 | 3.4 | 2.3 | 1.6 | 1.1  | 0.78 | 0.53 |
| 8.0 | 4.4              | 3.0 | 2.1 | 1.5 | 1.0 | 0.72 | 0.50 | 0.34 |
| 8.2 | 2.8              | 1.9 | 1.3 | .94 | .66 | .47  | .31  | .24  |
| 8.4 | 1.8              | 1.2 | .84 | .59 | .44 | .30  | .22  | .16  |

 TABLE 1703.9

 Chronic Saltwater Aquatic Life Criteria (Salinity of 20 g/kg)

| 8.6 | 1.1 | .78 | .56 | .41 | .28 | .20 | .15 | .12 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 8.8 | .72 | .50 | .37 | .26 | .19 | .14 | .11 | .08 |
| 9.0 | .47 | .34 | .24 | .18 | .13 | .10 | .08 | .07 |

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.31 <u>Saltwater Chronic Aquatic Life Criteria for Ammonia at a Salinity of 30g/kg</u>. To calculate aquatic life chronic saltwater criteria, in mg of  $NH_3$  per liter, for ammonia, for a salinity of 30 g/kg, the values shown in Table 1703.10 shall be used.

|     | TEMPERATURE (°C) |      |      |      |      |      |      |      |  |
|-----|------------------|------|------|------|------|------|------|------|--|
| рН  | 0                | 5    | 10   | 15   | 20   | 25   | 30   | 35   |  |
| 7.0 | 47               | 31   | 22   | 15   | 11   | 7.2  | 5.0  | 3.4  |  |
| 7.2 | 29               | 20   | 14   | 9.7  | 6.6  | 4.7  | 3.1  | 2.2  |  |
| 7.4 | 19               | 13   | 8.7  | 5.9  | 4.1  | 2.9  | 2.0  | 1.4  |  |
| 7.6 | 12               | 8.1  | 5.6  | 3.7  | 3.1  | 1.8  | 1.3  | 0.90 |  |
| 7.8 | 7.5              | 5.0  | 3.4  | 2.4  | 1.7  | 1.2  | 0.81 | 0.56 |  |
| 8.0 | 4.7              | 3.1  | 2.2  | 1.6  | 1.1  | 0.75 | 0.53 | 0.37 |  |
| 8.2 | 3.0              | 2.1  | 1.4  | 1.0  | 0.69 | 0.50 | 0.34 | 0.25 |  |
| 8.4 | 1.9              | 1.3  | 0.90 | 0.62 | 0.44 | 0.31 | 0.23 | 0.17 |  |
| 8.6 | 1.2              | 0.84 | 0.59 | 0.41 | 0.30 | 0.22 | 0.16 | 0.12 |  |
| 8.8 | 0.78             | 0.53 | 0.37 | 0.27 | 0.20 | 0.15 | 0.11 | 0.09 |  |
| 9.0 | 0.50             | 0.34 | 0.26 | 0.19 | 0.14 | 0.11 | 0.08 | 0.07 |  |

TABLE 1703.10 Chronic Saltwater Aquatic Life Criteria (Salinity of 30 g/kg)

> Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1703.32 Aquatic Life Criteria for Pentachlorophenol.

(a) To calculate the freshwater aquatic life acute criteria, in ug/l, for pentachlorophenol, the exponent "e" shall be raised to the power "x" where "x" is equal to the parenthetical expression 1.005 multiplied by the pH and to which quotient the value of 4.869 shall be subtracted, as follows:

Acute Criteria = 
$$e^x$$
 where  
x = [1.005 (pH) - 4.869]

(b) To calculate the freshwater aquatic life chronic criteria, in ug/l, for pentachlorophenol, the exponent "e" shall be raised to the power "x" where "x" is equal to the parenthetical expression 1.005 multiplied by the pH and to which quotient the value of 5.134 shall be subtracted, as follows:

Chronic Criteria =  $e^x$  where x = [1.005 (pH) - 5.134]

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### PART Env-Wq 1704 ALTERNATIVE SITE SPECIFIC CRITERIA

Env-Wq 1704.01 <u>Purpose</u>. The purpose of this part is to develop a procedure for determining alternative site specific criteria in the following cases:

- (a) For toxic substances not listed in Env-Wq 1703.21 through Env-Wq 1703.32;
- (b) Where site specific information is available which substantiates the use of different criteria; or
- (c) Where new information, not considered in the development of the criteria, is available.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### Env-Wq 1704.02 Procedures.

(a) The procedure for determining alternative site specific criteria for the protection of human health shall be in accordance with EPA's draft "Guidance on Assessment and Control of Bioconcentratable Contaminants in Surface Waters" dated March 1991, and EPA's "Methodology for Deriving Ambient Water Quality Criteria for the Protection of Human Health," EPA 822-B-00-004, dated October 2000.

(b) The procedure for determining alternative site specific criteria for protection of aquatic life shall be as published in EPA's "Interim Guidance on Determination and Use of Water-Effect Ratios for Metals" (EPA-823-B-94-001). For copper, the "Streamlined Water-Effect Ratio procedure for Discharges of Copper", EPA-822-R-01-005, or the Biotic Ligand Model (freshwater only), EPA-822-R-07-001, may also be used.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1704.03 <u>Modifications</u>. If, based on the scientifically valid documentation presented by the applicant, the department determines that the proposed site specific criteria will protect the existing and designated uses of the waterbody, then the values obtained by those procedures for the protection of human health or aquatic life shall be formally incorporated into the state's water quality standards in subsequent amendments to these rules.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### PART Env-Wq 1705 FLOW STANDARDS

Env-Wq 1705.01 <u>Assimilative Capacity</u>. Except for combined sewer overflows where 99 percent of the assimilative capacity shall be used to determine compliance, not less than 10 percent of the assimilative capacity of the surface water shall be held in reserve to provide for future needs.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1705.02 Low Flow Conditions.

(a) The flow used to calculate permit limits shall be as specified in (b) through (d), below.

(b) For rivers and streams, the long-term harmonic mean flow, which is the number of daily flow measurements divided by the sum of the reciprocals of the daily flows, shall be used to develop permit limits for all human health criteria for carcinogens.

(c) For tidal waters, the low flow condition shall be equivalent to the conditions that result in a dilution that is exceeded 99% of the time.

(d) For rivers and streams, the 7Q10 flow shall be used to apply aquatic life criteria and human health criteria for non-carcinogens.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

### PART Env-Wq 1706 SAMPLING AND ANALYSIS

Env-Wq 1706.01 <u>Procedure</u>. All procedures used for the purpose of collecting, preserving and analyzing samples shall be in conformance with 40 CFR Part 136 for wastewater and 40 CFR Part 141 for drinking water unless alternative procedures are specified in the surface water discharge permit.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

### PART Env-Wq 1707 MIXING ZONES

Env-Wq 1707.01 Designation.

(a) Mixing zones shall be prohibited in Class A waters.

(b) For Class B waters, the department shall designate a limited area or volume of the surface water as a mixing zone if the applicant provides sufficient scientifically valid documentation to allow the department to independently determine that all criteria in Env-Wq 1707.02 have been met.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1707.02 <u>Minimum Criteria</u>. Mixing zones shall be subject to site specific criteria that, as a minimum:

- (a) Meet the criteria in Env-Wq 1703.03(c)(1);
- (b) Do not interfere with biological communities or populations of indigenous species;
- (c) Do not result in the accumulation of pollutants in the sediments or biota;
- (d) Allow a zone of passage for swimming and drifting organisms;
- (e) Do not interfere with existing and designated uses of the surface water;

(f) Do not impinge upon spawning grounds and/or nursery areas of any indigenous aquatic species;

(g) Do not result in the mortality of any plants, animals, humans, or aquatic life within the mixing zone;

(h) Do not exceed the chronic toxicity value of 1.0 TUc at the mixing zone boundary; and

(i) Do not result in an overlap with another mixing zone.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1707.03 <u>Technical Standards</u>. Mixing zones shall be established in accordance with the procedures delineated in the "Technical Support Document for Water Quality-based Toxics Control" EPA/505/2-90-001, dated March 1991.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### PART Env-Wq 1708 ANTIDEGRADATION

Env-Wq 1708.01 <u>Purpose</u>. The purpose of these antidegradation provisions is to ensure that the following provisions of 40 CFR 131.12 are met:

(a) Existing uses and the level of water quality necessary to protect the existing uses shall be maintained and protected;

(b) For significant changes in water quality, where the quality of the surface waters exceeds levels necessary to support propagation of fish, shellfish, and wildlife, and recreation in and on the water, that quality shall be maintained and protected unless the department finds, after full satisfaction of the intergovernmental coordination and public participation provisions that, in accordance with Env-Wq 1708.10, allowing lower water quality is necessary to accommodate important economic or social development in the area in which the surface waters are located. In allowing such degradation or lower water quality, the department shall assure water quality adequate to fully protect existing uses. Further, the department shall assure that the highest statutory and regulatory requirements shall be achieved for all new and existing point

sources and that all cost effective and reasonable best management practices for nonpoint source control shall be implemented;

(c) For insignificant changes in water quality, where the quality of the surface waters exceeds levels necessary to support propagation of fish, shellfish, and wildlife, and recreation in and on the water, that quality shall be maintained and protected. In allowing such degradation or lower water quality, the department shall assure water quality adequate to protect existing uses fully. Further, the department shall assure that the highest statutory and regulatory requirements shall be achieved for all new and existing point sources and that all cost effective and reasonable best management practices for nonpoint source control shall be implemented;

(d) Where high quality surface waters constitute an outstanding resource waters (ORW), that water quality shall be maintained and protected; and

(e) In those cases where a potential water quality impairment is associated with a thermal discharge, the antidegradation provisions shall ensure that the requirements of section 316 of the Clean Water Act are met.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1708.02 Applicability. Antidegradation shall apply to:

(a) Any proposed new or increased activity, including point source and nonpoint source discharges of pollutants, that would lower water quality or affect the existing or designated uses;

(b) Any proposed increase in loadings to a waterbody when the proposal is associated with existing activities;

- (c) Any increase in flow alteration over an existing alteration; and
- (d) Any hydrologic modifications, such as dam construction and water withdrawals.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1708.03 Submittal of Data. The applicant shall provide all information necessary to:

(a) Identify all existing uses, including:

(1) Freshwater, estuarine, and marine aquatic life present in the affected surface waters;

(2) Other wildlife that use or are dependent on the affected surface waters;

(3) Presence of water quality and physical habitat that support, or would support, aquatic life or other animal or plant life;

(4) Presence of indigenous species and communities;

(5) Presence of a specialized use of the waterbody, such as a spawning area or as a habitat for a federally or state listed threatened or endangered species;

(6) Use of the surface waters for recreation in or on the water, such as fishing, swimming, and boating, or use of the surface waters for commercial activity; and

(7) Whether or not current conditions or uses of the surface waters conflict with achieving and maintaining goal uses of the CWA at Section 101(a)(2) and the primary CWA objective to restore and maintain the chemical, physical, and biological integrity of the nation's surface waters;

(b) Determine the level of water quality necessary to maintain and protect those uses;

(c) Evaluate the potential impacts on existing uses due to the proposed discharge or activity by itself, and in combination with other discharges or activities presently occurring;

(d) Ensure that existing uses and the level of water quality necessary to protect those uses shall be maintained and protected.

(e) Evaluate the magnitude, duration, and upstream and downstream extent of any lowering of high quality water due to the proposed discharge or activity by itself, and in combination with other discharges or activities presently occurring;

(f) Evaluate other factors as necessary to determine whether the proposed activity would cause significant or insignificant degradation, in accordance with Env-Wq 1708.09;

(g) If the discharge or activity is determined by the department to be significant, in accordance with Env-Wq 1708.08 and Env-Wq 1708.09, determine if a proposed lowering of water quality is necessary to achieve important economic or social development in accordance with Env-Wq 1708.10; and

(h) Ensure that all water quality criteria applicable to the waterbody in question shall not be violated.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1708.04 Protection of Existing Uses.

(a) This section shall apply to all surface waters.

(b) A proposed discharge or activity shall not eliminate any existing uses or the water quality needed to maintain and protect those uses.

(c) Using the information provided at Env-Wq 1708.03, the department shall determine the existing uses for the waters in question.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### Env-Wq 1708.05 Protection of Water Quality in ORW.

(a) Surface waters of national forests and surface waters designated as natural under RSA 483:7-a, I, shall be considered outstanding resource waters (ORW).

(b) Water quality shall be maintained and protected in surface waters that constitute ORW, except that some limited point and nonpoint source discharges may be allowed providing that they are of limited activity

which results in no more than temporary and short-term changes in water quality. "Temporary and short term" means that degradation is limited to the shortest possible time. Such activities shall not permanently degrade water quality or result at any time in water quality lower than that necessary to protect the existing and designated uses in the ORW. Such temporary and short term degradation shall only be allowed after all practical means of minimizing such degradation are implemented.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### Env-Wq 1708.06 Protection of Class A Waters.

(a) In accordance with RSA 485-A:8, I, discharges of sewage or waste to Class A waters shall be prohibited.

(b) Proposed new or increased activities that the department determines do not involve the discharge of sewage or waste shall be reviewed in accordance with Env-Wq 1708.01 through Env-Wq 1708.12.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

#### Env-Wq 1708.07 Protection of Water Quality in High Quality Waters.

(a) Subject to (b), below, high quality waters shall be maintained and protected, except that insignificant changes in water quality, as determined by the department in accordance with Env-Wq 1708.09, shall be allowed.

(b) Degradation of significant increments of water quality, as determined in accordance with Env-Wq 1708.09, in high quality waters shall be allowed only if it can be demonstrated to the department, in accordance with Env-Wq 1708.10, that allowing the water quality degradation is necessary to accommodate important economic or social development in the area in which the receiving waters are located.

(c) Economic/social benefits demonstration and alternatives analysis shall not be required for authorization of an insignificant lowering of water quality. However, in allowing a lowering of water quality, significant or insignificant, all reasonable measures to minimize degradation shall be used.

(d) If the waterbody is Class A Water, the requirements of Env-Wq 1708.06 shall also apply.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

### Env-Wq 1708.08 Assessing Waterbodies.

(a) The applicant shall characterize the existing water quality and determine if there is remaining assimilative capacity for each parameter in question.

(b) Existing water quality shall be calculated in accordance with Env-Wq 1705.02. Existing water quality shall be established based on point sources discharging at their allowed loadings and the highest loadings anticipated from nonpoint sources.

(c) Where flow alteration is involved, establishment of existing conditions shall be based on the existing maximum allowed water withdrawals or impoundment, diversion, or fluctuation of stream flow, as appropriate.

(d) Remaining assimilative capacity shall be evaluated by comparing existing water quality, as specified in (b) and (c), above, to the state's water quality criteria.

(e) If the type and frequency of the proposed discharge or activity causes the waterbody to be impacted at flows other than those listed in Env-Wq 1705.02, the department shall require the applicant to evaluate the impact of the proposed discharge at those other flows.

(f) Subject to (h), below, if the department determines, based on the information submitted, that there is no remaining assimilative capacity, no further degradation with regard to that parameter shall be allowed.

(g) Subject to (h), below, if the department determines, based on the information submitted, that there is some remaining assimilative capacity, then the department shall proceed in accord with Env-Wq 1708.09.

(h) The above determinations shall take into account Env-Wq 1705.01 which requires the department to reserve no less than 10% of a surface water's assimilative capacity.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

### Env-Wq 1708.09 Significant or Insignificant Determination.

(a) Any discharge or activity that is projected to use 20% or more of the remaining assimilative capacity for a water quality parameter, in terms of either concentration or mass of pollutants, or volume or flow rate for water quantity, shall be considered a significant lowering of water quality. The department shall not approve such a discharge or activity unless the applicant demonstrates that the proposed lowering of water quality is necessary to achieve important economic or social development, in accordance with Env-Wq 1708.10, in the area where the waterbody is located.

(b) Subject to (d), below, those activities that cause an insignificant lowering of water quality shall not be required to demonstrate that they are necessary to provide important economic or social development.

(c) Activities under (b), above shall include, but not be limited to:

(1) Short term or intermittent discharges such as hydrostatic testing of pipelines, fire pump test water, and uncontaminated stormwater discharges or site clean-up activities;

(2) Permanent discharges such as uncontaminated noncontact or uncontaminated geothermal cooling water, uncontaminated groundwater seepage, or unchlorinated or dechlorinated swimming pool water;

(3) Facilities whose nonpoint source runoff is controlled through the use of best management practices; and

(4) Any discharge or activity that is projected to use less than 20% of the remaining assimilative capacity for a water quality parameter, in terms of either concentration or mass for pollutants.

(d) If the department determines that, because of the following factors, the effect of a discharge results in a greater impact to the water quality than that normally found in insignificant discharges, it shall determine that the proposed activity or discharge is significant, regardless of the proposed consumption of the remaining

assimilative capacity, and require the applicant to demonstrate, in accordance with Env-Wq 1708.10, that a lowering of water quality is necessary to achieve an important economic or social development:

(1) The magnitude, duration, and spatial extent of the proposed change in water quality;

(2) The cumulative lowering of water quality over time resulting from the proposed activity in combination with previously approved activities;

(3) The possible additive or synergistic effects of the activity in combination with existing activities;

(4) The magnitude of the mass load independent of the total assimilative capacity or change in receiving water pollutant concentration;

(5) The toxic or bioaccumulative characteristics of the pollutant(s) in question;

(6) The potential to stress sensitive biological resources such as indigenous species, rare species, and threatened or endangered species and their habitat;

(7) The potential to stress sensitive recreational uses or water supply uses; or

(8) The quality and value of the resource.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1708.10 Alternatives Analysis; Determination of Net Economic or Social Benefits.

(a) For purposes of this section, the following definitions shall apply:

(1) "Activity" means any of the activities listed in Env-Wq 1708.02 as being subject to this part, including all associated construction;

(2) "Area in which the water body is located" means the directly affected municipality(ies) and, if necessary to quantify the net social and economic benefits of the activity, one or more of the municipalities that abut the directly affected municipality(ies), as determined by the applicant in consultation with the department;

(3) "Directly affected municipality(ies)" means the municipality or municipalities in which the water body that will be impacted by the activity is located; and

(4) "High value resource" means a natural or developed resource that is of particular value to the nation, region, state, or area in which the water body is located, including but not limited to stateor federally-listed threatened or endangered species, state or federal parks, public freshwater or saltwater beaches, and lands that are subject to conservation easements.

(b) For any activity that is determined to result in a significant impact to the existing water quality pursuant to Env-Wq 1708.09, the applicant shall provide documentation in accordance with (c) through (f), below, to demonstrate that:

(1) Lowering the water quality is necessary to accommodate the activity;

(2) The activity will provide net economic or social benefits in the area in which the water body is located; and

(3) The net social and economic benefits of constructing and operating or otherwise engaging in the activity outweigh the environmental impact that could be caused by the lower water quality.

(c) To determine whether the criteria specified in (b)(1)-(3), above, have been met, the applicant shall complete an alternatives analysis as described in (d), below, and submit the analysis and a request for approval of the preferred alternative to the department together with technically and scientifically valid supporting information.

(d) The alternatives analysis required by (c), above, shall describe the net social and economic benefits, as described in (e), below, and the water quality impacts, as described in (f), below, of constructing and operating or otherwise engaging in the activity and all practicable alternatives, including but not limited to the following:

(1) Alternative methods of production or operation;

(2) Improved process controls;

(3) Water conservation practices;

(4) Wastewater minimization technologies;

(5) Non-discharging alternatives;

(6) Improved wastewater treatment facility operation;

(7) Alternative methods of treatment, including advanced treatment beyond applicable technology requirements of the Clean Water Act;

(8) Alternative sites, and associated water quality impacts at those sites; and

(9) For activities that involve alteration of terrain, alternative site design that incorporates low impact development elements, including but not limited to creating less impermeable area or infiltrating or reusing stormwater.

(e) To determine if the activity will provide net social and economic benefits in the area in which the water body is located, the applicant shall submit information on, and the department shall evaluate, each of the following:

(1) Whether the activity is consistent with municipal and regional master plans and economic development strategies; and

(2) An explanation of the effect that constructing and operating or otherwise engaging in the activity will have, or an explanation of why there will be no effect, on the following factors:

a. Public and social services;

b. Public health and safety;

c. Employment;

d. Tourism and recreation; and

e. Other social or economic factors that are specific to the area in which the water body is located.

(f) To determine the environmental impacts of lower water quality, the applicant shall submit information on, and the department shall evaluate, each of the following:

(1) Relative to designated uses, the sensitivity of existing and designated uses to the effects of constructing and operating or otherwise engaging in of the activity;

(2) Relative to pollutants, whether any pollutants are expected to be discharged as a result of constructing and operating or otherwise engaging in the activity and, if so, the nature of the pollutants and the anticipated fate and transport of the pollutants in the water body;

(3) Relative to water quality, whether water quality is expected to change as a result of constructing and operating or otherwise engaging in activity, and if so, the estimated degree of change in water quality;

(4) Relative to high value resources, whether any high value resources are present that would be affected by constructing and operating or otherwise engaging in the activity, and if so, the degree to which such resources are expected to be affected;

(5) Relative to flow characteristics or hydrologic modifications, whether any alterations to existing flows or other hydrologic modifications are expected as a result of constructing and operating or otherwise engaging in the proposed activity, and if so, the impacts of such alterations or modifications;

(6) Relative to water treatment technology, whether the activity incorporates any such technology other than passive stormwater treatment best management practices and, if so, the reliability of the treatment technology proposed, and the risk management plan for non-standard situations such as accidents, upsets, or failures; and

(7) Relative to any other factors that are specific to the affected water body or the area in which the water body is located, a description of the factor and an explanation of the effect of constructing and operating or otherwise engaging in the proposed activity on that factor.

(g) After reviewing the information submitted pursuant to (c) through (f), above, the department shall make a preliminary determination to:

(1) Approve the request, if it determines that the criteria specified in (b)(1)-(3), above, have been met; or

(2) Deny the request, if it determines that the criteria specified in (b)(1)-(3), above, have not been met.

(h) If the department's preliminary determination is to approve the applicant's request, the department shall provide the opportunity for public comment on its preliminary decision in accordance with Env-Wq 1708.11.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700); ss by #9984, eff 8-23-11

Env-Wq 1708.11 Public Participation and Intergovernmental Coordination.

(a) The department shall provide the opportunity for public comment on preliminary decisions to allow any lowering of water quality.

(b) The department shall issue a written notice to the public, the municipality in which the activity is located or proposed to be located and all potentially affected municipalities. The notice shall invite written comments to be submitted to the department and shall provide an opportunity to request a public hearing. For activities related to state surface water discharge permits, this public notice shall be a part of the normal public participation procedures associated with the issuance of the permit.

(c) The notice shall be published in a newspaper of general circulation in the municipality where the proposed activity will occur and shall include the following information:

(1) A description of the proposed activity;

(2) A description of the surface waters involved and their use classification;

(3) A statement of the department's antidegradation provisions;

(4) A determination that existing uses and necessary water quality will be maintained and protected;

(5) A summary of the expected impacts on high quality waters;

(6) A determination that where a lowering of water quality is allowed, all applicable water quality criteria shall be met, designated uses protected, and any higher water quality achievable by the most stringent applicable technology-based requirements shall be maintained;

(7) A discussion of any other information that is relevant to how the activity complies or does not comply with these provisions;

(8) The summary of the important economic or social development, if applicable;

(9) A summary of the alternatives analysis and a finding that the lowering of water quality is necessary; and

(10) The name, address, and telephone number of the person in the department where all written comments or requests for public hearing can be sent.

(d) To fulfill intergovernmental coordination, the department shall submit a copy of the public notice to the following agencies and request comments:

- (1) NH department of resources and economic development;
- (2) NH department of health and human services;
- (3) NH fish and game department;
- (4) NH office of energy and planning;
- (5) US EPA Region I;
- (6) US Army Corps of Engineers;
- (7) US Fish and Wildlife Service;
- (8) National Marine Fisheries Service;
- (9) Local river advisory committees, if applicable;
- (10) National Park Service; and
- (11) Natural Resources Conservation Service.

(e) The department shall respond to all comments received as a result of public participation and intergovernmental coordination. If a request to hold a public hearing is received, the department shall hold a public hearing in accordance with the provisions of Env-C 200 that apply to non-adjudicative proceedings.

(f) Following this public participation process, the department shall, based on any further information submitted during the public hearing, make a final decision to allow or deny the proposed impact on water quality. If the application is denied, the applicant may revise the submittal to decrease or eliminate the projected impact to high quality waters and resubmit the application for consideration under the full review process.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

Env-Wq 1708.12 Transfer of Water.

(a) In this section, "transfer" means the intentional conveyance of water from one surface water to another surface water for the purpose of increasing the volume of water available for withdrawal from the receiving surface water. The term does not include the transfer of stormwater, for the purpose of managing stormwater during construction, between basins created or otherwise lawfully used for stormwater detention or treatment, or both, and does not include the discharge of stormwater from a detention or treatment basin to a surface water.

(b) A transfer shall be exempt from (c) and (d), below, unless one or more of the following apply:

(1) The transfer was not in active operation prior to the effective date of the 2011 readoption of this section, as determined pursuant to (f) through (i), below;

(2) The transfer is causing or contributing to a violation of surface water quality standards in the source water or receiving water; or

(3) A change that could impact any designated use of the source water or receiving water is made to the transfer on or after the effective date of the 2011 readoption of this section such that a water quality certification is required under RSA 485-A:12, III or IV.

(c) The transfer of water from one surface water to another shall not be allowed unless all of the following conditions are met:

(1) The transferred water does not contain exotic aquatic species or other species of aquatic life that could result in a violation of Env-Wq 1703.19, relative to the integrity of the biological and aquatic community, in the receiving water;

(2) Existing and designated uses will be maintained and supported in the source water and in the receiving water;

(3) The withdrawal from the source water and transfer to the receiving water either:

a. Will not result in any degradation of water quality; or

b. Have both been reviewed under the process specified in Env-Wq 1708.10 and determined by the department to meet the criteria specified for approval in Env-Wq 1708.10(b)(1)-(3); and

(4) A water conservation plan that meets the water conservation requirements set forth in Env-Wq 2101 has been approved by the department and is being complied with.

(d) Transferred water may be treated to comply with the requirements of this section.

(e) If a transfer is exempt under (b), above, or if all of the conditions specified in (c), above, are met, the transfer of water shall not constitute a discharge under RSA 485-A:8, I, or RSA 485-A:13, I(a).

(f) A transfer shall be deemed to have been in active operation prior to the effective date of the 2011 readoption of this section if all of the following are true:

(1) The infrastructure necessary for the transfer is in place and in usable condition;

(2) Water has been transferred for at least one day in each of at least 3 years from 2000 through 2011; and

(3) At the time of its original initiation, the transfer complied with applicable legal requirements.

(g) If a transfer does not meet the conditions specified in (f), above, the person responsible for the transfer may request the department to make a determination that the transfer was in active operation by submitting the following information in writing:

(1) The reason(s) why the infrastructure necessary for the transfer is not in place or is not in usable condition, if applicable;

(2) The total time span, in years, over which the transfer has occurred from the first known transfer to the present;

(3) The most recent year during which the transfer occurred; and

(4) Why, based on the information provided in (1)-(3), above, it would be a fair and just result for the department to determine that the transfer qualifies as a transfer that was in active operation prior to the effective date of the 2011 readoption of this section.

(h) If the department determines, based on information provided pursuant to (g), above, that it would be fair and just to determine that the transfer qualifies as a transfer that was in active operation prior to the effective date of the 2011 readoption of this section, then the department shall make that determination.

(i) The department shall notify the person who requested a determination pursuant to (g), above, in writing of its decision.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700); ss by #9984, eff 8-23-11

### PART Env-Wq 1709 REMOVAL OF DESIGNATED USES

Env-Wq 1709.01 Requirements.

(a) Before requesting that the state legislature remove a designated use, the department shall conduct a use attainability analysis in accord with 40 CFR Part 131.

(b) Based on the information provided in (a), above, the department may propose to the state legislature, after public notice and comment, that a designated use which is not an existing use be removed or that subcategories of a use be established when attaining the designated use is not feasible because:

(1) Naturally occurring substance concentrations prevent the attainment of the use;

(2) Natural, ephemeral, intermittent or low flow conditions or water levels prevent the attainment of the use, unless these conditions can be compensated by the discharge of sufficient volume of effluent discharges without violating state water conservation requirements to enable uses to be met;

(3) Human-caused conditions or sources of pollution prevent the attainment of the use and cannot be remedied or would cause more environmental damage to correct than to leave in place;

(4) Dams, diversions or other types of hydrologic modifications preclude the attainment of the use, and it is not feasible to restore the water body to its original condition or to operate such modification in a way that would result in the attainment of the use;

(5) Physical conditions related to the natural features of the water body, such as the lack of a proper substrate, cover, flow, depth, pools, riffles, unrelated to water quality, preclude attainment of aquatic life protection uses; or

(6) Controls more stringent than those required by sections 301(b) and 306 of the Clean Water Act would result in substantial and widespread negative economic and social impact, as determined using the provisions delineated in "Interim Economic Guidance for Water Quality Standards", EPA-823-B-95-002, dated March, 1995.

Source. (See Revision Note #1 at chapter heading for Env-Wq 1700) #7151, eff 12-10-99; ss by #9034, INTERIM, eff 12-10-07; ss by #9162, eff 5-21-08 (See Revision Note #2 at chapter heading for Env-Wq 1700)

| Rule Section(s) | State Statute or Federal Statute or Regulation Implemented               |
|-----------------|--|
|                 |  |
| Env-Wq 1701     | RSA 485-A:6, I; RSA 485-A:8, VI; Clean Water Act, 33 U.S.C. 1251 et seq  |
| Env-Wq 1702     | RSA 485-A:6, I; RSA 485-A:8, VI; Clean Water Act, 33 U.S.C. 1251 et seq  |
| Env-Wq 1703     | RSA 485-A:6, I; RSA 485-A:8, I, II and III; RSA 485-A:8, VI; Clean Water |
|                 | Act, 33 U.S.C. 1251 et seq   |
| Env-Wq 1704     | RSA 485-A:6, I; RSA 485-A:8, VI; Clean Water Act, 33 U.S.C. 1251 et seq  |
| Env-Wq 1705     | RSA 485-A:6, I; RSA 485-A:6, VII; RSA 485-A:8, VI; RSA 485-A:13, I(a);   |
|                 | Clean Water Act, 33 U.S.C. 1251 et seq                                   |
| Env-Wq 1706     | RSA 485-A:6, I; RSA 485-A:8, VI; Clean Water Act, 33 U.S.C. 1251 et seq  |
| Env-Wq 1707     | RSA 485-A:6, I; RSA 485-A:8, VI; Clean Water Act, 33 U.S.C. 1251 et seq  |
| Env-Wq 1708     | RSA 485-A:6, I; RSA 485-A:8, VI; Clean Water Act, 33 U.S.C. 1251 et seq  |
| Env-Wq 1709     | RSA 485-A:6, I; RSA 485-A:8, VI; Clean Water Act, 33 U.S.C. 1251 et seq  |