

**APPENDIX 3**  
**ANALYTICAL SUMMARY TABLES**

D0731

**Table 1 – Summary of Wipe Sampling Analytical Data – July 14, 2009**

D0732

**TABLE 1 - SUMMARY OF WIPE SAMPLING ANALYTICAL DATA - JULY 14, 2009**  
**SIM - OTTUMWA PCB SITE**  
**3043 Pawnee Drive, Ottumwa, Iowa**

Sample ID	Date Sampled	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	10 µg/100cm <sup>2</sup> High Occupancy Standard	100 µg/100cm <sup>2</sup> Low Occupancy Standard
											Pass / Fail	Pass / Fail
272 TL 10' 6"	7/14/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	<b>74</b>	< 5.0	< 5.0	< 5.0	<b>Fail</b>	Pass
987 BR 10' 6"	7/14/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
160 TL 3' 5"	7/14/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
305 TL 1'	7/14/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	<b>5.7</b>	< 5.0	< 5.0	< 5.0	Pass	Pass
374 BR 1'	7/14/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	<b>49</b>	< 5.0	< 5.0	< 5.0	<b>Fail</b>	Pass
387 TR 5'	7/14/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass

**Notes:**

All results in µg/100 cm<sup>2</sup>

< = sample concentration less than listed MDL

D0733

**Table 2 – Summary of Wipe Sampling Analytical Data – July 21, 2009**

D0734

**TABLE 2 - SUMMARY OF WIPE SAMPLING ANALYTICAL DATA - JULY 21, 2009**  
**SIM - OTTUMWA PCB SITE**  
**3043 Pawnee Drive, Ottumwa, Iowa**

Sample ID	Date Sampled	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	10 µg/100cm <sup>2</sup> High	100 µg/100cm <sup>2</sup> Low
											Occupancy Standard	Occupancy Standard
											Pass / Fail	Pass / Fail
1608 LE 63	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1594 LE 43	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1551 B 33	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1479 LE 9	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	16	< 5.0	< 5.0	< 5.0	Pass	Fail
1336 RE 69	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	5.7	< 5.0	< 5.0	< 5.0	Pass	Pass
1201 LE 60	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1161 LE 48	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1151 LE 6	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1172 RE 15	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	25	< 5.0	< 5.0	< 5.0	Fail	Pass
1131 T 54/55	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1131 T 55/54	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1131 LE 69	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
Field Blank 1	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	N/A	N/A
1141 LE 11/10	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	31	< 5.0	< 5.0	< 5.0	Fail	Pass
1122 RE 57	7/21/2009	< 25	< 25	< 25	< 25	< 25	100	< 25	< 25	< 25	Fail	Fail
894 LE 5	7/21/2009	< 25	< 25	< 25	< 25	< 25	56	< 25	< 25	< 25	Fail	Pass
1112 LE 8	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	9.2	< 5.0	< 5.0	< 5.0	Pass	Pass
962 LE 38	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	9.7	< 5.0	< 5.0	< 5.0	Pass	Pass
1041 RE 27	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	36	< 5.0	< 5.0	< 5.0	Fail	Pass
1030 T 45	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
992 LE 20	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	20	< 5.0	< 5.0	< 5.0	Fail	Pass
953 LE 20	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	31	< 5.0	< 5.0	< 5.0	Fail	Pass
938 RE 24	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	6.7	< 5.0	< 5.0	< 5.0	Pass	Pass
938 RE 25	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	5.2	< 5.0	< 5.0	< 5.0	Pass	Pass
978 LE 8	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
916 RE 38	7/21/2009	< 100	< 100	< 100	< 100	< 100	190	< 100	< 100	< 100	Fail	Fail
Field Blank 2	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	N/A	N/A
905 LE 32	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	150	< 5.0	< 5.0	< 5.0	Fail	Fail
817 LE 34	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	16	< 5.0	< 5.0	< 5.0	Fail	Pass
870 LE 3	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	15	< 5.0	< 5.0	< 5.0	Fail	Pass
858 LE 15	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	12	< 5.0	< 5.0	< 5.0	Fail	Pass
926 LE 16	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	38	< 5.0	< 5.0	< 5.0	Fail	Pass
105 RE 16	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1188 LE 49	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	6.0	< 5.0	< 5.0	< 5.0	Pass	Pass
272 LE 41	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	11	< 5.0	< 5.0	< 5.0	Fail	Pass
246 LE 29	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
246 LE 30	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
839 LE 39	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
337 RE 7	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
Field Blank 3	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	N/A	N/A
208 T 30	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	30	< 5.0	< 5.0	< 5.0	Fail	Pass
505 RE 64	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1102 LE 40	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	8.9	< 5.0	< 5.0	< 5.0	Pass	Pass
011 RE 14	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1226 RE 62	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1292 LE 18	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
426 LE 7	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
450 T 6	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
634 T 36	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
634 T 37	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
772 B 33	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
Field Blank 4	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	N/A	N/A

D0735

**TABLE 2 - SUMMARY OF WIPE SAMPLING ANALYTICAL DATA - JULY 21, 2009**  
**SIM - OTTUMWA PCB SITE**  
**3043 Pawnee Drive, Ottumwa, Iowa**

Sample ID	Date Sampled	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	10 µg/100cm <sup>2</sup> High	100 µg/100cm <sup>2</sup> Low
											Occupancy Standard	Occupancy Standard
											Pass / Fail	Pass / Fail
674 T 44	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
739 T END 64	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
782 L 16	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
689 END 51	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
709 T 23	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
719 L 3	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
729 T 6	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
807 RE 52	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
792 RE 13	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1074 R 36	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
1074 R 37	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass
Field Blank 5	7/21/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	N/A	N/A

Notes:  
 All results in µg/100 cm<sup>2</sup>  
 < = sample concentration less than listed MDL

D0736

**Table 3 – Summary of Wipe Sampling Analytical Data – August 11, 2009**

D0737

**TABLE 3 - SUMMARY OF WIPE SAMPLING ANALYTICAL DATA - AUGUST 11, 2009**  
**SIM - OTTUMWA PCB SITE**  
**3043 Pawnee Drive, Ottumwa, Iowa**

Sample ID	Date Sampled	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	10 µg/100cm <sup>2</sup> High Occupancy Standard		100 µg/100cm <sup>2</sup> Low Occupancy Standard	
											Pass / Fail	Pass / Fail	Pass / Fail	Pass / Fail
2021 LE 32	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
1925 L 13	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
1915 R 31	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
2043 T 5	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
2053 B 6	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
1843 BR 22	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
2077 TE 6	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	6.1	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
2009 L 5	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
2066 B 2	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
1955 T 9	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
1955 T 10	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
Field Blank 1	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	N/A	N/A	
2033 T 24	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
1819 R 23	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
1809 R 44	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
644 R 55	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
654 B 7	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
1051 R 42	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
699 B 23	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
613 R 39	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
664 R 27	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
623 L 23	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
623 L 24	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
Field Blank 2	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	N/A	N/A	
2253 T 90	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
2243 R 35	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
2233 R 26	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	
749 T 31	8/11/2009	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	Pass	Pass	

Notes:  
 All results in µg/100 cm<sup>2</sup>  
 < = sample concentration less than listed MDL

D0738

**Table 4 – Summary of Background Soil Sampling Analytical Data – August 11, 2009**

D0739

**TABLE 4 - SUMMARY OF BACKGROUND SOIL SAMPLING ANALYTICAL DATA - AUGUST 11, 2009**  
**SIM - OTTUMWA PCB SITE**  
**3043 Pawnee Drive, Ottumwa, Iowa**

Sample ID	Date Sampled	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	1,000 µg/Kg High Occupancy Standard Pass / Fail	25,000 µg/Kg Low Occupancy Standard Pass / Fail
BackgroundSouth	8/11/2009	< 330	< 330	< 330	< 330	< 330	< 330	< 330	< 330	< 330	Pass	Pass
Background West 1	8/11/2009	< 330	< 330	< 330	< 330	< 330	< 330	< 330	< 330	< 330	Pass	Pass
Background West 2	8/11/2009	< 330	< 330	< 330	< 330	< 330	< 330	< 330	< 330	< 330	Pass	Pass
Background North	8/11/2009	< 330	< 330	< 330	< 330	< 330	< 330	< 330	< 330	< 330	Pass	Pass

**Notes:**  
 All results in µg/Kg  
 < = sample concentration less than listed MDL

D0740

**Table 5 – Summary of Soil Sampling Analytical Data – August 12, 2009**

D0741

**TABLE 5 - SUMMARY OF SOIL SAMPLING ANALYTICAL DATA - AUGUST 12, 2009**  
**SIM - OTTUMWA PCB SITE**  
**3043 Pawnee Drive, Ottumwa, Iowa**

Sample ID	Date Sampled	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Occupancy Standard	
											1,000 µg/Kg High Pass / Fail	25,000 µg/Kg Low Pass / Fail
C1	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
C2	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
C3	8/12/2009	< 400	< 400	< 400	< 400	< 400	< 400	< 400	< 400	< 400	Pass	Pass
C4	8/12/2009	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	Pass	Pass
C5	8/12/2009	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	Pass	Pass
C6	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
C7	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
C8	8/12/2009	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	Pass	Pass
C9	8/12/2009	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	Pass	Pass
C10	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
C10 Dup.	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
C11	8/12/2009	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	Pass	Pass
C12	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
C13	8/12/2009	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	Pass	Pass
C14	8/12/2009	< 360	< 360	< 360	< 360	< 360	< 360	< 360	< 360	< 360	Pass	Pass
C15	8/12/2009	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	Pass	Pass
C16	8/12/2009	< 360	< 360	< 360	< 360	< 360	< 360	< 360	< 360	< 360	Pass	Pass
C17	8/12/2009	< 360	< 360	< 360	< 360	< 360	< 360	< 360	< 360	< 360	Pass	Pass
C18	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
C19	8/12/2009	< 350	< 350	< 350	< 350	< 350	< 350	< 350	< 350	< 350	Pass	Pass
C20	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
C20 Dup.	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
C21	8/12/2009	< 400	< 400	< 400	< 400	< 400	< 400	< 400	< 400	< 400	Pass	Pass
B1	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
B2	8/12/2009	< 360	< 360	< 360	< 360	< 360	< 360	< 360	< 360	< 360	Pass	Pass
B3	8/12/2009	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	Pass	Pass
B3 Dup.	8/12/2009	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	Pass	Pass
B4	8/12/2009	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	Pass	Pass
B5	8/12/2009	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	Pass	Pass
A1	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
A1 Dup.	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
A2	8/12/2009	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	< 370	Pass	Pass
A3	8/12/2009	< 390	< 390	< 390	< 390	< 390	< 390	< 390	< 390	< 390	Pass	Pass
A4	8/12/2009	< 390	< 390	< 390	< 390	< 390	< 390	< 390	< 390	< 390	Pass	Pass
A5	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
A6	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass
A7	8/12/2009	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	< 380	Pass	Pass

Notes:  
All results in µg/Kg  
< = sample concentration less than listed MDL

D0742