

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1 1 CONGRESS STREET, SUITE 1100

BOSTON, MASSACHUSETTS 02114-2023

RECEIVED U.S. E.P.A.

2007 2017 30 11 1:21

007 29 000

ERVIR. APPEALS BOARD

# VIA POUCH MAIL

Eurika Durr, Clerk of the Board (MC 1103B) Environmental Appeals Board U.S. Environmental Protection Agency Colorado Building 1341 G. Street, N.W., Suite 600 Washington, D.C. 20460-001

## VIA FEDERAL EXPRESS

Brian Postale Principal Environmental Engineer Wyman Gordon Company 244 Worcester Street North Grafton, MA 01536

Re: Notice of Uncontested and Severable Conditions NPDES Permit No. MA0004341 NPDES Appeal No. 06-14

Dear Mr. Postale:

On October 30, 2006, the Wyman Gordon Company ("Permittee"), filed a Petition for Review of NPDES Permit No. MA0004341 ("Permit") with the U.S. EPA Environmental Appeals Board ("Board") pursuant to 40 C.F.R. § 124.19(a). The Permit had been reissued to the Permittee on September 28, 2006 by the New England Regional Office of the U.S. Environmental Protection Agency ("Region"). The Permit superseded the permit issued by the Region on June 30, 1997 ("Prior Permit").

In its Petition, the Permittee contests the following Permit limits:

Part 1.A.1

Oil and Grease TSS Copper Whole Effluent Toxicity, LC-50

## Part 1.A.2

Oil and Grease TSS Copper Whole Effluent Toxicity, LC-50

### Part 1.A.3

Oil and Grease Copper Iron Aluminum Whole Effluent Toxicity, LC-50

Part 1.A.4

Oil and Grease Copper Iron Aluminum Zinc Whole Effluent Toxicity, LC-50

<u>Part 1.A.5</u>

Oil and Grease Copper Iron Aluminum Whole Effluent Toxicity, LC-50

### Part 1.A.12(3)

Maximum recycling and reuse of process water, storm water, and non-contact cooling water by the facility to result in minimum, intermittent and infrequent withdrawals of river water through the CWIS.

The limits and conditions contested by the Permittee are referred to herein as the "Contested Conditions." Pursuant to 40 C.F.R. §§ 124.16(a)(2)(ii) and 124.60(b), this letter notifies you of my determination that the Contested Conditions are stayed until final agency action under 40 C.F.R. § 124.19(f). With respect to each of the Contested Conditions, the corresponding term, if any, in the Prior Permit shall remain in effect. All other conditions of the Permit are uncontested

2

and severable from the Contested Conditions. Thus, all of the other conditions are not stayed and will become fully effective enforceable obligations of the Permit on December 1, 2007, consistent with 40 C.F.R. § 124.16(a)(2)(i).

If you have any questions regarding this correspondence, please feel free to contact Samir Bukhari, the Region's legal counsel in this matter, at 617-918-1095, or Damien Houlihan, in our Office of Ecosystem Protection, at 617-918-1586.

Sincerely,

ar id.

Robert W. Varney Regional Administrator

 cc: Ned Bartlett, Bowditch & Dewey, LLP (via electronic mail) Paul Hogan, MassDEP (via electronic mail) David Webster, EPA Damien Houlihan, EPA David J. Gray, EPA Denny Dart, EPA