

E. W. SAYBOLT & CO., INC.

General Headquarters: 1601 West Coast Highway
Pasadena, California 91104
Warehouse: 11100 W. 17th St., Richmond, California 94804

BARGE "7007"
NITCO 3007

1 CENTER

GAUGE HEIGHT 15'-3 7/8"

	10	11	12	13	14	15	16	17	18	19
0	5828.55	6439.03	7047.06	0	0	0	0	0	0	0
1/4	5894.27	6451.67	7059.70	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	5858.99	6464.31	7071.86	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	5856.70	6476.95	7084.02	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	5879.42	6489.59	7096.18	1	1	1	1	1	1	1
1 1/4	5892.14	6502.23	7108.34	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	5904.86	6514.88	7119.34	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
1 3/4	5917.58	6527.52	7130.34	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
2	5930.30	6540.16	7141.34	2	2	2	2	2	2	2
1/4	5943.01	6552.80	7152.34	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	5955.73	6565.44	7162.19	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	5968.45	6578.08	7172.03	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	5981.17	6590.72	7181.87	1	1	1	1	1	1	1
1 1/4	5993.89	6603.37	7191.72	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	6006.61	6616.01	7201.40	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
1 3/4	6019.32	6628.65	7209.99	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
2	6032.04	6641.29	7217.77	2	2	2	2	2	2	2
1/4	6044.76	6653.93	7225.46	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	6057.48	6666.57	7233.99	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	6070.20	6679.21	7241.51	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	6082.91	6691.85	7249.04	1	1	1	1	1	1	1
1 1/4	6095.63	6704.50	7256.57	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	6108.35	6717.14	7264.09	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
1 3/4	6121.07	6729.78	7269.31	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
2	6133.79	6742.42	7275.68	2	2	2	2	2	2	2
1/4	6146.51	6755.06	7282.05	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	6159.22	6767.71	7287.26	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	6171.94	6780.35	7292.47	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	6184.66	6793.00	7297.68	1	1	1	1	1	1	1
1 1/4	6197.38	6805.64	7302.89	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	6210.10	6818.28	7308.09	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
1 3/4	6222.82	6831.00	7311.00	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
2	6235.53	6843.90	7315.05	2	2	2	2	2	2	2
1/4	6248.25	6856.65	7319.10	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	6260.97	6869.40	7323.09	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	6273.69	6882.04	7327.09	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	6286.41	6894.74	7327.79	1	1	1	1	1	1	1
1 1/4	6299.13	6907.43	7330.69	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	6311.84	6920.12	7332.92	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
1 3/4	6324.56	6932.82	7334.16	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
2	6337.28	6945.51	7334.16	2	2	2	2	2	2	2
1/4	6350.00	6958.20	7334.16	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	6362.72	6970.90	7334.16	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	6375.44	6983.59	7334.16	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	6388.15	6996.28	7334.16	1	1	1	1	1	1	1
1 1/4	6400.87	7008.98	7334.16	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	6413.59	7021.67	7334.16	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
1 3/4	6426.31	7034.36	7334.16	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

2 CENTER

BARGE "7007"
HTC 3007

GAGE HEIGHT 15'-3 7/8"

E. W. BAYBOLT & CO., INC.

Chief Office: Manufacturers
700 Broadway
Franklin, Texas 77422

West Coast Representatives
4800 Sherman Way
Whittier, Calif. 90603

	10	11	12	13	14	15	16	17	18	19
	ft.	ft.	ft.	ft.	ft.	ft.	ft.	ft.	ft.	ft.
0	5323.30	0	5865.42	0	6407.01	0	0	0	0	0
1/4	5334.59	1/4	5876.72	1/4	6418.24	1/4	1/4	1/4	1/4	1/4
1/2	5345.89	1/2	5888.01	1/2	6429.45	1/2	1/2	1/2	1/2	1/2
3/4	5357.18	3/4	5899.31	3/4	6440.26	3/4	3/4	3/4	3/4	3/4
1	5368.48	1	5910.60	1	6451.06	1	1	1	1	1
1 1/4	5379.77	1 1/4	5921.90	1 1/4	6461.86	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	5391.06	1 1/2	5933.19	1 1/2	6472.66	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
1 3/4	5402.36	1 3/4	5944.48	1 3/4	6483.43	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
2	5413.65	2	5955.78	2	6494.20	2	2	2	2	2
2 1/4	5424.95	2 1/4	5967.07	2 1/4	6504.97	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
2 1/2	5436.24	2 1/2	5978.37	2 1/2	6515.73	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
2 3/4	5447.54	2 3/4	5989.66	2 3/4	6526.48	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
3	5458.83	3	6000.96	3	6529.22	3	3	3	3	3
3 1/4	5470.12	3 1/4	6012.25	3 1/4	6537.95	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4
3 1/2	5481.42	3 1/2	6023.54	3 1/2	6546.70	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2
3 3/4	5492.71	3 3/4	6034.84	3 3/4	6554.41	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4
4	5504.01	4	6046.13	4	6562.11	4	4	4	4	4
4 1/4	5515.30	4 1/4	6057.43	4 1/4	6569.81	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4
4 1/2	5526.60	4 1/2	6068.72	4 1/2	6577.53	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2
4 3/4	5537.89	4 3/4	6080.02	4 3/4	6584.24	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4
5	5549.18	5	6091.31	5	6590.92	5	5	5	5	5
5 1/4	5560.48	5 1/4	6102.61	5 1/4	6597.61	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
5 1/2	5571.77	5 1/2	6113.90	5 1/2	6604.29	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2
5 3/4	5583.07	5 3/4	6125.19	5 3/4	6609.95	5 3/4	5 3/4	5 3/4	5 3/4	5 3/4
6	5594.36	6	6136.49	6	6615.60	6	6	6	6	6
6 1/4	5605.66	6 1/4	6147.76	6 1/4	6621.26	6 1/4	6 1/4	6 1/4	6 1/4	6 1/4
6 1/2	5616.95	6 1/2	6159.03	6 1/2	6626.92	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2
6 3/4	5628.24	6 3/4	6170.30	6 3/4	6631.54	6 3/4	6 3/4	6 3/4	6 3/4	6 3/4
7	5639.54	7	6181.58	7	6636.17	7	7	7	7	7
7 1/4	5650.83	7 1/4	6192.85	7 1/4	6640.80	7 1/4	7 1/4	7 1/4	7 1/4	7 1/4
7 1/2	5662.13	7 1/2	6204.12	7 1/2	6645.43	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2
7 3/4	5673.42	7 3/4	6215.39	7 3/4	6649.03	7 3/4	7 3/4	7 3/4	7 3/4	7 3/4
8	5684.72	8	6226.66	8	6652.63	8	8	8	8	8
8 1/4	5696.01	8 1/4	6237.93	8 1/4	6656.23	8 1/4	8 1/4	8 1/4	8 1/4	8 1/4
8 1/2	5707.30	8 1/2	6249.21	8 1/2	6659.82	8 1/2	8 1/2	8 1/2	8 1/2	8 1/2
8 3/4	5718.60	8 3/4	6260.48	8 3/4	6662.40	8 3/4	8 3/4	8 3/4	8 3/4	8 3/4
9	5729.89	9	6271.75	9	6664.97	9	9	9	9	9
9 1/4	5741.18	9 1/4	6283.02	9 1/4	6667.54	9 1/4	9 1/4	9 1/4	9 1/4	9 1/4
9 1/2	5752.48	9 1/2	6294.29	9 1/2	6670.11	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2
9 3/4	5763.78	9 3/4	6305.56	9 3/4	6671.65	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4
10	5775.07	10	6316.84	10	6673.19	10	10	10	10	10
10 1/4	5786.36	10 1/4	6328.11	10 1/4		10 1/4	10 1/4	10 1/4	10 1/4	10 1/4
10 1/2	5797.66	10 1/2	6339.38	10 1/2		10 1/2	10 1/2	10 1/2	10 1/2	10 1/2
10 3/4	5808.95	10 3/4	6350.65	10 3/4		10 3/4	10 3/4	10 3/4	10 3/4	10 3/4
11	5820.25	11	6361.92	11		11	11	11	11	11
11 1/4	5831.54	11 1/4	6373.20	11 1/4		11 1/4	11 1/4	11 1/4	11 1/4	11 1/4
11 1/2	5842.84	11 1/2	6384.47	11 1/2		11 1/2	11 1/2	11 1/2	11 1/2	11 1/2
11 3/4	5854.13	11 3/4	6395.74	11 3/4		11 3/4	11 3/4	11 3/4	11 3/4	11 3/4

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

SHEET 4 OF 8 SHEETS

FORM 14 (REV. 3-78)

E. W. BAYBOLT & CO., INC.

E. E. Highland

3 CENTER

BARGE "7007"
HTCo 3007

E. W. SAYBOLT & CO., INC.

Dist. Coast Headquarters
General Headquarters
Philadelphia, Pa. 19107
West Coast Headquarters
San Francisco, Calif. 94104
New York City Office
New York, N. Y. 10020

GAGE HEIGHT 15'-3 5/8"

	10	11	12	13	14	15	16	17	18	19
0	5324.31	5866.71	6408.59	6950.47	7492.35	8034.23	8576.11	9117.99	9659.87	10201.75
1/4	5335.61	5878.01	6419.82	6961.64	7503.46	8045.28	8587.10	9128.92	9670.74	10212.56
1/2	5346.91	5889.31	6431.05	6972.87	7514.69	8056.51	8598.33	9140.15	9681.97	10223.79
3/4	5358.21	5900.61	6442.28	6984.10	7525.92	8067.74	8609.56	9151.38	9693.20	10235.02
1	5369.51	5911.91	6453.51	6995.33	7537.15	8078.97	8620.79	9162.61	9704.43	10246.25
1 1/4	5380.81	5923.21	6464.74	7006.56	7548.38	8090.20	8632.02	9173.84	9715.66	10257.48
1 1/2	5392.11	5934.51	6475.97	7017.79	7559.61	8101.43	8643.25	9185.07	9726.89	10268.71
1 3/4	5403.41	5945.81	6487.20	7029.02	7570.84	8112.66	8654.48	9196.30	9738.12	10279.94
2	5414.71	5957.11	6498.43	7040.25	7582.07	8123.89	8665.71	9207.53	9749.35	10291.17
1/4	5426.01	5968.41	6509.66	7051.48	7593.30	8135.12	8676.94	9218.76	9760.58	10302.40
1/2	5437.31	5979.71	6520.89	7062.71	7604.53	8146.35	8688.17	9229.99	9771.81	10313.63
3/4	5448.61	5991.01	6532.12	7073.94	7615.76	8157.58	8699.40	9241.22	9783.04	10324.86
1	5459.91	6002.31	6543.35	7085.17	7627.00	8168.81	8710.63	9252.45	9794.27	10336.09
1 1/4	5471.21	6013.61	6554.58	7096.40	7638.23	8180.04	8721.86	9263.68	9805.50	10347.32
1 1/2	5482.51	6024.91	6565.81	7107.63	7649.46	8191.27	8733.09	9274.91	9816.73	10358.55
1 3/4	5493.81	6036.21	6577.04	7118.86	7660.69	8202.50	8744.32	9286.14	9827.96	10369.78
2	5505.11	6047.51	6588.27	7130.09	7671.92	8213.73	8755.55	9297.37	9839.19	10381.01
1/4	5516.41	6058.81	6599.50	7141.32	7683.15	8224.96	8766.78	9308.60	9850.42	10392.24
1/2	5527.71	6070.11	6610.73	7152.55	7694.38	8236.19	8778.01	9319.83	9861.65	10403.47
3/4	5539.01	6081.41	6621.96	7163.78	7705.61	8247.42	8789.24	9331.06	9872.88	10414.70
1	5550.31	6092.71	6633.19	7175.01	7716.84	8258.65	8800.47	9342.29	9884.11	10425.93
1 1/4	5561.61	6104.01	6644.42	7186.24	7728.07	8269.88	8811.70	9353.52	9895.34	10437.16
1 1/2	5572.91	6115.31	6655.65	7197.47	7739.30	8281.11	8822.93	9364.75	9906.57	10448.39
1 3/4	5584.21	6126.61	6666.88	7208.70	7750.53	8292.34	8834.16	9375.98	9917.80	10459.62
2	5595.51	6137.91	6678.11	7219.93	7761.76	8303.57	8845.39	9387.21	9929.03	10470.85
1/4	5606.81	6149.19	6689.34	7231.16	7773.00	8314.80	8856.62	9398.44	9940.26	10482.08
1/2	5618.11	6160.47	6700.57	7242.39	7784.23	8326.03	8867.85	9409.67	9951.49	10493.31
3/4	5629.41	6171.75	6711.80	7253.62	7795.46	8337.26	8879.08	9420.90	9962.72	10504.54
1	5640.71	6183.03	6723.03	7264.85	7806.69	8348.49	8890.31	9432.13	9973.95	10515.77
1 1/4	5652.01	6194.30	6734.26	7276.08	7817.92	8359.72	8901.54	9443.36	9985.18	10527.00
1 1/2	5663.31	6205.58	6745.49	7287.31	7829.15	8370.95	8912.77	9454.59	9996.41	10538.23
1 3/4	5674.61	6216.86	6756.72	7298.54	7840.38	8382.18	8924.00	9465.82	10007.64	10549.46
2	5685.91	6228.14	6767.95	7309.77	7851.61	8393.41	8935.23	9477.05	10018.87	10560.69
1/4	5697.21	6239.42	6779.18	7321.00	7862.84	8404.64	8946.46	9488.28	10030.10	10571.92
1/2	5708.51	6250.70	6790.41	7332.23	7874.07	8415.87	8957.69	9499.51	10041.33	10583.15
3/4	5719.81	6261.98	6801.64	7343.46	7885.30	8427.10	8968.92	9510.74	10052.56	10594.38
1	5731.11	6273.26	6812.87	7354.69	7896.53	8438.33	8980.15	9521.97	10063.79	10605.61
1 1/4	5742.41	6284.54	6824.10	7365.92	7907.76	8449.56	8991.38	9533.20	10075.02	10616.84
1 1/2	5753.71	6295.82	6835.33	7377.15	7918.99	8460.79	9002.61	9544.43	10086.25	10628.07
1 3/4	5765.01	6307.10	6846.56	7388.38	7930.22	8472.02	9013.84	9555.66	10097.48	10639.30
2	5776.31	6318.38	6857.79	7400.61	7941.45	8483.25	9025.07	9566.89	10108.71	10650.53
1/4	5787.61	6329.66	6869.02	7411.84	7952.68	8494.48	9036.30	9578.12	10119.94	10661.76
1/2	5798.91	6340.94	6880.25	7423.07	7963.91	8505.71	9047.53	9589.35	10131.17	10673.00
3/4	5810.21	6352.22	6891.48	7434.30	7975.14	8516.94	9058.76	9600.58	10142.40	10684.23
1	5821.51	6363.50	6902.71	7445.53	7986.37	8528.17	9070.00	9611.81	10153.63	10695.46
1 1/4	5832.81	6374.78	6913.94	7456.76	7997.60	8539.40	9081.23	9623.04	10164.86	10706.70
1 1/2	5844.11	6386.06	6925.17	7468.00	8008.83	8550.63	9092.46	9634.27	10176.09	10717.93
1 3/4	5855.41	6397.34	6936.40	7479.23	8020.06	8561.86	9103.69	9645.50	10187.32	10729.16
2	5866.71	6408.62	6947.63	7490.46	8031.29	8573.09	9114.92	9656.73	10198.55	10740.40

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

E. W. SAYBOLT & CO. INC.

" E. E. Hibbard



E. W. Saylor & Co., Inc.
 Gulf Coast Headquarters
 300 Daingerfield
 Panama, Tenn 37382

West Coast Headquarters
 12510 Wilshire Blvd
 Culver City, Calif 90230

BARGE #7007 II
HTC 3007
4 CENTER

GAGE HEIGHT 15'-3 1/4"

IN.	0	1	2	3	4	5	6	7	8	9
1/2	1.00	444.82	988.74	1529.14	2071.54	2613.94	3156.34	3698.74	4241.14	4783.54
1/4	2.43	456.10	988.04	1529.44	2082.84	2625.24	3167.64	3710.04	4252.44	4794.84
3/4	4.31	477.38	1009.34	1551.74	2094.14	2636.54	3178.94	3721.34	4263.74	4806.14
1	6.74	487.66	1020.64	1563.04	2105.44	2647.84	3190.24	3732.64	4275.04	4817.44
1 1/4	9.70	489.94	1031.94	1574.34	2116.74	2659.14	3201.54	3743.94	4286.34	4828.74
1 1/2	13.25	501.22	1043.24	1585.64	2128.04	2670.44	3212.84	3755.24	4297.64	4840.04
1 3/4	17.25	512.50	1054.54	1596.94	2139.34	2681.74	3224.14	3766.54	4308.94	4851.34
2	21.83	523.78	1065.84	1608.24	2150.64	2693.04	3235.44	3777.84	4320.24	4862.64
2 1/4	26.96	535.06	1077.14	1619.54	2161.94	2704.34	3246.74	3789.14	4331.54	4873.94
2 1/2	32.62	546.34	1088.44	1630.84	2173.24	2715.64	3258.04	3800.44	4342.84	4885.24
2 3/4	38.82	557.62	1099.74	1642.14	2184.54	2726.94	3269.34	3811.74	4354.14	4896.54
3	45.54	568.90	1111.04	1653.44	2195.84	2738.24	3280.64	3823.04	4365.44	4907.84
3 1/4	52.84	580.18	1122.34	1664.74	2207.14	2749.54	3291.94	3834.34	4376.74	4919.14
3 1/2	60.66	591.46	1133.64	1676.04	2218.44	2760.84	3303.24	3845.64	4388.04	4930.44
3 3/4	69.01	602.74	1144.94	1687.34	2229.74	2772.14	3314.54	3856.94	4399.34	4941.74
4	77.81	614.02	1156.24	1698.64	2241.04	2783.44	3325.84	3868.24	4410.64	4953.04
4 1/4	87.33	625.30	1167.54	1709.94	2252.34	2794.74	3337.14	3879.54	4421.94	4964.34
4 1/2	97.30	636.58	1178.84	1721.24	2263.64	2806.04	3348.44	3890.84	4433.24	4975.64
4 3/4	107.81	647.86	1190.14	1732.54	2274.94	2817.34	3359.74	3902.14	4444.54	4986.94
5	118.86	659.14	1201.44	1743.84	2286.24	2828.64	3371.04	3913.44	4455.84	4998.24
5 1/4	130.10	670.42	1212.74	1755.14	2297.54	2839.94	3382.34	3924.74	4467.14	5009.54
5 1/2	141.34	681.70	1224.04	1766.44	2308.84	2851.24	3393.64	3936.04	4478.44	5020.84
5 3/4	152.58	692.98	1235.34	1777.74	2319.74	2862.54	3404.94	3947.34	4489.74	5032.14
6	163.82	704.26	1246.64	1789.04	2331.04	2873.84	3416.24	3958.64	4501.04	5043.44
6 1/4	175.06	715.54	1257.94	1800.34	2342.74	2885.14	3427.54	3969.94	4512.34	5054.74
6 1/2	186.30	726.84	1269.24	1811.64	2353.64	2896.64	3438.84	3981.24	4523.64	5066.04
6 3/4	197.54	738.14	1280.54	1822.94	2364.94	2907.74	3450.14	3992.54	4534.94	5077.34
7	208.78	749.46	1291.84	1834.24	2376.64	2919.04	3461.44	4003.84	4546.24	5088.64
7 1/4	220.92	760.74	1303.14	1845.54	2387.94	2930.34	3472.74	4015.14	4557.54	5099.94
7 1/2	232.26	772.04	1314.44	1856.84	2399.24	2941.64	3484.04	4026.44	4568.84	5111.24
7 3/4	244.50	783.34	1325.74	1868.14	2410.54	2952.94	3495.34	4037.74	4580.14	5122.54
8	253.74	794.64	1337.04	1879.44	2421.84	2964.24	3506.64	4049.04	4591.44	5133.84
8 1/4	266.38	805.94	1348.34	1890.74	2433.14	2975.54	3517.94	4060.34	4602.74	5145.14
8 1/2	276.22	817.24	1359.64	1902.04	2444.44	2986.84	3529.24	4071.64	4614.04	5156.44
8 3/4	287.46	828.54	1370.94	1913.34	2455.74	2998.14	3540.54	4082.94	4625.34	5167.74
9	299.94	839.84	1382.24	1924.64	2467.04	3009.44	3551.84	4094.24	4636.64	5179.04
9 1/4	312.18	851.14	1393.54	1935.94	2478.34	3020.74	3563.14	4105.54	4647.94	5190.34
9 1/2	324.42	862.44	1404.84	1947.24	2489.64	3032.04	3574.44	4116.84	4659.24	5201.64
9 3/4	336.66	873.74	1416.14	1958.54	2500.94	3043.34	3585.74	4128.14	4670.54	5212.94
10	348.90	885.04	1427.44	1969.84	2512.24	3054.64	3597.04	4139.44	4681.84	5224.24
10 1/4	360.14	896.34	1438.74	1981.14	2523.54	3065.94	3608.34	4150.74	4693.14	5235.54
10 1/2	372.38	907.64	1450.04	1992.44	2534.84	3077.24	3619.64	4162.04	4704.44	5246.84
10 3/4	384.62	918.94	1461.34	2003.74	2546.14	3088.54	3630.94	4173.34	4715.74	5258.14
11	396.86	930.24	1472.64	2015.04	2557.44	3099.84	3642.24	4184.64	4727.04	5269.44
11 1/4	409.10	941.54	1483.94	2026.34	2568.74	3111.14	3653.54	4195.94	4738.34	5280.74
11 1/2	421.34	952.84	1495.24	2037.64	2580.04	3122.44	3664.84	4207.24	4749.64	5292.04
11 3/4	433.58	964.14	1506.54	2048.94	2591.34	3133.74	3676.14	4218.54	4760.94	5303.34
12	444.82	975.44	1517.84	2060.24	2602.64	3145.04	3687.44	4229.84	4772.24	5314.64

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY NO CHANGES
 AND KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS
 NOTE: GAUGE TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
 NOTE: WHEN BARGE IS DOWN BY STERN ADD 1 1/4" TO EACH INNADE GAUGE FOR EVERY ONE FOOT OF DRAG.
 NOTE: GAUGE POINT LOCATED 2'-10" OFF CENTERLINE BULKHEAD AND 57'-6" FORWARD OF AFT. BULKHEAD.

FORM 58 REV. 1979

E. W. SAYBOLT & CO., INC.

E. E. Spillman



Oil Well Machinery
 Division
 4101 West 11th Street
 P.O. Box 100
 Fort Worth, Texas 76102
 West Coast Headquarters
 11500 Wilshire Blvd.
 Encino, Calif. 91436

4 CENTER

BARGE 7007H

#7C0 3007

GAGE HEIGHT 15'-3 1/4"

NOTE: BARGE STRAPPED AND COMPUTED FOR THE INGALLS IRON WORKS CO., DECATUR, ALABAMA.

No.	10		11		12		13		14		15		16		17		18		19
	U	S	U	S	U	S	U	S	U	S	U	S	U	S	U	S	U	S	
1	5325.94	0	5368.33	0	5409.30	0													
1/4	5337.24	1/4	5379.64	1/4	5420.58	1/4													1/4
1/2	5348.54	1/2	5390.94	1/2	5431.86	1/2													1/2
3/4	5359.84	3/4	5402.24	3/4	5443.16	3/4													3/4
1	5371.14	1	5413.54	1	5454.49	1													1
1/4	5382.44	1/4	5424.84	1/4	5465.30	1/4													1/4
1/2	5393.74	1/2	5436.14	1/2	5476.11	1/2													1/2
3/4	5405.04	3/4	5447.44	3/4	5486.89	3/4													3/4
1	5416.34	1	5458.74	1	5497.67	1													1
1/4	5427.64	1/4	5470.04	1/4	5508.45	1/4													1/4
1/2	5438.94	1/2	5481.34	1/2	5519.23	1/2													1/2
3/4	5450.24	3/4	5492.64	3/4	5529.98	3/4													3/4
1	5461.54	1	5503.94	1	5541.73	1													1
1/4	5472.84	1/4	5515.24	1/4	5552.48	1/4													1/4
1/2	5484.14	1/2	5526.54	1/2	5563.23	1/2													1/2
3/4	5495.44	3/4	5537.84	3/4	5573.97	3/4													3/4
1	5506.74	1	5549.14	1	5584.71	1													1
1/4	5518.04	1/4	5560.44	1/4	5595.44	1/4													1/4
1/2	5529.34	1/2	5571.74	1/2	5606.18	1/2													1/2
3/4	5540.64	3/4	5583.04	3/4	5616.92	3/4													3/4
1	5551.94	1	5594.34	1	5627.66	1													1
1/4	5563.24	1/4	5605.64	1/4	5638.40	1/4													1/4
1/2	5574.54	1/2	5616.94	1/2	5649.14	1/2													1/2
3/4	5585.84	3/4	5628.24	3/4	5659.88	3/4													3/4
1	5597.14	1	5639.54	1	5670.62	1													1
1/4	5608.44	1/4	5650.84	1/4	5681.36	1/4													1/4
1/2	5619.74	1/2	5662.14	1/2	5692.10	1/2													1/2
3/4	5631.04	3/4	5673.44	3/4	5702.84	3/4													3/4
1	5642.34	1	5684.74	1	5713.58	1													1
1/4	5653.64	1/4	5696.04	1/4	5724.32	1/4													1/4
1/2	5664.94	1/2	5707.34	1/2	5735.06	1/2													1/2
3/4	5676.24	3/4	5718.64	3/4	5745.80	3/4													3/4
1	5687.54	1	5729.94	1	5756.54	1													1
1/4	5698.84	1/4	5741.24	1/4	5767.28	1/4													1/4
1/2	5710.14	1/2	5752.94	1/2	5778.02	1/2													1/2
3/4	5721.44	3/4	5764.64	3/4	5788.76	3/4													3/4
1	5732.74	1	5776.34	1	5800.50	1													1
1/4	5744.04	1/4	5788.04	1/4	5811.24	1/4													1/4
1/2	5755.34	1/2	5800.34	1/2	5822.98	1/2													1/2
3/4	5766.64	3/4	5812.64	3/4	5834.72	3/4													3/4
1	5777.94	1	5824.94	1	5846.46	1													1
1/4	5789.24	1/4	5837.24	1/4	5858.20	1/4													1/4
1/2	5800.54	1/2	5849.54	1/2	5869.94	1/2													1/2
3/4	5811.84	3/4	5861.84	3/4	5881.68	3/4													3/4
1	5823.14	1	5874.14	1	5893.42	1													1
1/4	5834.44	1/4	5886.44	1/4	5905.16	1/4													1/4
1/2	5845.74	1/2	5898.74	1/2	5916.90	1/2													1/2
3/4	5857.04	3/4	5911.04	3/4	5928.64	3/4													3/4

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED BY: HFR 6/11/80

COMPUTED BY: CEK 6/24/80

CHECKED BY: SO 6/25/80

SHEET B OF 8 SHEETS

FORM 68 (REV. 5/78)

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

E. W. SAYBOLT & CO. INC.

E. E. Hickland

TANK GAUGE TABLE
NO. 3 PORT OR STARBO

BARGE HTCo 2201

INSPECTORS OF PETROLEUM
GENERAL HEADQUARTERS
868 BAYVIEW
DULLES, VA. 20146

0 FT		1 FT		2 FT		3 FT		4 FT		5 FT		6 FT		7 FT		8 FT		9 FT		10 FT		11 FT		12 FT	
IN	GA	IN	GA	IN	GA	IN	GA	IN	GA	IN	GA	IN	GA	IN	GA	IN	GA	IN	GA	IN	GA	IN	GA	IN	GA
0	00	0	00	0	00	0	00	0	00	0	00	0	00	0	00	0	00	0	00	0	00	0	00	0	00
1	01	1	01	1	04	1	04	1	07	1	07	1	11	1	11	1	14	1	14	1	18	1	18	1	22
2	02	1	04	1	09	1	09	2	11	1	15	2	15	2	19	2	23	2	27	2	31	2	35	2	39
3	03	1	07	1	14	1	14	2	19	2	23	3	27	3	31	3	35	3	39	3	43	3	47	3	51
4	04	1	11	1	19	2	19	3	24	3	28	4	32	4	36	4	40	4	44	4	48	4	52	4	56
5	05	1	15	2	22	2	22	4	27	4	31	5	35	5	39	5	43	5	47	5	51	5	55	5	59
6	06	1	19	2	27	3	27	5	32	5	36	6	40	6	44	6	48	6	52	6	56	6	60	6	64
7	07	1	23	3	32	3	32	6	37	6	41	7	45	7	49	7	53	7	57	7	61	7	65	7	69
8	08	1	27	3	37	4	37	7	42	7	46	8	50	8	54	8	58	8	62	8	66	8	70	8	74
9	09	1	31	4	41	4	41	8	47	8	51	9	55	9	59	9	63	9	67	9	71	9	75	9	79
10	10	1	35	4	46	5	46	9	52	9	56	10	60	10	64	10	68	10	72	10	76	10	80	10	84
11	11	1	39	5	50	5	50	10	57	10	61	11	65	11	69	11	73	11	77	11	81	11	85	11	89
12	12	1	43	5	54	6	54	11	61	11	65	12	69	12	73	12	77	12	81	12	85	12	89	12	93

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

Strapped by - O.P.S. & J.S.
Computed by - W.L.S.
Checked by - J.E.M.C.
DATE - MARCH 29, 1954
DATE - APRIL 22, 1954

NOTE: IMRAGE GAGES TAKEN AT GAGE RATCH ON TOP OF EXPANSION DOME. DUMES ARE NOT CORRECTED AND BARGE MUST BE ON EVEN KEEL TO INSURE ACCURATE GAGING.



E W SAYSOLT & COMPANY
17
SAYSOLT
INCORPORATED BY NEW YORK THROUGH EXCHANGE

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED VESSEL ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

W. B. SAYBOLT & CO.
 GENERAL MANAGERS
 INSPECTORS OF PETROLEUM
 GENERAL HEADQUARTERS
 235 BAYWAY
 BROOKLYN 11, N. Y.

BARGE HTCo 2201

TANK GAUGE TABLE
 NO. 3 PORT OR STARBOARD

12 FT		13 FT		FT		FT		FT		FT		FT		FT		FT		FT	
IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	2265194	0	2267166	0		0		0		0		0		0		0		0	
1	2265198	1	2267169	1		1		1		1		1		1		1		1	
2	2266602	2	2267773	2		2		2		2		2		2		2		2	
3	2266605	3	2267776	3		3		3		3		3		3		3		3	
4	2266609	4	2267780	4		4		4		4		4		4		4		4	
5	2266612	5	2267784	5		5		5		5		5		5		5		5	
6	2266616	6	2267787	6		6		6		6		6		6		6		6	
7	2266619	7	2267791	7		7		7		7		7		7		7		7	
8	2266623	8	2267794	8		8		8		8		8		8		8		8	
9	2266627	9	2267798	9		9		9		9		9		9		9		9	
10	2266630	10	2268001	10		10		10		10		10		10		10		10	
11	2266634	11	2268005	11		11		11		11		11		11		11		11	
12	2266637	12	2268009	12		12		12		12		12		12		12		12	
13	2266641	13	2268012	13		13		13		13		13		13		13		13	
14	2266644	14	2268016	14		14		14		14		14		14		14		14	
15	2266648	15	2268019	15		15		15		15		15		15		15		15	
16	2266651	16	2268023	16		16		16		16		16		16		16		16	
17	2266655	17		17		17		17		17		17		17		17		17	
18	2266659	18		18		18		18		18		18		18		18		18	
19	2266663	19		19		19		19		19		19		19		19		19	
20	2266667	20		20		20		20		20		20		20		20		20	
21	2266671	21		21		21		21		21		21		21		21		21	
22	2266675	22		22		22		22		22		22		22		22		22	
23	2266679	23		23		23		23		23		23		23		23		23	
24	2266683	24		24		24		24		24		24		24		24		24	
25	2266687	25		25		25		25		25		25		25		25		25	
26	2266691	26		26		26		26		26		26		26		26		26	
27	2266694	27		27		27		27		27		27		27		27		27	
28	2266698	28		28		28		28		28		28		28		28		28	
29	2266701	29		29		29		29		29		29		29		29		29	
30	2266705	30		30		30		30		30		30		30		30		30	
31	2266709	31		31		31		31		31		31		31		31		31	
32	2266712	32		32		32		32		32		32		32		32		32	
33	2266716	33		33		33		33		33		33		33		33		33	
34	2266719	34		34		34		34		34		34		34		34		34	
35	2266723	35		35		35		35		35		35		35		35		35	
36	2266726	36		36		36		36		36		36		36		36		36	
37	2266730	37		37		37		37		37		37		37		37		37	
38	2266734	38		38		38		38		38		38		38		38		38	
39	2266737	39		39		39		39		39		39		39		39		39	
40	2266741	40		40		40		40		40		40		40		40		40	
41	2266744	41		41		41		41		41		41		41		41		41	
42	2266748	42		42		42		42		42		42		42		42		42	
43	2266751	43		43		43		43		43		43		43		43		43	
44	2266755	44		44		44		44		44		44		44		44		44	
45	2266759	45		45		45		45		45		45		45		45		45	
46	2266762	46		46		46		46		46		46		46		46		46	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

Strapped by: O.P.A. & J.S. MARCH 29, 1964
 Checked by: W.L.S. DATE APRIL 22, 1964
 Checked by: J.E.B.G. " 1964

NOTE: IRRIGATION GAGES TAKEN AT GAGE HATCH ON TOP OF EXPANSION DOME. DOMES ARE NOT CENTERED AND BARGE MUST BE ON EVEN KEEL TO INSURE ACCURATE GAGING.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED VESSEL ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY



E W SAYBOLT & COMPANY
 BY *[Signature]*
 INSPECTOR OF PETROLEUM
 APPROVED BY NEW YORK PRODUCT EXCHANGE

